



Cs301 midterm solved mcqs from quizzes

Data Structures (Virtual University of Pakistan)

1st Online Quiz Of Cs301

Data Structures

Solved MCQs In Cofenrence

1. Local variables of a function are stored in,

Select correct option:

Binary Search Tree

Stack

Queue

AVL Tree

2. Question # 2 of 5 (Start time: 11:41:31 AM)

When an executable program run, it is loaded in the memory and becomes a _____.

Select correct option:

Thread

.h file

Process

None of the above

3. In _____ the 'next' returns false when it reaches to the last node due to the fact that the next field of the last node is set to NULL.

Select correct option:

Circular linked list

Triple linked list

Singly linked list

None of the above

4. A kind of expressions where the operator is present between two operands called _____ expressions.

Select correct option:

Infix

Postfix

Prefix

None of the above

5. Question # 1 of 5 (Start time: 11:44:44 AM) Total Marks: 1
Compiler uses which one of the following in Function calls,
Select correct option:

Stack

Queue

Binary Search Tree

AVL Tree

6. Stack and Queue can be implemented using _____.

Select correct option:

Singly Link List

Binary Tree

Binary Search Tree

AVL Tree

7. Which one of the following is TRUE about recursion?
Select correct option:

Recursive function calls consume a lot of memory.

Recursion extensively uses stack memory.

Recursion extensively uses stack memory.

Iteration is more efficient than iteration.

8. Doubly Linked List always has one NULL pointer.
Select correct option:

True

False

9. Which boolean expression indicates whether the numbers in two nodes (p and q) are the same. Assume that neither p nor q is null.
Select correct option:

p == q

p.data == q.data

p.nextNode == q.nextNode

p.data == q

10. Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.
Select correct option:

First argument

Return address

Last argument

None of the above

11.

_____ is the stack characteristic but _____ was implemented because of the size limitation of the array.

Select correct option:

isFull(), isEmpty()

pop(), push()

isEmpty() , isFull()

push(), pop()

12.

Each operator in a postfix expression refers to the previous _____ operand(s).

Select correct option:

one

two
three
four

13.

The next field in the last node in a singly-linked list is set to _____.
Select correct option:

0
1
NULL
false

14.

The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select correct option:

Remove
Next
Start
Back

15.

_____ is the maximum number of nodes that you can have on a stack-linked list ?

Select correct option:

Zero
 $2n$ (where n is the number of nodes in linked list)
Any Number
None of these

16.

In the linked list implementation of the stack class, where does the push member function places the new entry on the linked list?

Select correct option:

After all other entries that are greater than the new entry.
At the head
After all other entries that are smaller than the new entry.
At the tail

17. Which of the following operations returns top value of the stack?
Select correct option:

push
pop
top
first

18. it will be efficient to place stack elements at the start of the list because insertion and removal take _____ time.
Select correct option:

Variable
Constant
Inconsistent
None of the above

19. A template is a function or class that is written with a _____ data type.
Select correct option:

Specific
Definite
Generic
None of the above.

20. Local variables of a function are stored in,
Select correct option:

Binary Search Tree
Stack
Queue
AVL Tree

21. To create a _____ we link the last node with the first node in the list.
Select correct option:

Double linked list
Circularly-linked list
Linked list
None of the above

22. In the calling function, after the execution of the function called, the program continues its execution from the _____ after the function call.

Select correct option:

Previous line

Next line

Beginning

None of the above

23. Which of the following can be used to reverse a string value,

Select correct option:

Stack

Queue

Both of these

None of these

24. Question # 4 of 5 (Start time: 05:32:20 PM) Total Marks: 1

Each node in doubly link list has,

Select correct option:

1 pointer

2 pointers

3 pointers

4 pointers

25. In _____ the 'next' returns false when it reaches to the last node due to the fact that the next field of the last node is set to NULL.

Select correct option:

Circular linked list

Triple linked list

Singly linked list

None of the above

26. _____ only removes items in reverse order as they were entered.

Select correct option:

Queue

Stack

Both of these

None of these

27. A queue is a _____ data structure, whereas a stack is a _____ data structure.

Select correct option:

FIFO, LIFO

LIFO, FIFO

both of these

none of these

28. The principal benefit of a linked list over a conventional array is that the order of the linked items may be _____ from the order that the data items are stored in memory.

Select correct option:

Same

Identical

Different

Equivalent

29. Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

Select correct option:

First argument

Return address

Last argument

None of the above

30. The _____ method of list will position the current Node and lastCurrentNode at the start of the list.

Select correct option:

Remove

Next

Start

Back

Regards

NimRa Rajput
BSIT 4th Semester
Virtual University Of Pakistan.

Online MCQs Solved In Conference By Many Students