Choices:

- effect function
- initial location
- initial condition
- set of actions

ormal Methods (CS636)

Question: 12 (Marks: 1)

The nodes of a program graph are called _____.

Choices:

- edges
- notations
- locations
- elements

0 0

5 tuples

ormal Methods (CS636)

Question: 14 (Marks: 1)

Number of final state(s) require to accept Φ in minimal finite automata.

Choices:

2

No final state requires.

1

3

ormal Methods (CS636)

Question: 13 (Marks: 1)

Effect : Act × Eval(Var) → Eval(Var) is the _____.

Choices:

effect function

0 0

initial location

6

2

ormal Methods (CS636)

Question: 15 (Marks: 1)

Deterministic Finite Automata state has _____.

Choices:

3 tuples

4 tuples

2 tuples

5 tuples

ormal Methods (CS636)

Question: 14 (Marks: 1)

Number of final state(s) require to accept Φ in minimal finite automata.

Choices:

2

0 0

128

ormal Methods (CS636)

Question: 16 (Marks: 1)

The maximum number of transitions which can be performed over a state in a (Deterministic Finite Automata) DFA are _____ where ∑= {a, b, c}.

Choices:

3

4

6

2

ormal Methods (CS636)

Question: 15 (Marks: 1)

Deterministic Finite Automata state has _____.

Choices:

3 tuples

0 0

4 tuples

only S is finite

ormal Methods (CS636)

Question: 17 (Marks: 1)

If Non-Deterministic Finite Automata (NFA) of 6 states excluding the initial state is converted into DFA, then maximum possible number of states for the DFA are _____.

Choices:

76

64

32

128

ormal Methods (CS636)

Question: 16 (Marks: 1)

The maximum number of transitions which can be performed over a state in a (Deterministic Finite Automata) DFA are _____ where ∑= {a, b, c}.

Choices:

3

4

0 0

System approach

Integrated approach

ormal Methods (CS636)

Question: 18 (Marks: 1)

Transition System (TS) is called finite if _____.

Choices:

S, Act, and AP are finite

labeling function is finite

S, I, and L are finite

only S is finite

ormal Methods (CS636)

Question: 17 (Marks: 1)

If Non-Deterministic Finite Automata (NFA) of 6 states excluding the initial state is converted into DFA, then maximum possible number of states for the DFA are _____.

Choices:

76

0 0

ormal Methods (CS636)

Question: 21 (Marks: 1)

Any verification using model-based techniques is only as good as the _____ of the system.

Choices:

- Software
- Model
- Requirements
- Hardware

ormal Methods (CS636)

Question: 20 (Marks: 1)

Which of the following is incorrect with respect to Model Checking?

Choices:

- Model checking is particularly valuable for verifying concurrent system.
- The model checker explores all possible paths through the model.

0 0

Model checking is computationally very inexpensive.

Model checking is computationally very inexpensive.

It supports partial verification.

ormal Methods (CS636)

Question: 19 (Marks: 1)

System verification is impossible to achieve without the use of the right _____.

Choices:

Modeling approach

Static approach

System approach

Integrated approach

ormal Methods (CS636)

Question: 18 (Marks: 1)

Transition System (TS) is called finite if _____.

0 0

Choices:

S, Act, and AP are finite

Hardware

ormal Methods (CS636)

Question: 20 (Marks: 1)

Which of the following is incorrect with respect to Model Checking?

Choices:

Model checking is particularly valuable for verifying concurrent system.

The model checker explores all possible paths through the model.

Model checking is computationally very inexpensive.

It supports partial verification.

ormal Methods (CS636)

Question: 19 (Marks: 1)

System verification is impossible to achieve without the use of the right _____.

Choices:

Modeling approach

0 0

Static approach

Test your knowledge AI Quiz

Question: 22 (Marks: 1)

System _____ is impossible to achieve without the use of the right modeling approach.

Choices:

- development
- deployment
- maintenance
- verification

ormal Methods (CS636)

Question: 21 (Marks: 1)

Any verification using model-based techniques is only as good as the _____ of the system.

Choices:

- Software
- Model
- Requirements

I am not in restaurant.

ormal Methods (CS636)

Question: 24 (Marks: 1)

One or more propositions can be combined to form a single _____ proposition using connectives.

Choices:

- Compound
- Conditional
- Distributed
- Positive

ormal Methods (CS636)

Question: 23 (Marks: 1)

A statement is not a(n) _____, if we cannot decide whether it is true or false.

Choices:

- question
- propositio

0 0

Test your knowledge AI Quiz

Formal Methods (CS636)

Question: 25 (Marks: 1)

Let P: I am in restaurant.; Q: I love food.; then q -> p(q implies p) is?

Choices:

- If I love food, then I am in restaurant.
- I love food.
- If I am in restaurant, then I love food.
- I am not in restaurant.

Formal Methods (CS636)

Question: 24 (Marks: 1)

One or more propositions can be combined to form a single _____ proposition using c

ormal Methods (CS636)

Question: 26 (Marks: 1)

Which of the following statement is a proposition?

Choices:

- What is the time now?
- Read lesson carefully.
- The only odd prime number is 2.
- God bless you.

ormal Methods (CS636)

Question: 25 (Marks: 1)

Let P: I am in restaurant.; Q: I love food.; then q -> p(q implies p) is?

Choices:

- If I love food, then I am in restaurant.
- I love fo

0 0

ormal Methods (CS636)

Question: 27 (Marks: 1)

The truth value of '**4+3=7 or 5 is not prime**'.

Choices:

- Whole compound statement is true.
- Only first part of the statement is true.
- Only second part of the statement is true.
- This compound statement is false.

ormal Methods (CS636)

Question: 26 (Marks: 1)

Which of the following statement is a proposition?

Choices:

What is th

0 0

ormal Methods (CS636)

Question: 30 (Marks: 3)

What is primitive proposition? Explain with example.

Answer:

ormal Methods (CS636)

Question: 27 (Marks: 1)

The truth value of '**4+3=7 or 5 is not prime**'.

Choices:

- Whole compound statement is true.
- Only first part of the statement is true.
- Only second part of the statement is true.
- This com

0 0

ormal Methods (CS636)

Question: 29 (Marks: 3)

In order to apply model checking to a design, different phases are involved. Mention the names of those phases.

Answer:

ormal Methods (CS636)

Question: 28 (Marks: 3)

How many tokens are required at each input place to fire a transition?

0 0

ormal Methods (CS636)

Question: 32 (Marks: 5)


For example α denotes the action $x := y+1$, where x and y are integer variables, and η is the evaluation with $\eta(x) = 17$ and $\eta(y) = -2$, then what will be the value of ***Effect*(α, η)(x)** and ***Effect*(α, η)(y)**?

Answer:

ormal Methods (CS636)

Question: 31 (Marks: 5)

The following is an example of the PrT net model of the Dining Philosophers problem.



List down th

0 0

ormal Methods (CS636)

Question: 32 (Marks: 5)

For example α denotes the action $x := y+1$, where x and y are integer variables, and η is the evaluation with $\eta(x) = 17$ and $\eta(y) = -2$, then what will be the value of ***Effect*(*α*, *η*)(*x*)** and ***Effect*(*α*, *η*)(*y*)?**

Answer:

ormal Methods (CS636)

Question: 32 (Marks: 5)

For example α denotes the action $x := y+1$, where x and y are integer variables, and η is the evaluation with $\eta(x) = 17$ and $\eta(y) = -2$, then what will be the value of ***Effect*(*α*, *η*)(*x*)** and ***Effect*(*α*, *η*)(*y*)?**

Answer:

0 0

ormal Methods (CS636)

Question: 33 (Marks: 5)

A Deterministic Finite Automata (DFA) is a 5-tuple, (S, ∑, T, s, A). Explain these (S, ∑, T, s, A) terms.

Answer:

ormal Methods (CS636)

Question: 32 (Marks: 5)

For example α denotes the action $x := y+1$, where x and y are integer variables, and η is the evaluation with $\eta(x) = 17$ and $\eta(y) = -2$, then what will be the value of ***Effect*(*α*, *η*)(*x*)** and ***Effect*(*α*, *η*)(*y*)?**

Answer:

0 0

only S is finite

Question: 28 (Marks: 3)

How many tokens are required at each input place to fire a transition?

Answer:

ormal Methods (CS636)

Question: 33 (Marks: 5)

A Deterministic Finite Automata (DFA) is a 5-tuple, (S, ∑, T, s, A). Explain these (S, ∑, T, s, A) terms.

Answer:

0 0

ormal Methods (CS636)

Question: 18 (Marks: 1)

Transition System (TS) is called finite if _____.

Choices:

- S, Act, and AP are finite
- labeling function is finite
- S, I, and L are finite
- only S is finite

Question: 28 (Marks: 3)

How many tokens are required at each input place to fire a transition?

Answer:

0 0

ormal Methods (CS636)

Question: 17 (Marks: 1)

If Non-Deterministic Finite Automata (NFA) of 6 states excluding the initial state is converted into DFA, then maximum possible number of states for the DFA are _____.

Choices:

- 76
- 64
- 32
- 128

ormal Methods (CS636)

Question: 18 (Marks: 1)

Transition System (TS) is called finite if _____.

Choices:

- S, Act, and AP are finite
- labeling function is finite

0 0

elements

ormal Methods (CS636)

Question: 11 (Marks: 1)

Labels of conditional transitions are of the form $g : \alpha$ where α is an _____.

Choices:

action

application

analysis

argument

ormal Methods (CS636)

Question: 17 (Marks: 1)

If Non-Deterministic Finite Automata (NFA) of 6 states excluding the initial state is converte DFA, then maximum possible number of states for the DFA are _____.

Formal Methods (CS636)

Question: 12 (Marks: 1)

The nodes of a program graph are called _____.

Choices:

- edges
- notations
- locations
- elements

Formal Methods (CS636)

Question: 11 (Marks: 1)

Labels of conditional transitions are of the form $g : \alpha$ where α is an _____.

Choices:

- action

0 0

guard

Formal Methods (CS636)

Question: 11 (Marks: 1)

Labels of conditional transitions are of the form $g : \alpha$ where α is an _____.

Choices:

action

application

analysis

argument

Formal Methods (CS636)

Question: 12 (Marks: 1)

The nodes of a program graph are called

0 0

10:30 2.23 KB/s Vo WiFi 76%

Page 1 of 31

Test your knowledge AI Quiz

Cloud Computing (cs435)

University: Virtual University of Pakistan

Info

ormal Methods (CS636)

Question: 10 (Marks: 1)

Labels of conditional transitions are of the form $g : \alpha$ where g is a boolean condition called _____.

Choices:

- global
- gesture
- gun
- guard

ormal Met

Question:

0 0

Labels of conditional transitions are of the form $g : \alpha$ where α is an _____.