

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

VU MASTERY: YOUR ACADEMIC EDGE



VU MASTERY: YOUR ACADEMIC EDGE



Providing Expert LMS Handling Service |
Achieving 100% Guaranteed Results for
Virtual University Students.

UNLOCK YOUR FULL POTENTIAL.



COMPLETE LMS SOLUTIONS

- ✓ GDB (Graded Discussion Board)
- ✓ Assignments
- ✓ Quizzes
- ✓ Files & Projects
- ✓ All Subjects Covered

WHY CHOOSE US?

- **Unmatched Expertise:** Decades of combined experience.
- **Confidentiality & Privacy:** Secure and private service.

EXCELLENCE GUARANTEED

100%

We are committed to
delivering **100% Guaranteed
Results.**
Achieve your desired grades
with our support.

- ✓ **Time Management:** Free up your schedule.
- ✓ **Stress Reduction:** Let us handle the pressure.
- ✓ **Consistent Updates:** Track your progress.

GET STARTED TODAY

For More Information,
Contact Us Now:

Contact Us

+92 370 5482939

+92 370 5482939

www.vumastery.com

Don't let LMS stress hold
you back. Elevate your
studies with VU Mastery.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Lesson 19: GENDER DIFFERENCES IN PERSONALITY

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Gender Differences in Personality

- Men and women differ on some personality traits, but research does not support the idea that they are completely different.
- Some traits are higher in males, while others are higher in females.
- Some stereotypically female traits, such as talkativeness, may also be higher in men.
- Most gender differences are small, inconsistent, and insignificant (Huston, 1985; Hyde, 1984, 1986; Maccoby, 1990).
- According to Feshbach et al. (1996), males and females have very few basic psychological differences, but they are socialized to behave differently.
- Aggression is the personality trait that shows the most consistent gender difference.

Gender and Aggression

- Research consistently shows that males are more aggressive than females.
- Boys display higher aggression than girls even at two years of age.
- This difference continues throughout life.
- Women usually experience more guilt and anxiety after behaving aggressively.
- Women are more concerned about the effects of aggression on victims (Feingold, 1994; Hyde, 1994; Munroe et al., 2000).

Physical and Relational Aggression

- Physical aggression is more common in boys than girls (Berger, 2000).
- Relational (social) aggression aims to cause emotional or psychological pain instead of physical harm.
- It includes insulting, ignoring, excluding, and social rejection.
- Girls use relational aggression more often than boys.
- Boys generally show higher physical aggression, while verbal aggression differences are relatively small.
- Men commit a much larger proportion of violent crimes than women.

Explanations of Gender Differences in Aggression

Biological Explanation

- Aggression is considered biologically based.
- Hormones are believed to influence aggressive behavior (Maccoby & Jacklin, 1980).

Learning and Social Factors Explanation

- Aggression develops through learning and socialization.
- Family, society, and environment teach different behaviors to boys and girls.
- Some research suggests aggression increases with age, supporting the role of social learning.

Gender Differences in Bullying

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Bullying is common among school children.
- Boys are usually bullied by older boys or peers.
- Girls more commonly experience sexual teasing and unwanted touching.
- According to the American Association of University Women Foundation (1993), one-third of girls aged 9–15 experienced sexual teasing or touching severe enough to make them want to avoid school.

Gender Differences in Non-Verbal Communication

- Women are better at recognizing and interpreting non-verbal cues (Hall, 1990).
- Women are generally more accurate in reading body language (Eagly, 1987; Hall, 1978).
- There are no major gender differences in dominant body postures (Halberstadt & Saitta, 1987).
- Women maintain more eye contact while listening, especially when speaking with men.
- Men usually maintain less eye contact.
- Women appear more formal and tense, while men appear more relaxed (Henley, 1977).
- Women smile more frequently than men.
- Henley believed these differences reflect men's higher social power and women's lower social status.

Touching

- Men often initiate touching but generally dislike being touched.
- Women usually respond positively when touched but are less likely to initiate touch.
- Touching patterns are influenced by social roles and gender expectations (Whitcher & Fisher, 1979; Henley, 1977; Major, 1981).

Expressiveness and Sensitivity

- Women are generally more expressive than men.
- They are better at both sending and interpreting non-verbal messages (Hall, 1984; Mayo & Henley, 1981; Rosenthal & Benowitz, 1985).
- Women are especially skilled at recognizing negative emotions, except anger in some situations.
- Brown (1986) suggested that women's greater sensitivity develops because of their relatively less powerful social position.

Important Exam Points

- Research shows only small and inconsistent personality differences between men and women.
- Feshbach et al. (1996) stated that males and females have few basic psychological differences but are socialized differently.
- Aggression is the strongest and most consistent gender difference.
- Boys show higher physical aggression from early childhood.
- Girls are more likely to use relational or social aggression.
- Biological theory explains aggression through hormones.
- Social learning theory explains aggression through environment and socialization.
- Women are better at interpreting non-verbal communication.
- Women generally smile more and maintain greater eye contact than men.
- Men usually initiate touching, whereas women respond more positively to touch.
- Women are generally more expressive and emotionally sensitive than men.
- Bullying differs by gender, with girls experiencing more sexual teasing and relational bullying.

Statement MCQs

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

1. According to research, which personality trait shows the most consistent gender difference?

- A. Intelligence
- B. Aggression
- C. Creativity
- D. Memory

Correct Answer: B

2. Relational aggression mainly aims to:

- A. Cause physical injury
- B. Improve social relationships
- C. Cause emotional or psychological pain
- D. Increase self-confidence

Correct Answer: C

3. According to the biological explanation, gender differences in aggression are mainly due to:

- A. School education
- B. Hormones
- C. Peer pressure
- D. Parenting style

Correct Answer: B

4. Women are generally better than men at:

- A. Physical aggression
- B. Decoding non-verbal communication
- C. Violent behavior
- D. Dominant body posture

Correct Answer: B

5. According to Henley (1977), women smile more frequently because:

- A. They are naturally happier
- B. They have stronger memories
- C. It reflects lower social status and submissiveness
- D. They communicate less effectively

Correct Answer: C

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Psychological Statement Q/A

1. What did Feshbach et al. (1996) conclude about gender differences?

Answer: Feshbach et al. concluded that males and females have relatively few basic psychological differences, but society socializes them to behave differently.

2. What is relational aggression?

Answer: Relational aggression is behavior intended to cause emotional or psychological harm through social rejection, ignoring, insulting, or damaging relationships instead of using physical violence.

3. What are the two major explanations of gender differences in aggression?

Answer: The biological explanation attributes aggression to hormones, while the learning and social factors explanation argues that aggression develops through socialization and environmental influences.

4. How do men and women differ in non-verbal communication?

Answer: Women are generally better at interpreting body language, maintain more eye contact, smile more frequently, and are more expressive than men.

5. How do men and women differ in touching behavior?

Answer: Men usually initiate touching but prefer not to be touched themselves, whereas women respond positively to touch but are less likely to initiate it.

Lesson 20: GENDER DIFFERENCES IN PERSONALITY

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

Summarized Notes

Gender Difference in Communication Style

- Women are commonly stereotyped as being more talkative.
- Research shows that men are generally more talkative than women.
- Men are also more likely to interrupt others during conversations (Key, 1975).

Self-Disclosure

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Self-disclosure means sharing personal thoughts, feelings, and experiences with others.
- Women disclose more personal information than men.
- They are more likely to discuss emotions, relationships, and personal matters (Cozby, 1972, 1973).
- Men disclose less, except when they expect a future romantic relationship with a woman (Shafer, Pegalis, & Bazzini, 1996).
- According to Henley, men usually disclose personal feelings only to women with whom they are intimate or wish to become intimate.
- Gender-role stereotypes influence self-disclosure.
- Socially anxious and insecure people often disclose information according to traditional gender roles (Snell, 1989).

Gender Differences in Communication

- Men and women differ in both verbal and non-verbal communication (McMillan et al., 1977; Feingold, 1994).
- Women generally use a more polite and tentative style of speaking.
- They often add question tags after opinions instead of making direct statements.
- Women also tend to raise the pitch of their voice at the end of sentences.
- This communication style sometimes makes women appear less confident and less assertive (Martin, 1987; Carli, 1990; Crawford, 1995).
- Men generally speak more and interrupt others more frequently (Key, 1975).

Topics of Conversation

- Men and women discuss public topics such as politics, work, movies, and current affairs equally (Davidson & Duberman, 1982).
- Women are more likely to discuss:
 - Personal experiences.
 - Feelings and emotions.
 - Relationships with friends and family.
- Both genders show similar reciprocity in self-disclosure.
- When one person shares personal information, the other usually responds with similar openness (Cozby, 1973).

Gender, Affiliation and Friendship

- Men and women differ in friendship patterns.
- Male social networks include more female friends (Hays & Oxley, 1986).
- Women exchange more emotional and informational support with friends.
- Female friendships are based mainly on communication and emotional sharing.
- Male friendships develop through shared activities and experiences (Hays, 1985).
- Women generally use more touching during interpersonal communication than men.

Gender and Altruism

- Altruism is voluntary helping behavior performed without expecting rewards.
- It involves helping others even at personal cost (Deaux, Dane, & Wrightsman, 1993; Feldman, 2002).
- More women report willingness to help others than men.
- Research does not clearly show major gender differences in actual helping behavior.
- Women usually provide emotional support because of their traditional nurturing role (Brody, 1990; Eagly & Crowley, 1986).
- Men are more likely to help during dangerous emergencies.
- Huston et al. (1981) found that people who intervened to stop criminals were all men.
- Men may intervene more because they feel physically stronger and better prepared for risky situations.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Gender, Self-Confidence and Self-Esteem

- Women often hesitate more than men when performing new or unfamiliar tasks.
- Women show lower confidence, especially in tasks traditionally associated with men (Beyer, 1990; Lenney, 1977).
- Men generally report higher self-esteem than women.
- Women's self-esteem depends more on relationships and social connections.
- Men's self-esteem is more closely related to personal abilities and achievements (Feingold, 1994; King et al., 1999).
- Women usually evaluate themselves more critically than men.
- First-year college surveys showed that men rated themselves above average more often than women in academic ability, mathematics, competitiveness, and emotional health (Gabriel, Critelli, & Ee, 1994; Orenstein, 2001).

Important Exam Points

- Men are generally more talkative and interrupt others more frequently than women.
- Women disclose more emotions and personal experiences than men.
- Self-disclosure is influenced by gender-role stereotypes.
- Women use more tentative language and tag questions in communication.
- Women discuss personal and relationship topics more frequently.
- Female friendships depend mainly on communication and emotional support.
- Male friendships develop through shared activities.
- Altruism means voluntary helping without expecting rewards.
- Women provide more emotional support, while men are more likely to help during dangerous emergencies.
- Women generally show lower self-confidence in male-stereotyped tasks.
- Men usually report higher self-esteem than women.
- Women's self-esteem depends more on relationships, whereas men's depends more on abilities and achievements.

Statement MCQs

1. According to Key (1975), who is generally more talkative and more likely to interrupt others?

- A. Women
- B. Men
- C. Both equally
- D. Children

Correct Answer: B

2. Self-disclosure refers to:

- A. Giving instructions to others
- B. Sharing personal thoughts and feelings
- C. Solving social problems
- D. Observing body language

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: B

3. According to Hays (1985), male friendships mainly develop through:

- A. Emotional discussions
- B. Shared activities
- C. Personal counseling
- D. Family relationships

Correct Answer: B

4. Altruism is best defined as:

- A. Helping others for financial rewards
- B. Helping others voluntarily without expecting rewards
- C. Competing with others
- D. Avoiding social interaction

Correct Answer: B

5. Men's self-esteem is primarily based on:

- A. Family relationships only
- B. Social approval only
- C. Personal abilities and achievements
- D. Physical appearance only

Correct Answer: C

Psychological Statement Q/A

1. What is self-disclosure?

Answer: Self-disclosure is the process of sharing personal thoughts, feelings, experiences, and emotions with another person. Women generally disclose more personal information than men.

2. How do men and women differ in communication style?

Answer: Women use a more polite, tentative, and relationship-focused communication style, while men are generally more talkative, direct, and more likely to interrupt others.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. What is altruism?

Answer: Altruism is voluntary helping behavior performed to benefit another person without expecting any personal reward, even when it involves self-sacrifice.

4. How do male and female friendships differ?

Answer: Female friendships are based mainly on emotional sharing and communication, whereas male friendships usually develop through shared activities and common interests.

5. How do men and women differ in self-confidence and self-esteem?

Answer: Women generally show lower confidence in unfamiliar or male-stereotyped tasks, while men usually report higher self-esteem based on their abilities and achievements. Women's self-esteem is more strongly influenced by relationships and social connections.

Lesson 21: COGNITIVE DIFFERENCES

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Cognitive Differences

- Men and women are often stereotyped as having different intellectual abilities.
- Men are commonly believed to be more intelligent and better at logical decision-making.
- Women are often stereotyped as being more emotional than logical.
- Research does not support these stereotypes.
- Studies show no significant gender differences in overall intelligence or cognitive ability (Hedges & Nowell, 1995).
- Some small differences exist in specific cognitive skills, but overall performance is almost the same.

Research on Cognitive Ability

- Hedges and Nowell (1995) analyzed mental ability test results collected over 30 years.
- The average differences between males and females were very small.
- More boys than girls appeared at both the highest and lowest performance levels.
- In science tests, boys were seven times more likely than girls to score in the top 5%.
- In mathematics, boys were twice as likely to score in the top 5%.
- Boys scored lower than girls in reading comprehension and writing skills.
- Very little change in these findings occurred between 1960 and 1992.

Gender Differences in IQ

- Research provides no strong evidence of gender differences in IQ.
- The few reported differences are very small and have decreased over time (Aiken, 1984; Halpern, 1986; Hyde et al., 1990).
- Girls generally perform better in verbal abilities.
- Boys generally perform better in spatial and mathematical tasks.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Maccoby and Jacklin (1974) reported that boys had stronger quantitative and spatial abilities, while girls performed better in verbal skills.

Meta-Analysis of Mathematical Ability

- Hyde and colleagues (1990) conducted a meta-analysis of 100 studies involving over 3 million participants.
- The study concluded that males and females perform almost equally in mathematics overall.
- Girls performed slightly better in basic computational skills during elementary and middle school.
- Boys performed slightly better in advanced mathematical problem-solving at high school and college.
- When all age groups were considered, the differences were almost insignificant.
- Research shows that gender differences in mathematics are gradually decreasing (Stumpf, 1995; Bellas & Gafni, 1996; Benbow, Lubinski, & Hyde, 1997).

Gender Differences in Mathematics

- Gender differences in mathematics are generally small.
- Boys usually perform slightly better during adolescence.
- More boys are identified as mathematically gifted.
- One North American study reported a 4:1 ratio of boys to girls among mathematically gifted high school students (Benbow & Lubinski, 1996).

Spatial Ability

- Spatial ability is the ability to understand and manipulate visual information.
- Boys generally develop stronger spatial abilities around the age of ten.
- Better spatial ability improves understanding of geometry.
- This partly explains boys' advantage in some mathematics tasks (Johnson & Mead, 1987).
- Males generally score higher on tests of visual-spatial ability (Voyer, Voyer, & Bryden, 1995).

Social Learning Explanation

- Social expectations influence academic performance.
- Mathematics is often viewed as a male subject in many societies.
- Boys are encouraged more than girls to study advanced mathematics.
- Educational experiences also contribute to gender differences.
- Boys usually enroll in more advanced mathematics courses than girls (Kimball, 1989; Welch et al., 1982).

Gender and Verbal Ability

- Girls generally perform better than boys in verbal abilities.
- Female children usually begin speaking earlier than boys.
- Girls obtain higher scores in reading comprehension and vocabulary.
- Girls acquire language more rapidly and efficiently.
- This advantage continues throughout elementary school (Halpern, 1994, 1997, 2000; Maccoby & Jacklin, 1974).

Important Exam Points

- Research shows no significant overall gender differences in intelligence.
- Hedges and Nowell (1995) found only small average cognitive differences between males and

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

females.

- Boys were more likely to score at both the highest and lowest performance levels.
- There is no strong evidence of gender differences in IQ.
- Girls generally perform better in verbal abilities.
- Boys generally perform better in spatial and advanced mathematical tasks.
- Hyde et al. (1990) concluded that overall mathematical performance is almost equal for both genders.
- Boys usually develop stronger spatial ability around the age of ten.
- Social learning and educational opportunities contribute to gender differences in mathematics.
- Girls begin speaking earlier and have stronger language skills than boys.
- Verbal ability remains one of the strongest cognitive advantages of females.

Statement MCQs

1. According to research, overall intelligence differences between males and females are:

- A. Very large
- B. Significant in every study
- C. Small and generally insignificant
- D. Only found in females

Correct Answer: C

2. According to Hyde et al. (1990), overall mathematical performance of males and females is:

- A. Completely different
- B. Almost equal
- C. Always better in males
- D. Always better in females

Correct Answer: B

3. Boys generally perform better than girls in:

- A. Verbal ability
- B. Reading comprehension
- C. Spatial ability
- D. Vocabulary development

Correct Answer: C

4. Girls generally show an advantage in:

- A. Visual-spatial tasks
- B. Verbal ability and language skills

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- C. Advanced geometry only
- D. Mechanical reasoning

Correct Answer: B

5. Which explanation suggests that gender differences in mathematics are influenced by society and education?

- A. Biological explanation
- B. Evolutionary explanation
- C. Social learning explanation
- D. Psychoanalytic explanation

Correct Answer: C

Psychological Statement Q/A

1. What does research conclude about gender differences in intelligence?

Answer: Research shows that males and females do not differ significantly in overall intelligence. Any observed differences are small and usually limited to specific cognitive abilities.

2. What did Hyde et al. (1990) conclude about mathematical ability?

Answer: Hyde and colleagues concluded that males and females perform almost equally in mathematics overall, with only very small differences in certain age groups and advanced mathematical tasks.

3. Why do boys often perform better in advanced mathematics?

Answer: Boys generally have stronger spatial abilities, receive greater encouragement to study mathematics, and are more likely to enroll in advanced mathematics courses.

4. How do girls differ from boys in verbal ability?

Answer: Girls usually begin speaking earlier, develop language more quickly, have better reading comprehension, and possess stronger vocabulary and verbal skills than boys.

5. What is the social learning explanation of gender differences in mathematics?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: The social learning explanation states that society, gender stereotypes, educational opportunities, and encouragement influence mathematical achievement, rather than biological differences alone.

Lesson 22: GENDER AND MEDIA

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Gender and Media

- Mass media is one of the most powerful agents of socialization.
- It influences people's thoughts, emotions, attitudes, and behaviors.
- Media can either change existing attitudes or strengthen already existing beliefs.
- Media includes both print media and electronic media.
- Electronic media includes television, cinema, and the internet.
- Television is considered the most influential form of media because it combines visual and auditory communication.

Media and Gender Stereotypes

- The way men and women are portrayed in media reflects society's gender stereotypes.
- Newspapers, literature, art, television, and films all influence public perceptions of gender.
- Historical portrayals of women have changed over time.
- In the Victorian Era, healthy women were shown as slightly overweight, representing fertility, motherhood, and prosperity.
- Modern media often promotes extremely thin female body ideals.

Gender Roles in Children's Books

- Children's books also teach traditional gender roles.
- Modern books include more brave and independent female characters.
- However, male characters still appear more frequently.
- Females are often shown needing help, while males are shown as rescuers (Beal, 1994; Evans, 1998).

Television and Gender Stereotypes

- Television strongly influences attitudes because it reaches almost every household.
- TV programs provide opportunities for observational learning.
- Children and adolescents often imitate attractive television characters.
- Television promotes and strengthens traditional gender-role beliefs.

Research on Television Effects

- Morgan (1982) found that heavy television viewing increased sexist attitudes among adolescent girls.
- Boys' sexist attitudes were not significantly affected because many already held such beliefs.
- Kimball (1986) reported that children developed more traditional gender-role attitudes after television became available in Canadian towns.
- Johnston and Ettema (1982) found that children who watched non-traditional TV programs developed less stereotypical gender beliefs.

Print Media and Gender

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Print media includes newspapers, books, and magazines.
- Women's magazines often encourage women to focus heavily on physical appearance.
- Media promotes unrealistic standards of beauty through extremely thin models (Peirce, 1990).
- Excessive concern about body weight may contribute to eating disorders such as anorexia nervosa and bulimia.
- Storybooks often portray males as heroes and females as characters needing rescue.
- Print media continues to reinforce traditional gender stereotypes.

Portrayal of Gender in Movies

- Movies often exaggerate gender roles and present unrealistic role models.
- Female characters are commonly portrayed as weak, dependent, emotional, and in need of rescue.
- Male characters are usually shown as brave, intelligent, confident, and capable leaders.
- Women rarely appear as independent professionals or action heroes.
- These portrayals encourage girls to become dependent and boys to become dominant and self-confident.
- Movies promote observational learning and influence children's attitudes about gender.

Portrayal of Gender on Television

- Television teaches gender roles through entertainment and information.
- Children consider television a trustworthy source of information (Greenberg, 1982).
- TV programs often portray men and women in traditional occupations (Harris & Vorhees, 1981; Zuckerman & Zuckerman, 1985).
- Men are usually shown as doctors, surgeons, professors, and leaders.
- Women are commonly shown as nurses, teachers, homemakers, or assistants.
- Men are portrayed as independent, assertive, and competent.
- Women are portrayed as emotional, passive, submissive, and dependent (Signorielli & Bacue, 1999).

Television Advertisements

- TV advertisements reinforce stereotypical gender roles.
- Women are usually shown as physically attractive and concerned with household chores.
- Advertisements often portray women as sex objects (Hansen & Hansen, 1988; Signorielli, 1993).
- Children watch thousands of television advertisements every year.
- Mammay and Simpson (1981) found that TV commercials exaggerate gender differences beyond those found in real society.

Research in Pakistan

- Shahed (2003) found that many Pakistanis believed television portrayed women unrealistically.
- Women were commonly shown as talkative, quarrelsome, dependent, and merely decorative.
- Participants wanted television to portray women as:
 - Educated.
 - Self-confident.
 - Intelligent.
 - Morally strong.
 - Family-oriented.
 - Brave during crises.
 - Good-looking without being objectified.
- Undesirable traits identified included:
 - Talkative.
 - Quarrelsome.
 - Panicky.
 - Uneducated.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Changing Trends

- Media portrayals of gender are gradually becoming more realistic.
- More women are shown working outside the home.
- More men are shown participating in childcare and household responsibilities.
- However, traditional stereotypes still dominate many television programs and advertisements.
- Children who watch non-traditional gender roles develop more flexible attitudes toward occupations and gender roles (Wroblewski & Huston, 1988).
- Media has a social responsibility to promote equality and reduce gender stereotypes.

Important Exam Points

- Mass media is one of the strongest agents of socialization.
- Television has the greatest influence because it combines sound and visuals.
- Media reflects and reinforces gender stereotypes.
- Children's books often portray males as heroes and females as dependent characters.
- Morgan (1982) found that heavy TV viewing increased sexism among adolescent girls.
- Kimball (1986) found television increased traditional gender-role attitudes among children.
- Johnston and Ettema (1982) showed that non-traditional TV programs reduce gender stereotypes.
- Women's magazines promote unrealistic beauty standards and may contribute to eating disorders.
- Movies usually portray men as strong leaders and women as dependent and emotional.
- Television advertisements often portray women as homemakers or sex objects.
- Shahed (2003) reported that Pakistani viewers wanted media to portray women as educated, confident, and intelligent.
- Media is gradually moving toward more realistic portrayals of gender roles.

Statement MCQs

1. Which form of media is considered the most influential agent of socialization?

- A. Newspapers
- B. Radio
- C. Television
- D. Magazines

Correct Answer: C

2. According to Morgan (1982), heavy television viewing among adolescent girls resulted in:

- A. Better academic performance
- B. Increased sexist attitudes
- C. Higher intelligence
- D. Reduced social interaction

Correct Answer: B

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. Johnston and Ettema (1982) found that children who watched non-traditional television programs:

- A. Became more aggressive
- B. Developed less stereotypical gender-role beliefs
- C. Watched less television
- D. Preferred violent cartoons

Correct Answer: B

4. According to media stereotypes, women in movies are most commonly portrayed as:

- A. Independent leaders
- B. Scientists and engineers
- C. Dependent and emotional
- D. Military commanders

Correct Answer: C

5. According to Shahed (2003), Pakistani participants preferred television to portray women as:

- A. Talkative and dependent
- B. Educated and self-confident
- C. Weak and emotional
- D. Passive and indecisive

Correct Answer: B

Psychological Statement Q/A

1. Why is television considered the most powerful medium of socialization?

Answer: Television combines visual and auditory messages, reaches almost every household, and strongly influences people's attitudes, beliefs, and behaviors through observational learning.

2. How does media reinforce gender stereotypes?

Answer: Media repeatedly portrays men and women in traditional roles, encouraging viewers to accept stereotypical beliefs about occupations, behavior, appearance, and family responsibilities.

3. What effect do non-traditional television programs have on children?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: Children who watch non-traditional gender roles develop more flexible attitudes and become less likely to believe in traditional gender stereotypes.

4. How are women commonly portrayed in movies and television?

Answer: Women are often portrayed as attractive, emotional, dependent, passive, and in need of help, while men are shown as strong, confident, independent, and successful.

5. What did Shahed (2003) conclude about gender portrayal on Pakistani television?

Answer: Shahed found that Pakistani viewers believed television portrayed women unrealistically and wanted media to present women as educated, intelligent, self-confident, morally strong, and brave.

Lesson 23: GENDER AND EMOTION

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Gender and Emotion

- Emotions are an essential part of human personality and everyday life.
- Men and women often differ in the way they express emotions.
- Women are stereotypically viewed as more emotional than men.
- Men are commonly believed to control emotions better and make more rational decisions.
- Research does not support the idea that men and women possess different types of emotions.
- Both genders have the same basic emotional experiences.
- The major difference lies in the expression of emotions rather than the emotions themselves.

Factors Influencing Emotional Differences

- Emotional expression is influenced by both biological and psychosocial factors.
- Hormones and physiological conditions can influence emotional experiences.
- Socialization, gender-role stereotypes, cultural values, and observational learning play a greater role in shaping emotional expression.
- Research suggests that gender differences in emotion are largely the result of social and cultural influences rather than biology alone.

Components of Emotion

- Psychologists have proposed different theories explaining emotions.
- Early theories emphasized instincts and physiological responses (McDougall, 1923).
- Later theories highlighted the importance of cognitive processes in emotional experiences.
- Most modern psychologists believe that emotions involve both physiological arousal and cognitive interpretation.
- Some psychologists, such as Zajonc (1984), emphasize biological processes.
- Lazarus emphasized the primary role of cognition in emotional experience.

Schachter and Singer's Two-Factor Theory (1962)

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Schachter and Singer proposed that emotion depends on:
- Physiological arousal.
- Cognitive labeling of the situation.
- The same level of physical arousal may produce different emotions depending on the situation.
- People's expectations and environmental context influence the emotion they experience.

Physiology and Cognition Debate

- Some psychologists believe physiological changes are the main cause of emotions.
- Others believe cognition is the primary factor in emotional experiences.
- Modern psychology generally accepts that both physiological arousal and cognitive interpretation work together to produce emotions.

Gender Differences in Emotional Processing

- Men usually rely more on physical cues to identify their emotions.
- Women depend more on cognitive and situational information (Pennebaker & Roberts, 1992).
- Men are generally better at noticing changes in internal physical states such as:
- Heart rate.
- Blood pressure.
- Blood glucose.
- In everyday situations, both men and women are equally capable of recognizing changes in their own physical condition.

Women's Emotional Sensitivity

- Women are generally better at recognizing other people's emotions.
- They use facial expressions, situational cues, and social context to understand emotional experiences.
- Women are more sensitive to emotional signals than men.
- This ability helps women understand both their own emotions and the emotions of others.

Socialization and Emotional Expression

- Boys and girls are socialized differently from early childhood.
- Boys are encouraged to suppress emotions such as sadness and grief.
- Boys are generally allowed to express anger and aggression.
- Girls are discouraged from showing aggression.
- Girls are encouraged to express sadness, sympathy, and caring emotions.
- These differences explain why women cry more openly while men often suppress emotional expression.

Universal Nature of Emotions

- Researchers have studied emotions across different cultures.
- Ekman (1984) found that many facial expressions of emotion are universal.
- Ekman, Levenson, and Friesen (1983) demonstrated that basic emotional expressions are recognized similarly across cultures.
- This suggests that basic emotions are common to all human beings regardless of gender or culture.

Important Exam Points

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Men and women possess the same basic emotions.
- Gender differences mainly occur in emotional expression rather than emotional experience.
- Socialization and gender-role stereotypes strongly influence emotional behavior.
- Biological factors such as hormones also affect emotions.
- McDougall (1923) emphasized the physiological component of emotion.
- Lazarus emphasized the importance of cognition in emotional experiences.
- Schachter and Singer (1962) proposed that emotions result from physiological arousal and cognitive labeling.
- Men rely more on physical cues, while women rely more on cognitive and situational cues.
- Women are generally better at recognizing the emotions of others.
- Boys are socialized to suppress sadness, while girls are discouraged from expressing aggression.
- Ekman (1984) demonstrated that facial expressions of basic emotions are universal across cultures.

Statement MCQs

1. Research shows that men and women mainly differ in:

- A. Types of emotions they possess
- B. Emotional expression
- C. Intelligence level
- D. Personality traits only

Correct Answer: B

2. According to Schachter and Singer (1962), emotion depends on:

- A. Instinct alone
- B. Hormones only
- C. Physiological arousal and cognitive labeling
- D. Memory and intelligence only

Correct Answer: C

3. According to Pennebaker and Roberts (1992), men generally identify emotions by relying on:

- A. Social situations
- B. Cognitive information only
- C. Physical cues
- D. Facial expressions of others

Correct Answer: C

4. Women are generally better than men at:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- A. Suppressing all emotions
- B. Recognizing the emotions of others
- C. Detecting heart rate changes only
- D. Controlling aggression

Correct Answer: B

5. Ekman (1984) concluded that:

- A. Emotions differ completely across cultures
- B. Facial expressions of basic emotions are universal
- C. Only women express emotions accurately
- D. Emotions are entirely learned

Correct Answer: B

Psychological Statement Q/A

1. Do men and women experience different emotions?

Answer: No. Research shows that men and women possess the same basic emotions. The main difference lies in how they express those emotions.

2. What are the two major components of emotion according to Schachter and Singer?

Answer: Schachter and Singer proposed that emotions are produced by the combination of physiological arousal and cognitive interpretation of the situation.

3. How does socialization influence emotional expression?

Answer: Society teaches boys and girls to express different emotions. Boys are encouraged to suppress sadness and express anger, while girls are encouraged to express sadness but discouraged from showing aggression.

4. How do men and women differ in identifying emotions?

Answer: Men generally rely more on physical cues such as bodily changes, whereas women depend more on cognitive, social, and situational cues and are better at recognizing the emotions of others.

5. What did Ekman's research demonstrate about emotions?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: Ekman's research showed that facial expressions of basic emotions are universal and recognized across different cultures, indicating that fundamental emotions are common to all humans.

Lesson 24: GENDER, EMOTION AND MOTIVATION

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Gender, Emotion and Motivation

- Men and women experience similar basic emotions, but often express them differently.
- Research shows that gender differences are more evident in emotional expression than in emotional experience.
- Aggression is one of the most studied emotional behaviors showing gender differences.

Gender and Aggression

- Aggression is the behavioral expression of the emotion of anger.
- Anger and aggression usually occur together but may also occur separately.
- A person may feel angry without behaving aggressively.
- A person may behave aggressively without actually feeling anger, such as in planned acts of harm for personal gain (Anderson & Bushman, 2002).

Types of Aggression

- Aggression can be:
- Physical aggression.
- Social or relational aggression.
- Men generally use physical aggression more frequently.
- Women are more likely to use relational or social aggression.
- Relational aggression includes behaviors such as social rejection, exclusion, and damaging relationships.

Parenting and Aggression

- Parenting style plays an important role in children's aggressive behavior.
- Children raised by less nurturing and less accepting parents tend to show higher aggression in school.
- Warm, supportive parenting is associated with lower aggression (Dubow, Huesmann, & Boxer, 2003; Eron, 1987; Huesmann et al., 1984; Lefkowitz et al., 1977).
- In many cultures, including Pakistan, parents are generally more protective and gentle with daughters than with sons.
- Boys are more likely to receive physical punishment and harsh discipline.
- These child-rearing practices may contribute to gender differences in aggression.

Gender Differences and Provocation

- Men generally show higher aggression in neutral and unprovoked situations.
- Women become equally aggressive when they feel strongly provoked or justified (Eagly & Steffen, 1986; Frodi et al., 1977).
- Bettencourt and Miller (1996) found that both men and women respond similarly to certain frustrating situations.
- Men are more likely to respond aggressively when their intelligence is insulted.
- Women usually respond less aggressively to personal insults.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Affiliation and Love

- Both men and women have a natural need for affiliation and close relationships.
- People seek love, friendship, acceptance, and emotional support.
- Love and close relationships depend greatly on trust.
- Trust is equally important for both men and women.

Components of Trust

According to Rempel, Holmes, and Zanna (1985), trust consists of three important components:

Predictability

- Partners should behave consistently.
- Predictable behavior creates feelings of security and stability.

Dependability

- A trustworthy partner can be relied upon during difficult situations.
- Dependability develops through positive experiences within the relationship.

Faith

- Faith means believing that the relationship will continue positively.
- It creates hope, emotional security, and confidence in the future of the relationship.

Important Exam Points

- Aggression is the behavioral expression of anger.
- Anger and aggression do not always occur together.
- Men generally use more physical aggression.
- Women more commonly use relational or social aggression.
- Parenting style significantly influences children's aggressive behavior.
- Less nurturing parents tend to have more aggressive children.
- Boys are generally disciplined more harshly than girls in many cultures.
- Men show greater aggression in neutral situations.
- Women become equally aggressive when strongly provoked.
- Love and affiliation are important emotional needs for both genders.
- Trust consists of predictability, dependability, and faith (Rempel, Holmes, & Zanna, 1985).

Statement MCQs

1. Aggression is best defined as:

- A. A form of intelligence
- B. The behavioral expression of anger
- C. A personality disorder
- D. A type of memory

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: B

2. Women are generally more likely to use which type of aggression?

- A. Physical aggression
- B. Verbal aggression only
- C. Relational or social aggression
- D. Criminal aggression

Correct Answer: C

3. According to research, children of less nurturing parents are more likely to:

- A. Show lower intelligence
- B. Become more aggressive
- C. Develop stronger memory
- D. Have higher self-esteem

Correct Answer: B

4. According to Bettencourt and Miller (1996), men are especially likely to respond aggressively when:

- A. They receive praise
- B. Their intelligence is insulted
- C. They make new friends
- D. They achieve success

Correct Answer: B

5. According to Rempel, Holmes, and Zanna (1985), which is NOT a component of trust?

- A. Predictability
- B. Dependability
- C. Faith
- D. Competition

Correct Answer: D

Psychological Statement Q/A

1. What is the relationship between anger and aggression?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: Aggression is the behavioral expression of anger. However, a person may feel anger without acting aggressively, or may behave aggressively without experiencing anger.

2. How do men and women differ in aggression?

Answer: Men generally display more physical aggression, whereas women are more likely to use relational or social aggression such as exclusion and social rejection.

3. How does parenting influence aggression?

Answer: Children raised by less nurturing and less accepting parents tend to display higher levels of aggressive behavior, while supportive parenting reduces aggression.

4. What effect does provocation have on aggression?

Answer: Men are generally more aggressive in neutral situations, but when strongly provoked, women can become just as aggressive as men.

5. What are the three components of trust according to Rempel, Holmes, and Zanna (1985)?

Answer: Trust consists of **predictability**, **dependability**, and **faith**, all of which help create secure, stable, and satisfying relationships.

Lesson 25: GENDER AND EDUCATION

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

Summarized Notes

Gender and Education

- Gender and education mainly focus on:
- Educational deprivation.
- The school experience.
- Education is a basic right of every child, regardless of gender.
- Education promotes knowledge, empowerment, and social development.
- Denying education limits personal growth and future opportunities.

Importance of Female Education

- Educated women contribute to healthier families and stronger societies.
- Children of educated mothers generally enjoy better health and education.
- Educated mothers understand:
- Disease prevention.
- Proper nutrition.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Importance of medical care.
- Child growth and development.
- Healthy lifestyles.
- Education increases women's social and economic empowerment.

Global Educational Deprivation

- Many girls worldwide are still denied access to education.
- Out of approximately 875 million illiterate adults, about two-thirds are women.
- Most of the world's 121 million out-of-school children are girls.
- In 2002, about 24 million girls in Sub-Saharan Africa were not attending school.
- Most out-of-school girls belong to Sub-Saharan Africa, South Asia, East Asia, and the Pacific (Verma, 2006).

Impact of Educational Deprivation

- Lack of education limits women's economic and social opportunities.
- Educated women enjoy better physical and mental health.
- They are more aware of disease prevention and reproductive health.
- Education helps women protect themselves against abuse and violence.
- Educated women understand their legal and political rights.
- Education improves self-esteem, confidence, and self-fulfillment.
- Without education, women cannot fully develop their abilities and potential.

Barriers to Women's Education

Cultural Practices

- Some cultures discourage girls from leaving home.
- Girls are expected to perform household responsibilities.
- Education is often considered unnecessary for girls because men are expected to provide financial support.

Early Marriages

- Early marriage prevents many girls from continuing their education.
- Married girls often leave school before completing their studies.

Lack of Educational Facilities

- In many areas, schools are unavailable or difficult to access.
- Even supportive parents cannot educate their daughters when educational facilities are lacking.

The School Experience and Gender

- Schools often reinforce traditional gender stereotypes.
- This occurs in both co-educational and single-gender schools.
- Girls in girls-only schools are often taught traditional female roles.
- They may face adjustment difficulties when entering co-educational institutions.
- Teachers often treat boys and girls differently (Garrahy, 2001).

Gender Stereotyping in Schools

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Children naturally form same-gender groups.
- Teachers often allow or encourage gender segregation (Thorne, 1993).
- Most elementary school teachers are women.
- Boys may have fewer suitable male role models in early education.
- Female teachers usually provide positive role models for girls.
- Male teachers tend to promote fewer gender stereotypes than female teachers (Mancus, 1992).

Gender Differences in Academic Achievement

- During elementary school, girls usually achieve better academic results.
- Girls perform better in reading and writing (Bae et al., 2008).
- Family background, including mothers' occupation and fathers' education, influences achievement.
- Boys are referred for special education services more often than girls.
- Some researchers believe these referrals may involve gender bias (Wehmeyer, 2001).

Gender Differences in Interests

- During middle school, boys become more interested in science-related activities.
- Boys use scientific equipment more frequently than girls.
- Girls participate less despite having similar abilities (Lee & Burkam, 1996).
- Girls continue to perform well in mathematics but often show less interest in the subject.
- Mathematics is widely viewed as a male subject (Nosek, Banaji, & Greenwald, 2002; Tiedemann, 2000).
- Gender stereotypes reduce girls' interest in mathematics and physical sciences.

Gender Issues in Schools

- Gender segregation increases during adolescence.
- Boys and girls begin choosing different interests, careers, and activities.
- Schools may also experience problems such as:
 - Bullying.
 - Sexual harassment.
 - Child abuse.
- Female students in non-traditional vocational institutions experience higher rates of harassment.

Important Exam Points

- Education is a basic human right for both males and females.
 - Educated mothers contribute to healthier and better-educated children.
 - Two-thirds of the world's illiterate adults are women.
 - Educational deprivation reduces women's social, economic, and psychological development.
 - Major barriers to girls' education include cultural practices, early marriage, and lack of educational facilities.
 - Schools often reinforce traditional gender stereotypes.
 - Teachers may treat boys and girls differently.
 - Male teachers generally promote fewer gender stereotypes than female teachers.
 - Girls perform better in reading and writing during elementary school.
 - Boys usually show greater interest in science activities.
 - Girls perform well in mathematics but often lose interest because of gender stereotypes.
 - Bullying, harassment, and gender segregation remain important school issues.
-

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Statement MCQs

1. The two major aspects of gender and education are:

- A. Intelligence and personality
- B. Educational deprivation and school experience
- C. Motivation and emotion
- D. Media and communication

Correct Answer: B

2. According to research, children of educated mothers generally have:

- A. Lower academic achievement
- B. Better health and education
- C. Higher aggression levels
- D. Poor nutrition

Correct Answer: B

3. Which of the following is NOT considered a barrier to women's education?

- A. Cultural practices
- B. Early marriage
- C. Lack of educational facilities
- D. High intelligence

Correct Answer: D

4. According to Bae et al. (2008), girls generally perform better than boys in:

- A. Reading and writing
- B. Physical sciences
- C. Engineering
- D. Mechanical skills

Correct Answer: A

5. Mathematics is commonly stereotyped as:

- A. A female subject
- B. A male subject
- C. Equally preferred by both genders
- D. A non-academic subject

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: B

Psychological Statement Q/A

1. Why is female education important?

Answer: Female education improves women's health, economic independence, awareness of legal rights, self-esteem, and enables them to raise healthier and better-educated children.

2. What are the major barriers to girls' education?

Answer: The major barriers include cultural traditions, early marriages, household responsibilities, and the lack of accessible educational institutions.

3. How do schools reinforce gender stereotypes?

Answer: Schools often treat boys and girls differently, encourage gender segregation, and promote traditional gender roles through teacher attitudes and classroom practices.

4. How do boys and girls differ in academic achievement and interests?

Answer: Girls usually perform better in reading, writing, and mathematics, while boys show greater interest in science-related activities and physical sciences.

5. How do gender stereotypes affect girls' interest in mathematics?

Answer: Since mathematics is often viewed as a male subject, many girls lose confidence and interest in the subject despite having the ability to perform well academically.

Lesson 26: GENDER, WORK AND WOMEN'S EMPOWERMENT

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand the relationship between gender, work, and women's empowerment.

Objectives

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- To explain formal and informal work.
- To understand the concept of women's empowerment.
- To discuss barriers that prevent women from becoming empowered.
- To explain the impact of family, society, and workplace discrimination on women.

Introduction

- Gender differences influence women's educational, social, economic, and professional lives.
- Social beliefs and stereotypes often limit women's opportunities.
- Women's empowerment depends on education, employment, equal rights, and decision-making power.

Case Studies of Women's Challenges

Case 1: Shamin

- A bright student forced to leave school after Grade 5.
- Family believed girls did not need further education.
- Educational deprivation blocked her future opportunities.

Case 2: Syma

- Completed a Master's degree in Physics.
- Offered a university job.
- Family refused permission because of social pressure and marriage concerns.
- Education alone could not ensure empowerment.

Case 3: Saira

- A qualified medical specialist.
- Forced to leave her profession after marriage.
- Husband and in-laws prevented her from working.
- Family failed to support her independence.

Case 4: Sajida

- A working teacher earning equal to her husband.
- Responsible for both office work and household duties.
- Had no control over her salary.
- Represents the dual burden faced by many working women.

Case 5: Shahida

- A successful bank branch manager.
- Repeatedly denied promotions despite qualifications.
- Experienced workplace discrimination known as the Glass Ceiling Effect.

Work

- Work refers to a person's occupation or profession.
- In this lesson, work mainly refers to paid employment.

Formal Work

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Formal work requires education or professional training.
- It provides regular income.
- It is performed at a specific workplace.
- It follows fixed working hours.

Informal Work

- Informal work includes unpaid household responsibilities.
- Most housewives perform informal work.
- It has no salary, fixed workplace, or official working hours.
- Housewives often work around 12 hours daily and nearly 84 hours per week.

Formal and Informal Work Combined

- Many employed women perform both paid jobs and household responsibilities.
- This creates a double workload.
- Family members often fail to share domestic responsibilities.

Women's Empowerment

- Women's empowerment means giving women independence and decision-making power.
- Empowered women become self-reliant and capable of making their own life choices.

Types of Empowerment

Economic Empowerment

- Financial independence.
- Ability to earn and control income.

Social Empowerment

- Equal participation in society.
- Freedom from social restrictions.

Legal Empowerment

- Awareness and protection of legal rights.
- Equal treatment before the law.

Political Empowerment

- Participation in political activities and decision making.
- Equal representation in leadership.

Barriers to Women's Empowerment

- Denial of education.
- Family restrictions.
- Social and cultural expectations.
- Marriage-related limitations.
- Heavy household responsibilities.
- Lack of control over personal income.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Workplace discrimination.
- Glass Ceiling Effect limiting promotions.

Glass Ceiling Effect

- An invisible barrier that prevents qualified women from reaching senior positions.
- Promotions often favor men despite equal ability and performance.

Housewife and Informal Work

- Housewives are often called "non-working women."
- In reality, they perform continuous unpaid work.
- They usually work longer hours than many employed men.
- Their contribution often goes unrecognized.

Important Exam Points

- Women's empowerment means becoming independent and self-reliant.
- Formal work requires training, salary, workplace, and fixed hours.
- Informal work mainly refers to unpaid household work.
- Housewives perform valuable but unpaid labor.
- Working women often carry both office and household responsibilities.
- Economic, social, legal, and political empowerment are major forms of empowerment.
- Education is the foundation of women's empowerment.
- Family and cultural restrictions limit women's opportunities.
- Glass Ceiling Effect prevents women from reaching higher positions.
- Equal opportunities are essential for women's empowerment.

Statement MCQs

1. Formal work is characterized by:

- A. Unpaid household duties
- B. Fixed workplace, salary, and working hours
- C. Volunteer services only
- D. Family responsibilities

Correct Answer: B

2. Informal work mainly refers to:

- A. Office employment
- B. Paid factory work

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

C. Unpaid household responsibilities

D. Government service

Correct Answer: C

3. The Glass Ceiling Effect refers to:

A. Equal promotion opportunities

B. Invisible barriers preventing women from reaching higher positions

C. Women's preference for home

D. Physical workplace barriers

Correct Answer: B

4. Women's empowerment mainly means:

A. Depending on others

B. Becoming self-reliant and able to make life decisions

C. Avoiding employment

D. Giving up education

Correct Answer: B

5. Working women often experience a double burden because they:

A. Work only at home

B. Perform both professional work and household responsibilities

C. Receive two salaries

D. Work fewer hours than men

Correct Answer: B

Psychological Statement Q/A

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

1. What is women's empowerment?

Answer: Women's empowerment is the process of making women independent, self-reliant, and capable of making their own social, economic, legal, and personal decisions.

2. What is the difference between formal and informal work?

Answer: Formal work is paid employment performed at a specific workplace with fixed hours, while informal work consists of unpaid household responsibilities without fixed hours or salary.

3. What is the Glass Ceiling Effect?

Answer: The Glass Ceiling Effect is an invisible organizational barrier that prevents qualified women from achieving higher leadership and management positions despite their abilities.

4. Why are housewives considered working women?

Answer: Housewives perform continuous unpaid household work for long hours, including cooking, cleaning, childcare, and home management, making a significant contribution despite receiving no salary.

5. What are the major barriers to women's empowerment?

Answer: Major barriers include lack of education, family restrictions, social and cultural stereotypes, marriage-related limitations, unequal household responsibilities, workplace discrimination, and the Glass Ceiling Effect.

Lesson 27: GENDER, WORK AND WOMEN'S EMPOWERMENT (2)

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand the barriers to women's career development and empowerment.
- To explain the Glass Ceiling Effect and its consequences.

Objectives

- To discuss factors limiting women's career growth.
- To explain the concept of the Glass Ceiling Effect.
- To identify causes and consequences of workplace discrimination.
- To describe strategies for promoting women's advancement.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Recap

- Women's empowerment requires education, skills, and employment.
- Five case studies highlighted barriers faced by women.
- Economic empowerment depends on equal career opportunities.

Gender, Work and Women's Empowerment

- Economic empowerment requires a formal career or profession.
- A successful career depends on education, training, and professional skills.
- Women often face social and organizational barriers that limit career growth.

Major Barriers to Women's Empowerment

No Education

- Many girls are denied education because of cultural beliefs and social attitudes.
- Lack of education limits employment and economic independence.

Faulty or Non-Career-Oriented Education

- Some women receive education that does not prepare them for professional careers.
- Limited career-oriented training reduces employment opportunities.

Glass Ceiling Effect

- Women face invisible barriers that prevent promotion to higher positions.
- Promotions often favor men despite equal qualifications.

Multiple or Dual Roles

- Working women perform both professional duties and household responsibilities.
- The double workload reduces career advancement opportunities.

Harassment

- Workplace harassment discourages women from career development.
- It creates an unsafe and stressful working environment.

Violence Against Women

- Violence negatively affects women's confidence, safety, and empowerment.
- It limits participation in education, employment, and society.

Glass Ceiling Effect

- Glass Ceiling refers to invisible barriers that prevent women from reaching top management positions.
- The barriers are not openly stated but exist within organizational structures.
- Women may have the ability and qualifications but still face limited promotion opportunities.
- The concept was highlighted by the International Labour Organization (ILO).

Characteristics of Glass Ceiling

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Invisible and unofficial barrier.
- Exists mainly in male-dominated organizations.
- Favors men in promotions and leadership.
- Restricts women's access to senior management.

Factors Responsible for Glass Ceiling

Persistent Workplace Discrimination

- Women are treated unequally in promotions and career opportunities.
- Gender bias limits professional growth.

Limited Strategic Positions

- Women are often placed in administrative or support roles.
- They receive fewer opportunities to work in decision-making positions.

Limited Access to Training

- Women receive fewer opportunities for technical and management training.
- Professional development opportunities are often unequal.

Weak Professional Networks

- Women have less access to formal and informal networking.
- Networking is important for promotions and leadership opportunities.

Double Burden

- Women balance paid employment with unpaid household responsibilities.
- Family responsibilities reduce time available for career advancement.

Consequences of Glass Ceiling

- Feelings of incapacity and inferiority.
- Frustration and helplessness.
- Sense of injustice.
- Job dissatisfaction.
- Strengthening of gender stereotypes.

Strategies for Breaking the Glass Ceiling

- Improve laws to eliminate gender discrimination.
- Increase awareness of women's legal rights.
- Introduce affirmative action and mentoring programs.
- Provide flexible working hours.
- Establish childcare and elder-care facilities.
- Improve women's access to business and entrepreneurship training.
- Increase opportunities for technical and management education.
- Revise human resource policies to support women's promotion.
- Recognize women's abilities regardless of traditional career paths.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Important Exam Points

- Women's economic empowerment depends on education and employment.
 - Major barriers include lack of education, faulty education, Glass Ceiling, dual roles, harassment, and violence.
 - Glass Ceiling is an invisible barrier preventing women from reaching top management positions.
 - The International Labour Organization (ILO) explained the Glass Ceiling Effect.
 - Women often experience workplace discrimination and fewer promotion opportunities.
 - Double burden refers to paid work combined with unpaid household responsibilities.
 - Limited training and networking reduce women's career advancement.
 - Glass Ceiling causes frustration, helplessness, and job dissatisfaction.
 - Legal reforms, mentoring, flexible work policies, and equal training opportunities help reduce workplace inequality.
-

Statement MCQs

1. The Glass Ceiling Effect refers to:

- A. Physical barriers in offices
- B. Invisible barriers preventing women's promotion
- C. Equal promotion opportunities
- D. Flexible work schedules

Correct Answer: B

2. Women's economic empowerment mainly requires:

- A. Household responsibilities only
- B. Formal education, skills, and employment
- C. Marriage only
- D. Political participation only

Correct Answer: B

3. Which organization defined the Glass Ceiling Effect?

- A. WHO
- B. UNESCO

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

C. International Labour Organization (ILO)

D. UNICEF

Correct Answer: C

4. The double burden faced by working women refers to:

A. Working two office jobs

B. Professional work plus household responsibilities

C. Two educational degrees

D. Working abroad

Correct Answer: B

5. Which strategy helps break the Glass Ceiling?

A. Reducing women's education

B. Limiting promotions

C. Providing mentoring and equal training opportunities

D. Increasing workplace discrimination

Correct Answer: C

Psychological Statement Q/A

1. What is the Glass Ceiling Effect?

Answer: The Glass Ceiling Effect is an invisible organizational barrier that prevents qualified women from reaching senior leadership and management positions despite having equal competence and experience.

2. What are the major barriers to women's empowerment?

Answer: Major barriers include lack of education, non-career-oriented education, Glass Ceiling, dual responsibilities, workplace harassment, and violence against women.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. Why do women experience slower career advancement?

Answer: Women often face workplace discrimination, fewer training opportunities, limited networking, and the additional burden of family and household responsibilities.

4. What are the consequences of the Glass Ceiling Effect?

Answer: It leads to feelings of inferiority, frustration, helplessness, job dissatisfaction, and reinforces gender stereotypes.

5. How can the Glass Ceiling be reduced?

Answer: It can be reduced through anti-discrimination laws, equal promotion policies, mentoring, flexible work arrangements, childcare support, improved training opportunities, and fair human resource practices.

Lesson 28: GENDER, WORK AND RELATED ISSUES

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand gender-related issues in the workplace.
- To explain workplace discrimination and sexual harassment.
- To promote awareness about gender equality and women's empowerment.

Objectives

- To discuss women's participation in professional and managerial careers.
- To explain gender differences in career development.
- To understand the causes and consequences of sexual harassment.
- To describe methods for preventing workplace harassment.

Purpose of Studying Gender and Work

- To develop awareness about barriers to women's empowerment.
- To understand women's experiences in professional life.
- To promote gender equality and equity.
- To encourage supportive attitudes toward women's economic independence.

Issues in Gender and Work

- The number of educated and professionally employed women is increasing worldwide.
- Women now work in many professions previously dominated by men.
- Despite progress, women remain underrepresented in senior management and leadership positions.
- Gender inequality continues in promotions, salaries, and workplace opportunities.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Women in Professional and Managerial Positions

- Many countries have a large percentage of women in professional jobs.
- Women's representation in managerial positions remains comparatively low.
- Pakistan and several South Asian countries have relatively fewer women in management.
- Women occupy even fewer top executive and corporate leadership positions.

Gender Differences in Career Development

- Men generally choose career paths earlier than women.
- Women are more likely to interrupt careers due to child-rearing and family responsibilities.
- In many societies, the husband's career is given greater importance.
- Women often sacrifice personal career goals for family needs.

Workplace Discrimination

- Women experience discrimination during recruitment, promotion, salary decisions, and job assignments.
- Women are often paid less than men performing similar work.
- Low-status positions are more commonly offered to women.
- Workplace discrimination reduces career growth and job satisfaction.

Sexual Harassment at Workplace

- Sexual harassment is a major challenge for working women.
- It creates fear, stress, embarrassment, and insecurity.
- Harassment discourages women from continuing or pursuing careers.

Definition of Sexual Harassment

- Sexual harassment includes unwanted verbal, physical, or sexual behavior.
- It interferes with work performance and creates a hostile working environment.
- The International Labour Organization (ILO) recognizes it as a violation of workers' rights.

Examples of Sexual Harassment

- Sexual jokes and inappropriate comments.
- Insults about appearance, dress, or body.
- Unwanted touching, pinching, or physical contact.
- Offensive gestures or staring.
- Unwanted invitations.
- Requests for sexual favors.
- Repeated embarrassing remarks.

Consequences of Sexual Harassment

- Shame and embarrassment.
- Low self-esteem.
- Fear and helplessness.
- Reduced confidence.
- Interrupted career development.
- Dependence on others for protection.
- Preference for female-only work environments.
- Negative social attitudes toward victims.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Types of Sexual Harassment

Physical Harassment

- Unwanted touching or physical contact.
- Physical assault or inappropriate behavior.

Psychological Harassment

- Unwanted sexual comments.
- Offensive jokes or repeated attention.
- Emotional pressure and intimidation.
- Most workplace harassment is psychological in nature.

Sexual Harassment and Benevolent Sexism

- Sometimes harassment appears as kindness or concern.
- Hidden motives may reduce women's confidence and independence.
- Benevolent sexism indirectly reinforces gender inequality.

Power, Status, and Harassment

- Sexual harassment is often related to power rather than sexual attraction.
- People in powerful positions may misuse authority.
- Male-dominated organizations increase the risk of power-based harassment.
- Power asymmetry contributes to workplace harassment.

How to Tackle Sexual Harassment

- Implement and enforce strong laws.
- Develop clear workplace policies.
- Raise awareness among children and adults.
- Encourage reporting through complaint systems.
- Promote assertiveness training.
- Teach individuals to confidently refuse inappropriate behavior.

Important Exam Points

- Women's participation in professional careers is increasing worldwide.
 - Women remain underrepresented in top management positions.
 - Career interruptions are more common among women due to family responsibilities.
 - Workplace discrimination affects recruitment, promotion, salary, and job assignments.
 - Sexual harassment creates a hostile and intimidating work environment.
 - Sexual harassment includes unwanted verbal, physical, and psychological behavior.
 - Psychological harassment is more common than physical harassment.
 - Sexual harassment is a human rights issue.
 - Power imbalance is a major cause of workplace harassment.
 - Laws, organizational policies, awareness, complaint systems, and assertiveness training help prevent harassment.
-

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Statement MCQs

1. One major purpose of studying gender and work is to:

- A. Increase workplace discrimination
- B. Promote gender equality and women's empowerment
- C. Reduce women's education
- D. Limit women's employment

Correct Answer: B

2. Women commonly experience workplace discrimination during:

- A. Recruitment and promotion only
- B. Salary decisions only
- C. Recruitment, promotion, salary, and job assignments
- D. Retirement only

Correct Answer: C

3. Sexual harassment refers to:

- A. Friendly workplace communication
- B. Unwanted verbal or physical sexual behavior creating a hostile environment
- C. Performance evaluation
- D. Teamwork activities

Correct Answer: B

4. Which type of sexual harassment is most commonly reported?

- A. Physical harassment
- B. Psychological harassment
- C. Financial harassment

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

D. Educational harassment

Correct Answer: B

5. Assertiveness training helps individuals:

- A. Avoid all workplaces
- B. Develop confidence to refuse inappropriate behavior
- C. Ignore workplace problems
- D. Depend on others

Correct Answer: B

Psychological Statement Q/A

1. What is sexual harassment?

Answer: Sexual harassment is any unwanted verbal, physical, or sexual behavior that interferes with a person's work performance or creates a hostile, intimidating, or offensive working environment.

2. Why do women experience career interruptions more often than men?

Answer: Women often interrupt their careers because of child-rearing responsibilities, family care, and social expectations that prioritize family over professional life.

3. What are the consequences of sexual harassment?

Answer: Sexual harassment causes embarrassment, low self-esteem, fear, helplessness, reduced confidence, interrupted careers, and negative psychological effects.

4. Why is sexual harassment considered a human rights issue?

Answer: It violates a person's dignity, equality, safety, and right to work in a respectful and discrimination-free environment.

5. How can workplace sexual harassment be prevented?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: It can be prevented through effective laws, strict organizational policies, awareness programs, complaint mechanisms, and assertiveness training that encourages individuals to report and resist inappropriate behavior.

Lesson 29: GENDER AND VIOLENCE

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand different forms of violence against women.
- To explain domestic violence and its effects.
- To promote awareness about gender equality and protection of women's rights.

Objectives

- To define violence and domestic violence.
- To identify different types of domestic violence.
- To explain the causes and effects of violence against women.
- To describe ways to prevent and reduce violence.

Gender and Violence

- Violence against women is a major gender issue affecting women's empowerment.
- It reflects inequality, oppression, and misuse of power.
- Women experience violence more frequently than men.
- Violence can occur at home, workplaces, or public places.

Forms of Violence Against Women

- Physical violence.
- Psychological or emotional violence.
- Sexual violence.
- Domestic violence.
- Rape.
- Physical assault by strangers.
- Acid attacks and stove burning (common in some societies).

Definition of Violence

- Violence is an aggressive act that intentionally causes physical or psychological harm.
- It may involve emotional abuse, physical injury, or sexual abuse.

Domestic Violence

- Domestic violence is one of the most common forms of violence against women.
- It includes physical, sexual, or psychological abuse by a spouse or intimate partner.
- It is mainly used to gain or maintain power and control over another person.
- Many cases remain unreported.

Reasons Domestic Violence is Underreported

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Shame and embarrassment.
- Fear of breaking the relationship.
- Hope that the partner will change.
- Fear of social criticism and family pressure.

Types of Domestic Violence

Common Couple Violence

- Results from conflicts that become physical fights.
- Both partners may become involved.
- Women are more likely to suffer serious injuries.

Patriarchal Terrorism

- Usually committed by men.
- Violence is used to dominate and control family members.
- May result in severe injury or even death.

Women Most Likely to Experience Domestic Violence

- Women from low socioeconomic backgrounds.
- Financially dependent women.
- Less educated or uneducated women.
- Young women.
- Women with little exposure outside the home.

Men More Likely to Commit Domestic Violence

- Less educated or uneducated.
- Low socioeconomic status.
- Unemployed or financially stressed.
- Drug or alcohol users.
- Men who witnessed violence during childhood.
- Men who face little social or legal punishment.

Societies with Higher Domestic Violence

- Societies where aggressive behavior is common.
- Societies where women have lower social status.
- Societies where force is commonly used to solve conflicts.

Effects of Domestic Violence

- Low self-esteem.
- Loss of confidence.
- Fear of future violence.
- Helplessness.
- Depression and anxiety.
- Acceptance of violence as a normal part of life.

Other Forms of Violence Against Women

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Sexual violence.
- Rape.
- Physical assault by strangers.
- Workplace violence and harassment.

Preventing Violence Against Women

- Create awareness about human rights.
- Educate women about legal rights.
- Establish legal aid centers and shelter homes.
- Provide counseling and family therapy.
- Educate men about gender equality.
- Use media to spread awareness.
- Encourage prompt reporting of violence.
- Promote self-defense training.

Important Note

- Women are the primary victims of domestic violence.
- Men can also experience domestic violence, although less frequently.
- In some less serious incidents, wives may also initiate violence against husbands.

Important Exam Points

- Violence includes physical, psychological, and sexual abuse.
- Domestic violence is used to gain power and control.
- Two types of domestic violence are Common Couple Violence and Patriarchal Terrorism.
- Domestic violence is often underreported due to shame, fear, and social pressure.
- Women at greatest risk are financially dependent, less educated, and from low socioeconomic backgrounds.
- Domestic violence lowers self-esteem and causes fear, helplessness, and depression.
- Awareness, education, legal protection, counseling, and media campaigns help reduce violence.
- Violence against women is a serious human rights issue.
- Men can also become victims of domestic violence, although less commonly.

Statement MCQs

1. Domestic violence is mainly used to:

- A. Improve family relationships
- B. Gain or maintain power and control
- C. Increase financial income
- D. Promote education

Correct Answer: B

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

2. Which type of domestic violence is usually committed by men to dominate family members?

- A. Common Couple Violence
- B. Patriarchal Terrorism
- C. Social Violence
- D. Emotional Support

Correct Answer: B

3. One major reason domestic violence is underreported is:

- A. High education
- B. Shame and fear
- C. Financial independence
- D. Equal rights

Correct Answer: B

4. Which women are at greater risk of domestic violence?

- A. Financially independent women
- B. Highly educated women
- C. Financially dependent and less educated women
- D. Women living alone

Correct Answer: C

5. Which of the following helps reduce violence against women?

- A. Ignoring violent behavior
- B. Human rights awareness and legal protection
- C. Keeping violence secret

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

D. Avoiding education

Correct Answer: B

Psychological Statement Q/A

1. What is domestic violence?

Answer: Domestic violence is the physical, sexual, or psychological abuse of a spouse or intimate partner to gain or maintain power and control.

2. Why is domestic violence often underreported?

Answer: Many victims do not report domestic violence because of shame, fear, social pressure, and hope that the relationship will improve.

3. What are the two types of domestic violence?

Answer: The two types are Common Couple Violence and Patriarchal Terrorism.

4. What are the psychological effects of domestic violence?

Answer: Domestic violence causes low self-esteem, fear, helplessness, depression, anxiety, and loss of self-confidence.

5. How can violence against women be prevented?

Answer: Violence can be reduced through awareness of human rights, legal protection, counseling, education, media campaigns, self-defense training, and encouraging victims to report incidents.

Lesson 30: GENDER AND HEALTH

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand the relationship between gender and health.
- To explain the importance of women's health.
- To identify gender differences in health status and healthcare.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Objectives

- To define health according to WHO.
- To explain the significance of women's health.
- To identify health risks specific to women.
- To understand gender differences in life expectancy and disease patterns.

Definition of Health

- According to WHO (1946), health is a state of complete physical, mental, and social well-being.
- Health is not merely the absence of disease or illness.
- Good health is considered a basic human right.

Gender and Health

- Men and women do not enjoy equal access to healthcare in many societies.
- Health facilities and healthcare opportunities vary across countries.
- Women often experience greater health inequalities due to biological and social factors.

Significance of Women's Health

- Women's health is especially important because of their reproductive role.
- Healthy women contribute to healthier families and communities.
- Good maternal health ensures safe pregnancy and healthy child development.
- Women's health also affects childcare and household responsibilities.

Reproductive Health Responsibilities

- Women experience pregnancy and childbirth.
- Proper nutrition is necessary before and during pregnancy.
- Safe delivery requires proper healthcare services.
- Women also experience menstruation, menopause, infertility, postpartum depression, abortion, and reproductive surgeries.

Risk of Diseases

- Women are at higher risk for certain diseases.
- Early diagnosis and screening help prevent serious illnesses.
- Women have a higher risk of some cancers.
- Women are also at greater risk of HIV/AIDS infection.
- Smoking combined with contraceptive pills increases the risk of cardiovascular disease and stroke.

Domestic Responsibilities and Health

- Women are usually responsible for childcare and household management.
- Working women often perform both professional and household duties.
- Multiple responsibilities increase stress and stress-related illnesses.

Stereotypical Beliefs about Women's Health

- In many societies, women's health receives less attention than men's.
- Girls may receive poorer nutrition than boys.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Women often delay visiting doctors or seeking medical treatment.
- Social attitudes negatively affect women's health outcomes.

Gender and Life Expectancy

- Women generally have a longer life expectancy than men.
- Women usually have lower death rates throughout life.
- The difference in life expectancy has decreased in recent decades.
- Increased smoking and unhealthy lifestyles among women have narrowed this gap.

Health Statistics

- Lung cancer has become a major cause of death among women.
- In the United States, lung cancer causes more female deaths than breast cancer.
- Women who smoke and use contraceptive pills have higher cardiovascular risks.
- Women have a higher risk of acquiring HIV infection than men.

Gender Gap in Longevity

- Developed countries generally show a larger gender gap in life expectancy.

Examples:

- Poland – 8 years
- France – 8 years
- Spain – 7 years
- Finland – 7 years
- Austria – 6 years
- USA – 6 years

Important Exam Points

- WHO defines health as complete physical, mental, and social well-being.
- Health is a basic human right.
- Women's health is important because of reproduction and childcare responsibilities.
- Women experience unique reproductive health conditions such as pregnancy, menstruation, menopause, and postpartum depression.
- Women are at higher risk of certain cancers, HIV/AIDS, cardiovascular disease, and stroke.
- Smoking combined with contraceptive pills increases health risks.
- Women generally have a longer life expectancy than men.
- Poor nutrition, delayed treatment, and gender stereotypes negatively affect women's health.
- Developed countries show a larger gender gap in life expectancy.

Statement MCQs

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

1. According to WHO, health is:

- A. Only the absence of disease
- B. Physical fitness only
- C. Complete physical, mental, and social well-being
- D. Freedom from infection only

Correct Answer: C

2. Women's health is especially important because:

- A. Women only work at home
- B. Women have reproductive responsibilities
- C. Men do not require healthcare
- D. Women are always healthier than men

Correct Answer: B

3. Women who smoke while using contraceptive pills have an increased risk of:

- A. Diabetes only
- B. Cardiovascular disease and stroke
- C. Eye diseases only
- D. Kidney stones

Correct Answer: B

4. In most countries, women generally have:

- A. Shorter life expectancy than men
- B. The same life expectancy as men
- C. Longer life expectancy than men
- D. No measurable life expectancy

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: C

5. One common stereotype affecting women's health is that:

- A. Women's health is equally important as men's
- B. Women should seek medical care immediately
- C. Women's health is less important than men's
- D. Girls receive better nutrition than boys

Correct Answer: C

Psychological Statement Q/A

1. How does WHO define health?

Answer: WHO defines health as a state of complete physical, mental, and social well-being, not merely the absence of disease or infirmity.

2. Why is women's health considered especially important?

Answer: Women's health is important because women are responsible for reproduction, pregnancy, childbirth, childcare, and maintaining family well-being.

3. What health risks are more common among women?

Answer: Women are at greater risk of certain cancers, HIV/AIDS, cardiovascular disease, stroke, reproductive health problems, and stress-related disorders.

4. Why do women often experience poorer health outcomes in some societies?

Answer: Poor nutrition, gender discrimination, delayed medical treatment, and stereotypical beliefs about women's health contribute to poorer health outcomes.

5. Why do women generally live longer than men?

Answer: Women generally have lower death rates throughout life, resulting in a higher average life expectancy, although the gap has narrowed due to unhealthy lifestyle behaviors such as smoking.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Lesson 31: GENDER, HEALTH, AND AGING

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand gender differences in health and aging.
- To explain why women generally live longer than men.
- To identify genetic and behavioral factors affecting life expectancy.

Objectives

- To explain the concept of life expectancy.
- To describe genetic factors contributing to women's longevity.
- To explain behavioral factors influencing gender differences in health.
- To understand the role of lifestyle in healthy aging.

Gender, Health, and Aging

- Women generally have a longer life expectancy than men.
- Biological and behavioral factors both contribute to this difference.
- Healthy lifestyles play an important role in successful aging.

Why Women Live Longer?

- Women have higher average life expectancy than men.
- Genetic protection and healthier behaviors contribute to their longevity.
- Both biological and environmental factors influence lifespan.

Genetic Protection

- Women possess two X chromosomes, providing greater genetic protection.
- Estrogen, the female hormone, protects women before menopause.
- Estrogen reduces the risk of several health problems during the reproductive years.
- Genetic protection also contributes to lower female infant mortality compared to males.

Role of Estrogen

- Estrogen provides protective health benefits before menopause.
- It helps lower the risk of certain cardiovascular diseases.
- Protection decreases after menopause.

Behavioral Factors

- Men engage more frequently in health-risk behaviors than women.
- Men smoke more and consume greater amounts of alcohol.
- These behaviors increase the risk of cancer, cardiovascular disease, respiratory illness, and liver cirrhosis.

Risk-Taking Behaviors

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Men are more likely to participate in dangerous activities.
- Common risky behaviors include:
 - Reckless driving.
 - Motor vehicle accidents.
 - Street fights.
 - Jumping from dangerous heights.
 - Drowning incidents.
 - Pedestrian accidents.
- Alcohol consumption further increases accident risk.

Health and Aging

- Healthy behaviors improve quality of life and increase life expectancy.
- Avoiding smoking, alcohol, and risky activities promotes healthy aging.
- Lifestyle choices significantly influence long-term health outcomes.

Important Exam Points

- Women generally live longer than men.
- Two major reasons are genetic protection and healthier behaviors.
- Women have two X chromosomes, providing additional genetic advantages.
- Estrogen protects women before menopause.
- Men are more likely to smoke, drink alcohol, and engage in risky behaviors.
- Risk-taking behaviors increase accidents and premature deaths among men.
- Lifestyle choices play a major role in health and aging.
- Alcohol contributes to higher accident rates among men.

Statement MCQs

1. Women generally have a longer life expectancy because of:

- A. Genetic protection and healthier behaviors
- B. Higher body weight
- C. Greater physical strength
- D. Less education

Correct Answer: A

2. Which female hormone provides protective health benefits before menopause?

- A. Testosterone
- B. Progesterone

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

C. Estrogen

D. Insulin

Correct Answer: C

3. Women have greater genetic protection because they possess:

A. One X chromosome

B. Two X chromosomes

C. Two Y chromosomes

D. One Y chromosome

Correct Answer: B

4. Which behavior is more common among men and contributes to lower life expectancy?

A. Healthy eating

B. Regular exercise

C. Smoking and alcohol consumption

D. Balanced lifestyle

Correct Answer: C

5. Which factor contributes to higher accident rates among men?

A. Estrogen

B. Alcohol use and risky behavior

C. Better nutrition

D. Regular health checkups

Correct Answer: B

Psychological Statement Q/A

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

1. Why do women generally live longer than men?

Answer: Women generally live longer because of genetic protection provided by two X chromosomes, the protective effects of estrogen before menopause, and healthier lifestyle behaviors.

2. How does estrogen protect women's health?

Answer: Estrogen provides protective effects against certain diseases, particularly cardiovascular problems, before menopause.

3. What behavioral factors reduce men's life expectancy?

Answer: Smoking, alcohol consumption, reckless driving, violence, and other risky behaviors increase disease and accident rates among men.

4. How do risky behaviors affect men's health?

Answer: Risk-taking behaviors increase the likelihood of accidents, injuries, premature death, and chronic diseases.

5. What role does lifestyle play in healthy aging?

Answer: Healthy lifestyle choices such as avoiding smoking, limiting alcohol, and reducing risky behaviors improve health, increase life expectancy, and support successful aging.

Lesson 32: GENDER, HEALTH, AND AGING

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

Summarized Notes

Aims

- To understand gender differences and similarities during aging.
- To explain the physical and psychological effects of aging.
- To understand factors affecting adjustment and well-being in old age.

Objectives

- To explain the aging process.
- To describe physiological and psychological changes in old age.
- To understand factors influencing self-esteem and adjustment among older adults.
- To explain the effects of empty-nest syndrome and loss of a spouse.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Purpose of Studying Gender and Aging

- To identify similarities between men and women during aging.
- To understand gender differences in age-related changes.
- To promote healthy aging and better quality of life.
- To understand psychological adjustment in older adulthood.

Definition of Aging

- Aging refers to natural biological changes that occur with the passage of time.
- Aging is inevitable and irreversible.
- Healthy eating, regular exercise, and proper lifestyle can slow the aging process.
- Individuals differ in how quickly they age.

Life Expectancy

- Life expectancy has increased significantly over the past century.
- Earlier, average life expectancy was around 35–45 years.
- Today many people live into their 70s, 80s, and even 90s.
- Modern healthcare focuses on improving both lifespan and quality of life.

Effects of Aging

- Aging reduces the efficiency of body organs.
- Physical strength and stamina gradually decline.
- Heart, kidneys, muscles, and digestive system become less efficient.
- Regular physical activity helps delay age-related decline.

Physiological (Biological) Effects of Aging

Sensory Changes

- Vision gradually becomes weaker.
- Hearing ability declines.
- Smell and taste become less sensitive.
- Cataracts and other vision problems may develop.

Physical Changes

- Muscle strength and body movement decrease.
- Manual dexterity becomes slower.
- Recovery from illness takes longer.
- The immune system becomes weaker.

Hormonal Changes

- Endocrine activity decreases with age.
- Hormone production slows down.
- Women experience menopause.

Common Diseases

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Arthritis.
- Alzheimer's disease.
- Parkinson's disease.
- Multi-infarct dementia.
- Hypertension.
- Cardiovascular disease.
- Breast, cervical, and prostate cancers.
- Bone fractures, especially among older women.

Changes in Appearance

- Hair becomes gray or white.
- Hairline recedes.
- Skin becomes dry and wrinkled.
- Tooth loss and decay become common.
- Height may decrease due to spinal changes.

Psychological Effects of Aging

Learning

- Older adults can still learn new things.
- Learning usually becomes slower than in younger people.
- Tasks requiring fine motor coordination take more time.

Attention and Concentration

- Attention span may become shorter.
- Concentration on difficult tasks may decline.

Memory

- Short-term memory commonly weakens.
- Severe memory loss may occur in Alzheimer's disease.

Intelligence

- Some intelligence test scores may decline with age.
- Practical knowledge and life experience often remain strong.
- Test performance may reflect practice rather than true intelligence.

Self-Esteem, Personality, and Self-Concept

- Some older adults may feel less useful because of physical limitations.
- Negative attitudes from others can reduce confidence.
- Research also shows many older adults remain cheerful, satisfied, and confident.
- Successful and independent older adults often maintain high self-esteem.

Empty-Nest Syndrome

- Occurs when children permanently leave home.
- Parents may experience loneliness, sadness, boredom, or depression.
- Adjustment depends on health, finances, occupation, spouse, and social support.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Loss of a Spouse

- Losing a spouse is one of the most stressful events in old age.
 - It causes emotional loneliness and practical life difficulties.
 - Social support and family relationships help reduce its impact.
-

Important Exam Points

- Aging is a natural, irreversible biological process.
 - Healthy lifestyle can slow the effects of aging.
 - Life expectancy has increased due to better healthcare.
 - Aging affects sensory organs, muscles, hormones, and immunity.
 - Common diseases include arthritis, Alzheimer's disease, hypertension, and cardiovascular disease.
 - Older adults learn more slowly but continue to learn throughout life.
 - Short-term memory is commonly affected during aging.
 - Self-esteem may remain high if older adults are healthy, independent, and socially supported.
 - Empty-nest syndrome occurs when children leave home permanently.
 - Loss of a spouse is a major emotional challenge in old age.
-

Statement MCQs

1. Aging is best defined as:

- A. A reversible physical condition
- B. A natural and irreversible biological process
- C. A psychological disorder
- D. A contagious disease

Correct Answer: B

2. Which lifestyle factor helps slow the aging process?

- A. Smoking
- B. Regular exercise
- C. Lack of sleep
- D. Poor nutrition

Correct Answer: B

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. Which disease is commonly associated with memory loss in old age?

- A. Diabetes
- B. Alzheimer's disease
- C. Influenza
- D. Asthma

Correct Answer: B

4. Empty-nest syndrome occurs when:

- A. Parents retire from work
- B. Children permanently leave home
- C. A person develops arthritis
- D. A person loses employment

Correct Answer: B

5. Which physiological change commonly occurs during aging?

- A. Increased muscle strength
- B. Improved vision
- C. Reduced immune system efficiency
- D. Faster recovery from illness

Correct Answer: C

Psychological Statement Q/A

1. What is aging?

Answer: Aging is the natural, inevitable, and irreversible biological process through which body systems gradually lose efficiency over time.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

2. What are the common physiological effects of aging?

Answer: Aging causes weaker sensory organs, reduced muscle strength, slower hormone production, weaker immunity, and an increased risk of diseases such as arthritis and Alzheimer's disease.

3. What is Empty-Nest Syndrome?

Answer: Empty-nest syndrome is the feeling of loneliness, sadness, or depression experienced by parents after their children permanently leave home.

4. How does aging affect memory and learning?

Answer: Older adults can continue learning, but learning becomes slower and short-term memory may weaken, especially in old age.

5. What factors help older adults maintain good psychological well-being?

Answer: Good health, financial stability, independence, supportive family relationships, social support, and a positive outlook help older adults maintain high self-esteem and better psychological adjustment.

Lesson 33: GENDER DIFFERENCES IN AGING

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

- To understand gender differences during aging.
- To explain psychological and social adjustment in old age.
- To identify factors affecting health, marriage, loneliness, and personality in later life.

Objectives

- To explain Erikson's final stage of psychosocial development.
- To describe gender differences in aging and health.
- To understand the effects of marriage, widowhood, and empty-nest syndrome.
- To explain financial and personality changes during old age.

Erikson's Stage of Aging

- Old age represents **Ego Integrity vs. Despair**.
- People review their entire lives during this stage.
- Those satisfied with their achievements experience ego integrity.
- Those who regret their past experience despair, frustration, and depression.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Work in Old Age

- Older adults can perform work as effectively as younger adults.
- They work more carefully and accurately.
- Older workers make fewer mistakes.
- They usually complete tasks more slowly than younger people.

Gender Differences in Aging

- Women generally live longer than men.
- More women reach very old age.
- Women experience more age-related health problems because of greater longevity.
- Men and women differ in their physical and psychological adjustment to aging.

Health Problems in Older Women

- Arthritis is more common among older women.
- Osteoporosis causes weak and brittle bones.
- Bone fractures are more frequent due to osteoporosis.
- Menopause increases health-related challenges.
- Risk of coronary heart disease increases after menopause.

Marriage and Loneliness

- Women experience widowhood more often because they usually outlive their husbands.
- Older women are therefore more likely to experience loneliness.
- Married people generally enjoy better physical and mental health.
- For men, simply being married often benefits health.
- For women, the quality of marriage is more important than marital status alone.

Empty-Nest Syndrome

- Parents react differently when children leave home.
- Gradual departure of children allows better adjustment.
- Supportive marriages reduce the stress of an empty nest.
- Many mothers become happier and more satisfied after children become independent.
- Working mothers usually experience less stress.
- Fathers who regret limited involvement with their children may experience greater distress.
- Autonomous mothers adjust better than coupled mothers.

Types of Mothers

Autonomous Mothers

- Have higher self-esteem.
- Feel independent and in control of their lives.
- Appreciate their children's independence and success.
- Adjust positively to the empty nest.

Coupled Mothers

- Consider children the center of their identity.
- Depend heavily on children for self-worth.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Experience greater anxiety and depression after children leave home.
- Find adjustment to the empty nest more difficult.

Personality Changes in Old Age

- Older women often become more confident, assertive, and independent.
- Older men become more nurturing, cooperative, and less dominant.
- Retirement may reduce men's sense of power and control.
- Reduced self-esteem may lead to depression or alcohol abuse.

Financial Problems in Old Age

- Retirement often creates financial difficulties.
- Medical expenses increase during old age.
- Older women are often financially dependent because many are homemakers.
- Widowed men may find independent living more difficult than widowed women.
- Household skills help many older women manage limited resources more effectively.

Summary of Gender Differences in Aging

- Some aging problems are common to both men and women.
- Women experience certain health problems more frequently.
- Men and women respond differently to aging, retirement, widowhood, and changing family roles.

Important Exam Points

- Erikson's final psychosocial stage is Ego Integrity vs. Despair.
- Older adults perform work carefully but more slowly.
- Women generally have greater life expectancy than men.
- Osteoporosis, arthritis, and menopause commonly affect older women.
- Widowhood and loneliness are more common among women.
- Good-quality marriages improve women's health.
- Autonomous mothers adjust better to the empty nest than coupled mothers.
- Working mothers experience less empty-nest stress.
- Retirement and financial dependence create challenges in old age.
- Men and women differ in personality changes and adjustment during aging.

Statement MCQs

1. Erikson's final stage of psychosocial development is:

- A. Identity vs. Role Confusion
- B. Ego Integrity vs. Despair
- C. Initiative vs. Guilt
- D. Trust vs. Mistrust

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: B

2. Which health problem is especially common among older women?

- A. Asthma
- B. Osteoporosis
- C. Tuberculosis
- D. Malaria

Correct Answer: B

3. Older workers are generally characterized by:

- A. More mistakes and faster work
- B. Careful work with fewer mistakes
- C. Poor work quality
- D. Complete inability to work

Correct Answer: B

4. Autonomous mothers usually experience the empty nest by:

- A. Becoming highly depressed
- B. Feeling anxious and dependent
- C. Adjusting positively and enjoying children's independence
- D. Rejecting their children

Correct Answer: C

5. Older women experience loneliness more frequently because:

- A. They retire earlier
- B. They generally live longer than men

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

C. They have fewer children

D. They work less

Correct Answer: B

Psychological Statement Q/A

1. What is Ego Integrity vs. Despair?

Answer: It is Erikson's final stage of psychosocial development in which older adults evaluate their lives. Satisfaction leads to ego integrity, while regret leads to despair.

2. Why do women experience more age-related health problems than men?

Answer: Women generally live longer than men, making them more likely to experience conditions such as arthritis, osteoporosis, menopause-related problems, and widowhood.

3. What is the difference between autonomous and coupled mothers?

Answer: Autonomous mothers are independent and adjust well when children leave home, whereas coupled mothers depend emotionally on their children and experience greater anxiety and depression during the empty-nest stage.

4. How does marriage affect health in old age?

Answer: Marriage generally improves health. For men, companionship itself is beneficial, while for women the quality of the marriage has a greater impact on health and well-being.

5. What financial challenges do older adults commonly face?

Answer: Older adults often face reduced income after retirement, increased medical expenses, financial dependence, and difficulties managing daily living costs, especially widowed individuals.

Lesson 34: GENDER AND HEALTH PROMOTING BEHAVIORS

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Aims

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- To understand health-promoting behaviors.
- To explain the importance of physical fitness and exercise.
- To identify different types of exercise and their health benefits.

Objectives

- To explain the concepts of health promotion and illness prevention.
- To describe physical fitness and its components.
- To understand different types of exercise.
- To explain factors involved in selecting an appropriate exercise program.

Health Promotion and Illness Prevention

- Health promotion and illness prevention are closely related.
- Health can be improved by adopting healthy lifestyles.
- Early diagnosis and proper use of health services improve well-being.
- Prevention is more effective than treating diseases after they develop.

Physical Fitness

- Physical fitness is an important component of overall health.
- It includes physical, psychological, and social well-being.
- Regular exercise improves both physical and mental health.
- Healthy eating and active lifestyles contribute to long-term fitness.

Importance of Physical Fitness

- Promotes overall health and well-being.
- Reduces stress and improves mood.
- Strengthens social relationships through active lifestyles.
- Helps prevent many chronic diseases.
- Improves quality of life and life expectancy.

Reasons People Are Becoming More Health Conscious

- Many major diseases today are lifestyle-related rather than infectious.
- Increased life expectancy encourages healthier living.
- Research has shown that healthy lifestyles improve both lifespan and quality of life.

Components of Physical Fitness

- Muscular strength.
- Muscular flexibility.
- Muscular endurance.
- Cardiorespiratory fitness.

Types of Fitness

Organic Fitness

- Depends on inherited biological factors.
- Influenced by genetics, age, gender, health status, and family history.
- Cannot be changed completely through training.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Dynamic Fitness

- Developed through exercise and regular practice.
- Improves physical performance and body appearance.
- Can be enhanced through continuous physical activity.

Exercise

- Regular exercise is directly related to better health.
- It improves physical fitness and prevents many diseases.
- Exercise also improves psychological well-being through the release of endorphins.

Recommended Exercise

- Exercise at least three times per week.
- Each session should last at least 15 minutes.
- Exercise intensity should be about 70–85% of maximum heart rate.
- Exercise routines should be selected according to individual fitness levels.

Types of Exercise

Aerobic Exercise

- Involves continuous activity for a longer period.
- Requires increased oxygen consumption.
- Improves heart and lung function.
- Helps prevent coronary heart disease.
- Examples include jogging, brisk walking, cycling, swimming, aerobic dancing, and rope skipping.
- Medical consultation is recommended before beginning intense aerobic exercise.

Anaerobic Exercise

- Involves short bursts of high-intensity activity.
- Does not require prolonged oxygen consumption.
- Improves speed and power.
- Examples include sprinting and certain calisthenics.
- Not recommended for people with serious heart disease.

Isometric Exercise

- Involves muscle contraction without body movement.
- Performed by pushing against an immovable object.
- Increases muscle strength.
- Particularly useful for older adults.
- Has limited effect on overall cardiovascular fitness.

Isotonic Exercise

- Involves movement of muscles and joints.
- Weight lifting is a common example.
- Improves muscle tone, strength, and endurance.
- Also improves body shape and physical appearance.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Isokinetic Exercise

- Involves lifting and returning weights using specialized equipment.
- Provides resistance throughout the movement.
- Produces greater muscle strength and endurance.
- Usually performed in gyms or rehabilitation centers.

Choosing the Right Exercise

- Consider current physical fitness.
- Consider muscle strength and endurance.
- Consider overall health condition.
- Follow physician's advice if necessary.
- Select exercises according to age and physical ability.

Important Exam Points

- Health promotion and illness prevention complement each other.
- Healthy lifestyles and early diagnosis improve health.
- Physical fitness includes muscular strength, flexibility, endurance, and cardiorespiratory fitness.
- Organic fitness depends on biological factors.
- Dynamic fitness develops through exercise.
- Regular exercise improves physical and psychological well-being.
- Aerobic exercise strengthens the heart and lungs.
- Anaerobic exercise improves speed and power.
- Isometric exercise mainly improves muscle strength.
- Isotonic and isokinetic exercises improve muscle strength and endurance.
- Exercise should be selected according to age, health, and fitness level.

Statement MCQs

1. Health promotion mainly focuses on:

- A. Treating diseases only
- B. Adopting healthy lifestyles and preventing illness
- C. Increasing medication
- D. Hospital admission

Correct Answer: B

2. Which type of fitness develops through regular exercise?

- A. Organic fitness

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

B. Dynamic fitness

C. Genetic fitness

D. Mental fitness

Correct Answer: B

3. Which exercise primarily improves cardiorespiratory fitness?

A. Aerobic exercise

B. Isometric exercise

C. Isotonic exercise

D. Stretching only

Correct Answer: A

4. Which exercise mainly increases muscle strength by pushing against an immovable object?

A. Aerobic exercise

B. Anaerobic exercise

C. Isometric exercise

D. Isokinetic exercise

Correct Answer: C

5. Before starting intense aerobic exercise, a person should:

A. Ignore health conditions

B. Consult a physician and undergo medical examination

C. Exercise continuously without rest

D. Avoid physical activity

Correct Answer: B

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Psychological Statement Q/A

1. What are the two major aspects of health?

Answer: The two major aspects are health promotion and illness prevention. Both work together to improve overall health and well-being.

2. What is dynamic fitness?

Answer: Dynamic fitness is the type of fitness developed through regular exercise, practice, and physical activity that improves physical performance and appearance.

3. What are the benefits of aerobic exercise?

Answer: Aerobic exercise strengthens the heart and lungs, improves cardiorespiratory fitness, increases oxygen utilization, enhances endurance, and reduces the risk of coronary heart disease.

4. What factors should be considered before choosing an exercise program?

Answer: A person's health condition, age, physical fitness, muscle strength, endurance level, and physician's advice should all be considered.

5. Why is regular exercise important for health?

Answer: Regular exercise improves physical fitness, reduces stress, enhances psychological well-being through endorphin release, prevents chronic diseases, and increases both the quality and length of life.

Lesson 35: GENDER AND HEALTH PROMOTING BEHAVIOR

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

Summarized Notes

Health Effects of Exercise

- Regular exercise improves physical, mental, and social well-being.
- Exercise releases endorphins that create feelings of happiness and relaxation.
- It helps reduce body weight and controls cholesterol.
- Regular exercise strengthens the heart and lungs.
- Exercise improves immunity and reduces the risk of many diseases.
- It helps manage reproductive health problems and menopausal symptoms in women.
- Aerobic exercise reduces depression and improves sleep quality.
- Regular physical activity lowers the risk of cardiovascular diseases.
- Exercise improves physical appearance and increases self-esteem.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

The Classic Alameda County Study

- Belloc and Breslow (1972) studied health habits and mortality.
- Five healthy habits were linked with longer life expectancy.

Five Healthy Habits

- Getting sufficient sleep.
- Moderate alcohol consumption.
- Avoiding smoking.
- Regular exercise.
- Maintaining healthy body weight.

Gender Differences in Exercise

- Women generally live longer than men.
- However, men participate in physical exercise more frequently.
- Boys are more physically active than girls from an early age.
- Women's participation in exercise decreases further during middle and old age.
- Women generally follow healthier lifestyles than men except for physical activity.

Healthy Behaviors Among Women

- Women are more likely to wear seat belts.
- Women are more likely to maintain healthy body weight.
- Women smoke and consume alcohol less than men.
- Women are less likely to drink and drive.
- Women exercise less regularly than men.

Factors Affecting Women's Exercise

Fatigue and Overwork

- Working women perform office work as well as household responsibilities.
- Most women feel physically tired and have little time for exercise.

Social Attitudes and Stereotypes

- Exercise is often considered a male activity.
- Many people wrongly believe household work provides enough exercise.
- Some cultures discourage women from exercising after marriage.

Lack of Exercise Facilities

- Lack of parks, playgrounds, gyms, and safe exercise spaces discourages women from exercising regularly.

Uptake of Medical Facilities

- Governments encourage people to use health services for disease prevention.
- Early diagnosis reduces healthcare costs and improves treatment success.
- Screening programs help detect diseases before they become serious.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Women are encouraged to use screening facilities for breast cancer, cervical cancer, HIV/AIDS, and hepatitis.

Women and Medical Consultation

- Women visit doctors more often than men.
- Women are more aware of bodily changes and illness symptoms.
- Mothers become more sensitive to health problems because they care for their children.
- Social attitudes make women more willing to seek medical help than men.

Acute Illnesses

- Women experience more acute illnesses than men.
- Men experience more injuries but spend less time recovering.
- Women read more about health, diseases, and treatments than men.

Early Diagnosis of Breast Cancer

Breast Self-Examination (BSE)

- Women should examine their breasts every month.
- BSE helps detect lumps at an early stage.
- Around 90% of breast cancers are first detected through BSE.
- Lack of awareness prevents many women from performing BSE regularly.

Mammography

- Women over 40–50 years should have regular mammograms.
- Mammography helps detect breast cancer early.
- Early diagnosis greatly improves treatment success.

Barriers to Mammography

- Fear of radiation.
- Embarrassment.
- Fear of pain.
- Anxiety.
- Cost concerns.

Cervical Cancer Screening

- Cervical smear tests help diagnose cervical cancer early.
- Many women avoid screening because of embarrassment or lack of awareness.
- Low participation reduces the effectiveness of prevention programs.

Men's Health Screening

- Many men delay prostate cancer screening.
- Few men perform testicular self-examination.
- Embarrassment and lack of knowledge reduce early diagnosis.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Important Exam Points

- Exercise improves physical, psychological, and social health.
 - Regular exercise strengthens the heart, lungs, immunity, and mental health.
 - The Alameda County Study identified five healthy habits for longer life.
 - Women generally exercise less than men despite living longer.
 - Fatigue, stereotypes, and lack of facilities reduce women's physical activity.
 - Early medical screening prevents serious diseases.
 - Women are more likely than men to seek medical consultation.
 - Breast Self-Examination (BSE) helps detect breast cancer early.
 - Mammography is recommended for women above 40–50 years.
 - Fear, embarrassment, anxiety, and cost reduce participation in cancer screening.
 - Men often delay prostate and testicular cancer screening due to embarrassment.
-

Statement MCQs

1. According to the Alameda County Study, which habit is associated with longer life?

- A. Smoking regularly
- B. Regular exercise
- C. Sleeping less
- D. Avoiding physical activity

Correct Answer: B

2. Which factor commonly prevents women from exercising regularly?

- A. Excess free time
- B. Fatigue and household responsibilities
- C. Lack of education only
- D. High physical fitness

Correct Answer: B

3. Breast Self-Examination (BSE) is mainly used to:

- A. Reduce body weight
- B. Detect breast cancer early

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- C. Improve eyesight
- D. Measure blood pressure

Correct Answer: B

4. Women generally visit doctors more often than men because they are:

- A. Less healthy
- B. More aware of bodily changes and symptoms
- C. Forced by employers
- D. Physically weaker

Correct Answer: B

5. One common reason women avoid mammography is:

- A. It improves fitness
- B. Fear and embarrassment
- C. It replaces exercise
- D. It causes immediate illness

Correct Answer: B

Psychological Statement Q/A

1. What are the major health benefits of regular exercise?

Answer: Regular exercise improves physical fitness, strengthens the heart and lungs, boosts immunity, controls weight and cholesterol, reduces depression, improves sleep, and enhances self-esteem.

2. What are the five healthy habits identified in the Alameda County Study?

Answer: The five habits are sufficient sleep, moderate drinking, no smoking, regular exercise, and maintaining a healthy body weight.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. Why do women exercise less than men?

Answer: Women often face fatigue due to household and office responsibilities, social stereotypes, and lack of safe exercise facilities, leaving little time for regular physical activity.

4. Why is Breast Self-Examination (BSE) important?

Answer: BSE helps women detect breast lumps at an early stage, allowing early diagnosis and increasing the chances of successful treatment.

5. Why do many people avoid medical screening?

Answer: People often avoid screening because of fear, embarrassment, anxiety, lack of awareness, and financial concerns, which delays early diagnosis and treatment.

Lesson 36: GENDER AND HEART DISEASE

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Recap

- Health is a state of complete physical, mental, and social well-being.
- Health psychology emphasizes health promotion and disease prevention.
- Healthy lifestyles improve quality of life and reduce healthcare costs.
- Some diseases develop despite healthy lifestyles because of uncontrollable risk factors.
- This lesson focuses on Coronary Heart Disease (CHD) and gender differences.

Coronary Heart Disease (CHD)

- CHD affects the coronary arteries that supply blood to the heart.
- The main cause of CHD is **atherosclerosis**.
- Atherosclerosis is the thickening and narrowing of coronary arteries due to plaque buildup.
- Narrow arteries reduce oxygen and blood supply to the heart.

Effects of Atherosclerosis

- Restricted blood flow.
- Blockage of blood circulation.
- Reduced oxygen supply to body organs.
- Chest pain.
- Difficulty in breathing.
- Increased risk of heart attack.

Major Conditions of CHD

Angina Pectoris

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Temporary reduction of blood supply to the heart muscle.
- Causes chest pain, arm pain, breathing difficulty, and suffocation.
- Usually occurs after stress or physical exercise.
- Acts as an early warning sign of heart disease.

Myocardial Infarction (MI) / Heart Attack

- Complete blockage of blood supply damages the heart muscle.
- Lack of oxygen causes permanent death of heart tissue.
- Symptoms include:
 - Severe chest pain.
 - Pain in arms, shoulders, jaw, back, or abdomen.
 - Weakness and dizziness.
 - Nausea.
 - Severe breathing difficulty.

Risk Factors for CHD

Non-Modifiable Risk Factors

- Male gender.
- Increasing age.
- Family history.
- Congenital heart defects.
- Diabetes.

Physiological Risk Factors

- Hypertension.
- Obesity.
- High cholesterol.

Lifestyle Risk Factors

- Smoking.
- High-fat diet.
- Physical inactivity.
- Stressful lifestyle.
- Type A personality pattern.

Gender and Heart Disease

- Both men and women can develop CHD.
- Men have a higher risk of developing CHD during early and middle adulthood.
- Women experience lower risk before menopause.
- Heart disease is also one of the leading causes of death among women.

Framingham Heart Study

- Began in 1948 in Framingham, Massachusetts, USA.
- Initially included over 5,000 healthy participants.
- Later expanded to include their children and grandchildren.
- It is one of the world's most important studies on heart disease.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Major Risk Factors Identified by the Framingham Study

- Male sex.
- Advancing age.
- Smoking.
- Hypertension.
- Diabetes.
- Obesity.

Important Facts About CHD

- Men die from heart disease almost twice as often as women during middle age.
- Men generally recover better after surviving the first heart attack.
- Diabetes increases CHD risk equally in both men and women.
- Women with obesity and high LDL cholesterol are at greater risk.

Why Women Have Natural Protection

Estrogen

- Estrogen protects women against heart disease before menopause.
- It lowers stress responses and protects blood vessels.

High HDL Cholesterol

- Women generally have higher HDL ("good cholesterol").
- HDL reduces harmful LDL ("bad cholesterol").
- Higher HDL lowers the risk of CHD.

When Women's Risk Increases

- After menopause, estrogen levels decline.
- Natural protection decreases.
- Weight gain becomes more common.
- Blood pressure, cholesterol, and triglycerides increase.
- CHD risk becomes almost equal to that of men.

Women at Lower Risk

- Pre-menopausal women.
- Women with healthy body weight.
- Physically active women.
- Women who exercise regularly.
- Women with low cholesterol and triglyceride levels.

Why Men Are at Higher Risk

Testosterone

- Testosterone is associated with competitiveness and aggression.
- These behaviors increase stress and Type A personality traits.
- Stress contributes to CHD.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Unhealthy Lifestyle

- Men smoke and drink alcohol more frequently.
- Men consume more high-fat foods.
- These behaviors increase CHD risk.

High-Stress Occupations

- Men are more commonly employed in stressful jobs.
- Chronic stress increases the likelihood of heart disease.

Prevention and Management of CHD

- Exercise regularly.
- Maintain healthy body weight.
- Eat a low-fat, low-cholesterol diet.
- Avoid smoking.
- Reduce stress.
- Estrogen replacement therapy may benefit some post-menopausal women under medical supervision.

Research on Heart Disease in Women

- Earlier research mainly focused on men.
- Heart disease was traditionally considered a male disease.
- Less information was available about female risk factors.
- Recent research increasingly focuses on women's cardiovascular health.
- Greater awareness is improving diagnosis and prevention among women.

Important Exam Points

- Coronary Heart Disease (CHD) mainly results from atherosclerosis.
- Atherosclerosis narrows coronary arteries and reduces blood supply to the heart.
- Angina Pectoris is an early warning sign of heart disease.
- Myocardial Infarction (Heart Attack) causes permanent damage to heart muscle.
- Major CHD risk factors include age, male gender, smoking, hypertension, obesity, diabetes, stress, and Type A personality.
- The Framingham Heart Study is the most important research on heart disease risk factors.
- Estrogen and HDL protect pre-menopausal women from CHD.
- Women's risk increases significantly after menopause.
- Healthy lifestyle choices help prevent and manage CHD.
- Modern research increasingly focuses on heart disease in women.

Statement MCQs

1. The main cause of Coronary Heart Disease (CHD) is:

- A. Diabetes
- B. Atherosclerosis

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

C. Pneumonia

D. Kidney disease

Correct Answer: B

2. Angina Pectoris occurs because of:

A. Permanent death of heart muscle

B. Temporary reduction of blood supply to the heart

C. Lung infection

D. High blood sugar

Correct Answer: B

3. Which hormone naturally protects pre-menopausal women against heart disease?

A. Testosterone

B. Insulin

C. Estrogen

D. Cortisol

Correct Answer: C

4. Which study is considered the most important investigation of heart disease risk factors?

A. Stanford Study

B. Harvard Study

C. Framingham Heart Study

D. WHO Nutrition Study

Correct Answer: C

5. Which lifestyle behavior helps prevent Coronary Heart Disease?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- A. Smoking
- B. High-fat diet
- C. Regular exercise
- D. Physical inactivity

Correct Answer: C

Psychological Statement Q/A

1. What is Coronary Heart Disease (CHD)?

Answer: Coronary Heart Disease is a condition in which the coronary arteries become narrowed due to atherosclerosis, reducing blood and oxygen supply to the heart.

2. Differentiate between Angina Pectoris and Myocardial Infarction (MI).

Answer: Angina Pectoris is a temporary reduction in blood supply to the heart that causes chest pain, while Myocardial Infarction (heart attack) is a complete blockage of blood supply that permanently damages heart muscle.

3. Why are pre-menopausal women less likely to develop heart disease?

Answer: Pre-menopausal women have higher estrogen and HDL cholesterol levels, which protect blood vessels and reduce the risk of Coronary Heart Disease.

4. What are the major modifiable risk factors for CHD?

Answer: Smoking, obesity, high-fat diet, physical inactivity, hypertension, high cholesterol, stress, and unhealthy lifestyle habits are the major modifiable risk factors.

5. How can Coronary Heart Disease be prevented?

Answer: CHD can be prevented through regular exercise, healthy eating, maintaining ideal body weight, avoiding smoking, managing stress, controlling cholesterol and blood pressure, and seeking timely medical care.

Lesson 37: GENDER AND CANCER

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

<https://chat.whatsapp.com/Hrh5CrjNO6u31kFiNX352H>

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Introduction to Cancer

- Cancer is one of the major causes of death worldwide and is considered the second biggest cause of mortality.

- Cancer creates fear because of:

-

Poor prognosis in many cases.

-

-

Painful conditions.

-

-

Complex and difficult treatments.

-

- Cancer is not a single disease; it is a group of more than 100 diseases having common characteristics.

- All cancers result from dysfunction in DNA.

Definition of Cancer

- Cancer is an uncontrollable growth and spread of abnormal cells that form tumors.

- The presence of neoplastic cells characterizes cancer.

- These abnormal cells form colonies at different body sites.

Types of Tumors

Benign Tumors

- Benign tumors are non-cancerous.

- They do not usually damage surrounding tissues.

Malignant Tumors

- Malignant tumors are cancerous growths.

- They damage nearby cells.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- They can spread to other body parts through blood or lymph.
 - This spreading process is called metastasis.
-

Types of Cancer

Type of Cancer	Main Site
Breast Cancer	Breast
Cervical and Uterine Cancer	Cervix and uterus
Prostate Cancer	Prostate gland
Skin Cancer	Skin
Lung Cancer	Lungs
Colorectal Cancer	Colon or rectum
Leukemia	Blood

Common Cancers in Men

- Prostate cancer
 - Lung cancer
 - Colon cancer
 - Urinary and bladder cancer
 - Non-Hodgkin's lymphoma
 - Rectal cancer
 - Oral cavity cancer
 - Leukemia
 - Pancreatic cancer
 - Stomach cancer
-

Common Cancers in Women

- Breast cancer
- Lung cancer
- Colon cancer

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Uterine cancer
 - Ovarian cancer
 - Non-Hodgkin's lymphoma
 - Skin melanoma
 - Rectal cancer
 - Cervical cancer
 - Pancreatic cancer
-

Trend of Cancer Mortality Rates

- During most of the 20th century, cancer mortality rates increased in the United States.
 - After 1993, cancer death rates started showing a decline.
 - Lung cancer rates have decreased among men but increased among women.
 - The five-year survival rate has improved for many cancers.
 - Improvement is especially significant in breast cancer survival.
-

Smoking as a Major Risk Factor

- Cigarette smoking is one of the strongest risk factors for cancer in both men and women.
- Smoking is directly linked with lung cancer.
- Passive smoking also increases health risks.
- Smoking is also considered a risk factor for breast cancer.
- The risk of breast cancer increases according to:

-

Number of cigarettes smoked.

-
-

Duration of smoking.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

-
-

Age at which smoking begins.

-

- Heavy smokers have a greater risk of developing breast cancer compared to light smokers.
-

Importance of Early Detection

- Early detection of cancer improves treatment outcomes and survival rates.
 - Many cancers can be successfully treated when detected at an early stage.
 - Self-examination and screening tests help identify cancer early.
-

Breast Self Examination (BSE)

- Women are advised to perform breast self-examination regularly.
 - BSE helps detect lumps or abnormal growth at an early stage.
 - Early identification increases chances of successful treatment.
-

Testicular Self Examination

- Men are advised to examine their testes regularly.
 - It helps detect unusual changes or growth.
 - Early detection improves prognosis.
-

Cancer Screening Methods

Mammography

- Mammography is an X-ray procedure used to detect breast cancer.
- Women, especially above 40 years, are advised to undergo regular mammograms.

Pap Test / Pap Smear

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- Pap smear is used for detecting cervical cancer.
- It is a simple and painless procedure.
- Early detection through pap testing can lead to complete cure.

Ultrasound

- Ultrasound helps detect abnormal growth in breasts.

Prostate Cancer Screening

- Diagnostic tests are available for early detection of prostate cancer.

Colorectal Cancer Screening

- Colorectal cancer can be detected through screening methods such as endoscopy.

Lung Cancer Detection

- Early signs include:

-

Changes in voice.

-

-

Change in coughing pattern.

-

-

Breathing problems.

-

- Reporting these symptoms early helps diagnosis.

Gender Differences in Cancer Awareness and Detection

Women

- Women require special attention because many women have limited access to health education.
- Some women hesitate or feel embarrassed discussing body changes.
- Delay in reporting symptoms can result in late diagnosis.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Men

- Men often postpone medical consultation.
 - Lack of awareness and embarrassment may prevent early diagnosis.
-

What Needs to Be Done?

- Increase community awareness about cancer.
- Educate people about:

-

Nature of cancer.

-

Risk factors.

-

Warning signs.

-

Importance of early detection.

-

- Use electronic media such as:

-

Television.

-

Radio.

-

Awareness campaigns.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- - Encourage regular self-examination.
 - Promote immediate medical consultation when unusual changes appear.
-

Important Exam Points

- Cancer is a group of diseases caused by abnormal cell growth due to DNA dysfunction.
 - Malignant tumors are cancerous and can spread through blood or lymph.
 - Metastasis refers to the spread of cancer cells to other body parts.
 - Smoking is a major risk factor for lung cancer and other cancers.
 - Early detection improves survival chances.
 - Breast self-examination helps detect breast cancer early.
 - Mammography is used for breast cancer detection.
 - Pap smear is used for cervical cancer screening.
 - Men commonly experience prostate cancer, while women commonly experience breast cancer.
 - Women may delay diagnosis due to embarrassment and lack of awareness.
 - Health education campaigns play an important role in cancer prevention and early detection.
-

Statement MCQs

1. Cancer is mainly caused by:

- A. Increased blood flow
- B. Dysfunction in DNA
- C. Lack of exercise only
- D. Normal cell growth

Correct Answer: B

2. Malignant tumors are different from benign tumors because they:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- A. Are always harmless
- B. Cannot grow
- C. Can damage nearby tissues and spread
- D. Occur only in women

Correct Answer: C

3. The spreading of cancer cells to other parts of the body is called:

- A. Prevention
- B. Metastasis
- C. Screening
- D. Diagnosis

Correct Answer: B

4. Mammography is mainly used for detecting:

- A. Lung cancer
- B. Breast cancer
- C. Prostate cancer
- D. Blood cancer

Correct Answer: B

5. A Pap smear is used for detecting:

- A. Cervical cancer
- B. Skin cancer
- C. Lung cancer
- D. Stomach cancer

Correct Answer: A

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Psychological Statement Q/A

1. What is cancer?

Answer: Cancer is a group of diseases caused by uncontrolled growth and spread of abnormal cells due to dysfunction in DNA.

2. What is the difference between benign and malignant tumors?

Answer: Benign tumors are non-cancerous and usually do not spread, while malignant tumors are cancerous and can damage nearby tissues and spread to other body parts.

3. Why is early detection important in cancer?

Answer: Early detection improves treatment success, increases survival rates, and allows cancer to be treated before it spreads.

4. What are the major methods for detecting breast cancer?

Answer: Breast self-examination and mammography are important methods for early detection of breast cancer.

5. Why is cancer awareness important?

Answer: Cancer awareness helps people understand risk factors, recognize symptoms, seek medical advice early, and improve chances of successful treatment.

Lesson 38: GENDER AND HIV/AIDS

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

Summarized Notes

Introduction to HIV/AIDS

- HIV/AIDS is one of the major causes of death worldwide affecting both men and women.
- It is a health condition related to lifestyle and personal behaviors, although some people may become victims without personal fault.
- Gender differences exist in:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Risk of infection.

Mode of transmission.

Impact of disease.

- Prevention, awareness, and healthy lifestyles play an important role in controlling HIV/AIDS.
-

What is HIV/AIDS?

HIV (Human Immunodeficiency Virus)

- HIV is a virus that causes AIDS.
 - It is a retrovirus that attacks the immune system.
 - HIV enters the bloodstream and attacks T cells.
 - T cells help the body recognize and fight harmful substances.
 - HIV gradually destroys T cells and weakens the body's defense system.
-

AIDS (Acquired Immune Deficiency Syndrome)

- AIDS is an infectious disease caused by HIV.
 - Not every HIV-positive person develops AIDS immediately.
 - An HIV-positive person may remain unaware of infection for years.
 - It may take 5 to 10 years for HIV infection to develop into AIDS.
 - AIDS is a syndrome, meaning it is a collection of symptoms rather than a single condition.
 - A person with AIDS becomes vulnerable to many infections because the immune system becomes weak.
-

Importance of HIV/AIDS

- AIDS became widely recognized during the early 1980s.
- The disease became an international concern because:

It is deadly and incurable.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

It spreads easily through certain behaviors.

It is almost completely preventable through awareness and precautions.

How HIV Affects the Body

- HIV damages cells responsible for immunity.
 - It reduces the body's ability to fight infections.
 - Even minor infections can become dangerous when immunity is severely weakened.
 - Full development of AIDS occurs when the immune system cannot protect the body.
-

Course of HIV/AIDS

HIV infection develops through different stages:

Stage 1: Initial Infection

- Symptoms appear within about one week after infection.
 - Common symptoms include:
Sore throat.
Fever.
Skin rash.
Headache.
 - Symptoms are usually mild.
 - This stage may last 1–8 weeks.
-

Stage 2: Latent Period

- This stage may continue for up to 10 years.
 - The person may have no symptoms.
 - The virus continues affecting the immune system silently.
-

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Stage 3: Symptomatic Stage

- A group of symptoms begins to appear.

- Symptoms include:

Painful skin rash.

Fever.

Fatigue.

Swollen lymph nodes.

Night sweats.

Loss of appetite.

Persistent diarrhea.

Weight loss.

White spots in the mouth.

Stage 4: Full-Blown AIDS

- The immune system becomes unable to fight infections.
- T-cell count decreases significantly.
- Normal T-cell count is about 1000 per cubic millimeter of blood.
- In AIDS, the count may fall below 200.
- This stage is called full-blown AIDS.

Symptoms of AIDS

Full-blown AIDS is characterized by:

Opportunistic Infections

- Infections that attack because immunity is weak.
- They may affect:

Lungs.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Liver.

Bones.

Gastrointestinal system.

Brain.

Opportunistic Tumors

- Certain tumors may develop due to weakened immunity.

HIV Related Encephalopathy

- Problems affecting brain functioning may occur.

Mode of HIV Transmission

HIV is mainly transmitted through infected body fluids, especially blood and semen.

Major routes include:

1. Sexual Contact

- Homosexual or heterosexual contact can transmit HIV.

2. Blood Transfusion

- Infected blood can transmit HIV.

3. Intravenous Drug Use

- Sharing infected syringes increases risk.

4. Mother-to-Child Transmission

- HIV-positive mothers can transmit infection during childbirth.

5. Breastfeeding

- In rare cases, infection can pass through infected breast milk.

Main Carriers of HIV

- The major carriers are:

Blood.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Semen.

Other infected body fluids.

Gender and HIV/AIDS Risk

- Risk of HIV infection depends on:

Age.

Gender.

Socioeconomic background.

- Men and women differ in their major routes of infection.
-

HIV Transmission in Men

Major transmission methods include:

- Homosexual contact – 57.3%
 - Injecting drug use – 21.2%
 - Homosexual contact and injecting drug use – 7.6%
 - Heterosexual contact – 4.3%
 - Blood transfusion – 0.8%
 - Unknown causes – 8%
-

HIV Transmission in Women

- Male-to-female transmission is much more common than female-to-male transmission.
 - Female infection through heterosexual contact is significantly higher.
 - Men transmit HIV to women more easily than women transmit it to men.
 - Male-to-female transmission is about eight times more likely.
-

Who is at Higher Risk?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Men

- Men generally have a higher risk of HIV/AIDS.

- Main reasons include:

Risky sexual behaviors.

Injecting drug use.

Unsafe practices.

- In Pakistan, most reported HIV cases are males.
-

Age Differences

- Young adults are at greater risk.
 - HIV infection rates are highest among people aged 20–45 years.
 - People above 50 years have lower infection rates.
 - However, older infected individuals may develop AIDS more rapidly.
-

HIV/AIDS Facts

- Millions of people worldwide live with HIV/AIDS.
 - Millions of new infections occur every year.
 - HIV infection is higher among adults aged 20–45 years.
 - Historically, males have represented the majority of AIDS cases.
-

Prevention and Control of HIV/AIDS

Health Education and Awareness

Educate people about:

Nature of HIV/AIDS.

Causes.

Risk factors.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Transmission methods.

Avoid Risky Behaviors

- Encourage safer lifestyles.
- Promote safer sexual practices.
- Avoid sharing infected syringes.

Screening Facilities

- Provide accessible HIV testing and screening services.

Women's Health Education

- Educate infected women about preventing transmission during pregnancy.

Young Adult Education

- Awareness programs should focus on young adults because they are a high-risk group.

Important Exam Points

- HIV is the virus that causes AIDS.
- AIDS is a syndrome caused by HIV infection.
- HIV attacks T cells and weakens the immune system.
- HIV-positive individuals may take years to develop AIDS.
- HIV transmission occurs through infected blood, semen, and body fluids.
- Major routes of transmission include sexual contact, blood transfusion, infected syringes, and mother-to-child transmission.
- Men generally have a higher risk of HIV infection due to greater involvement in risky behaviors.
- Male-to-female HIV transmission is more common than female-to-male transmission.
- Prevention depends on awareness, safer behaviors, screening, and health education.
- Young adults are among the highest risk groups for HIV infection.

Statement MCQs

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

1. HIV stands for:

- A. Human Infection Virus
- B. Human Immunodeficiency Virus
- C. Human Internal Virus
- D. Health Immunity Virus

Correct Answer: B

2. AIDS is caused by:

- A. Cancer cells
- B. HIV infection
- C. Bacteria
- D. Genetic disorder

Correct Answer: B

3. HIV mainly attacks:

- A. Red blood cells
- B. T cells
- C. Bone cells
- D. Skin cells

Correct Answer: B

4. The spreading of HIV from mother to child is called:

- A. Blood transmission
- B. Sexual transmission
- C. Mother-to-child transmission
- D. Environmental transmission

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: C

5. The most important method for preventing HIV/AIDS is:

- A. Ignoring symptoms
- B. Health education and safer behaviors
- C. Avoiding all medical care
- D. Reducing exercise

Correct Answer: B

Psychological Statement Q/A

1. What is the difference between HIV and AIDS?

Answer: HIV is the virus that attacks the immune system, while AIDS is the advanced syndrome that develops when HIV severely weakens the immune system.

2. How does HIV affect the human body?

Answer: HIV destroys T cells, weakening the immune system and reducing the body's ability to fight infections.

3. Why is HIV/AIDS considered preventable?

Answer: HIV/AIDS can be prevented through awareness, safer behaviors, avoiding risky practices, and using proper screening facilities.

4. Why are men considered at higher risk of HIV infection?

Answer: Men generally have higher risk because of greater involvement in risky behaviors such as unsafe sexual practices and injecting drug use.

5. What measures can help control HIV/AIDS?

Answer: Health education, safer lifestyles, screening facilities, awareness campaigns, and prevention of risky behaviors help control HIV/AIDS.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Lesson 39: PROBLEMS ASSOCIATED WITH FEMALES' REPRODUCTIVE HEALTH

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Introduction

Women visit doctors more frequently than men because the female reproductive system is more complex and vulnerable to different health conditions.

This lecture discusses three common reproductive health problems:

Dysmenorrhoea

Premenstrual Syndrome (PMS)

Menopause

Objectives of the Lecture

To create awareness about common reproductive health problems.

To understand that not every woman experiences these problems.

To recognize that these problems have both physical and psychological causes.

To understand that most reproductive health problems are manageable.

Dysmenorrhoea

What is Dysmenorrhoea?

Dysmenorrhoea is pain and cramping of the uterus during menstruation.

Some women experience severe pain, while others experience little or no discomfort.

Types of Dysmenorrhoea

Primary Dysmenorrhoea

Occurs without any underlying disease.

Usually begins during adolescence.

Often disappears after childbirth.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Secondary Dysmenorrhoea

Occurs because of an underlying disease.

Commonly associated with conditions such as endometriosis.

Causes of Dysmenorrhoea

Physical Causes

High levels of prostaglandins increase uterine contractions and pain.

Prostaglandins affect:

Blood cells.

Smooth muscles.

Fat cells.

Nerve tissues.

Psychological Causes

Stress, especially negative stress, increases menstrual pain.

Treatment of Dysmenorrhoea

Medical Treatment

Prostaglandin inhibitors are commonly used.

Examples include:

Ibuprofen.

Naproxen sodium.

Regular aerobic exercise helps reduce symptoms.

Psychological Treatment

Relaxation exercises reduce pain.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Positive imagery with relaxation improves effectiveness.

Premenstrual Syndrome (PMS)

What is PMS?

PMS refers to physical and emotional symptoms that occur before menstruation.

Symptoms usually begin about 10 days before the menstrual period.

Common Symptoms of PMS

Depression.

Irritability.

Water retention.

Fatigue.

Lethargy.

Causes of PMS

Physiological Causes

Low progesterone levels.

High estrogen-to-progesterone ratio.

Psychological Causes

Emotional arousal and negative interpretation of body changes.

Cultural stereotypes about premenstrual women may increase symptoms.

Treatment of PMS

Medical Treatment

Progesterone therapy.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Diuretics.

Bromocriptine.

Serotonin-enhancing medicines.

Prostaglandin inhibitors.

Evening primrose oil.

Psychological Treatment

Relaxation exercises with imagery.

Cognitive therapy.

Role modeling using symptom-free women.

Lifestyle Changes

Regular aerobic exercise.

Healthy diet.

Reduce dairy products.

Avoid refined sugar.

Eat complex carbohydrates.

Use multivitamins.

Menopause

What is Menopause?

Menopause is the permanent cessation of menstruation.

It marks the end of fertility.

Ovulation permanently stops.

It usually occurs between 45–55 years of age.

Average age is about 51 years.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Perimenopause

Perimenopause (climacteric) is the transition period before menopause.

Hormonal changes gradually prepare the body for menopause.

Symptoms of Menopause

Common symptoms include:

Hot flashes.

Weight gain.

Headaches.

Excessive sweating.

Sleep disturbances.

Depression.

Dizziness.

Cold hands and feet.

Irritability.

Osteoporosis (brittle bones).

Arteriosclerosis.

Causes of Menopausal Symptoms

Physical Explanation

Hormonal changes, especially decreased estrogen levels, produce many symptoms.

Psychological Explanation

Women's perception of aging and loss of fertility influences symptoms.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Combined Explanation

Both hormonal and psychological factors contribute to menopausal symptoms.

Sociopsychological Approach

According to this approach, menopause is influenced by:

Personal Factors

A woman's attitude toward aging and fertility.

Personal characteristics and previous life experiences.

Social Factors

Society's beliefs about menopause.

Husband's attitude.

Family support.

Cultural values regarding older women.

Treatment of Menopause

Hormone Replacement Therapy (HRT)

Estrogen alone.

Estrogen combined with progesterone.

Herbal Treatment

Evening primrose oil may relieve symptoms.

Exercise

Regular aerobic exercise reduces menopausal symptoms.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Cognitive Therapy

Helps women develop positive attitudes toward menopause.

Encourages viewing menopause as a period of:

Greater freedom.

More leisure time.

Personal growth.

Creative opportunities.

What Needs To Be Done?

Health Education

Increase awareness about female reproductive health.

School Education

Include reproductive health in school curriculum.

Communication

Encourage girls to discuss health concerns with:

Mothers.

Teachers.

Health professionals.

Important Exam Points

Dysmenorrhoea is painful menstruation caused by uterine cramping.

Primary Dysmenorrhoea occurs without disease, while Secondary Dysmenorrhoea is caused by an underlying disease.

Prostaglandins are an important physical cause of Dysmenorrhoea.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

PMS symptoms usually appear about 10 days before menstruation.

Hormonal imbalance between estrogen and progesterone is an important cause of PMS.

Menopause is the permanent cessation of menstruation and fertility.

Average age of menopause is approximately 51 years.

Hot flashes are the most common menopausal symptom.

Menopausal symptoms are influenced by both hormonal and psychological factors.

Hormone Replacement Therapy (HRT), exercise, cognitive therapy, and healthy lifestyle changes help manage menopausal symptoms.

Statement MCQs

1. Dysmenorrhoea refers to:

- A. High blood pressure
- B. Painful menstruation
- C. Pregnancy complications
- D. Infertility

Correct Answer: B

2. Premenstrual Syndrome (PMS) usually occurs:

- A. During pregnancy
- B. About 10 days before menstruation
- C. After menopause
- D. During childbirth

Correct Answer: B

3. The average age of menopause is approximately:

- A. 35 years

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

B. 40 years

C. 51 years

D. 65 years

Correct Answer: C

4. Which hormone decreases significantly during menopause?

A. Insulin

B. Testosterone

C. Estrogen

D. Thyroxine

Correct Answer: C

5. Which therapy helps women develop positive attitudes toward menopause?

A. Surgery

B. Cognitive therapy

C. Radiation therapy

D. Chemotherapy

Correct Answer: B

Psychological Statement Q/A

1. What is Dysmenorrhoea?

Answer: Dysmenorrhoea is painful menstruation caused by uterine muscle cramping during the menstrual cycle.

2. What is Premenstrual Syndrome (PMS)?

Answer: PMS is a group of physical and emotional symptoms that occur before menstruation, usually about 10 days before the menstrual period.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. What is menopause?

Answer: Menopause is the permanent cessation of menstruation and fertility due to the permanent stopping of ovulation.

4. What factors influence menopausal symptoms?

Answer: Menopausal symptoms are influenced by hormonal changes, psychological factors, personal attitudes, and social and cultural beliefs.

5. How can menopausal symptoms be managed?

Answer: Menopausal symptoms can be managed through Hormone Replacement Therapy (HRT), regular exercise, cognitive therapy, healthy lifestyle changes, and health education.

Lesson 40: OBESITY AND WEIGHT CONTROL

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Introduction to Obesity and Weight Control

Obesity has become an important health issue due to increasing awareness about health risks and the importance of maintaining healthy weight.

People are becoming more weight conscious because of:

Regular exercise habits.

Use of weight control methods and herbal remedies.

Awareness about health risks associated with obesity.

At the same time, obesity is increasing because of:

Growing availability of junk food.

Changes in lifestyle.

Reduced physical activity.

Obesity refers to excessive body weight caused by excessive fat accumulation.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Normal Body Fat Levels

In women:

Normal body fat should be around 20%–27% of body tissue.

In men:

Normal body fat should be around 15%–22% of body tissue.

Fat levels above these ranges indicate excess body fat.

Overweight and Obesity

Ideal weight ranges are available according to:

Age.

Gender.

Body structure.

A person is considered overweight when body weight is 20% above the ideal weight.

A person is considered obese when weight exceeds 20% above ideal weight.

Body Mass Index (BMI)

BMI is the most reliable measure of obesity.

BMI is calculated by:

Weight in kilograms ÷ height in meters squared.

BMI determines whether a person has normal weight, overweight, or obesity.

BMI Categories

Ideal Weight

BMI: 19–24

Moderately Overweight

BMI: 25–29

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

People in this range are about 15%–30% above ideal weight.

Obese

BMI: Above 30

People in this range have approximately 40% excess body weight.

Importance of Obesity as a Health Issue

Obesity is a major concern because it increases the risk of serious diseases.

Obesity is associated with:

Coronary Heart Disease (CHD).

Cancer.

Diabetes.

Hypertension.

Stroke.

Joint problems.

Obesity is increasing among children and adults worldwide.

Consequences of Obesity

Obesity can cause:

Negative self-perception.

Low self-esteem.

Self-consciousness.

Negative attitudes from others.

Fatigue and lethargy.

Increased risk of:

Coronary Heart Disease.

High blood pressure.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Stroke.

Cancer.

Diabetes.

Joint problems.

Reduced physical activity.

Stress and feelings of helplessness.

Gender and Obesity

Obesity affects both men and women.

However, obesity creates greater concern for females because of social and cultural expectations.

Women are traditionally expected to be:

Slim.

Trim.

Physically attractive.

Excess weight in women is often judged more negatively compared to men.

Overweight women also have increased risk of many health problems.

Therapeutic Interventions for Obesity

Wise Eating and Diet Control

Healthy eating habits and controlled food intake help manage weight.

Exercise

Regular and strenuous exercise helps reduce excessive weight.

Behavior Modification

Behavioral techniques such as contingency contracting help develop healthy eating habits.

Cognitive Therapy

Cognitive therapy helps change:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Negative beliefs about eating.

Wrong perceptions about weight control.

Confidence regarding weight reduction.

Eating Disorders

While many people struggle with obesity, some people adopt harmful methods to lose weight.

Eating disorders are especially common among females.

The two major eating disorders are:

Anorexia Nervosa.

Bulimia Nervosa.

Anorexia Nervosa

Definition

Anorexia Nervosa is a disorder characterized by severely reduced food intake with the intention of losing weight.

Individuals with anorexia try to maintain body weight much lower than normal.

Average BMI may be around 17.5.

Diagnostic Criteria of Anorexia Nervosa

According to American Psychiatric Association (1994):

Refusal to maintain normal body weight according to age and height.

Intense fear of gaining weight or becoming fat.

Disturbance in perception of body shape and weight.

Excessive influence of body weight on self-evaluation.

Denial of seriousness of being underweight.

Amenorrhea, meaning absence of at least three consecutive menstrual cycles.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Prevalence of Anorexia Nervosa

Exact worldwide rates are unknown.

In the United States:

Around 0.5% of women experience anorexia nervosa.

Among professional models and dancers:

Approximately 6%–7% may have anorexia nervosa.

Bulimia Nervosa

Definition

Bulimia Nervosa is an eating disorder involving:

Binge eating.

Followed by behaviors to prevent weight gain.

The main goal is to avoid increase in body weight.

Characteristics of Bulimia Nervosa

Binge eating involves consuming a large amount of food in a short period.

The person feels loss of control over eating.

After binge eating, compensatory behaviors occur.

Examples include:

Self-induced vomiting.

Misuse of laxatives.

Use of diuretics.

Fasting.

Excessive exercise.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Diagnostic Criteria of Bulimia Nervosa

According to American Psychiatric Association (1994):

Repeated episodes of binge eating.

Feeling unable to control eating behavior.

Use of inappropriate methods to prevent weight gain.

Binge eating and compensatory behaviors occur at least twice weekly for three months.

Self-evaluation is strongly influenced by body shape and weight.

Prevalence of Bulimia Nervosa

Bulimia is less commonly reported in Pakistan.

Exact prevalence in Pakistan is unknown.

In North America:

Around 1%–3% of people experience bulimia.

Around 10% of college women may show symptoms of bulimia.

Causes of Eating Disorders

Eating disorders develop due to several factors.

Genetic Factors

Research suggests genetic and physiological factors contribute to eating disorders.

Twin studies show:

Eating disorders occur more often in identical twins compared to fraternal twins.

Cultural Factors

Eating disorders are more common in societies where physical beauty and body shape are highly valued.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Women may feel pressure to achieve unrealistic body standards.

Role of Media

Media often presents extremely thin female body images.

Teenage girls may compare themselves with models and celebrities.

This may increase dissatisfaction with their bodies.

Stress and Anxiety

High stress and anxiety can contribute to eating disorders.

Some young females may use eating or purging as a way to cope with emotional difficulties.

For some individuals, controlling food intake becomes a way of gaining a sense of control.

Important Exam Points

Obesity refers to excessive body weight caused by excess fat accumulation.

BMI is the most reliable method for measuring obesity.

BMI of 19–24 represents ideal weight.

BMI of 25–29 indicates moderate overweight.

BMI above 30 indicates obesity.

Obesity increases the risk of CHD, cancer, diabetes, hypertension, and stroke.

Women experience greater social pressure regarding body weight.

Therapeutic interventions for obesity include diet control, exercise, behavior modification, and cognitive therapy.

Anorexia Nervosa involves severe restriction of food intake to reduce weight.

Bulimia Nervosa involves binge eating followed by compensatory behaviors.

Genetic, cultural, media, stress, and anxiety factors contribute to eating disorders.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Statement MCQs

1. The most reliable measure of obesity is:

- A. Blood pressure
- B. Body Mass Index (BMI)
- C. Heart rate
- D. Height

Correct Answer: B

2. A BMI above 30 indicates:

- A. Ideal weight
- B. Normal weight
- C. Obesity
- D. Underweight

Correct Answer: C

3. Anorexia Nervosa is characterized by:

- A. Excessive eating only
- B. Reduced food intake to lose weight
- C. Increased physical activity only
- D. Normal eating patterns

Correct Answer: B

4. Bulimia Nervosa involves:

- A. Avoiding all food
- B. Binge eating followed by weight-control behaviors
- C. Weight gain due to illness

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

D. Lack of interest in food

Correct Answer: B

5. Which factor contributes to eating disorders?

A. Cultural pressure about body image

B. Healthy diet

C. Regular exercise

D. Adequate sleep

Correct Answer: A

Psychological Statement Q/A

1. What is obesity?

Answer: Obesity is excessive body weight caused by an abnormal accumulation of body fat.

2. What is BMI?

Answer: BMI is a measurement calculated from weight and height that determines whether a person has normal weight, overweight, or obesity.

3. What is Anorexia Nervosa?

Answer: Anorexia Nervosa is an eating disorder in which a person severely restricts food intake because of fear of gaining weight.

4. What is Bulimia Nervosa?

Answer: Bulimia Nervosa is an eating disorder involving repeated binge eating followed by behaviors to prevent weight gain.

5. What factors contribute to eating disorders?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: Eating disorders are influenced by genetic factors, cultural values, media influence, stress, and anxiety.

Lesson 41: GENDER AND PSYCHOPATHOLOGY

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Introduction to Gender and Psychopathology

Psychopathology refers to mental disorders or mental illness.

Traditional views suggest that there are major gender differences in mental disorders.

However, research evidence does not completely support this idea.

Men and women both have similar risks of developing mental disorders.

Many mental health professionals believe that diagnostic criteria may be designed in a way that makes women more likely to be diagnosed with certain mental disorders.

This lecture focuses on:

Gender, stress, and coping.

Gender bias in diagnostic criteria.

Gender differences in mental disorders.

Gender, Stress and Coping

Definition of Stress

Stress refers to a state of challenge or threat that disturbs the normal balance and routine of a person's life.

According to Lazarus and Folkman (1984), stress occurs when a person feels that the demands of a situation exceed their available resources and abilities.

A person experiences stress when:

They feel unable to handle a difficult situation.

They lack skills or resources to solve a problem.

They feel threatened or trapped.

The same situation may cause stress for one person but not for another depending on their resources and coping ability.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Example:

Losing a job may be highly stressful for someone without savings or future opportunities.

The same situation may not be stressful for someone financially stable and confident about finding another job.

Physical Effects of Stress

Stress activates the Sympathetic Nervous System.

Stress produces a fight-or-flight response.

Physical symptoms of stress include:

Increased heart rate.

Rapid breathing.

Sweating.

Cold sweats.

Dry mouth.

Shaky legs.

The effects of stress depend on how long stress continues.

Long-term stress can negatively affect:

Physical health.

Mental health.

Overall well-being.

Gender Differences in Reactions to Stress

For many years, psychologists believed that stress produces the fight-or-flight response described by Walter Cannon.

Recent research suggests that this response may not apply equally to everyone.

Most earlier stress research was conducted on male participants.

Even animal studies mainly used male animals.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Therefore, limited information was available about female responses to stress.

Recent research shows that men and women may respond differently to stress.

Fight-or-Flight Response in Men

Men commonly demonstrate the traditional fight-or-flight response.

Under stress, men may:

Fight against the stressful situation.

Avoid or escape from the situation.

Men often prefer less social interaction during stressful situations.

Tend-and-Befriend Response in Women

Research by Taylor et al. (2000) suggested that women may show a tend-and-befriend response.

Women under stress tend to:

Seek social support.

Develop relationships with others.

Share problems with friends or family.

Example:

Women may prefer waiting with other women before painful medical procedures.

Men may prefer waiting alone in similar situations.

Gender Differences in Physiological Reaction to Stress

Men and women may experience different levels of physical reactions to stress.

Research shows that men generally display greater physiological reactions to psychological stress.

Men usually have:

Higher blood pressure.

Greater blood pressure changes during stressful situations.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Higher physiological response may contribute to men's increased risk of Coronary Heart Disease (CHD).

Religiosity and Stress Coping

Some researchers studied whether prayer helps people cope with stress.

A study conducted in Korea included 199 women seeking treatment for pregnancy problems.

Women were divided into:

Prayer group.

Non-prayer group.

People from different countries prayed for women in the prayer group without their knowledge.

Results showed:

50% of women in the prayer group became pregnant.

26% of women in the non-prayer group became pregnant.

The study suggested that prayer may have positive psychological and physical effects.

The effect was stronger among women aged 30 years or above.

Who Experiences More Stress and Why?

Research shows that women report more stressors compared to men.

Women report both:

Major stressors.

Minor daily stressors.

One reason may be that women are more likely to express and discuss their problems.

Different situations create stress for men and women.

Gender-Specific Stressors

Men show greater stress reactions when:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Their competence is challenged.

Their abilities or achievements are questioned.

Women show greater stress reactions when:

Their relationships are threatened.

Their friendships or love relationships are challenged.

Sources of Stress

Research shows that men and women have similar biological reactions to stress.

Stress activates the Sympathetic Nervous System in both genders.

However, the sources of stress may differ.

Modern Lifestyle and Stress

Modern women often perform dual roles:

Working outside the home.

Managing household responsibilities.

These additional responsibilities may increase stress.

However, employment outside the home generally has positive effects on women's psychological well-being.

Working women usually experience:

Less distress than housewives.

More distress than employed men.

Employment and Women's Mental Health

Employment can improve women's mental health because it provides:

Financial independence.

Social interaction.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Personal achievement.

Greater control over life.

Women experience better mental health when they have control over their work.

The most positive mental health is seen among women who successfully combine:

Employment.

Household responsibilities.

Working Women and Family Responsibilities

Married working women may experience greater stress because of:

Job responsibilities.

Household work.

Childcare responsibilities.

This burden is especially high among women from low-income families.

Support from husbands in household work reduces women's psychological distress.

Marriage and Experience of Stress

Marriage generally has positive effects on mental health.

Married individuals usually experience:

Less stress.

Lower levels of mental disorders.

However, relationship quality is an important factor.

A supportive marriage improves psychological well-being.

A poor relationship may increase stress.

Effect of Marriage on Men and Women

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Research shows that married people generally have fewer mental health problems compared to unmarried people.

Marriage provides mental health benefits because of:

Emotional support.

Companionship.

Social connection.

In the United States:

Married individuals show lower mental health problems.

In Australia:

Marriage benefits both husbands and wives equally.

Gender Differences in Modern Society

Earlier, men were considered more stressed because they were the main financial providers.

Today, more women work outside the home.

Women now face multiple responsibilities.

In societies undergoing social change, men may still experience pressure from:

Financial responsibilities.

Social expectations.

Multiple life demands.

Important Exam Points

Psychopathology refers to mental disorders or mental illness.

Men and women both have risks of developing mental disorders.

Diagnostic criteria may create gender bias in mental health diagnosis.

Stress occurs when demands exceed available resources.

Stress activates the Sympathetic Nervous System.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Men commonly show fight-or-flight responses.

Women may show tend-and-befriend responses.

Women often seek social support during stress.

Men usually show greater physiological reactions to stress.

Women report more daily stressors than men.

Employment generally improves women's psychological well-being.

Supportive marriage reduces psychological distress.

Marriage is associated with lower risk of mental disorders.

Statement MCQs

1. Psychopathology refers to:

- A. Physical diseases
- B. Mental disorders
- C. Social relationships
- D. Personality development

Correct Answer: B

2. Stress occurs when:

- A. A person has complete control over situations
- B. Demands exceed available resources
- C. A person avoids all problems
- D. A person experiences happiness

Correct Answer: B

3. The traditional stress response is called:

- A. Rest and relax

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- B. Fight-or-flight
- C. Learn and adapt
- D. Think and solve

Correct Answer: B

4. Women's response to stress is described as:

- A. Fight-or-flight
- B. Tend-and-befriend
- C. Avoid-and-ignore
- D. Freeze response

Correct Answer: B

5. Marriage generally has what effect on mental health?

- A. Increases mental disorders
- B. Provides psychological benefits
- C. Causes permanent stress
- D. Has no effect

Correct Answer: B

Psychological Statement Q/A

1. What is psychopathology?

Answer: Psychopathology refers to mental disorders or mental illness.

2. What is stress?

Answer: Stress is a state of challenge or threat that disrupts a person's normal balance when demands exceed available resources.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

3. What is the difference between male and female stress responses?

Answer: Men commonly show fight-or-flight responses, while women may show tend-and-befriend responses by seeking social support.

4. Why do women report more stressors than men?

Answer: Women may report more stress because of multiple responsibilities, greater self-disclosure, and sensitivity toward relationship-related problems.

5. How does employment affect women's mental health?

Answer: Employment generally improves women's psychological well-being by providing independence, social interaction, and personal satisfaction.

Lesson 42: GENDER AND PSYCHOPATHOLOGY

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Introduction to Gender and Psychopathology

Psychopathology refers to mental disorders or mental illness.

Traditional beliefs suggest that certain mental disorders are more common in women and others are more common in men.

Examples of traditional stereotypes include:

Women are considered more likely to develop hysteria, dissociative disorders, anxiety, phobias, and depression.

Men are considered more likely to develop substance abuse, alcoholism, and habit disorders.

Modern research does not support most of these stereotypes.

Both men and women have similar risks of developing mental disorders.

Only a few disorders show clear gender differences.

The main focus of this lecture includes:

Gender bias in diagnostic criteria.

Existing gender differences in psychological disorders.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Gender Differences in Mental Disorders

Research shows that gender differences in mental illness are limited.

Women have higher rates of:

Mood disorders.

Anxiety disorders.

Men have higher rates of:

Personality disorders.

Women also show higher levels of psychological distress, even when symptoms do not meet clinical diagnosis.

Gender and Diagnostic Criteria

What are Diagnostic Criteria?

Diagnostic criteria are standards used by psychologists and psychiatrists to classify and identify mental disorders.

They help determine:

Whether a person has a mental illness.

The type of disorder present.

The most widely used diagnostic system is the:

DSM (Diagnostic and Statistical Manual of Mental Disorders)

DSM was developed by the American Psychiatric Association.

Important editions include:

DSM-I in 1952.

DSM-II in 1968.

DSM-III in 1980.

DSM-IV in 1994.

DSM-IV Text Revision in 2000.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

DSM contains more than 240 different diagnoses.

It includes symptoms, characteristics, and information about disorders.

Gender Bias in Diagnosis

Many researchers believe that diagnostic systems contain gender bias.

The main criticism is that:

Male behavior is often considered normal.

Female behavior is more likely to be labeled as abnormal.

Male-based standards are used to judge healthy and unhealthy behavior.

Examples:

Male characteristics such as:

Competitiveness.

Independence.

Aggressiveness.

Assertiveness.

are often considered signs of normal personality.

Female characteristics such as:

Emotional expression.

Sensitivity.

Dependence.

may sometimes be interpreted as signs of psychological problems.

Cultural Factors in Diagnosis

Some researchers argue that DSM does not give enough importance to cultural and social circumstances.

The DSM often focuses on the individual rather than the situation causing distress.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

For example:

A woman experiencing depression or anxiety after traumatic experiences may be diagnosed with a disorder without considering the reason behind her symptoms.

The focus may be placed on what the person is rather than why the person is experiencing problems.

Gender Stereotypes and Personality Disorders

Some personality disorder descriptions may reflect exaggerated gender stereotypes.

Schizotypal Personality Disorder

Characteristics include:

Difficulty in relationships.

Social discomfort.

Unusual thoughts and behaviors.

Antisocial Personality Disorder

Characteristics include:

Disregard for others' rights.

Lying.

Stealing.

Aggressive behavior.

These characteristics are sometimes viewed as exaggerated forms of traditional masculine behavior.

Dependent Personality Disorder

Characteristics include:

Excessive need for care.

Submissive behavior.

Fear of separation.

Some researchers argue that this disorder reflects exaggerated traditional feminine stereotypes.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Culturally Promoted Behaviors and Mental Disorders

Culture influences how men and women express emotions and behaviors.

Some behaviors encouraged by society may appear similar to symptoms of mental disorders.

Anxiety in Women

Women are often socialized to depend on men for protection and decision-making.

This may result in:

Difficulty making independent decisions.

Feelings of helplessness.

Higher anxiety levels.

Women may also experience anxiety due to:

Fear of failure.

Pressure to be perfect.

Need to please others.

Women and Phobias

Girls are often taught from childhood to be more cautious and fearful.

Factors contributing to phobias include:

Overprotection.

Dependence on others.

Learning fears from family members.

As a result, women may show more phobic behaviors.

Women and Depression

Women are generally allowed greater emotional expression compared to men.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Women may openly express:

Sadness.

Crying.

Grief.

Men are often discouraged from expressing emotional pain.

Anger and aggression are more socially accepted in men.

Restriction of anger expression in women may contribute to depressive-like symptoms.

Gender Differences in Specific Mental Disorders

Schizophrenia

Gender differences exist in the onset and course of schizophrenia.

Men usually show:

Earlier onset.

More hospitalization.

Higher relapse rates.

Major Depression

Major depression is more common in women.

The female-to-male ratio is approximately:

2:1

Depression rates increase during:

Middle and late adolescence.

Bipolar Disorder

No significant gender difference exists in bipolar disorder.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Dysthymia

Dysthymia is more common in women.

Female-to-male ratio:

Approximately 2–3:1

Personality Disorders

Personality disorders are more common among men.

Substance Related Disorders

Men have higher rates of many substance-related disorders.

Alcohol Dependence

Male-to-female ratio:

Approximately 5:1

Amphetamine Dependence

Male-to-female ratio:

Approximately 3:1 to 4:1

Cannabis and Cocaine Dependence

Male-to-female ratio:

Approximately 1.5:1 to 2:1

Hallucinogen Dependence

Male-to-female ratio:

Approximately 3:1

Opiate Dependence

Male-to-female ratio:

Approximately 1.5:1 to 3:1

Women have higher risk for:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Sedatives.

Hypnotics.

Anxiolytics.

Anxiety Disorders and Gender Differences

Women have higher rates of:

Panic attacks with or without agoraphobia.

Social phobias in the general population.

Female-to-male ratio for panic disorder:

Approximately 2–3:1

Disorders With No Significant Gender Differences

No major gender differences are found in:

Obsessive Compulsive Disorder (OCD).

Post-Traumatic Stress Disorder (PTSD).

Body Dysmorphic Disorder.

Conversion and Somatization Disorders

Conversion Disorder

More common in women.

Female-to-male ratio:

Approximately 2–10:1

Somatization Disorder

Women represent about 95% of diagnosed cases.

It is rare among men in the United States.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Dissociative Identity Disorder

More common in women.

Female-to-male ratio:

Approximately 3–9:1

Sexual Disorders

Paraphilias are rarely diagnosed in women.

Male-to-female ratio:

Approximately 20:1

Important Exam Points

Psychopathology refers to mental disorders or mental illness.

Research does not support the idea that all mental disorders are gender-specific.

Women have higher rates of mood disorders and anxiety disorders.

Men have higher rates of personality disorders.

DSM is the most commonly used diagnostic system developed by the American Psychiatric Association.

Gender bias exists because male behaviors are often considered normal while female behaviors may be labeled abnormal.

Cultural and social factors are important in understanding mental disorders.

Women show higher rates of depression, anxiety disorders, conversion disorder, and dissociative identity disorder.

Men show higher rates of personality disorders and substance-related disorders.

No major gender differences exist in OCD, PTSD, and Body Dysmorphic Disorder.

Statement MCQs

1. Psychopathology refers to:

<https://chat.whatsapp.com/Hrh5CrjNO6u31kFiNX352H>

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- A. Physical diseases
- B. Mental disorders
- C. Social relationships
- D. Learning abilities

Correct Answer: B

2. The most commonly used diagnostic system for mental disorders is:

- A. IQ Test
- B. DSM
- C. MMPI
- D. Rorschach Test

Correct Answer: B

3. DSM was developed by:

- A. WHO
- B. American Psychiatric Association
- C. CDC
- D. UNICEF

Correct Answer: B

4. Which disorders are more common in women?

- A. Personality disorders
- B. Mood and anxiety disorders
- C. Substance disorders
- D. Antisocial disorders

Correct Answer: B

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

5. Personality disorders are more common among:

- A. Women
- B. Men
- C. Children
- D. Elderly people

Correct Answer: B

6. Major depression is more common in women with approximately what ratio?

- A. 1:1
- B. 2:1
- C. 5:1
- D. 10:1

Correct Answer: B

7. DSM contains approximately how many diagnoses?

- A. 50
- B. 100
- C. More than 240
- D. 500

Correct Answer: C

8. Which disorder shows no significant gender difference?

- A. Depression
- B. Anxiety disorder
- C. OCD

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

D. Conversion disorder

Correct Answer: C

9. Conversion disorder is more common in:

A. Men

B. Women

C. Children only

D. Elderly people

Correct Answer: B

10. Male-based standards in diagnosis are considered an example of:

A. Cultural learning

B. Gender bias

C. Intelligence testing

D. Personality development

Correct Answer: B

Psychological Statement Q/A

1. What is psychopathology?

Answer: Psychopathology refers to mental disorders or mental illnesses that affect psychological functioning.

2. What is gender bias in diagnosis?

Answer: Gender bias in diagnosis means that diagnostic criteria may favor male standards and increase the possibility of labeling female behaviors as abnormal.

3. Which mental disorders are more common in women?

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Answer: Mood disorders and anxiety disorders are more common in women.

4. Which mental disorders are more common in men?

Answer: Personality disorders and many substance-related disorders are more common in men.

5. Why is DSM criticized for gender bias?

Answer: DSM is criticized because some researchers believe it evaluates behavior according to male-based standards and may ignore cultural and social factors.

Lesson 43: GENDER AND PSYCHOTHERAPY

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Introduction to Gender and Psychotherapy

Psychotherapy includes different approaches used for understanding and treating mental disorders.

There are around 400 different psychotherapeutic approaches.

This lecture does not discuss all traditional approaches but focuses on the feminist approach to psychotherapy.

Feminist psychotherapy emphasizes:

Women's issues.

Impact of socialization.

Gender stereotypes.

Women's psychological well-being.

Social and cultural factors affecting women.

Traditional Psychotherapy and Male Dominance

Most famous psychological theories and therapies were developed by Western white male psychologists.

Examples include:

<https://chat.whatsapp.com/Hrh5CrjNO6u31kFiNX352H>

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Psychoanalysis by Freud.

Behavioral Therapy by Watson and Skinner.

Client-Centered Therapy by Rogers.

Existential Therapy by Maslow.

Rational Emotive Behavior Therapy by Ellis.

These approaches were mainly developed from male perspectives.

Gender Bias in Traditional Therapy

Traditional psychological approaches often use men as the standard for normal behavior.

Masculine characteristics are considered normal.

Behaviors different from masculine standards may be considered abnormal.

Because therapy has historically been male-dominated, male-centered, and male-controlled, women's experiences were often ignored.

Development of Feminist Therapy

The feminist movement of the 1960s influenced psychology and psychotherapy.

Feminist therapists changed the way psychological problems were understood.

They believe that problems cannot be understood without considering:

Social environment.

Cultural background.

Gender roles.

Power differences.

The two main concepts of feminist therapy are:

Gender.

Power.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Core Idea of Feminist Therapy

Feminist therapy believes that social and cultural conditions contribute to personal problems.

According to Herlihy and Corey:

Psychological problems should be understood within the social and cultural context of a person.

A central concept of feminist therapy is:

Psychological oppression of women.

Restrictions created by social and political systems.

Traditional Theory Versus Feminist Theory

Traditional Psychological Theories

Traditional theories often contain gender-related assumptions.

Worell and Remer (1992) identified six characteristics of traditional theories.

Characteristics of Traditional Theories

Androcentric Theory

These theories explain human nature using male-oriented concepts.

Men's experiences are considered the standard.

Gendercentric Theory

These theories assume that men and women have separate developmental paths.

They believe gender determines different patterns of growth and behavior.

Ethnocentric Theory

These theories assume that all cultures and races follow the same patterns of human development.

Cultural differences are ignored.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Heterosexism

This approach considers heterosexual behavior as the normal and desirable standard.

Other sexual orientations may be viewed as abnormal.

Intrapsychic Orientation

This approach focuses on internal psychological causes of behavior.

External factors and social situations are often ignored.

The individual is blamed for problems rather than considering circumstances.

Determinism

This approach assumes that personality and behavior are fixed early in life.

It views change as limited.

Characteristics of Feminist Theory

Feminist therapy is more flexible and considers human experiences, social factors, and interactions.

Worell and Remer described important features of feminist therapy.

Gender-Free Theories

Feminist theories believe that gender differences develop through socialization.

They do not consider gender differences as natural or fixed.

They focus on experiences and social learning.

Flexible Theories

Feminist therapy can be applied to:

Different ages.

Cultures.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Races.

Genders.

Sexual orientations.

It considers lifestyle and personal background while understanding problems.

Interactionist Theories

Feminist therapy considers different aspects of human experience:

Thoughts.

Emotions.

Behaviors.

Environment.

Social conditions.

It believes behavior results from interaction between individuals and their surroundings.

Life-Span Perspective

Feminist theory believes development continues throughout life.

Personality changes can occur at any stage.

Human development is not limited to childhood or early years.

Principles of Feminist Psychology

Feminist psychology is based on several important principles.

The Personal is Political

Personal problems are connected with social conditions.

The goal is not only individual change but also social transformation.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Counseling Relationship is Egalitarian

Feminist therapy considers therapist and client as equals.

The therapist is not the only authority.

The client plays an active role in understanding and changing herself.

Clients Define Themselves

Clients are encouraged to understand their own experiences.

They have the ability to create personal and social change.

Feminist Therapy Honors Women's Experiences

Unlike traditional approaches, feminist therapy does not use male behavior as the standard.

Women's experiences are placed at the center of understanding psychological distress.

Women are encouraged to:

Express emotions.

Trust personal experiences.

Develop their own understanding of reality.

Feminist Therapy Reformulates Mental Illness and Distress

Traditional approaches often view psychological problems as diseases within individuals.

Feminist therapy views distress differently.

It suggests that distress may result from:

Social injustice.

Oppression.

Unfair systems.

Pain may represent resistance and survival rather than weakness.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Integrated Analysis of Oppression

Feminist therapists consider:

Gender roles.

Cultural influences.

Childhood socialization.

Unequal treatment of men and women.

Social expectations.

These factors influence personality, attitudes, and psychological problems.

Gender Issues in Therapy

Problems Faced by Men

Men may find it difficult to express emotions.

They are often taught that showing vulnerability is weakness.

This can create difficulties in therapy.

Problems Faced by Women

Women may ignore their own needs because they are taught to prioritize family needs.

They may find it difficult to identify their own wishes and goals in therapy.

Important Exam Points

Feminist psychotherapy focuses on women's issues, gender roles, and social influences.

Traditional psychological theories were mainly developed by Western white male psychologists.

Feminist therapy considers gender and power as central concepts.

Traditional theories may show gender bias by using male behavior as the standard.

Androcentric theories are based on male-oriented concepts.

Gendercentric theories assume separate developmental paths for men and women.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Ethnocentric theories ignore cultural differences.

Feminist theories are flexible, gender-free, interactionist, and based on life-span development.

The personal is political means personal problems are connected with social conditions.

Feminist therapy considers therapist and client as equals.

Feminist therapy views distress as a response to social injustice rather than only a disease.

Statement MCQs

1. Feminist therapy mainly focuses on:

- A. Biological causes only
- B. Women's issues and social factors
- C. Intelligence testing
- D. Personality measurement

Correct Answer: B

2. Feminist psychotherapy developed mainly after the:

- A. Industrial revolution
- B. Feminist movement of the 1960s
- C. First World War
- D. Development of DSM

Correct Answer: B

3. The two key concepts of feminist therapy are:

- A. Intelligence and personality
- B. Gender and power
- C. Memory and learning
- D. Behavior and cognition

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Correct Answer: B

4. Androcentric theories are based on:

- A. Female-oriented concepts
- B. Male-oriented concepts
- C. Cultural concepts
- D. Childhood experiences

Correct Answer: B

5. Feminist therapy considers the relationship between therapist and client as:

- A. Authoritarian
- B. Competitive
- C. Egalitarian
- D. Dependent

Correct Answer: C

6. Which approach considers distress as a response to social injustice?

- A. Traditional therapy
- B. Feminist therapy
- C. Behavioral therapy
- D. Psychoanalysis

Correct Answer: B

7. Gendercentric theories assume that:

- A. Men and women have identical development
- B. Men and women follow separate developmental paths

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

- C. Culture has no influence
- D. Personality never changes

Correct Answer: B

8. Feminist theory considers human development as:

- A. Limited to childhood
- B. Fixed at birth
- C. A lifelong process
- D. Controlled only by biology

Correct Answer: C

9. Ethnocentric theories ignore:

- A. Biological factors
- B. Cultural differences
- C. Personality traits
- D. Intelligence

Correct Answer: B

10. Feminist therapy believes that clients should:

- A. Depend completely on therapists
- B. Play an active role in defining themselves
- C. Avoid expressing emotions
- D. Follow only social rules

Correct Answer: B

Psychological Statement Q/A

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

1. What is feminist psychotherapy?

Answer: Feminist psychotherapy is an approach that focuses on gender issues, social influences, power differences, and women's psychological experiences.

2. What are the main concepts of feminist therapy?

Answer: The main concepts of feminist therapy are gender and power.

3. How does feminist therapy differ from traditional therapy?

Answer: Traditional therapy often focuses on individual problems, while feminist therapy considers social, cultural, and gender-related factors.

4. What is androcentric theory?

Answer: Androcentric theory explains human behavior using male-oriented concepts and considers male experiences as the standard.

5. What does "the personal is political" mean?

Answer: It means personal psychological problems are often connected with social conditions and larger systems of power.

Lesson 44: FEMINIST THERAPY

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQs

Summarized Notes

Introduction to Feminist Therapy

Feminist therapy is based on the principles of feminist psychology.

It does not view psychological problems as only intrapsychic or interpersonal issues.

It considers:

Social and cultural factors.

Socialization processes.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Gender roles and stereotypes.

Political and social conditions affecting individuals.

Feminist therapy focuses on understanding how social systems and unequal power relationships influence psychological distress.

Understanding Distress in Feminist Therapy

Traditional therapies often consider the individual responsible for his or her psychological problems.

Feminist therapy believes that distress is not only caused by internal factors.

Only part of distress can be explained through personal or interpersonal factors.

Psychological distress is viewed as a communication about unjust social systems.

Pain is considered an expression of resistance and the ability to survive under oppressive conditions.

Resistance shows a person's strength and ability to remain powerful despite difficulties.

Goals of Feminist Therapy

The primary goal of feminist therapy is transformation.

Transformation occurs at two levels:

Individual level.

Societal level.

Feminist therapy aims to achieve empowerment.

Empowerment involves:

Self-acceptance.

Self-confidence.

Joy.

Self-actualization.

Feminist therapy is not limited to women only.

Therapists can be men or women.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Clients may include:

Women.

Men.

Children.

Families.

Couples.

Individual Level Changes

The main goal at the individual level is personal empowerment rather than simple adjustment.

Clients are helped to develop personal power through three steps:

Recognizing personal power.

Claiming personal power.

Embracing personal power.

When individuals understand their personal power, they become aware of the restrictions created by gender-role socialization.

They learn to consider alternative ways of living instead of following unrealistic gender expectations.

Clients are encouraged to develop:

Self-confidence.

Independence.

Interdependence.

Resilience.

Trust in themselves and others.

They are also helped to:

Identify their true abilities.

Reduce excessive concern about body image and appearance.

Develop healthy self-perceptions.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Societal Level Changes

Feminist therapy emphasizes the relationship between individuals and society.

It recognizes that many societies are patriarchal and sexist.

When individuals gain personal power, social change also becomes possible.

The goal is to replace patriarchy with feminist consciousness.

Feminist therapy promotes:

Gender equality.

Cooperation between genders.

Mutual support in relationships.

Balanced relationships instead of one person controlling and the other being dependent.

Role of the Feminist Therapist

The feminist therapist helps clients develop new ways of thinking and understanding themselves.

The approach is similar to cognitive therapy because it focuses on thoughts and perceptions.

However, feminist therapy mainly focuses on:

Gender roles.

Socialization experiences.

Self-concept.

Body image.

Societal expectations.

Media influence.

Responsibilities of Feminist Therapists

Feminist therapists help clients to:

Become aware of their gender-role socialization.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Identify internalized gender-role beliefs.

Replace negative beliefs with constructive beliefs.

Understand the harmful effects of sexist and oppressive practices.

Develop skills to create environmental changes.

Develop freely chosen behaviors.

Specific Counseling Goals for Women

Feminist therapy helps women and men to:

Trust their own experiences and intuition.

Appreciate female-related values.

Take care of themselves.

Accept and like their own bodies.

Understand and express their own sexual needs instead of following others' expectations.

Client Experience During Therapeutic Process

The experience of therapy may differ depending on the client and the problem.

Clients may explore:

Anxiety and defense mechanisms.

Power and control issues.

External influences on behavior.

Messages received during childhood.

Appropriate responsibility.

Social expectations.

Personal values.

Meaning of life.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Therapeutic Techniques Used in Feminist Therapy

Gender Role Analysis

The client understands how gender-role expectations influence life experiences and problems.

Gender Role Intervention

The therapist helps clients understand how social expectations about gender affect their problems.

Power Analysis and Power Intervention

The client learns about power differences between men and women.

The therapist helps the client gain control over personal decisions and life choices.

Bibliotherapy

Clients are encouraged to read materials related to their problems.

Reading materials may include fiction and non-fiction.

It helps clients understand how society and media influence beliefs and behaviors.

Self Disclosure

The therapist shares personal experiences when appropriate.

This helps the client understand that the therapist also has similar human experiences.

Assertiveness Training

Clients develop confidence and the ability to express their needs.

They learn to make decisions and say "No" when necessary.

Other Techniques

Feminist therapists may also use:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Reframing.

Relabeling.

Group work.

Social action.

Important Exam Points

Feminist therapy is based on feminist psychology principles.

Feminist therapy considers social, cultural, and political factors in understanding psychological problems.

The main goal of feminist therapy is transformation and empowerment.

Empowerment includes self-acceptance, confidence, joy, and self-actualization.

Feminist therapy is applicable to women, men, children, families, and couples.

Personal empowerment involves recognizing, claiming, and embracing personal power.

Feminist therapy aims to create gender equality at individual and societal levels.

Feminist therapists help clients understand the effects of gender-role socialization.

Gender Role Analysis helps clients understand the influence of gender expectations.

Power Analysis helps clients recognize power differences and develop control over their lives.

Bibliotherapy, self-disclosure, and assertiveness training are important feminist therapy techniques.

Statement MCQs

1. Feminist therapy is based on the principles of:

- A. Biological psychology
- B. Feminist psychology
- C. Behaviorism
- D. Psychoanalysis

Correct Answer: B

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

2. The primary goal of feminist therapy is:

- A. Adjustment only
- B. Transformation and empowerment
- C. Removing emotions
- D. Changing personality completely

Correct Answer: B

3. Feminist therapy considers psychological distress as:

- A. Only a biological problem
- B. A communication about unjust systems
- C. A weakness of personality
- D. A genetic disorder

Correct Answer: B

4. Personal empowerment includes:

- A. Avoiding responsibility
- B. Recognizing, claiming, and embracing personal power
- C. Following social stereotypes
- D. Ignoring personal experiences

Correct Answer: B

5. Which technique helps clients understand the influence of gender expectations?

- A. Gender Role Analysis
- B. Dream Analysis
- C. Drug Therapy

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

D. Hypnosis

Correct Answer: A

Psychological Statement Q/A

1. What is feminist therapy?

Answer: Feminist therapy is a therapeutic approach based on feminist psychology that considers social, cultural, and gender-related factors in understanding psychological problems.

2. What is the main goal of feminist therapy?

Answer: The main goal of feminist therapy is transformation and empowerment of individuals and society.

3. How does feminist therapy view psychological distress?

Answer: Feminist therapy views distress as partly related to personal factors and partly as a result of unjust social systems and oppressive conditions.

4. What is personal empowerment in feminist therapy?

Answer: Personal empowerment means recognizing, claiming, and embracing one's personal power to make independent life choices.

5. Name important techniques used in feminist therapy.

Answer: Important techniques include Gender Role Analysis, Gender Role Intervention, Power Analysis, Bibliotherapy, Self Disclosure, Assertiveness Training, Reframing, and Social Action.

Lesson 45: COURSE REVIEW AND DISCUSSION OF NEW AVENUES FOR RESEARCH IN GENDER ISSUES

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Summarized Notes

Gender, Psychopathology, and Psychotherapy

Research shows that there are no significant gender differences in mental illness as a whole.

<https://chat.whatsapp.com/Hrh5CrjNO6u31kFiNX352H>

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Any psychological disorder can occur in both men and women.

However, some disorders are more common in men and some are more common in women.

Greater gender differences are observed in:

Stress caused by dual roles and responsibilities.

Psychological distress caused by societal expectations about gender roles.

Women may experience distress when they try to judge themselves according to social standards and traditional gender stereotypes promoted by society and media.

Course Review

About the Course

Gender Issues in Psychology is a multidisciplinary course.

The course uses knowledge and research evidence from psychology and other related disciplines.

The main focus of the course is gender issues.

The psychology of women is discussed more extensively than issues specifically related to men.

Goals of Gender Issues in Psychology Course

The course aims to develop understanding about the difference between gender and sex.

It introduces a new approach to understanding human behavior and mental processes.

It provides knowledge about Gender Studies and Women Studies.

It explains the effects of social, cultural, and psychological factors on gender roles and gender status in society.

It encourages positive and healthy changes in students' thinking through different perspectives.

It develops understanding of gender relationships in society.

It creates awareness about women's abilities, psychological characteristics, problems, and research methods used to study them.

It familiarizes students with the social and political background of gender differences and gender issues.

Course Planning Approach

<https://chat.whatsapp.com/Hrh5CrjNO6u31kFiNX352H>

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

While designing the course, two options were considered:

Discuss fewer topics in greater detail.

Discuss a wider range of gender issues in less detail.

The second approach was selected.

The course covers a broad range of gender issues and provides research evidence according to available time.

Knowledge Gained After Completing the Course

Students should understand:

The meaning of gender.

The difference between gender and sex.

Basic concepts related to gender issues.

The historical background of interest in gender studies.

Understanding Gender Differences

Research shows that males and females are not greatly different in:

Personality.

Cognitive abilities.

Intelligence.

Emotional experiences.

Motivation.

Existing differences are mainly influenced by the socialization process through which boys and girls learn gender roles.

The way men and women think, feel, and behave is influenced by their developed gender identity.

Major Areas Covered in the Course

The course provides understanding about:

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Socialization process and learning of gender roles.

Biological differences between men and women.

Relationship between gender and media.

Gender influence on education.

Gender and violence.

Gender harassment.

Gender and work.

Dual responsibilities of women.

Health issues faced by women.

Gender, psychopathology, and psychotherapy.

Important Gender Issues Discussed

Work-related issues.

Power relationships between men and women.

Psychosocial factors in women empowerment.

Discrimination and violence prevention.

Physical and mental health issues.

Gender equality and equity.

New Avenues for Gender Research

Psychologists continue research in different areas related to gender.

Important future research areas include:

Working on women's perceptions.

Working on men's perceptions.

Impact of media on gender roles.

School curriculum and textbooks.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Women empowerment.

Research on Women's Perceptions

Research is needed to understand how women perceive:

Their abilities.

Their potential.

Their social status.

Their position in society.

Sources of women empowerment should be identified and encouraged.

Research should also focus on women who create difficulties for the well-being of other women.

Research on Men's Perceptions

Research is needed to understand men's attitudes toward women.

Young men and boys should be included in research and educational programs.

Men should be taught about:

Equal abilities of women.

Equal rights of women.

Importance of gender equality.

Research on Impact of Media

Media plays an important role in developing gender roles and identities.

Women are often portrayed through traditional stereotypes in media.

Research is needed to:

Understand media effects on gender roles.

Develop realistic representations of women.

Guide media toward promoting gender equality.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Research on School Curricula and Textbooks

Research is needed to examine how females are represented in textbooks.

The impact of educational systems on gender attitudes should be studied.

Textbooks should be improved to promote:

Gender equality.

Women empowerment.

Balanced representation of both genders.

Exploring Women Empowerment

Research is required to identify:

Barriers to women empowerment.

Factors that support empowerment.

Sources that help women achieve equality and independence.

Important Exam Points

Gender differences in mental illness are not significant overall.

Any psychological disorder can occur in both men and women.

Some disorders are more common in males and some in females.

Major gender differences are related to stress, dual responsibilities, and societal expectations.

Gender Issues in Psychology is a multidisciplinary course.

The course focuses mainly on gender issues and psychology of women.

Gender and sex are different concepts.

Gender roles are learned through socialization.

Personality, intelligence, motivation, and emotional experiences show fewer differences between males and females.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

Media, education, and culture strongly influence gender roles.

Future gender research focuses on women's perceptions, men's attitudes, media effects, textbooks, and empowerment.

Gender equality and women empowerment are important areas of future research.

Statement MCQs

1. Gender Issues in Psychology is based on a:

- A. Biological approach only
- B. Multidisciplinary approach
- C. Medical approach only
- D. Behavioral approach only

Correct Answer: B

2. Research shows that mental disorders:

- A. Occur only in women
- B. Occur only in men
- C. Can occur in both men and women
- D. Are caused only by gender

Correct Answer: C

3. Gender roles are mainly learned through:

- A. Socialization process
- B. Genetic inheritance
- C. Physical growth
- D. Age

Correct Answer: A

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

4. Media influences gender by affecting:

- A. Blood pressure
- B. Gender roles and identities
- C. Physical strength
- D. Intelligence level

Correct Answer: B

5. Future research on gender issues should focus on:

- A. Ignoring social factors
- B. Women empowerment and gender equality
- C. Removing education
- D. Biological differences only

Correct Answer: B

Psychological Statement Q/A

1. What is the main focus of Gender Issues in Psychology course?

Answer: The main focus of the course is understanding gender issues, gender roles, social influences, and psychological aspects related to gender.

2. Are men and women completely different psychologically?

Answer: No, research shows that men and women are not greatly different in personality, intelligence, motivation, cognitive ability, and emotional experiences.

3. What causes many gender differences?

Answer: Many gender differences develop because of socialization processes through which males and females learn gender roles.

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

4. Why is media research important in gender studies?

Answer: Media strongly influences gender roles and identities by promoting certain images and stereotypes about men and women.

5. What are important future areas of gender research?

Answer: Important areas include women's perceptions, men's attitudes, media effects, school textbooks, gender equality, and women empowerment.

THE END

PSY512 IMPORTANT NOTES + EXAM KEY POINTS + LECTURE WISE MCQS

VU MASTERY: YOUR ACADEMIC EDGE



VU MASTERY: YOUR ACADEMIC EDGE



Providing Expert LMS Handling Service |
Achieving 100% Guaranteed Results for
Virtual University Students.

UNLOCK YOUR FULL POTENTIAL.



COMPLETE LMS SOLUTIONS

- ✓ GDB (Graded Discussion Board)
- ✓ Assignments
- ✓ Quizzes
- ✓ Files & Projects
- ✓ All Subjects Covered

WHY CHOOSE US?

- **Unmatched Expertise:** Decades of combined experience.
- **Confidentiality & Privacy:** Secure and private service.

EXCELLENCE GUARANTEED

100%

We are committed to
delivering **100% Guaranteed Results.**

Achieve your desired grades
with our support.

- ✓ **Time Management:** Free up your schedule.
- ✓ **Stress Reduction:** Let us handle the pressure.
- ✓ **Consistent Updates:** Track your progress.

GET STARTED TODAY

For More Information,
Contact Us Now:

Contact Us

+92 370 5482939

+92 370 5482939

www.vumastery.com

Don't let LMS stress hold
you back. Elevate your
studies with VU Mastery.

<https://chat.whatsapp.com/Hrh5CrjNO6u31kFiNX352H>