ZOO501T - Developmental Biology (Theory) (QUIZ 3)

Question # 1 of 10 (Start time: 06:02:05 PM, 05 July 2024)

Fraternal twins are the result of ..... separate fertilization events.

Select the correct option

○	Four
◉	Two
○	Single
○	Three

Clic

CamScanner

ZOO501T - Developmental Biology (Theory) (QUIZ 3)

Question # 2 of 10 (Start time: 06:02:45 PM, 05 July 2024)

Discoidal meroblastic cleavage occurs in .....

Select the correct option

○	Amphibians
○	Echinoderms
◉	Birds and Reptiles
○	Mammals

Click to S

CamScanner

ZOO501T – Developmental Biology (Theory) (QUIZ 3)

Question # 3 of 10 (Start time: 06:03:11 PM, 05 July 2024)

Gastrulation begins at the .....in the vertebrates.

Select the correct option

○	Area opaca
○	Area pellucida
◉	Posterior marginal zone
○	Anterior marginal zone

Click

CamScanner

Question # 4 of 10 (Start time: 06:03:45 PM, 05 July 2024)

During mammalian cleavage the trophoblast cells secrete fluid into the morula to create a blastocoel, this process is

Select the correct option

◉	Cavitation
○	Contraction
○	Compaction
○	Capacitation

Click to Save Answer &

CamScanner

Question # 5 of 10 (Start time: 06:04:38 PM, 05 July 2024)

The ---------- consists of a small group of internal cells surrounded by a larger group of external cells.

Select the correct option

○	Blastula
○	Neurula
○	Gastrula
◉	Morula

Click to Save Answer

CamScanner

Question # 6 of 10 (Start time: 06:05:09 PM, 05 July 2024)

The first segregation in mammalian cells within the inner cell mass results in the formation of the----------

Select the correct option

○	Primitive mesoderm
◉	Primitive endoderm
○	Primitive ectoderm
○	Primtive gut

Click to Save Ans

CamScanner

Question # 7 of 10 (Start time: 06:05:23 PM, 05 July 2024)

..... are the birth defects that happen when various parts of the neural tube fail to close.

Select the correct option

○	Neural plate defects
○	Neural groove defects
◉	Neural tube defects
○	Neural fold defects

Click to Save Answer &

CamScanner

ZOO501T - Developmental Biology (Theory) (QUIZ 3)

Quiz Start Time

Question # 8 of 10 (Start time: 06:06:14 PM, 05 July 2024)

The bending of the neural plate involves the formation of ..... where the neural tube contacts surrounding tissues in

Select the correct option

- ○ Neural groove
- ◉ Hinge regions
- ○ Primtive gut
- ○ Hensen's node

Click to Save Answer & M

CamScanner

Question # 9 of 10 (Start time: 06:07:09 PM, 05 July 2024)

In amphibians, such as *Xenopus*, the tail neural tube is derived from .....

Select the correct option

- ○ Quaternary neurulation
- ○ Primary neurulation
- ◉ Secondary neurulation
- ○ Tertiary neurulation

Click to Save Ansv

CamScanner

Question # 10 of 10 (Start time: 06:07:51 PM, 05 July 2024)

A ..... is a group of cells located at the anterior end of the primitive streak in a developing gastrula

Select the correct option

◉	Primitive streak
○	Primtive knot
○	Primitive groove
○	Primtive pit

Click to Save

CamScanner