Zoo501 Quizz #3

By S@gitt@rius

1) The dorsal- ventral axis means.....**Back to belly**

2) The name of Tunicate in because present of.....**Cellulose**

3) In gastrulation axes are the foundation of the body are..... **Dorsal-ventral**

4) In tunicate cleavage at the 32-cell stage, a small blastocoel is formed and .... begins... **Gastrulation**

5) Pairs of blastomeres appear to lead this invagination into the centre of the embryo. This invagination become the.....**Mesodermal cells**

6) The.....is characteristic of several animal groups, including annelid worms, some fiatworms, and most molluscs.....**spiral Holoblastic cleavage**

7) Tunicate gastrulation is characterized by the invagination of the.....**Endoderm**

8) While gastrulating process in snail the micromeres will cover the entire.....**Embryo**

9) cyclin synthesis promotes the formation of MPF, and MPF promotes.....**Mitosis**

10) only the cytoplasm of the blastodisc become the embryo. This type of cleavage discoidal present in.....**Fishes**

11) Blastulae produced by radial cleavage have no blastocoel and are called.....**Stereoblastulae**

12) in the tunicate cleavage is..... **Bilateral**

13) A mammalian blastula is called a.....**Blastocysts**

14) Spiral holoblastic cleavage is characteristic of several animal groups like...**Molluscus**

15) For cleavage in snail eggs mesodermal and intestinal differentiation carried out by.....**Determinants**

16) Ascidians, members of the phylum....**Tunicate**

17) The hyline Layer is made up of.....**.Fibropellin protein**

18) In Tunicate cleavage at the 32-cell stage, a small blastocoel is formed, and .... begins.....**Gastrulation**

19) While gastrulation of Tunicate the presumptive tail muscle cells.....**Yellow cresent**

20) The blastula stage of sea urchin development begins at ....**128 cell stage**

21) The Shell gland is on.....organ formed through induction by mesodermal cells.....**Ectodermal**

22) The right to left axis mean....**Between two lateral sides of the body**

23) Some snails have their coils opening to the right of their shells called....**Daxtral Coiling**

24) The orientation of the cleavage plane in snail eggs controlled by.....**Cytoplasmic factors**

25) A..... is a cell darived from cleavage in an early embryo.....**Blastormere**

26) in fish eggs cleavage occurs only in the.....a thin region of yolk-free cytoplasm at the animal cap of the egg.....**Blastodisc**

27) The.....that are the precursors of the neural tube invaginate into the embryo and arà enclosed by neural folds.....**Dorsal ectodermal Cells**

28) The.....is governed by the synthesis and degradation of cyclin.....**Blastomere cell cycle**

29) Tunicate gastrulation is characterized by the invaginatibn of the endoderm, the

involution of the mesoderm, and the epiboly of.....**Ectoderm**

30) The movements of gastrulation includes.....**Epiboly**

31) The snail stereoblastula is relatively.....**small**

32) .....produced by radial cleavage and have no blastocoel and are called stereoblastula..... **Blastula**

33) The opening of the archenteron at tha vegetal region is called the .....**Blastophore**

34) In Tunicate cleavage at the.....a small blastocoel is formed and gastrulation is begins....**32 cell stage**

35) Tunicate gastrulation in characterized by the invagination of the.....**Endodem**

36) The dorsal ectodermal cells that are the precursors of the neural tube ivaginate Into the embryo and are enclosed by neural folds, This form the neural tube which will form.....anteriorly and.....posteriorly.....**Brain and spinal cord**

37) The invaginated region formed during gastrulation in sea urchin is called as....**Archenteron**

38) During gastrulation in snail the resulting larvae of snail is called.....**Glochidia**

39) The four cells of the animal tier divide meridionaly into eight blastomeres, each with the same volume. These cells are called.....**Mesomeres**

40) Ascidians have their.....**notochord**

41).....promotes the formation of MPF, and MPF promotes mitosis.....**cyclin synthesis**

42) in tunicate the second cleavage.....**meridional cleavage**

43) in snail the cleavage is.....**spiral**

44) in Tunicate the second cleavage creates two large interiors blastomeres.....**A and D**