

Question # 8 of 10 (**start time: 07:33:09 PM, 15 February 20**

_____can heighten the experience of pain.

Select the correct option

☐	Optimism
☐	Anxiety
☒	Psychoticism
☐	Extraversion

PSY408 - Health Psychology (Quiz 3)

Question # 4 of 10 (**Start time: 09:15:44 PM, 16 February 2022**)

Chronic headache patients:

Select the correct option

☐	Are significantly improved by operant training
☐	Are usually not helped by progressive relaxation techniques
☐	Biofeedback offers a short term solution and eventually leads to medication
☐	Are significantly improved by biofeedback training

Chronic headache patients:

Select the correct option

☐	Biofeedback offers a short term solution and eventually leads to medication
☐	Are significantly improved by operant training
☐	Are significantly improved by biofeedback training
☐	Are usually not helped by progressive relaxation techniques

Chronic headache patients:

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | Are usually not helped by progressive relaxation techniques |
| ☐ | Biofeedback offers a short term solution and eventually leads to medication |
| ☐ | Are significantly improved by operant training |
| ☐ | Are significantly improved by biofeedback training |

Click to Save Answer & Move to Next Question

Question # 1 of 10 (start time: 09:23:10 PM, 15 February 2022)

Total Marks: 1

When a person is ill, which of the following is true?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | He may be more socialized |
| ☐ | His or her behaviors will remain unchanged |
| ☒ | His or her role in the family may change |
| ☐ | There will be no symptoms present |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 09:24:29 PM, 15 February 2022)

Total Marks: 1

Faiza takes special care to disguise the disability caused by her disease. Faiza is doing:

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Normalizing |
| ☐ | Treatment |
| ☐ | Voicing |
| ☐ | Disguising |

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (Start time: 09:25:33 PM, 15 February 2022)

Total Marks: 1

According to crisis theory, coping with having a serious illness begins with the process of _____, which is followed by _____ and then _____.

Select the correct option

- ☒ Cognitive appraisal; formulating adaptive tasks; applying coping skills
- ☐ Cognitive appraisal; personal factors; social and environmental factors
- ☐ Assessing physical factors; applying coping skills; cognitive appraisal
- ☐ Denying illness-related factors; physical factors; formulating adaptive tasks

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 09:34:36 PM, 15 February 2022)

Total Marks: 1

People's first reaction to a crisis, such as being diagnosed with a serious illness, is _____, in which they behave in an automatic and detached fashion, that _____ .

Select the correct option

- ☐ Denial; may last for a short while or for weeks
- ☐ Shock; may last for a short while or for weeks
- ☐ Denial; is most pronounced if the crisis is expected
- ☐ Shock; is most pronounced if the crisis is expected

Question # 7 of 10 (Start time: 09:36:03 PM, 15 February 2022)

Total Marks: 1

Which of the following is a respiratory disorder involving recurrent episodes of impaired breathing when the airways become obstructed?

Select the correct option

- | | |
|----------------------------------|-----------|
| ☐ | Flu |
| ☒ | Asthma |
| ☐ | Pneumonia |
| ☐ | Fever |


[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 09:37:27 PM, 15 February 2022)

Total Marks: 1

An illness that will result in the patient's death (she or he will not recover) is:

Select the correct option

- | | |
|-----------------------|----------|
| ☐ | Ordinal |
| ☐ | General |
| ☐ | Acute |
| ☐ | Terminal |
- 

Question # 9 of 10 (Start time: 09:39:14 PM, 15 February 2022)

Pain that receives or requires professional treatment is called _____ pain.

Select the correct option

- | | |
|-----------------------|------------|
| ☐ | Nociceptic |
| ☐ | Algogenic |
| ☐ | Very acute |
| ☐ | Clinical |

[Click to Show Answer & Mark](#)

Question # 10 of 10 (Start time: 09:39:55 PM, 15 February 2022)

Total Marks: 1

Asthma regimens consist of three components which include all of the following EXCEPT:

Select the correct option

- ☐ Medication
- ☐ Avoid known triggers of attacks
- ☐ Exercise
- ☒ Stress

[Click to Save Answer & Move to Next Question](#)

Which of the following refers to measuring the electrical activity in muscles, which reflects their tension?

Select the correct option

☐

Electroencephalograph (EEG)

☐

Electromyograph (EMG)

☐

Measures of autonomic activity

☐

Magnetic resonance imaging (MRI)

_____ coping strategies for chronic health problems can be beneficial in the early phases of adjusting to a health problems.

Select the correct option

☐	Recruiting instrumental
☐	Denying or minimizing
☐	Seeking information
☐	Considering possible future events

What type of pain lasts longer than six months?

Select the correct option

☐	Intractable pain
☒	Chronic pain
☐	Acute pain
☐	Episodic pain

Pain that lasts less than six months and eventually ends is called:

select the correct option

☐

Intractable Pain

☐

Chronic Pain

☐

Acute Pain

☐

Casual Pain

Which of the following pain characterized by continuous discomfort and associated with a malignant condition, and becomes increasingly intense as the underlying condition worsens?

Select the correct option

☐

Chronic-progressive

☐

Chronic-single

☐

Chronic-recurrent

☐

Chronic-intractable-benign

Which of the following is true in relation to pain?

Select the correct option



Chronic pain may be made worse by unlimited love and attention



Acute and chronic pain are two manifestations of pain, each requiring a different management approach



All of the given options



The use of prescription pain medication may lead to drug addiction

_____ refers to the degree of excellence people appraise their lives to contain.

Select the correct option

☐	Short-Term Adaptation
☐	Long-Term Adaptation
☐	Emotional support
☐	Quality of life

Congenital insensitivity to pain:

Select the correct option

☐	Is very prevalent, especially among Caucasians
☐	Is a benefit to arthritis patients
☐	Can contribute to a person's death
☐	Disrupts the sensation of intense pain, but not moderate pain

Faiza takes special care to disguise the disability caused by her disease. Faiza is doing:

Select the correct option

☐	Voicing
☐	Normalizing
☐	Disguising
☐	Treatment



Question # 5 of 10 (Start time: 04:38:26 PM, 15 February 2022)

According to crisis theory, coping with having a serious illness begins with the process of _____, which is followed by _____ and then _____.

Select the correct option

- ☐ Assessing physical factors; applying coping skills; cognitive appraisal
- ☐ Cognitive appraisal; personal factors; social and background factors
- ☒ Cognitive appraisal; formulating adaptive tasks; applying coping skills
- ☐ Denying illness-related factors; physical factors; formulating adaptive tasks

Question # 2 of 10 (Start time: 04:25:08 PM, 15 February 2022)

Which of the following refers to the afferent nerve endings in a damaged region of the body that respond to pain stimuli and signal injury?

Select the correct option

☐	Receptors
☐	Mechanoreceptors
☐	Nociceptors
☐	Preceptors

Question # 3 of 10 (Start time: 04:26:00 PM, 15 February 2022)

Severe burning pain that sometimes results after a wound has healed and damaged nerves have regenerated is called:

Select the correct option

☐

Causalgia

☐

Neuralgia

☐

None of the given options

☐

Phantom limb pain

Question # 4 of 10 (Start time: 04:26:47 PM, 15 February 2022)

Asthma regimens consist of three components which include all of the following EXCEPT:

Select the correct option

☐	Exercise
☐	Avoid known triggers of attacks
☐	Medication
☐	Stress

Question # 6 of 10 (Start time: 04:28:08 PM, 15 February 2022)

In which of the following seizures, patient suffers from diminished or lost consciousness and as a result remains blank for a while?

Select the correct option

☐	Petit mal
☐	Grand mal
☐	Clonic mal
☐	Petit mal

Spinal cord injury refers to _____ damage in the spine from disease or injury; if the lower portion of the cord is severed, _____ result.

Select the correct option

☐ Vertebra; quadriplegia

☒ Neurological; paraplegia

☐ Neurological; quadriplegia

☐ Vertebra; paraplegia

Question # 8 of 10 (**Start time: 04:30:34 PM, 15 February :**

What type of pain lasts longer than six months?

Select the correct option

☐	Episodic pain
☒	Chronic pain
☐	Intractable pain
☐	Acute pain

Health Psychology (Quiz 3)

Question # 9 of 10 (Start time: 04:31:34 PM, 15 February 2022)

Faiza takes special care to disguise the disability caused by her disease. Faiza is doing:

Select the correct option

☐ Normalizing

☒ Disguising

☐ Treatment

☐ Voicing



Type here to search

PSY408 - Health Psychology (Quiz 3)

Question # 10 of 10 (**Start time: 04:33:01 PM, 15 February 2022**)

Which of the following is an example of chronic-recurrent pain?

Select the correct option

☐	Rheumatoid arthritis
☐	Migraine headache
☐	Chronic low back pain
☐	Cancer

PSY408 - Health Psychology (Quiz 3)

Question # 1 of 10 (**Start time: 04:35:18 PM, 15 February 2022**)

Pain that lasts less than six months and eventually ends is called:

Select the correct option

- | | |
|-----------------------|------------------|
| ☐ | Intractable Pain |
| ☐ | Casual Pain |
| ☐ | Chronic Pain |
| ☐ | Acute Pain |



Type here to search

Question # 2 of 10 (Start time: 04:36:03 PM, 15 February 2022)

Which of the following is an example of chronic-recurrent pain?

Select the correct option

☐	Chronic low back pain
☐	Cancer
☐	Migraine headache
☐	Rheumatoid arthritis

Question # 3 of 10 (Start time: 04:36:18 PM, 15 February 20

Which of the following pain cannot be relieved?

Select the correct option



Contractible pain



Destructive pain



Intractable pain



Acute pain

Question # 4 of 10 (Start time: 04:37:51 PM, 15 February 2022)

Pain Behavior Scale was developed to measure pain for _____

Select the correct option

☐

Nurses

☐

Lawyers

☐

Educationalist

☐

Engineers

(start time: 04:39:59 PM, 15 February 2022)

Which of the following phase is marked by disorganized thinking and feelings of loss, grief, helplessness, despair and being overwhelmed by reality?

Select the correct option

☐

Encounter

☐

Shock

☐

Retreat

☐

Treat

Question # 7 of 10 (Start time: 04:40:49 PM, 15 February 2022)

Which of the following is a respiratory disorder involving recurrent episodes of impaired breathing when the airways become obstructed?

Select the correct option

☐

Asthma

☐

Flu

☐

Fever

☐

Pneumonia

Question # 8 of 10 (**Start time: 04:41:38 PM, 15 February**

Which of the following is statement is correct for pain?

Select the correct option

☐

It is never related to tissue damage

☒

It is usually related to tissue damage

☐

It is always related to tissue damage

☐

It is rarely related to tissue damage

Question # 10 of 10 (Start time: 04:43:26 PM, 15 February 2022)

Which of the following pain characterized by continuous discomfort and associated with a malignant condition, and becomes increasingly intense as the underlying condition worsens?

Select the correct option

☐	Chronic-single
☐	Chronic-progressive
☐	Chronic-Intractable-benign
☐	Chronic-recurrent

Question # 1 of 10 (**Start time: 11:51:44 AM, 16 February 2022**)

Which of the following is NOT a type of pain behavior?

Select the correct option

☐	Avoidance of activity
☒	Reading a book
☐	Distorted ambulation or posture
☐	Facial or audible expression of distress

Question # 2 of 10 (Start time: 11:52:16 AM, 16 February 2022)

Total Marks: 1

Spinal cord injury refers to _____ damage in the spine from disease or injury; if the lower portion of the cord is severed, _____ results

Select the correct option

☐	Vertebra; paraplegia
☐	Neurological; quadriplegia
☐	Vertebra; quadriplegia
☒	Neurological; paraplegia

[Click to Save Answer & Move to Next Question](#)

PSY408 - Health Psychology (Quiz 3)

Question # 3 of 10 (**Start time: 11:54:49 AM, 16 February 2022**)

Pain Behavior Scale was developed to measure pain for _____.

Select the correct option

☐	Lawyers
☒	Nurses
☐	Educationalist
☐	Engineers

PSY408 - Health Psychology (Quiz 3)

Question # 4 of 10 (**Start time: 11:56:01 AM, 16 February 2022**)

Which of the following pain cannot be relieved?

Select the correct option

☒	Acute pain
☐	Destructive pain
☐	Contractible pain
☐	Intractable pain

PSY408 - Health Psychology (Quiz 3)

Question # 5 of 10 (**Start time: 11:57:25 AM, 16 February 2022**)

Pain that lasts less than six months and eventually ends is called

Select the correct option

☒	Acute Pain
☐	Casual Pain
☐	Chronic Pain
☐	Intractable Pain

Question # 6 of 10 (Start time: 11:58:48 AM, 16 February 2022)

Total Marks: 1

Among cognitive methods for treating pain, _____ has patients focus on a non-painful stimulus in the current environment to divert attention from discomfort, and _____ has patients conjure up a mental scene that is incompatible with the pain.

Select the correct option

☐	Passive coping; active coping
☐	Nonpain imagery; distraction
☐	Distraction; nonpain imagery
☒	Active coping; passive coping

[Click to Save Answer & Move to Next Question](#)

PSY408 - Health Psychology (Quiz 3)

Question # 8 of 10 (Start time: 12:02:38 PM, 18 February 2022)

Which of the following hormone can reduce the bronchial inflammation which causes asthma?

Select the correct option

☐	Anabolic
☐	Androgenic
☒	Steroid
☐	Corticosteroid

click

PSY408 - Health Psychology (Quiz 3)

Question # 7 of 10 (**Start time: 09:17:06 PM, 16 February 2022**)

Which of following condition involves impairments that are permanent or semi-permanent?

Select the correct option



Chronic



Novel



Acute



Critical



Question # 6 of 10 (Start time: 09:16:34 PM, 18 February 2022)

Severe burning pain that sometimes results after a wound has healed and damaged nerves have regenerated is called:

Select the correct option

☐	Causalgia
☐	Neuralgia
☐	None of the given options
☐	Phantom limb pain

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (start time: 09:18:30 PM, 16 February 2022)

Total Marks: 1

In the research by Beecher comparing the perceived pain of surgical patients and war-injured soldiers with similar wounds, the _____ reported more pain and requested _____ medication, probably because of their different meanings of pain.

Select the correct option

☐	Soldiers; less
☒	Surgical patients; less
☐	Surgical patients; more
☐	Soldiers; more

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (start time: 09:15:29 PM, 16 February 2022)

Which of the following would less likely to be considered as one of the Activities of Daily Living (ADL)?

Select the correct option

☐	Walking
☐	Going for trip
☐	Watching TV
☐	Cooking

[Click to](#)

Question # 9 of 10 (Start time: 04:42:46 PM, 15 February :

-----can heighten the experience of pain.

Select the correct option

☐	Extraversion
☐	Psychoticism
☐	Anxiety
☐	Optimism



Type here to search

Question # 2 of 10 (Start time: 04:36:03 PM, 15 February 2022)

Which of the following is an example of chronic-recurrent pain?

Select the correct option

☐	Chronic low back pain
☐	Cancer
☒	Migraine headache
☐	Rheumatoid arthritis

Question # 1 of 10 (Start time: 09:59:43 PM, 16 February 2022)

Total Marks: 1

_____ stems from benign causes and is characterized by repeated and intense episodes of pain separated by periods without pain.

Select the correct option

☒	Chronic-recurrent pain
☐	Chronic-progressive benign
☐	Chronic-progressive pain
☐	Chronic-intractable-benign

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 10:00:38 PM, 18 February 2022)

To

According to crisis theory, coping with having a serious illness begins with the process of _____, which is followed by _____ and then _____.

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | Cognitive appraisal; personal factors; social and background factors |
| ☒ | Denying illness-related factors; physical factors; formulating adaptive tasks |
| ☐ | Cognitive appraisal; formulating adaptive tasks; applying coping skills |
| ☐ | Assessing physical factors; applying coping skills; cognitive appraisal |

Click to Save Answer & Move to Next Q

PSY408 – Health Psychology (Quiz 3)

Question # 3 of 10 (**Start time: 10:01:57 PM, 16 February 2022**)

Pain that receives or requires professional treatment is called _____ pain.

Select the correct option

☐	Algogenic
☐	Nociceptic
☐	Very acute
☐	Clinical

PSY408 - Health Psychology (Quiz 3)

Question # 4 of 10 (**Start time: 10:02:47 PM, 16 February 2022**)

If a diabetic patient learns to self-administer insulin shots, it is:

Select the correct option

☒	Learning to provide one's own medical care
☐	Setting concrete goals
☐	Seeking information
☐	Gaining a manageable perspective

Question # 5 of 10 (**Start time: 10:03:35 PM, 16 February 2022**)

Which of following condition involves impairments that are permanent or semi-permanent?

Select the correct option

☐	Acute
☐	Novel
☒	Chronic
☐	Critical

Question # 6 of 10 (Start time: 10:04:58 PM, 16 February 2022)

Total Marks: 1

Which of the following is a respiratory disorder involving recurrent episodes of impaired breathing when the airways become obstructed?

Select the correct option

☐	Flu
☐	Fever
☐	Asthma
☐	Pneumonia

[Click to Save Answer & Move to Next Question](#)

Question # 7 of 10 (Start time: 10:05:44 PM, 16 February 2022)

Which of the following is an example of chronic-recurrent pain?

Select the correct option

☐	Migraine headache
☐	Rheumatoid arthritis
☐	Chronic low back pain
☐	Cancer

Question # 8 of 10 (Start time: 10:06:48 PM, 16 February 2022)

Some of the coping techniques used in pain management are:

Select the correct option

☐	Pain acceptance
☐	All of the given options
☐	Imagery
☐	Distraction

PSY408 – Health Psychology (Quiz 3)

Question # 10 of 10 (**Start time: 10:09:10 PM, 16 February 2022**)

Which of the following is an example of chronic-intractable-benign pain?

Select the correct option

☐	Cancer
☐	Migraine
☐	Tension
☐	Low back pain

PSY408 – Health Psychology (Quiz 3)

Question # 9 of 10 (**Start time: 10:07:42 PM, 16 February 2022**)

Which of the following pain cannot be relieved?

Select the correct option

☐	Intractable pain
☐	Destructive pain
☐	Acute pain
☐	Contractible pain

PSY408 - Health Psychology (Quiz 3)

Question #1 of 10 (Start time: 10:18:13 PM, 16 February 2022)

Which of following condition involves impairments that are permanent or semi-permanent?

Select the correct option

☐	Acute
☐	Chronic
☐	Critical
☐	Novel

Question # 2 of 10 (**start time: 10:19:42 PM, 16 February 2022**)

Congenital insensitivity to pain:

Select the correct option

☐

Can contribute to a person's death

☐

Disrupts the sensation of intense pain, but not moderate pain

☐

Is a benefit to arthritis patients

☐

Is very prevalent, especially among Caucasians

Question # 3 of 10 (start time: 10:20:32 PM, 16 February 2022)

Chronic headache patients:

select the correct option

- | | |
|-----------------------|---|
| ☐ | Are usually not helped by progressive relaxation techniques |
| ☐ | Biofeedback offers a short term solution and eventually leads to medication |
| ☐ | Are significantly improved by biofeedback training |
| ☐ | Are significantly improved by operant training |

Question # 4 of 10 (Start time: 10:21:24 PM, 16 February 2022)

Faiza takes special care to disguise the disability caused by her disease. Faiza is doing:

Select the correct option

☐	Treatment
☒	Disguising
☐	Voicing
☐	Normalizing

Pain that receives or requires professional treatment is called _____ pain.

Select the correct option

☐	Nociceptic
☐	Clinical
☐	Very acute
☐	Algogenic

Question # 6 of 10 (Start time: 10:23:20 PM, 16 February 2022)

Total Marks: 1

A psychological defense mechanism in which one refuses to acknowledge what has taken place is called:

Select the correct option

☐ Repression

☐ Sublimation

☐ Denial

☐ Projection

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 10:24:49 PM, 16 February 2022)

Migraine headaches and tension-type are examples of which of the following types of pain?

Select the correct option

- | | |
|-----------------------|----------------------------|
| ☐ | Chronic-intractable-benign |
| ☐ | Chronic-recurrent |
| ☐ | Chronic-single |
| ☐ | Chronic-progressive |

Question # 8 of 10 (start time: 10:25:34 PM, 16 February 2022)

Which of the following is NOT a main goal of the operant approach for treating pain?

Select the correct option

- | | |
|-----------------------|--|
| ☐ | None of the given options |
| ☐ | Change the consequences of pain behaviors to reduce the patient's disability |
| ☐ | Maintain the use of painkillers that a patient's physician originally prescribed |
| ☐ | Reduce the patient's reliance on medication |



Question # 9 of 10 (**start time: 10:26:24 PM, 16 February 2022**)

Pain that lasts less than six months and eventually ends is called:

Select the correct option

☐	Acute Pain
☐	Chronic Pain
☐	Casual Pain
☐	Intractable Pain

Which of the following disorders occurs long after tissue damage has healed and with no currently detectable body damage?

Select the correct option

☐

Neuralgia

☐

Phantom limb pain

☐

All of the given options

☐

Causalgia

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 10:49:15 PM, 16 February 2022)

Total Marks: 1

_____ coping strategies for chronic health problems can be beneficial in the early phases of adjusting to a health problems.

Select the correct option

☐	Considering possible future events
☒	Denying or minimizing
☐	Seeking information
☐	Recruiting instrumental

[Click to Save Answer & Move to Next Question](#)

PSY408 - Health Psychology (Quiz 3)

Question # 2 of 10 (Start time: 10:50:38 PM, 16 February 2022)

Pain Behavior Scale was developed to measure pain for _____

Select the correct option

☐	Lawyers
☒	Nurses
☐	Engineers
☐	Educationalist

Question # 3 of 10 (**Start time: 10:51:21 PM, 16 February 2022**)

Which of the following pain cannot be relieved?

Select the correct option

☒	Acute pain
☐	Intractable pain
☐	Destructive pain
☐	Contractible pain

Question # 4 of 10 (Start time: 10:52:14 PM, 16 February 2022)

Total Marks: 1

Which of the following is a respiratory disorder involving recurrent episodes of impaired breathing when the airways become obstructed?

Select the correct option

☐	Fever
☐	Flu
☒	Asthma
☐	Pneumonia

[Click to Save Answer & Move to Next Question](#)

PSY408 - Health Psychology (Quiz 3)

Question # 6 of 10 (Start time: 10:52:46 PM, 18 February 2022)

Pain that receives or requires professional treatment is called _____ pain.

Select the correct option

☐	Nociceptive
☐	Algogenic
☒	Clinical
☐	Very acute

PSY408 - Health Psychology (Quiz 3)

Question # 6 of 10 (Start time: 10:52:44 PM, 16 February 2022)

_____ is a detailed record of a person's pain experiences

Select the correct option

☒	Pain rating scales
☐	Pain questionnaires
☐	Pain diaries
☐	Pain survey

PSY408 - Health Psychology (Quiz 3)

Question # 7 of 10 (Start time: 10:54:31 PM, 16 February 2022)

Pain that receives or requires professional treatment is called _____ pain

Select the correct option

☐	Nociceptive
☐	Very acute
☐	Algogenic
☒	Clinical

Question # 8 of 10 (Start time: 10:56:09 PM, 16 February 2022)

_____ refers to the degree of excellence people appraise their lives to contain.

Select the correct option

- | | |
|----------------------------------|-----------------------|
| ☒ | Quality of life |
| ☐ | Short-Term Adaptation |
| ☐ | Emotional support |
| ☐ | Long-Term Adaptation |

Click to Save Answer

Question # 9 of 10 (Start time: 10:55:47 PM, 16 February 2022)

Which of the following is NOT an advantage of group psychotherapy over individual therapy in treating pain?

Select the correct option

- ☐ Group therapy reduces patients' social isolation
- ☐ Patients in group therapy offer credible feedback to others in the group
- ☒ Because group therapy has so many patients at one time, interactions become inefficient
- ☐ In the course of group interactions, the therapist can see the patients from a different and more helpful perspective than in individual therapy

Click to Save Answer & Move to Next Question

PSY408 – Health Psychology (Quiz 3)

Question #10 of 10 (**Start time: 10:57:08 PM, 16 February 2022**)

Which of the following is NOT a type of pain behavior?

Select the correct option

☐	Distorted ambulation or posture
☒	Reading a book
☐	Facial or audible expression of distress
☐	Avoidance of activity



continue to have high levels of anxiety and tend to develop feelings of hopelessness and helplessness because various medical treatments have not helped. Pain interferes with their daily activities, goals, and sleep; and it can come to dominate their lives. Pain patients frequently say that they could stand their pain much better if they could only get a good night's sleep... They feel worn down, worn out, exhausted. They find themselves getting more and more irritable with their families, they have fewer and fewer friends, and fewer and fewer interests. Gradually, as time goes by, the boundaries of their world seem to shrink. They become more and more preoccupied with their pain, less and less interested in the world around them. Their world begins to center around home, doctor's office, and pharmacy.

Although pain itself can interfere with sleep, intrusive thoughts and worry before getting to sleep may be a more important factor. Another problem of people with chronic pain is that many leave their jobs for emotional and physical reasons and must live on reduced incomes at the same time that their medical bills are piling up. The experience of pain is very different when the condition is chronic than when it is acute.

The effects of chronic pain also depend on whether the underlying condition is benign (harmless) or is malignant (injurious) and worsening and whether the discomfort exists continuously or occurs in frequent and intense episodes. Using these factors, researchers have described three types of chronic pain:

1. **Chronic**-recurrent pain stems from benign causes and is characterized by repeated and intense episodes of pain separated by periods without pain. Two examples of **chronic**-recurrent pain are migraine headaches and tension-type (muscle-contraction) headaches.
2. **Chronic**-intractable-benign pain refers to discomfort that is typically present all of the time, with varying levels of intensity, and is not related to an underlying malignant condition. Chronic low back pain often has this pattern.
3. **Chronic**-progressive pain is characterized by continuous discomfort, is associated with a malignant condition, and becomes increasingly intense as the underlying condition worsens. Two of the most prominent malignant conditions that frequently produce **chronic**-progressive pain are rheumatoid arthritis and cancer.

As we shall see later in this lecture and in the next one, the type of pain people experience influences their psychosocial adjustment and the treatment they receive to control their discomfort.

Perceiving Pain

Of the several perceptual senses the human body uses, the sense of pain has three important and unique properties. First, although nerve fibers in the body sense and send signals of tissue damage, the receptor cells for pain are different from those of other perceptual systems, such as vision. For instance, the visual system contains specific receptor cells that transmit only messages about a particular type of stimulation—



1

2

3

4

5

6

7

8

9

0

q

w

e

r

t

y

u

i

o

p

a

s

d

f

g

h

j

k

l



z

x

c

v

b

n

m



!#1

,

English (US)

.





continue to have high levels of anxiety and tend to develop feelings of hopelessness and helplessness because various medical treatments have not helped. Pain interferes with their daily activities, goals, and sleep; and it can come to dominate their lives. Pain patients frequently say that they could stand their pain much better if they could only get a good night's sleep... They feel worn down, worn out, exhausted. They find themselves getting more and more irritable with their families, they have fewer and fewer friends, and fewer and fewer interests. Gradually, as time goes by, the boundaries of their world seem to shrink. They become more and more preoccupied with their pain, less and less interested in the world around them. Their world begins to center around home, doctor's office, and pharmacy.

Although pain itself can interfere with sleep, intrusive thoughts and worry before getting to sleep may be a more important factor. Another problem of people with chronic pain is that many leave their jobs for emotional and physical reasons and must live on reduced incomes at the same time that their medical bills are piling up. The experience of pain is very different when the condition is chronic than when it is acute.

The effects of chronic pain also depend on whether the underlying condition is benign (harmless) or is malignant (injurious) and worsening and whether the discomfort exists continuously or occurs in frequent and intense episodes. Using these factors, researchers have described three types of chronic pain:

1. **Chronic**-recurrent pain stems from benign causes and is characterized by repeated and intense episodes of pain separated by periods without pain. Two examples of **chronic**-recurrent pain are migraine headaches and tension-type (muscle-contraction) headaches.
2. **Chronic**-intractable-benign pain refers to discomfort that is typically present all of the time, with varying levels of intensity, and is not related to an underlying malignant condition. Chronic low back pain often has this pattern.
3. **Chronic**-progressive pain is characterized by continuous discomfort, is associated with a malignant condition, and becomes increasingly intense as the underlying condition worsens. Two of the most prominent malignant conditions that frequently produce **chronic**-progressive pain are rheumatoid arthritis and cancer.

As we shall see later in this lecture and in the next one, the type of pain people experience influences their psychosocial adjustment and the treatment they receive to control their discomfort.

Perceiving Pain

Of the several perceptual senses the human body uses, the sense of pain has three important and unique properties. First, although nerve fibers in the body sense and send signals of tissue damage, the receptor cells for pain are different from those of other perceptual systems, such as vision. For instance, the visual system contains specific receptor cells that transmit only messages about a particular type of stimulation—



1

2

3

4

5

6

7

8

9

0

q

w

e

r

t

y

u

i

o

p

a

s

d

f

g

h

j

k

l



z

x

c

v

b

n

m



!#1

,

English (US)

.



Most of the evidence for the view that the meaning of pain can change by its association with pleasure comes from research with animals. For example, Ivan Pavlov (1927) demonstrated that the dogs' negative reaction to aversive stimuli, such as electric shocks or skin pricks, changed if the stimuli repeatedly preceded presentation of food. Eventually, the dogs would try to approach the aversive stimuli, which now signaled that food, not danger, was coming.

Physician Henry Beecher (1956) described a dramatic example of how the meaning of pain affects people's experience of it. During World War II, he had examined soldiers who had recently been very seriously wounded and were in a field hospital for treatment. Of these men, only 49% claimed to be in 'moderate' or "severe" pain and only 32% requested medication when asked if they "wanted something to relieve it."

Some years later, Beecher conducted a similar examination—this time with civilian men who had just undergone surgery. Although the surgical wounds were in the same body regions as those of the soldiers, the soldiers' wounds had been more extensive. Nevertheless, 75% of the civilians claimed to be in "moderate" or "severe" pain and 83% requested medication.

Why did the soldiers—who had more extensive wounds—perceive less pain than the civilians? Beecher described the meaning the injuries had for the soldiers, who had been subjected to almost uninterrupted fire for weeks. Notable in this group of soldiers was their optimistic, even cheerful, state of mind.... They thought the war was over for them and that they would soon be well enough to be sent home. It is not difficult to understand their relief on being delivered from this area of danger. The battlefield wound marked the end of disaster for them.



Desktop

Links



18:08



19D4D059E AQSA WARIS

408 - Health Psychology (Quiz 3)

Quiz Start Time

Question # 4 of 10 (Start time: 11:23:58 AM, 15 February 2023)

Serious illness may result in less negative outcomes if the person experiencing the illness is high on:

Select the correct option

☐

Realism

☐

Anxiety

☒

Optimism

☐

Anger

Click to Save Answer





Quiz
vulms.vu.edu.pk



MC200400747: SAIMA RASHEED

Time Left 73
sec(s)

PSY408 - Health Psychology (Quiz 3)

Quiz Start Time: 11:51 AM, 16 February 2022

Question # 7 of 10 (Start time: 12:01:02 PM, 16 February 2022)

Total Marks: 1

_____ can heighten the experience of pain.

Select the correct option

☐	Optimism
☐	Anxiety
☐	Extraversion
☐	Psychoticism

Click to Save Answer & Move to Next Question



----- can heighten the experience of pain.

Select the correct option

☐	Optimism
☐	Anxiety
☐	Psychoticism
☐	Extraversion

Question # 1 of 10 (Start time: 11:18:56 AM, 18 February 2022)

Total Marks: 1

In which of the following seizures, patient suffers from diminished or lost consciousness and as a result remains blank for a while?

Select the correct option

☐	Grand mal
☐	Partial mal
☒	Petit mal
☐	Clonic mal

Click on any incorrect answer to mark question

Question # 3 of 10 (Start time: 11:22:33 AM, 15 February 2022)

Asthma regimens consist of three components which include all of the following EXCEPT:

Select the correct option

- ☒ Stress
- ☐ Avoid known triggers of attacks
- ☐ Medication
- ☐ Exercise

Question # 4 of 10 (Start time: 11:23:59 AM, 15 February 2022)

Serious illness may result in less negative outcomes if the person experiencing the illness is high on:

Select the correct option:

- ☐ Realism
- ☒ Anxiety
- ☐ Optimism
- ☐ Anger

[Click to Save Answer](#)

Question # 5 of 10 (start time: 11:25:29 AM, 15 February 2022)

_____ stems from benign causes and is characterized by rep
by periods without pain.

▶ Select the correct option

☐	Chronic-intractable-benign
☐	Chronic-progressive pain
☐	Chronic-recurrent pain
☐	Chronic-progressive benign

Question # 6 of 10 (Start time: 11:26:59 AM, 15 February 2022)

Which of following condition involves Impairments that are permanent or semi-permanent?

Select the correct option

☒ Chronic



Critical



Acute



Novel

11:27

63 B/s

Question # 7 of 10 (start time: 11:27:37 AM, 15 February 2022)

In the research by Beecher comparing the perceived pain of surg the _____ reported more pain and requested _____ meanings of pain.

Select the correct option

☐	Soldiers; more
☐	Surgical patients; more
☒	Soldiers; less
☐	Surgical patients; less

PSY408 - Health Psychology (Quiz 3)

Question # 8 of 10 (Start time: 11:28:45 AM, 15 February 2022)

Pain Behavior Scale was developed to measure pain for _____

Select the correct option

☐

Educationalist

☒

Nurses

☐

Lawyers

☐

Engineers

Question # 9 of 10 (Start time: 11:30:15 AM, 15 February 2022)

Which of the following refers to measuring the electrical activity in muscles?

Select the correct option

☐	Magnetic resonance imaging (MRI)
☐	Measures of autonomic activity
☐	Electroencephalograph (EEG)
☒	Electromyograph (EMG)

PSY408 - Health Psychology (Quiz 3)

Question # 10 of 10 (**start time: 07:36:06 PM, 15 February 2022**)

Faiza takes special care to disguise the disability caused by her disease. Faiza is doing:

Select the correct option

☐	Voicing
☒	Disguising
☐	Normalizing
☐	Treatment

PSY408 - Health Psychology (Quiz 3)

Question # 9 of 10 (**start time: 07:34:08 PM, 15 February 2022**)

Which of the following is NOT a main goal of the operant approach for treating pain?

Select the correct option

☐	Change the consequences of pain behaviors to reduce the patient's disability
☐	Reduce the patient's reliance on medication
☐	None of the given options
☐	Maintain the use of painkillers that a patient's physician originally prescribed

psychoticism - APA Dictionary of Psychology

Search for: What is meant by psychoticism?

What are the traits of psychoticism?

What does psychoticism measure?

Specifically, the psychologist Hans Eysenck developed the term psychoticism to **explain particular behavior and personality traits**. ... Psychoticism is defined by Eysenck as a personality type that is prone to take risks, might engage in anti-social behaviors, impulsiveness, or non-conformist behavior. 23-Nov-2021

<https://study.com> › Courses › Psychology Courses

Psychoticism: Definition & Characteristics - Study.com

Search for: What does psychoticism measure?

What are the two categories of psychoticism?

<https://study.com> › Courses › Psychology Courses

Psychoticism: Definition & Characteristics - Study.com

Search for: What does psychoticism measure?

What are the two categories of psychoticism?

What causes psychoticism?

Psychosis is a symptom, not an illness. It can be **triggered by a mental illness, a physical injury or illness, substance abuse, or extreme stress or trauma**. Psychotic disorders, like schizophrenia, involve psychosis that usually affects you for the first time in the late teen years or early adulthood. 26-Jul-2021

<https://www.webmd.com> › guide › what-is-psychosis

Psychosis and Psychotic Episodes - WebMD

Search for: What causes psychoticism?

What causes psychoticism?

Question # 7 of 10 (Start time: 07:32:08 PM, 15 February 2022)

_____ coping strategies for chronic health problems can be beneficial in the early phases of adjusting to a health problems.

Select the correct option

☐	Seeking information
☒	Denying or minimizing
☐	Recruiting instrumental
☐	Considering possible future events

Click to Save Answer & Move to Next

Question # 6 of 10 (**start time: 07:30:59 PM, 15 February 2022**)

If a diabetic patient learns to self-administer insulin shots, it is:

Select the correct option

☐	Gaining a manageable perspective
☐	Setting concrete goals
☒	Learning to provide one's own medical care
☐	Seeking information

PSY408 - Health Psychology (Quiz 3)

Question # 5 of 10 (**start time: 07:28:39 PM, 15 February 2022**)

Which of the following would less likely to be considered as one of the Activities of Daily Living (ADL)?

Select the correct option

☐	Watching TV
☐	Cooking
☐	Going for trip
☐	Walking

PSY408 - Health Psychology (Quiz 3)

Question # 4 of 10 (Start time: 07:27:30 PM, 15 February 2022)

Serious illness may result in less negative outcomes if the person experiencing the illness is high on:

Select the correct option

☒	Anxiety
☐	Realism
☐	Optimism
☐	Anger

PSY408 - Health Psychology (Quiz 3)

Question # 3 of 10 (Start time: 07:28:48 PM, 15 February 2022)

Which of the following hormone can reduce the bronchial inflammation which causes asthma?

Select the correct option

☐	Steroid
☒	Corticosteroid
☐	Androgenic
☐	Anabolic

PSY408 - Health Psychology (Quiz 3)

Question # 2 of 10 (**start time: 07:26:22 PM, 15 February 2022**)

Congenital insensitivity to pain:

Select the correct option

☐	Disrupts the sensation of intense pain, but not moderate pain
☐	is very prevalent, especially among Caucasians
☐	Can contribute to a person's death
☐	is a benefit to arthritis patients

Question #1 of 10 (Start time: 07:25:40 PM, 15 February 2022)

In which of the following seizures, patient suffers from diminished or lost consciousness and as a result remains blank for a while?

Select the correct option

☒	Petit mal
☐	Clonic mal
☐	Grand mal
☐	Petar mal

Click to Save Answer & Move to Next Question

PSY408 - Health Psychology (Quiz 3)

Question # 10 of 10 (**start time: 07:21:55 PM, 15 February 2022**)

_____ refers to the degree of excellence people appraise their lives to contain.

Select the correct option

☐	Long-Term Adaptation
☐	Emotional support
☐	Short-Term Adaptation
☒	Quality of life

PSY408 - Health Psychology (Quiz 3)

Question # 8 of 10 (**start time: 07:19:26 PM, 15 February 202**

When a person is ill, which of the following is true?

Select the correct option

☐	His or her behaviors will remain unchanged
☐	He may be more socialized
☐	His or her role in the family may change
☐	There will be no symptoms present

Question # 2 of 10 (**start time: 07:13:05 PM, 15 February 2022**)

Which of the following pain cannot be relieved?

Select the correct option

☐	Intractable pain
☐	Destructive pain
☒	Acute pain
☐	Contractible pain

Question # 3 of 10 (start time: 07:14:32 PM, 15 February 2022)

Which of the following disorders occurs long after tissue damage has healed and with no currently detectable body damage?

Select the correct option

☐ All of the given options

☐ Neuralgia

☐ Phantom limb pain

☐ Causalgia

Click to Save Answer &

PSY408 - Health Psychology (Quiz 3)

Question # 4 of 10 (start time: 07:15:35 PM, 15 February 2022)

Asthma regimens consist of three components which include all of the following EXCEPT:

Select the correct option

☐	Medication
☐	Stress
☐	Avoid known triggers of attacks
☐	Exercise

PSY408 - Health Psychology (Quiz 3)

Question # 5 of 10 (**start time: 07:16:19 PM, 15 February 2022**)

Pain that lasts less than six months and eventually ends is called.

Select the correct option

☐	Intractable Pain
☐	Casual Pain
☐	Chronic Pain
☐	Acute Pain
☐	

PSY408 - Health Psychology (Quiz 3)

Question # 9 of 10 (**start time: 07:20:11 PM, 15 February 2022**)

Faiza takes special care to disguise the disability caused by her disease. Faiza is doing:

Select the correct option

☐	Normalizing
☒	Disguising
☐	Treatment
☐	Voicing

PSY408 - Health Psychology (Quiz 3)

Question # 6 of 10 (**start time: 07:17:00 PM, 15 February 2022**)

Pain that receives or requires professional treatment is called _____ pain.

Select the correct option

☐	Very acute
☐	Nociceptic
☒	Clinical
☐	Algogenic

PSY408 - Health Psychology (Quiz 3)

Question # 7 of 10 (**Start time: 07:17:47 PM, 15 February 2022**)

Congenital insensitivity to pain:

Select the correct option

☐	Is a benefit to arthritis patients
☐	Is very prevalent, especially among Caucasians
☐	Can contribute to a person's death
☐	Disrupts the sensation of intense pain, but not moderate pain

patients achieve each goal. Patients are likely to adapt well to a chronic condition if they participate actively in their treatment regimens, encourage them to be self sufficient, and address their needs in a caring and sensitive manner.

What coping skills do patients and their families employ to deal with these adaptive tasks? This section describes several useful strategies that they commonly use.

Coping Strategies for Chronic Health Problems

- **Denying or minimizing** the seriousness of the situation. As we have seen, this approach is often used in the early phases of adjusting to a health problem. Patients may benefit from this approach by selectively putting aside their emotions temporarily, thereby saving them from feeling overwhelmed and giving them time to organize other personal coping resources.

- Seeking information about the health problem and treatment procedures.
- Learning to provide one's own medical care such as self-administering insulin shots. With this approach, patients gain a sensed control and personal effectiveness with respect to their conditions.
- Setting concrete, limited goals such as in exercising or in going to shows or social gatherings, and maintaining regular routines as well as possible. By doing this, patients and their families have things to look forward to and opportunities to achieve goals they consider meaningful.
- Recruiting instrumental and emotional support from family, friends, and practitioners by expressing needs and feelings.
- Considering possible future events and stressful circumstances in order to know what lies ahead and to be prepared for unexpected difficulties:
 - ... health problem and its treatment by finding a long-term ... beliefs or by



producing antibodies that cause the bronchial tubes and other affected body tissues to release a chemical called histamine. This chemical causes irritation to those tissues. In an asthma attack, these events cause the bronchial tubes to become obstructed as their smooth muscles become inflamed, develop spasms, and produce mucus. These events last, perhaps, an hour or two and can lead to tissue damage, thereby increasing the likelihood of more frequent and severe future attacks. For some asthmatics airway inflammation becomes constant.

What Causes Asthma Attacks to Happen?

We do not have a full answer to this question, but we do know that attacks usually occur in the presence of certain conditions, called triggers. Asthma triggers can include personal factors, such as having a respiratory infection or feelings of anger or anxiety; environmental conditions, such as air pollution, pollen, or cold temperature; and physical activities, such as strenuous exercise. The triggers that lead to attacks are different for different asthmatics, and some individuals have attacks only when two or more triggers occur at the same time. The main triggers for many asthmatics are allergens—substances, such as pollens or molds, that are known to cause allergic reactions. But other asthmatics do not have any known allergies, and other factors, such as physical exercise or cold air, are the main triggers for them. Tests for allergic reactions usually involve injecting a small amount of the allergen under the skin and checking to see if the skin in that area becomes inflamed.

Medical Regimens for Asthma

Medical approaches provide the cornerstone of treatment for asthma. Asthma regimens consist of three components, the first being to avoid known triggers of attacks. The second component involves medication. To treat an acute attack, patients mainly use bronchodilators, which open up constricted airways. To prevent attacks patients can use anti-inflammatories, such as inhaled or oral corticosteroids and cromolyn, which reduce bronchial inflammation or block the release of histamine and other chemicals that cause inflammation.

The third component of asthma regimens involves exercise. In the past, physicians advised many asthmatics to avoid exercise because it could induce an attack. But it now appears that the less these people exercise, the worse their conditions get. Many physicians today recommend treatment regimens that carefully combine fitness training and the use of medication.

Asthma's potential for producing disability and, sometimes, death makes it important that patients adhere to their regimens. Although adhering to asthma regimens reduces attacks and incidents of wheezing, many asthmatics fail to take medication to prevent attacks and use medication during an attack incorrectly.

Psychosocial Factors in Asthma

Many people with asthma report that the triggers of their attacks often involve their emotional states, such as being worried, angry, or excited. Experimental research has shown that emotional arousal; such as when watching an exciting movie, can trigger attacks in some children. Studies have also found that suggestion can induce symptoms in some asthmatics.



regime

registration

register



1

2

3

4

5

6

7

8

9

0

q

w

e

r

t

y

u

i

o

p

a

s

d

f

g

h

j

k

l



z

x

c

v

b

n

m



!#1

,

English (US)

.





Question # 2 of 10 (Start time: 11:27:36 AM, 15 February 2022)

Which of the following is true in relation to pain?

Select the correct option



All of the given options



Acute and chronic pain are two manifestations of pain, each requiring a different management



Chronic pain may be made worse by unlimited love and attention



The use of prescription pain medication may lead to drug addiction

Click to Show Answer

Question # 2 of 10 (Start time: 11:21:25 AM, 15 February 2022)

Total Marks: 1

Which of the following is true in relation to pain?

Select the correct option

- ☐ All of the given options
- ☐ Acute and chronic pain are two manifestations of pain, each requiring a different management approach.
- ☐ Chronic pain may be made worse by unlimited love and attention
- ☐ The use of prescription pain medication may lead to drug addiction

[Click to Show Answer & Move to Next Question](#)



Username: AQSA WAHID

Time left: 20
sec(s)

Grade - Health Psychology (Quiz 3)

Quiz Start Time: 11:18 AM, 15 February 2022

Question # 1 of 10 (Start time: 11:19:55 AM, 15 February 2022)

Total Marks:

Which of the following seizures; patient suffers from diminished or lost consciousness and as a result remains blank for a while?

Select the correct option

☐ Grand mal

☐ Petal mal

☐ Petit mal

☐ Clonic mal

[Click to Save Answer & Move to Next Question](#)