All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

PAID VU LMS HANDLING by Mam Mehwish 03184148783

Past Papers for Mids./Finals are also Available

CS604p (Mega file)

Mid Term (Live Quiz)

MAM MEHWISH 03184148783

1. **In First-Come-First-Served (FCFS) scheduling algorithm turnaround times of P1 and P2 are 10 and 11 seconds respectively, their average turnaround time will be.**
    - 10 seconds
    - 11 seconds
    - **9 seconds ✓**

---

2. **In Round Robin (RR) scheduling algorithm burst times of P1 and P2 are 10 and 11 seconds respectively, and time quantum is 5 seconds. After every ____ seconds CPU scheduler will be invoked.**
    - **5 seconds ✓**
    - 10 seconds
    - 7 seconds
    - 12 seconds

---

3. **In Round Robin (RR) scheduling Algorithm, suppose Process P1 has the following values of Turnaround time and Burst Time as: Turnaround Time = 10, Burst Time = 7. Waiting Time of Process P1 can be calculated as.**
    - Waiting Time = Turnaround Time + Burst Time
    - **Waiting Time = Turnaround Time — Burst Time ✓**
    - Waiting Time = Turnaround Time * Burst Time
    - Waiting Time = Turnaround Time / Burst Time

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

4. **In First-Come-First-Served (FCFS) scheduling algorithm waiting times of P1 and P2 are 8 and 9 seconds respectively, their average waiting time will be.**
    - 9 seconds
    - **8.5 seconds ✓**
    - 8 seconds
    - 10 seconds

5. **In Linux environment we can create the thread by using the system call.**
    - fork()
    - exce()
    - **pthread_create() ✓**
    - execip()

In Linux environment _____ function returns the ID of the calling thread.

- mthread()
- Xthread()
- bthread()
- **pthread_self() ✓**

In Linux multithreading we can link the pthread library in the Linux command prompt by using the following option.

- -lpthread
- -upthread
- -xpthread
- **-lpthread ✓**

In First-Come-First-Served (FCFS) scheduling algorithm waiting times of P1 and P2 are 8 and 9 seconds respectively, their average waiting time will be.

- 8 seconds
- 9 seconds

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

- **8.5 seconds ✓**
- 10 seconds

In Round Robin (RR) scheduling Algorithm, suppose Process P1 has the following values of Turnaround time and Burst Time as: Turnaround Time = 10, Burst Time = 7. Waiting Time of Process P1 can be calculated as.

- **Waiting Time = Turnaround Time — Burst Time ✓**
- Waiting Time = Turnaround Time + Burst Time
- Waiting Time = Turnaround Time * Burst Time
- Waiting Time = Turnaround Time / Burst Time

In Round Robin (RR) scheduling algorithm burst times of P1 and P2 are 10 and 11 seconds respectively, and time quantum is 5 seconds. After every ____ seconds CPU scheduler will be invoked.

- **5 seconds ✓**

1. **In Unix/Linux environment for inter-process communication for related processes we used:**
   - pipe ✓
   - linklist
   - symbol
   - connection
2. **In Unix/Linux environment pipe() system call return the _____ descriptors.**
   - six
   - four ✓
   - two
   - three
3. **In Unix/Linux environment _____ system call is used for writing to the pipe.**
   - through()
   - written()
   - write() ✓
   - read()
4. **In Unix/Linux environment _____ system call is used for reading from the pipe.**

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

- written()
- read() ✓
- write()
- communicate()

5. **In Unix/Linux environment _____ system call is used for creating pipe between two related processes.**
   - communicate()
   - connection()
   - system()
   - pipe() ✓

1. In Unix/Linux environment pipe() system call return the ___
   - six
   - four ✔
   - five
2. In Unix/Linux environment _____ system call is used for creating pipe between two related processes.
   - pipe() ✔
   - O
   - connection()
   - system()
   - communicate()
3. In Linux environment we can create the thread by using the system call.
   - pthread_create() ✔
   - exce()
   - execip()
   - fork()
4. In Unix/Linux environment for inter-process communication for related processes we used _____ .

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

- linklist
- connection
- pipe ✔

5. In Unix/Linux environment _____ system call is used for writing to the pipe.
   - write() ✔
   - O
   - through()
   - written()
   - read()

1. In Unix/Linux environment _____ system call is used for reading from the pipe

- written()
- O
- communicate()
- **read()** ✔
- write()
- O O O

 In Unix/Linux environment pipe() system call return the _____ descriptors.

- five
- O
- four
- six
- **two** ✔
- O O O

 Command is used to show the current working directory.

- **mmspss** ✔
- ps
- mms

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

 In Linux _____ command is used to show the listing of all the files in current working directory.

- ms
- bs
- ds
- **ls** ✔

 In Linux environment, command line window is called the

- well
- tell
- **shell** ✔

1. To install the Linux on Virtual Machine we need to install the software on our system.
    - MYSQL
    - PHP
    - **Virtual Box** ✔
2. In Linux ____ command is used to show the listing of all the files in the current working directory.
    - **ls** ✔
    - ds
3. In Linux _____ command is used for changing your current working directory.
    - **cd** ✔
4. In Linux _ command is used to create a new directory.
    - **mkdir** ✔
    - O
    - make
    - maked
    - dir
    - O O O

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

5. In Unix/Linux environment _____ system call is used for writing to the pipe.
    - through()
    - O
    - read()
    - written()
    - **write()** ✔
    - O O O
6. In Linux environment, command line window is called the
    - **shell** ✔
    - well
7. In a multithreading environment, a thread waits for another thread within the same process by using the _____.
    - **pthread_join()** ✔
    - O
    - join()
    - exec()
    - exit()
    - O O O
8. In Unix/Linux environment _____! system call is used for creating a pipe between two related processes.
    - communicate()
    - O
    - system()
    - connection()
    - **pipe()** ✔
    - O O O
9. In the Linux environment, we can create the thread by using the _____ system call.
    - **pthread_create()** ✔
    - execlp()

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

- exec()
- O O O
- fork()

10. VirtualBox is developed by the
    - **Oracle Corporation ✔**
    - Microsoft Corporation
    - IBM Corporation

Which of the following is a Linux distribution?

- WinNT
- Ubuntu ✓
- MYSQL

In Unix/Linux environment _____! system call is used for creating a pipe between two related processes.

- pipe() ✓
- connection()
- communicate()
- system()

To install Linux on a Virtual Machine, we need to install the following software on our system.

- Virtual Box ✓
- PHP
- MYSQL

In Linux, _____ command is used for changing your current working directory.

- cd ✓

In Unix/Linux environment for inter-process communication for related processes we use __

- linklist
- connection
- pipe ✓
- symbol

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

1. To install Linux on Virtual Machine we need to install the _____ software on our system.

Options:

a) Virtual Box

b) Python

c) PHP

d) MYSQL

Correct option: a) Virtual Box

2. In Linux multithreading, we can link the pthread library in the Linux command prompt by using the following option.

Options:

a) -upthread

b) -lpthread

c) -ypthread

d) -xpthread

Correct option: b) -lpthread

3. In a multithreading environment, a thread waits for another thread within the same process by using the _____ call.

Options:

a) exit1()

b) pthread_join()

c) join()

d) exec()

Correct option: b) pthread_join()

4. _____ command is used to show the current working directory.

Options:

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

a) mms

b) ps

c) pwd

d) pss

Correct option: c) pwd

5. In Linux, _____ command is used for changing your current working directory.

Options:

a) cd

b) bd

c) sd

d) md

Correct option: a) cd

MAM MEHWISH 03184148783

All Subjects WhatsApp Groups Available

Contact: Mam Mehwish 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7)

🔥🔥 **Paid Vu Lms Handling** 🔥🔥

♦ **1 GDB= Rs 100**

♦ **1 Quiz= Rs 200**

♦ **1 Assignment=Rs 250**

💎 **Agr complete handling krwatey hain 1 subject ki with all activities= Rs 500 (Half Semester)** 💎

LECTURES Play Service Available In Very Low Price. 📱

🗣️🎉 **80-100% Marks Guaranteed** 🎉🗣️

🔥 **Miss Mehwish:03184148783**🔥

MAM MEHWISH 03184148783