CS605 Quiz File

I Mueen Hasan MCS4th on 3rd January 2023 have prepared and corrected this File. But still, it may have marked incorrectly. So, verify before using it.

1. Spiral model has ___dimensions.
- 2 Handouts Page 12
- 2
- 3
- 4
- None of the above

2. Effective software project management focuses on the four P's: These are
- People, Product, Process, Problem
- People, Passion, Process, Project
- People, Passion, Planning, Project
- People, Product, Process, Project

3. Fred Brook is a famous software engineer who wrote a great book related to software engineering named _____.
- A Mathematical Man Software Methodologies
- None of the above
- A Mythical Man Month

4. SEI stands for _____
- Software Engineering Institute Handouts Page 12
- Software Electric Institute
- Software Electronics Institute
- System Engineering Institute

5. Build and fix model is good for _____programs that do not require __.
- large, testing
- short, maintenance Handouts Page 15
- complex, QA
- small, testing

6. In __team organization, there is no permanent leader rather there are task coordinators.
- Controlled Decentralized
- **Democratic Decentralized**
- Controlled Centralized
- Synchronous paradigm

7. The important feature of extreme programming is the concept of ___.
- Feedback
- Risk assessment
- **Pair programming**
- Requirement elicitation

8. MOI model of leadership stands for
- Motivation, Operationalize, Integration

- Misunderstanding, Object, Ideas
- **Motivation , Organization , Innovation**
- Miscommunication, Organization, Invention

9. After passing through all the stages of the software development when we deploy the new system at the user side that stage is called ___.
   - Integration
   - development
   - Installation
   - **status quo**

10. A mockup application is developed in _____model to get user feedback.
   - waterfall
   - object oriented
   - fountain
   - **rapid prototype**

11. Software Engineering is the set of __and ___to develop software.
   - classes, objects
   - languages, processes
   - **processes, tools**
   - tools, objects

12. _____is the ability to encourage people to create and feel creative.
   - Organization
   - **Motivation**
   - Innovation
   - Managerial Identity

13. Caper Jones is famous researcher in the field of ____who made a company named Software Productivity Research
   - Biology
   - Chemistry
   - Mathematics
   - **Software Engineering**

14. eXtreme programming model is the concept of_____programming.
- Structural
- sequential
- **pair**
- event driven

15. model has a major drawback in that the delivered product may not fulfill the customer's requirements.
- **Waterfall**
- Build and Fix
- Prototyping
- Integrated waterfall and prototyping

16. procedures include QA activities, design and code reviews, and status meetings.
- Informal, interpersonal
- **Formal, interpersonal Handouts page 33**
- Informal, interpersonal
- Controlled centralized

17. is an Object-Oriented model.
- Spiral
- Waterfall
- Incremental
- **Fountain**

18. Task coordinators are appointed for short period of time in _organization team structure.
- controlled centralized
- **democratic decentralized**
- controlled decentralized
- formal impersonal approach

19. Effective project management focuses on 4 P's. These are __,_____, _____, and __.
- procedure, progress, public, practice
- **people, product, process, project**
- performance, practice, people, progress
- popularity, productivity, possession, policy

20. Capability Maturity Model has been developed by _____.
- System Engineering Institute
- **Software Engineering Institute**
- SIS Engineering Institute
- System and Technology Institute

21. Continuous process improvement is enabled by ____feedback from the _____.
- analytical, user
- mathematical, user
- logical, process
- **qualitative, process Handouts page 12**

22. procedures include QA activities, design and code reviews, and status meetings.
- Informal, interpersonal
- **Formal, interpersonal**
- Informal, interpersonal
- Controlled centralized

23. MOI model of leadership was developed by _____.
- **Weinberg Handouts page 30**
- Newton
- Don Carlos
- Edison

24. Caper Jones divided software related activities into _different categories.
- 35
- 40
- 20
- **25 Handouts Page 07**

25. If a software developer is going to develop software for a nuclear reactor which factor(s) will be more important?
- cost effectiveness
- performance
- reliability
- **both performance and reliability**

26. Each process defines certain deliverables known as the ____.
- **work products** **Handouts Page 12**
- software
- final product
- items

27. At Level-1 organizations follow _____processes.
- Linear
- **ad hoc** **Handouts Page 12**
- object oriented
- complex

28. eXtreme programming model is the concept of _____programming.
- Structural
- sequential
- **pair**
- event driven

29. Performance is inversely proportional to the _____.
- number of coordinators
- **amount of communication**
- amount of time
- number of leaders

30. is an Object-Oriented model.
- Spiral
- Waterfall
- Incremental
- **Fountain**

31. QA is an activity performed _____of the software development.
- at the initial stage
- at the final stage
- **throughout**
- at the middle

32. Continuous process improvement is enabled by ____feedback from the _____.
- analytical, user
- mathematical, user
- logical, process
- **qualitative, process**

33. Vision phase in a software process focuses on _____.
- What
- **Why**
- How
- Change

34. Construction activities are directly related to the ___of the software.
- installation
- risk analysis
- **development**
- debugging

35. Performance is inversely proportional to the _____.
- number of coordinators
- **amount of communication**
- amount of time
- number of leaders

36. _____activity is performed throughout software production
- Maintenance
- Development
- Analysis
- **Quality Assurance**

37. In software development __is performed at the end of each phase.
- **Verification**
- Validation
- identification
- Accreditation

38. Rapid application development is another form of __.
- **Incremental model**
- Prototyping model
- Linear Sequential model
- None of the above

39. ____model is developed keeping in mind the element of risk in the development of software
- **spiral**
- rad
- incremental
- synchronize and stabilize

40. ___dimension of Spiral model represents the cumulative cost to date
- Angular
- **Radial**
- horizontal
- circular

41. In _model user feedback is received very quickly because product is delivered in small versions.
- Spiral
- waterfall
- **Incremental Method**
- object oriented

42. In _model the product is developed without any proper design and specifications.
- waterfall
- **Built and fix**
- Prototyping
- none of them

43. The important feature of extreme programming is the concept of ___.
- feedback
- **Pair Programming**
- Risk Analysis
- requirements
- elicitations

44. _____is the ability to encourage technical people to produce to their best.
- Improvement
- **motivation**
- innovation
- creation

45. process to improve the chances of success.
- 3
- **5 Handouts Page 35**
- 4
- 8

46. If a software developer is going to develop software for a nuclear reactor which factor(s) will be more important?

- cost effective
- performance
- reliability
- **both b and c**

47. Capability Maturity Model (CMM) has _____levels.

- 4
- **5**
- 3
- 2

48. By default, every organization is working at ____

- **level 1**
- level 0
- level 3
- level 4

49. Software Engineering is the set of _____and ___to develop software.

- languages, processes
- classes, objects
- **processes, tools**
- tools, objects

50. ___model is a haphazard type of software development activity.

- Water fall
- incremental
- prototyping
- **build and fix**

51. phase in a software process focuses on change.

- vision
- **maintenance**
- definition
- development

52. COCOMO is the classic LOC cost-estimation formula and used thousand delivered source instructions (KDSI) as his ..... of size.

- LOC
- milestone unit
- **none of given**

53. _____deadline is one of the reasons of project failure.

- achievable
- feasible
- **unrealistic**
- realistic

54. model is very sensitive to the risk.

- **spiral**
- Waterfall
- incremental
- RAD

55. Software process and product quality are controlled at __.

- level 1
- initial level
- **level-4 Handouts Page 12**
- level 3

56. The _____model is used to overcome issues related to understanding and capturing of user requirements.

- **Rapid Prototyping**
- Water fall Build and Fix
- None of the above

57. Software has very close relationship

- Biology
- Physics
- chemistry
- **Economics**

58. For a software the total number of requirements are equal to .

- Functional requirements
- Nonfunctional requirements
- **Functional requirements + nonfunctional requirements**
- None of the given options

59. is the measure of how many defects are removed by the quality assurance processes before the product is shipped for operation.

- Removal Deficiency
- **Defect removal efficiency**
- Bug Report
- Bug Tracking Algorithm

60. Extent to which access to software or data by unauthorized persons can be controlled, is called

- None of given
- Efficiency
- Reliability
- **Integrity**

61. _____provides a quantitative value of some attribute of a process or a product.

- Metric
- **Measure**
- Function point
- Plan

62. Effort required to test a program to ensure that it performs its intended function .

- **Testability**
- Bug fixing
- Debugging
- Security

63. We need to employ some statistical techniques and plot the results . These are known as statistical control techniques.

- **Graphically**
- Automatically
- Manually
- Personally

64. technique was initially developed for manufacturing processes in the 1920′s by Walter Shewart.

- Upper Control Line
- **Control chart Handouts (Page 75)**
- CMP
- Quality

65. Control charts are of following two types:
- **Moving range control charts and Individual control charts**
- Moving range control charts and statical control charts
- Individual control charts and statical control charts
- None of the given options

66. The extent to which a program can be reused in other applications is called .
- Reliability
- Performance
- Usability
- **Reusability**

67. Quality can be measured if we measure the of the product.
- correctness
- maintainability
- integrity and usability
- **All the given options**

68. The amount of "computing resources", required by a program to perform its function is.
- **Efficiency**
- Integrity
- Reliability
- None of given

69. Defects per function points is a .
- Measure
- **Metric**
- Quality attribute
- Process

70. Defect removal efficiency is calculated as: Where E = errors found before delivery D = errors found after delivery (typically within the first year of operation)
- **DRE = E/(E+D)**
- DRE = E + D
- DRE = E + D/E
- DRE = E/D - E

71. In context of "Individual control chart", if a single metrics value lies outside UNPL, it means that:

- The process has been matured
- The process is not mature yet
- **Process is out of control** **Handouts page 77**
- Process is within control

72. In context of moving range and individual control charts, UNPL stands for:

- Universal Natural Process Line
- Universal Natural Process Limit
- **Upper Natural Process Limit** **Handouts page 77**
- Upper Natural Process Line

73. When more than one user interprets the same requirement in different ways then we can say that the requirement is:

- None of the given
- Incomplete
- **Ambiguous**
- Incorrect

74. Identify the most appropriate statement:

- **The quality of the software specification is of extreme importance.**
- The nonfunctional requirements can be skipped.
- The nonfunctional requirements do not impact the quality of product.
- None of the given options.

75. Which of the following is not TRUE about "Error Tracking"?

- Error tracking can be used to estimate the progress of the project
- **We track errors in work products to assess the status of a project.**
- During "Error Tracking", we may also need the historical data from similar projects.
- All the given

76. CPM stands for:
- Critical Project Measure
- **Critical Path Method** **Handouts Page 100**
- Common Project Measure
- Critical Planning Model

77. The boundary time defines the following parameter(s) for a project:
- The latest time for task initiation before the minimum project completion time is delayed
- The earliest finish
- The latest finish
- **All the given**

78. is one of the techniques to prepare project schedule once we have defined "task network"
- **Program evaluation and review techniques (PERT)** **Handouts Page 100**
- Critical Communication path method (CCPM)
- System resource negotiation method (SRNM)
- Strategic Schedule Development technique (SSDT)

79. is one of the techniques used during severe deadline pressure.
- PERT
- CPM
- **Time Boxing**
- Macroscopic scheduling

80. BCWP refers to:
- Normalized value of budgeted cost
- Overall expected cost of the project (anticipated cost)
- **Budgeted cost of work performed so far**
- Overall cost of the project (calculated after completion of project)

81. Quality assurance helps management in providing the necessary data about:
- **Product quality**
- Errors/bugs left
- Errors/bugs highlighted
- Defect reports

82. The amount of "computing resources", required by a program to perform its function is .....

Efficiency

83. In context of moving range and individual control charts, lnpl stands for: …

Lower natural process limit

84. Defects per function points is a ____

matric

85. In context of moving range and individual control charts, unpl stands for:

Upper natural process limit

86. quality can be measured if we measure the _of the product.

Correctness, maintainability, integrity, usaibility

87. when more than one user interprets the same requirement in different ways then we can say that the requirement is:

Ambiguous

88. ___is the measure of how many defects are removed by the quality assurance processes before the product is shipped for operation

Defect removal efficiency

89. for a software the total number of requirements are equal to _____.

Functional requirements + non-functional requirements

90. effort required to test a program to ensure that it performs its intended function

_____testability

91. the extent to which a program satisfies its specifications and fulfills the Customer's mission objectives is

Correctness

92. In Capability Maturity Model (CMM), performs optimization.
- level 1
- level 3
- **level 5 page 12**

93. is an Object-Oriented model.
- Spiral
- Waterfall
- Incremental
- **Fountain page 23**

94. Synchronize and Stabilize model is adopted by .
- Apple Macintosh
- **Microsoft page 19**
- Sun Java System
- Netsol Technologies

95. According to DeMarco a good team leader should have only characteristics.
- **four page 31**
- five
- three
- seven

96. _____ can be a reason of project failure.
- Realistic deadline
- Requirement
- **Miscommunication**
- Small project size

97. _____is the ability to encourage technical people to produce to their best.
- Improvement
- Motivation
- Innovation
- **Creation**

98. In Rational Unified Process (RUP) horizontal dimension represents the __aspect of the process.
- **dynamic**
- static
- linear
- circular

99. approach is better for the team spirits point of view.

- Controlled Decentralized
- Informal, interpersonal procedures
- Controlled Centralized
- **Democratic Decentralized**

100. There are two very different approaches to cost estimation. The older approach is called LOC estimation, since it is on initially estimating the number of lines of code that will need to be developed for the project.

- **Based**
- Good
- bad
- None

101. Vision phase in a software process focuses on

- what
- how
- change
- **why**

102. W5HH Principle consists of seven .

- answers
- **question**
- points
- steps

103. _____model is opposite to waterfall model .

- spiral
- **incremental**
- prototype
- Synchronize and stabilize

104. Rapid application development is another form of

- Linear Sequential model
- prototype
- Synchronize and stabilize
- **incremental**

105. model is adopted by Microsoft

- **Synchronize and Stabilize**
- RAD
- Build and Fix
- Spiral

106. Every task should be assigned to a specific team --.

- **Member** **Page #89**
- Manager
- Organizer

107. Which one is not the Software project planning activity carried out by the project manager for estimation?

- Software scope estimation
- Time requirements
- **Product Quality** **Page # 75**

108. While performing risk analysis, the impact of risk **cannot** be measured quantitatively

- True
- **False** **Page # 81**

109. Degree of uncertainty that the product will meet its requirements and be fit for its intended use is the

- Cost risks
- Schedule risks
- **Performance risks** **Page # 83**
- None of the given choices

110. Proactive risk management philosophy is also sometimes termed as Indiana Jones School of risk management

- True
- **False** **Page #80**

111. Integrity means that the software should

- **Withstand the attack from a hacker** **Page #65**
- Help the hacker to hack the system
- Help the users to enjoy usability
- None of the given

112. In function point analysis technique EO stands for

- Export operation
- Export output
- **External output** **Page #44**
- None of these

113. Which of these software characteristics are used to determine the scope of a software project?
- Context, lines of code, function
- Context, function, communication requirements
- Information objectives, function, performance
- **Communications requirements, performance, information objectives Page #75**

114. is the first stage of waterfall lifecycle model
- **Requirement definition Page #13**
- Operation
- Unit testing
- Implementation

115. is not the part of software development loop.
- Status Quo
- Problem definition
- Technical development
- **Task set Page #8**

116. is not the management part of software development activities.
- **Coding Page #7**
- Quality Assurance
- Project planning

117. Phase in a software process focuses on change.
- Vision
- **Maintenance Page #12**
- Definition
- Development

118. Model is adopted by Microsoft
- RAD
- Build and Fix
- Spiral
- **Synchronize and Stabilized Page #17**

119. The important feature of extreme programming is the concept of .
- Feedback
- Risk assessment
- **Pair Programming Page #20**
- Requirement elicitation

120. paradigm, structures a team loosely and depends on individual initiative of the team members

- Closed Open
- **Random Page #29**
- Synchronous

121. In model the product is developed without any proper design and specifications.

- Waterfall
- **Build and Fix Page #13**
- Prototyping
- None of the given

122. The _____dimension in rational unified process model represents the dynamic aspect of the process.

- Angular
- **Horizontal Page #21**
- Vertical
- regular

123. Teams generate more and better solutions than individuals and are most useful for complex problems

- **Decentralized Page #29**
- Centralized

124. In , there is both vertical and horizontal communication.

- Democratic decentralized (DD)
- **Controlled Decentralized (CD) Page #29**
- Controlled centralized (CC)
- Synchronous paradigm (SP)

125. The _____model is used to overcome issues related to understanding and capturing of user requirements.

- Waterfall
- **Rapid Prototyping Page #15**
- Build and Fix
- None of the above

126. Pair programming is associated with:

- Incremental development
- **Extreme Programming Page #20**
- Prototyping
- Synchronize and stabilize

127. The conceptual interface between the 'internal' application and the 'external' user world is known as----------

- Control Information
- Count Data Functions
- Development count
- **Application Boundary**

128. If an employee number which appears twice in an ILF/EIF, count the DET .

- twice
- Thrice
- Null
- **once**

129. W5HH Principle consists of seven .

- points
- answers
- **questions**
- steps

130. Which of the following is a Software Metric?

- No. of function points
- Lines of Code
- **Defects per function point (not sure)**
- No. of defects

131. The primary difference between an internal logical file and an external interface file is that is not maintained by the application being counted.

- DET
- **ELF**
- RET
- ILF

132. lifecycle models appreciate the need for iteration within and between phases. Rapid Application Development

- Spiral Model
- **Object Oriented**
- Extreme Programming

133. Which one of the following is NOT a useful indicator of software quality?

- Correctness
- **Code size Page #63**
- Maintainability
- Integrity
- Usability

134. Which one of the following does not belong to a strategy for dealing with risk?

- Risk avoidance
- **Security risk assessment** **Page #86**
- Risk monitoring
- Risk management and Contingency planning

135. Three categories of risks are

- Business risks, personnel risks, budget risks
- **Project risks, technical risks, business risks** **Page #82**
- Planning risks, technical risks, personnel risks
- Management risks, technical risks, design risks

136. The software reengineering process model includes restructuring activities for which of the following work items?

- Code
- Documentation
- Data
- **All the given options** **Page #65**

One graphical technique for determining whether a process exhibits out-of-control change behavior is a.

- **Control chart** **Page #70**
- Fishbone diagram
- Pareto diagram
- Process diagram

137. The first step in project planning is to

- Determine the budget.
- Select a team organizational model.
- Determine the project constraints.
- **Establish the objectives and scope.** **Page #75**

138. A law affirming that to continue after a certain level of performance has been reached Will result decline in effectiveness. This law is known as

- **Law of Diminishing returns** **Page #4**
- Law of effectiveness
- Law of Saturation
- Law of Marketing returns

139. Build and Fix model is a _____type of software development activity.

- Mathematical
- Perfect
- **Haphazard (Reference book) Page #32**
- Planned

140. In a team is structured along a traditional hierarchy of authority

- **Closed paradigm Page #29**
- Synchronous paradigm
- Random paradigm
- Open paradigm

141. MTTC is the abbreviation of

- Measured time to change
- Mean time to collaborate
- **Mean time to change Page #64**
- Measure time to cope

142. FAST is the abbreviation of

- Facilitated Application Specification Technology
- **Facilitated Application Specification Technique Page #75**
- Facilitated Application Specialization Technique
- None of the above option

143. Defect per unit function point is a Measure

- **Metric Page #61**
- Measurement
- None of the above

144. The rapid application development model is

- A useful approach when a customer cannot define requirements clearly
- **Speed adaptation of the linear sequential model Page #17**
- Both are true
- None of them is true

145. Several entities are always created and deleted together then this is a strong indication that they should be grouped into logical file/files.

- **Together, Single Page #43**
- Together, Multiple
- Together, Double
- All the given

146. Chart that is used to develop the individual control chart is called statistical control techniques.

- **Yes** **Page #69**
- No

147. A ----------entity is the one which have any in the problem domain without some other entity.

- Strong, Role*
- All the given
- Weak, Function
- **None of the Given** **Page # 47**

148. - give you a better insight into the state of the process or product.

- **Metrics** **Page #62**
- Efficiency
- Reliability
- Usability

149. We need to employ some statistical techniques and plot the result --. This is known as Statistical control techniques.

- **Graphically** **p#69**
- Automatically
- Manually
- Personally

150. The extent to which a program satisfies its specifications and fulfills the customer's mission objectives is .....

- Integrity
- Reliability
- **Correctness** **Page#63**
- None of given

151. Metrics to assess the quality of the analysis models and the corresponding software specification were proposed.....

- Ricado in 1993
- Davis in 1990
- **Davis in 1993** **Page #60**

152. The most important objective of any engineering activity is to produce high quality product with limited resources and----------

- **Time** **Page #62**
- Persons
- Cost
- Metrics

153. The amount of computing resources required by a program to perform its function is
- **Efficiency p#63**
- Integrity
- Reliability
- None of given

154. Of the is a pre-requisite of all sorts of estimates, including, resources, time, and budget.
- **Software scope Page #75**
- Software Risk
- Software Quality
- Software Management

155. Extent to which access to software or data by unauthorized persons can be controlled and called
- None of given
- Efficiency
- Reliability
- **Integrity Page #63**

156. ILF is a --- identifiable group of logically control in formations the boundary the application.
- **User, within Page #37**
- User, without
- All the given
- User, along

157. The level 1 of CMM is known as
- Managed
- Defined
- **Initial Page #10**
- Repeatable

158. After building the Decision Tree, following formula is used to find the expected cost for Choose the correct formula:
- **Expected Cost= (path probability) i * (estimated path cost) Page #78**
- Expected Cost= (path probability) i / (estimated path cost)
- Expected Cost= (path probability) i + (estimated path cost)
- Expected Cost= (path probability) i - (estimated path cost)

159. is data that influences an elementary process of the application Elementary Process
- External Query
- External Output
- **Control Information Page #37**

160. Empirical models are statistical models and are based upon historic data

- **True** **Page #76**
- False

161. An entity which defines many-to-many relationship between two or more entities is called

- **Associative Entity Type** **Page #42**
- Attributive Entity Type
- Entity Subtype
- None of the above

162. In context of moving range and individual control charts, UNPL stands for: Universal Natural Process Line

- Universal Natural Process Limit
- **Upper Natural Process Limit** **Page #77**
- Upper Natural Process Line

163. The extent to which a program can be expected to perform its intended function with required precision is called

- Usability
- **Reliability** **page 67**
- Portability
- Maintainability

164. When more than one user interprets the same requirement in different ways then we can say that the requirements are

- none of the given
- Incomplete
- **Ambiguous** **Page #63**
- Incorrect

165. The Correct statement is

- None of the given
- The greater the dependency between the components the lesser is coupling
- The lesser the dependency between the components the greater is coupling
- **The greater the dependency between the components the greater is coupling** **Page #69**

166. Function/Test matrix is a type of Interim Test report

- Final test report
- **Project status report** **p#126**
- Management report

167. In measuring Software Process Quality by using control charts, if the gap between the defects reported and defects fixed is increasing, then it means

- **The product is in unstable condition Page #78**
- the product is ready for shipment
- the product is in stable condition.
- None of the above

Quizess:-

Vision phase in a software process focuses on _____.

What
Why
How
Change

_____model has a major drawback in that the delivered product may not fulfill the customer's requirements.

Water fall
Build and Fix
Prototyping
Integrated water fall and prototyping

Quiz Start Time: 02:58 PM Time Left 84
sec(s)

MC130402383

Question # 3 of 10 (Start time: 02:59:47 PM) Total Marks: 1
MOI model of leadership stands for
Select correct option:

Motivation , Operationalize ,Integration
Misunderstanding , Object, Ideas
Motivation , Organization , Innovation
Miscommunication , Organization, Invention

The _____model is used to overcome issues related to understanding and capturing of user requirements.

Rapid Prototyping
Water fall
Build and Fix
None of the above

: Water fall model is a document driven model.

True
False

The Waterfall Model is a documentation-driven model

: Spiral model has _____dimensions.

2
3
4
None of the above

The_____model of software development is a useful approach when a customer cannot define requirements clearly.

Prototyping
Water fall
RAD
Build and Fix
Question # 8 of 10 (Start time: 03:03:57 PM) Total Marks: 1
_____phase in a software process focuses on change.

Vision
Maintenance
Definition
Development

MC130402383

_____activity is performed throughout software production

Maintenance
Development
Analysis
Quality Assurance

_____paradigm,structures a team loosely and depends on individual initiative of the team members

Closed
Random
Open
Synchronous

: In _____model the product is developed without any proper design and specifications.

Water fall
Build and Fix
Prototyping
None of the abov

model is a haphazard type of software development activity.

Water fall
Incremental
Prototyping
Build and Fix

Rapid application development is another form of _____.

Incremental model
Prototyping model
Linear Sequential model
None of the above

software project management focuses on the four P's: These are

People , Product , Process , Problem
People , Product , Process , Project
People , Passion , Process , Project
People , Passion , Planning , Project
: _____model of software development is a good approach when core product is required quickly.

Incremental
Linear Sequential
Prototyping
None of the above

VC13040238

: The _____dimension in rational unified process model represents the dynamic aspect of the process.

Horizontal
Angular
Vertical
Regular

model is developed keeping in mind the element of risk in the development of software

Spiral
RAD
Incremental
Synchronize and Stabilize

_____model is adopted by Microsoft

RAD
Build and Fix
Spiral

Synchronize and Stabilize

_____model is adopted by Microsoft

RAD
Build and Fix
Spiral
Synchronize and Stabilize

In _____model the product is developed without any proper design and specifications.

MC130402383

Water fall

Build and Fix

Prototyping

None of the above

?

_____teams generate more and better solutions than individuals and are most useful for complex problems

Decentralized

MC130402383

Centralized

: _____model is adopted by Microsoft

RAD

Build and Fix

Spiral

Synchronize and Stabilize

: In _____, there is both vertical and horizontal communication.

MC13040238 3

Controlled decentralized (CD)

Democratic decentralized (DD)

Controlled centralized (CC)

Synchronous paradigm (SP)

Bookmark

In _____, there is both vertical and horizontal communication.

Controlled decentralized (CD)

MC130402383

Democratic decentralized (DD)

Controlled centralized (CC)

Synchronous paradigm (SP)

: The _____model is used to overcome issues related to understanding and capturing of user requirements.

Rapid Prototyping

Water fall

Build and Fix

MC130402383

None of the above

Bookmark

The _____dimension in rational unified process model represents the dynamic aspect of the process.

Horizontal

Angular

Vertical

Regular

_____dimension of Spiral model represents the cumulative cost to date

MC130402383

Radial

Angular

: Rapid application development is another form of _____.

Incremental model

Prototyping model

Linear Sequential model

MC130402383

None of the above

Software Engineering CS605 Solved MCQs for Final Term Mega Collection with Reference

MCQs of Lecture 1

(Introduction to SE)

1 SE is the set or the combination of processes and tools to develop software

True Lec# 1 PAGE #2

2 All the things that are related to……Are also related to SE

Software Lec#1 PAGE #2

3 Now days……Language is widely being used.

MC130402383

Object Oriented Programming Lec#1 PAGE #2

4 Characteristics of well engineered software are

Reliable, User Friendly, Quality Assurance, Cost Effective Lec#1 PAGE #2

5 SE is actually a ……

Balancing act Lec 1 PAGE #3

6 There is always a……among all the requirements of a software

Trade-off Lec#1 PAGE #3

7 ..... is the process of balancing among different characteristics of a software

Software Development Lec#1 PAGE #4

8 A law affirming that to continue after a certain level of performance has been reached will result decline in effectiveness. This law is know as.....

Law of Diminishing returns Lec#1 Page #4

MC130402383

9 Coper Jones divided the software activities into.....

25 different categories Lec#1 PAGE #5

10 Coding is not more than.....the whole effort of software development.

13-14% Lec#1 PAGE #5

11 according to Fred Brook, Software is like a.....

Giant Lec#1 PAGE #6

12 SE is nothing but a.....To software development

Disciplined and Systematic approach Lec#1 PAGE #6

13.....Activities are directly related to development of the software

Construction Lec#1 PAGE #6

14 Requirement gathering, design, coding, testing are activities related to .....

Construction of software Lec#1 PAGE #6

MC130402383

15 ... .are kind of umbrella activities used to smoothly and successfully perform construction activities.

Management activities Lec#1 PAGE #6

16 Project Planning Management, Configuration management, SQA, Installation and training activities are related to .....

Management Lec#1 PAGE #6

17.....is surrounded by management activities

Construction Lec#1 PAGE #7

18 Software development organizations must focus

On... .....While performing SE activities

Quality Lec#1 PAGE #7

19 ..... are the set of Key Process area and define the tasks to perform and the order in which they are performed.

Processes Lec#1 PAGE #7

20 ..... Provide the technical "How-to's "to carry out tasks

MC130402383

Methods Lec#1 P#7

21 There could be.....Technique to perform a task

More than one technique Lec#1 PAGE #7

22 Every task has some..... and every deliverable should be delivered at particular .....

Deliverable, Milestone Lec#1 PAGE #7

23 ..... Techniques could be used in different situations to perform a task.

Different Lec#1 PAGE #7

24 .....Provides automated or semi automated support for software processes, methods and quality control.

Tools Lec#1 PAGE #7

25 Software development activities could be performed in a cycle and that cycle is called.....

Software Development Loop Lec#1 PAGE #8

26 Problem Definition, Technical Development, Solution Integration and Status Quo are stages of.....

MC130402383

Software Development Loop Lec#1 PAGE #8

27 In.....Stage of software development loop we try to determine what is the problem against which we are going to develop software

Problem definition Lec#1 PAGE #8

28 In.....Stage of software development loop we try to find the solution of the problem on technical grounds and base our actual implantations on it.

Technical Development Lec#1 PAGE #8

29 .....Is the stage of software development loop where a new system is actually developed to solve the problem defined in the first stage of software development loop?

Technical Development Lec#1 PAGE #8

30 The situation in software development loop where we actually deploy the new system at user site is called.....

Status Quo Lec#1 PAGE #8

31 The stage of software development loop in which interaction of newly developed system takes place with already developed systems is known as.....

Solution integration Lec#1 PAGE #8

32 In Software development loop once we get new requirements, then we need to change the.....

Status Quo Lec#1 PAGE #8

MCQs of Lecture 2

(Software Process)

33..... is the road map that helps to produce timely and high quality result (software). It provides stability and control.

Software Process Lec#2 PAGE #10

MC130402383

34 Each process defines certain deliverables known as.....

Work products Lec#2 PAGE #10

35 Work Products include ..... Produced as a consequence of SE activities

Programs, documents and data Lec#2 PAGE #10

36 CMM stands for.....

Capability Maturity Model Lec#2 PAGE #10

37 CMM is developed by.....

Software Engineering Institute Lec#2 PAGE #10

38 CMM is developed by SEI to judge the..... of an organization

Process maturity level Lec#2 PAGE #10

39 CMM is divided into... .....different levels

Five Lec#2 PAGE #10

MC130402383

40 The CMM level in which the software process is characterized as ad-hoc is .....

Level 1 Initial Level Lec#2 PAGE #10

41 By default every organization would be at.....of CMM

Level 1 Initial Level Lec#2 PAGE #10

42 Levels of CMM are characterized as .....

Initial, Repeatable, Defined, Managed, Optimizing Lec#2 PAGE #10

43 Success depends upon individual effort and few processes are defined in ..... Level of CMM

Initial or 1 Level Lec#2 PAGE #10

44 Level of CMM in which basic project management processes are established to track cost, schedule and functionality is .....

Repeatable or Level 2 Lec#2 PAGE #10

45 Level of CMM in which process for both management engineering activities is documented, standardized and integrated into an organized software process is .....

Defined or Level 3 Lec#2 PAGE #10

46 In.....level of CMM detailed measures for software process and product quality are controlled.

Level 4 also known as Managed Level Lec#2 PAGE #10

47 Qualitative feedbacks are associated with.....Level of CMM

Level 5 Optimizing Level Lec#2 PAGE #10

48 SE has associated..... With each maturity level

Key Process areas KPAs Lec#2 PAGE #10

49..... are the overall objectives that the KPA must achieve.

Goals Le#2 PAGE #11

MC130402282

50 ..... are the requirements imposed on the organization that must be met to achieve the goals or provide proof of intent to comply with the goals?

Commitments Lec#2 PAGE #11

51 ..... Should be technically and organizationally in place to enable the organization to meet the commitments

Abilities Lec#2 PAGE #11

52 ..... Are the specific tasks required to achieve the KPA function?

Activities Lec#2 PAGE #11

53 ..... are used to verify implementation or it is the manner in which proper practice for the KPA can be verified.

Methods Lec#2 PAGE #11

54 For ..... level of CMM, No KPAs are defined.

Level 1 or initial level Lec#2 PAGE #11

MC130402383

MCQs of Lecture 3

(Software Lifecycle Model)

55 software systems passes through... ..... phases

Four Phases Lec#3 PAGE #12

56 Phases of a software system are .....

Vision, definition, development and maintenance Lec#3 PAGE #12

57 Vision phase in software process focuses on .....

Why Lec#3 PAGE #12

58 Definition phase in software process focuses on .....

What Lec#3 PAGE #12

MC130402383

59 Development phase in software process focuses on .....

How Lec#3 PAGE #12

60 Maintenance phase in software process focuses on .....

Change Lec#3 PAGE #12

61..... is series of steps through which a product progresses.

Lifecycle Model Lec#3 PAGE #12

62.....**depict the way you organize your activities.**

Lifecycle Model Lec#3 PAGE #12

63 In.....**model product is constructed without specification or any attempt at design**

Build & Fix model Lec#3 PAGE #13

64 Build and fix model is suitable to develop .....**projects**

MC130402383

Small Lec#3 PAGE #13

65 The cost of build and fix is actually far........**than the cost of properly specified and carefully designed product.**

Greater Lec#3 PAGE #13

66 In case of build and fix model maintenance of the product can be.....**in the absence of any documentation**

Extremely Lec#3 PAGE #13

67 Using…….Model developer can build a product that is reworked as many times as needed to satisfy the client.

Build and Fix Model Lec#3 PAGE #13

68 ……Is a linear sequential model

Waterfall Model Lec#3 PAGE #13

69 ……Is documentation driven model

MC130402383

Waterfall Model Lec#3 PAGE #15

70…… Generate complete and comprehensive documentation

Waterfall Model Lec#3 PAGE #15

71 waterfall models make the maintenance much……

Easy Lec#3 PAGE #15

72 .....model has major time and cost related consequences

Waterfall Model Lec#3 PAGE #15

73 .....is the first stage of waterfall lifecycle model

Requirement definition Lec#3 PAGE #13

74 Real projects... ..... Follow the sequential flow that the model proposes.

MC130402383

Rarely Lec#3 PAGE #14

75 The purpose of ..... model is to capture client's need (user requirements)

Rapid Prototyping Model Lec#3 PAGE #15

76 ..... Has major drawback that the delivered product may not fulfill the client's needs

Waterfall Model Lec#3 PAGE #15

77 to fulfill client's needs, one solution is the combination of.....

Rapid Prototyping and Waterfall Model Lec#3 PAGE #15

MC130402383

MCQs of Lecture 4

(Incremental Model)

78 ..... Model is used when requirements are fully understood.

RAD Rapid Application Development Lec#4 PAGE #17

79 ..... Results in delayed feed back from the client.

Waterfall Model Lec#4 PAGE #16

80 In case of waterfall model, entire product is developed and delivered to the client in ..... Package

One Package Lec#4 PAGE # 16

81 in .....model product is partitioned into smaller pieces which are built and delivered to the client.

MC130402383

Incremental Model Lec#4 P#16

82 Incremental models results in...... Feedback from the client

Quick Lec#4 PAGE #16

83..... less traumatic as compared to waterfall model.

Incremental Model Lec#4 PAGE # 16

84 There are ..... basic fundamental approaches to the incremental development.

Two Lec#4 PAGE #16

85 RAD is the form of... ..... model

Incremental Model Lec#4 PAGE #17

MC130402383

86..... model is adopted by Microsoft

Synchronize and Stabilize Model Lec#4 PAGE #17

87 Spiral model was developed by.....

Barry Boehm Lec#4 PAGE #18

88 There is always an element of ..... In software development activity

Risk Lec#4 PAGE #18

89 Spiral model is……

Waterfall model and Risk analysis Lec#4 PAGE #18

90 Spiral Model has……Dimensions

Two Lec#4 PAGE #18

91 Spiral Model has two dimensions named as ……

Radial and Angular dimensions Lec#4 PAGE #18

MC130402383

92 Radial dimension of spiral model represents……

Cumulative cost to date Lec#4 PAGE #18

93 Angular dimension of spiral model represents……

Progress through the spiral Lec#4 PAGE #18

94 …… is very sensitive to risk

Spiral Model Lec#4 PAGE #19

95 Spiral model is used to develop……

Large scaled software Lec#4 PAGE #19

MCQs of Lecture 5

(Object Oriented Lifecycle Models)

96 Very important feature of Extreme Programming is .....

Pair Programming Lec#5 P#20

MC130402383

97 One very important restriction imposed in the extreme programming object oriented model is that no team is allowed to work overtime for.....

Two successive Weeks Lec#5 PAGE #20

98 ..... Is Object Oriented Lifecycle model

Fountain model Lec#5 PAGE #20

99 Arrows in fountain model represent... ..... Within the phase

Iteration Lec#5 PAGE #21

100 Maintenance cycle of fountain model is……

Smaller Lec#5 PAGE #21

101 RUP stands for……

Rational Unified Process Lec#5 PAGE #21

102 RUP is closely related to…… Model

UML and Krutchen's Model Lec#5 PAGE #21

MC130402383

103 In RUP model …… Represents dynamic aspect of process

Horizontal dimension Lec#5 PAGE #21

104 In RUP model …… Represents static aspect of process

Vertical dimension Lec#5 PAGE #21

105 In RUP model during development all the activities are performed in……

Parallel Lec#5 PAGE #21

106 No single model may fulfill the needs in a given situation

True Lec#5 PAGE #22

107 There is no separate QA (quality assurance) or documentation phase

True Lec#5 PAGE #22

108 ..... is an activity performed throughout software production?

QA (Quality Assurance) Lec#5 PAGE #22

MC130402383

109 QA involves two things named as.....

Verification and validation Lec#5 PAGE #22

110...... is performed at the end of each phase

Verification Lec#5 PAGE #22

111 ..... Is performed before delivering the product to the client

Validation Lec#5 PAGE #22

MCQs of Lecture 6

(Software Project Management Concepts)

112 Good .....Is associated with 100% successful project

Project Management Lec#6 PAGE #24

113 .....Involves planning, organization, monitoring and control of people and the process

MC130402383

Software project Management. Lec#6 P#24

114 As the project size increases, the complexity of the problem also.....

Increases Lec#6 PAGE #24

115 .....specify the conditions and the restrictions imposed on the system.

Non functional Requirements or System constraints Lec#6 PAGE #24

116 ..... Has to ensure that the required no of resources is available to the project

Project Manager Lec#6 PAGE #25

117 Project Management is..... intensive activity

People intensive Lec#6 PAGE #27

118 ..... Is the outcome of the project?

Product Lec#6 PAGE #26

MC130402383

119..... has highest priority on project manager's agenda

People Lec#6 #26

120 There are.....P's related to project management

Four Lec#6 PAGE #26

121 There are four P's related to project management named as.....

People, Product, Process and Project Lec#6 PAGE #26

122 MOI stands for... ..... ?

Motivation, Organization and Innovation Lec#6 PAGE #27

123 MOI Model is developed by.....

Weinberg Lec#6 PAGE #27

124 ..... Is the ability to encourage people to produce their best?

Motivation Lec#6 PAGE #27

MC130402383

125 ..... Is the ability to mold the existing processes to be translated into a final product?

Organization Lec#6 PAGE #27

126 ..... Or the idea is the ability to encourage people to create and feel creative

Innovation Lec#6 PAGE #27

127 Successful project managers always apply..... management style

Problem Solving Lec#6 PAGE #27

128 ..... Involves developing an understanding of problem and motivating the team to generate ideas to solve the problems

Problem solving management style Lec#6 PAGE #27

129 according to Demarko, a good leader has..... characteristics

Four characteristics (Heart, Nose, Gut and Soul) Lec#6 PAGE #28

MC130402383

MCQs of Lecture 7

(The Software Team)

130 ..... paradigm, structures a team loosely and depends on individual initiative of the team members

Random Lec#7 PAGE #29

131 ..... Teams generate more and better solutions than individuals and are most useful for complex problems

Decentralized Lec#7 PAGE #29

132 In..... there is both vertical and horizontal communication.

MC130402383

Controlled Decentralized (CD) Lec#7 PAGE #29

133 .....complete tasks faster and are most useful for handling simple problems

Centralized Structure Lec#7 PAGE #29

134 In..... a team is structured along a traditional hierarchy of authority

. Closed paradigm Lec#7 PAGE #29

135 ..... Relies on natural compartmentalization of problem

Synchronous paradigm Lec#7 PAGE #29

136 ..... involves control activities of close and random paradigm

Open Paradigm Lec#7 PAGE #29

137 In..... Organization there is no permanent leader

MC130402383

Democratic Decentralized Lec#7 PAGE #29

138 In Democratic Decentralized organization communication is .....

Horizontal Lec#7 PAGE #29

139 In..... There is a defined leader who coordinates specific tasks

Controlled Decentralized Lec#7 PAGE #29

140 In Controlled Centralized communication is.....

Vertical Lec#7 PAGE #29

141 In.....Top level problem solving and internal team coordination are managed by the team leader.

Controlled Centralized Lec#7 PAGE #29

142 .....Results in confusion and uncertainty

Lack of coordination Lec#7 P#30

MC130402383

143 Performance is inversely proportional to the amount of .....

Communication Lec#7 PAGE #30

144 Too much communication and coordination is.....Healthy for a project

Not Healthy Lec#7 PAGE #30

145 Kraul and Steeter categorized the project coordination techniques as .....

Formal impersonal, Formal interpersonal and informal interpersonal approaches Lec #7 PAGE #30

146 SE documents, technical memos, schedules, error tracking reports are examples of..... Coordination

Formal impersonal Lec#7 PAGE #30

147 QA activities, Design and Code reviews and status meetings are examples of..... Coordination

Formal Interpersonal Lec#3 PAGE #30

MC13040383

148 Group meetings and collocating different groups together are examples of..... Coordination

Informal Interpersonal Lec#3 PAGE #30

149 ..... Communication includes email and bulletin boards

Electronic Lec#7 PAGE #30

150 ..... Includes informal discussions with group members

Interpersonal networking Lec#7 PAGE #30

151 Characteristics used to determine the scope of the software are……

Context, information objectives, function and performance requirements Lec#7 PAGE #31

152 To decide which model is to pick the project manager has to look at …… To be built and ……

Characteristics of the product & project environment Lec#7 PAGE #31

MC130402383

153 When requirements are uncertain…….model is suitable

Rapid Prototyping model Lec#7 P#31

154 When degree of uncertainty is minimized and the project is relatively small that is similar to past efforts than… ……Model can be used

Waterfall Model or linear sequential model Lec#7 PAGE #31

155 For projects with large functionality, quick turn around time ……. Model is suitable

Incremental Model Lec#7 PAGE #31

156 When requirements are known and there is tight timeliness and heavy compartmentalization then……Model is suitable

RAD Rapid Application Development Model Lec#7 PAGE

#31 Also see Lec#4 PAGE #17

MCQs of Lecture 8

(The Project)

MC130402383

157 ..... ensures timely delivery and remedial action

Tracking Lec#8 PAGE #32

To learn from mistakes and to improve the process continuously.....
Must be conducted

Project postmortem Lec#8 PAGE #32

158 ..... suggested a systematic approach to project management known as WWWWWHH Principle

Barry Boehm Lec#8 PAGE #32

159 Barry Boehm suggested a systematic approach to project management known as.....

WWWWWHH Principle Lec#8 PAGE #32

160 WWWWWHH principles comprises of..... Questions

MC130402383

Seven Lec#8 PAGE #32

161 WWWWWHH principles include 7 questions named as.....

Why, What, When, Who, Where, How, How much Lec#8 PAGE #32

162 WWWWWHH principles are applicable regardless of ..... Of the project and provides excellent ..... Outline

Regardless of size and complexity of the project and provides excellent planning outline Lec#8 PAGE #32

MCQs of Lecture 9

(Software Size Estimation)

163 ……Plays important role in determining the cost of the project

Time and Resources estimation Lec#9 P#33

MC130402383

164 The size of the project needs to be estimated to figure out the …… And ……

Time and number of resources Lec#9 PAGE #33

165 LOC stands for ……

Line of Code Lec#9 PAGE #33

166 If mixture of languages and tools is used then comparison even becomes more……

Difficult Lec#9 PAGE #33

167 LOC is technology (programming style) .....

Dependent Lec#9 PAGE #33

168 ..... measures the size of the functionality provided by the software

FP Functional Point Lec#9 PAGE #33

169 ..... Is measured as a function of the data and the operation performed on the data

Functionality Lec#9 PAGE #33

MC130402383

170 ..... Can be counted only after the code has been developed

LOC Line of Code Lec#9 PAGE #34

171 ..... can be counted even at requirement phase and use for planning and estimation

FP Functional Point Lec#9 PAGE #34

172 ..... Can not be used for planning and estimation

LOC Line of Code Lec#9 PAGE #34

173 ..... Measure application from developer's perspective

LOC Line of Code Lec#9 PAGE #34

174 ..... Measures the size of functionality from user's perspective

FP Functional Point Lec#9 PAGE #34

175 ..... Is the description of business functions and is approved by user and represents user needs

MC130402383

User view Lec#9 PAGE #34

MCQs of Lecture 10

(Function Point Counting Process)

176 Function point count can be divided into... .....categories

Three Lec#10 PAGE #36

177 Function point count can be divided into three categories named as.....

Development count, Enhancement Count and Application Count Lec#10 PAGE #36

178 The application boundary of two counts is.....And scope independent

Same Lec#10 PAGE #37

MC130402383

179.....includes all functions impacted by the project activities

Development Function point count Lec#10 PAGE #36

180.....includes all functions being added changed or deleted

Enhancement Function point count Lec#10 PAGE #36

181.....may include only the functions being used by the user or all the functions delivered

Application Function point count Lec#10 PAGE #36

182..... Basically the system's context diagram and determines the scope of count

Application Boundary Lec#10 PAGE #37

183..... indicates border b/w the software and user

Application Boundary Lec#10 PAGE #37

184 Data is divided into..... Categories on the basis of count data functions

MC130402383

Two Lec#10 PAGE #37

185 ILFs stands for .....

Internal Logical Files Lec#10 PAGE #37

186 EIFs stands for .....

External Interface Files Lec#10 PAGE #37

187..... Is a user identifiable group of logically related data maintained within the boundary of the application?

ILF Internal Logical File Lec#10 PAGE #37

188…… Is a user identifiable group of logically related data referenced by the application but maintained within the boundary of another application

External Interface Files EIFs Lec#10 PAGE #37

189 EIF counted for an application must be in an… …… in another application

MC13040383

ILF Lec#10 PAGE #37

190 …… Is the data that influence an elementary process of the application being counted?

Control information Lec#10 PAGE #37

191 Term… …… refers to defined requirements that are understood by both user and software developers

User identifiable Lec#10 PAGE #38

192 Term .....is the ability to modify data through an elementary process

Maintained Lec#10 PAGE #38

193 .....Is the smallest unit of activity that is meaningful to the user?

Elementary Process Lec#10 PAGE #38

MC130402383

194 DETs stands for.....

Data element types Lec#10 PAGE #38

195 RETs stands for.....

Record Element types Lec#10 PAGE #38

196 ..... is unique user recognizable non repeatable field

Data Element Type DET Lec#10 PAGE #39

MCQs of Lecture 11

(Function Point Counting Process)

197 ..... is user recognizable subgroup of data elements within an ILF or ELF

MC130402383

Record Element types Lec#11 P#41

198 There are..... Types of RET subgroups

Two Lec#11 PAGE #41 Optional and Mandatory subgroups

199 .....Are the subgroups that the user has the option to choose one or none of the subgroups during an elementary process?

Optional Subgroups Lec#11 PAGE #41

200 ..... Are the subgroups that the user must use at least one during an elementary process?

Mandatory Subgroups Lec#11 PAGE #41

201An elementary process can maintain..... ILF

More than one Lec#11 PAGE #42

202 We can count ILF or ELF only.....

Once Lec#11 P#42

MC130402383

203 An application can use an ILF or EIF..... times in an elementary process

Multiple times Lec#11 PAGE #42

204Entity is..... Representation of data

Logical Lec#11 PAGE #42

205..... Is something (person, place or thing) about which information is kept?

Entity Lec#11 PAGE #42

206Entity that represents relationship b/w two or more entities are……

Associative entity Lec#11 PAGE #42

207An entity can be weak or strong entity

True Lec#11 PAGE #42

208 Entity that represents subset of information about instance of an entity is called ……

MC130402383

Subtype entity Lec#11 P#42

209…… is principle data object

Entity Lec#11 PAGE #42

210The entity that can exist independently without some other entity is……

Strong entity Lec#11 PAGE #42

211The entity that can not exist independently without some other entity is……

Weak Entity Lec#11 PAGE #42

212 The entity type that describes one or more characteristics of another entity is ……

Attribute entity type Lec#11 PAGE #42

213The entity type that describes many to many relationship b/w two or more entity is ……

Associative entity type Lec#11 P#42

MC130402383

If several entities are always created together and deleted together then this is a strong indication that they should be grouped into a …… logical file

Single Lec#11 PAGE #43

… ……is defined as requirements specially requested by the user to complete elementary process

Processing Logic Lec#11 PAGE #44

Question # 1 of 10 (Start time: 05:50:00 AM) Total Marks: 1

In Rational Unified Process (RUP) horizontal dimension represents the _____aspect of the process.

- dynamic correct
- static
- linear
- circular

Saving...

Question # 2 of 10 (Start time: 05:51:07 AM) Total Marks: 1

There are two very different approaches to cost estimation. The older approach is called LOC estimation, since it is …….. on initially estimating the number of lines of code that will need to be developed for the project.

- Based
- Good

- None of given
- Bad

Saving...

Question # 3 of 10 (Start time: 05:52:31 AM) Total Marks: 1

Vision phase in a software process focuses on _____.

- What
- Why correct
- How
- Change

Saving..

Question # 4 of 10 (Start time: 05:54:01 AM) Total Marks: 1

If requirements are uncertain, _____model will be a suitable option.

- incremental
- RAD

- Waterfall
- Prototype

correct

Question # 5 of 10 (Start time: 05:54:54 AM) Total Marks: 1

Caper Jones is famous researcher in the field of _____ who made a company named Software Productivity Research

- Biology
- Chemistry
- Mathematics
- Software Engineering

correct

Question # 6 of 10 (Start time: 05:55:41 AM) Total Marks: 1

Continuous process improvement is enabled by _____feedback from the _____.

- analytical , user
- mathematical, user

- logical, process
- qualitative , process

correct

Question # 7 of 10 (Start time: 05:56:49 AM) Total Marks: 1

W5HH Principle consists of seven _____.

- answers
- questions

correct

- points
- steps

Quiz Start Time: 05:49 AM

Time Left 14 sec(s)

Question # 8 of 10 (Start time: 05:57:34 AM) Total Marks: 1

eXtreme programming model is the concept of _____programr ing.

- structural

- sequential
- pair correct
- event driven

Question # 9 of 10 (Start time: 05:59:05 AM) Total Marks: 1

_____is the ability to encourage technical people to produce to their best.


- Improvement
- Motivation correct
- Innovation
- Creation

Quiz Start Time: 05:49 AM

Time Left 70 sec(s)

Question # 10 of 10 (Start time: 06:00:11 AM) Total Marks: 1

Each process defines certain deliverables known as the _____.



correct

CS605 today quiz solved

VIC130402383

Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 1 of 10 (Start time: 06:23:45 PM) Total Marks: 1
_____help in finding the matrix to be stable or unstable

Control chart
Directed Graph
Cyclic chart
Base line graph
Quiz Start Time: 06:23 PM
Time Left 88
sec(s)
Question # 2 of 10 (Start time: 06:25:10 PM) Total Marks: 1
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.

Together, Single
All of the given
Together, Double
Together, Multiple
Quiz Start Time: 06:23 PM
Time Left 87
sec(s)
Question # 3 of 10 (Start time: 06:25:50 PM) Total Marks: 1

- ---------- give you a better insight into the state of the process or product.

Metrics
Efficiency
Reliability
Usability
Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 4 of 10 (Start time: 06:26:17 PM) Total Marks: 1
Determination of the..... is a pre-requisite of all sorts of estimates, including, resources, time, and budget.
software scope
software Risk
software Quality
software Management
Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 5 of 10 (Start time: 06:26:33 PM) Total Marks: 1
We need to employ some statistical techniques and plot the result ----------. This is known as statistical control techniques.
Graphically
Automatically
Manually
Personally
Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 6 of 10 (Start time: 06:26:59 PM) Total Marks: 1
When more than one user interpret the same requirement in different ways then we can say that the requirements are

None of the given
Incomplete
Ambiguous not sure
Incorrect
Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 7 of 10 (Start time: 06:28:02 PM) Total Marks: 1
The extent to which a program satisfies its specifications and fulfills the customer's mission objectives is ……

Integrity
Reliability
Correctness
None of given
Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 8 of 10 (Start time: 06:28:25 PM) Total Marks: 1
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.

Together, Single
Together, Multiple
Together, Double
All of the given
Quiz Start Time: 06:23 PM
Time Left 89
sec(s)
Question # 9 of 10 (Start time: 06:28:52 PM) Total Marks: 1
In case some software, it is extremely easy to operate with intuitive interface conforming to most excellent GUI practices of the industry. It needs very little training ----------
Less than one hour
Less than two hour not sure
Less than five hour
Less than ten hour
Quiz Start Time: 06:23 PM
Time Left 86
sec(s)
Question # 10 of 10 (Start time: 06:30:21 PM) Total Marks: 1
Metrics to assess the quality of the analysis models and the corresponding software specification were proposed .....

in 1993- 1999.
Ricado in 1993
Davis in 1990
Davis in 1993
Quiz Start Time: 06:31 PM
Time Left 88
sec(s)
Question # 1 of 10 (Start time: 06:31:40 PM) Total Marks: 1
Determination of the.....is a pre-requisite of all sorts of estimates, including, resources, time, and budget.
software scope
software Risk

BC130402383

software Quality
software Management
Quiz Start Time: 06:31 PM
Time Left 89
sec(s)
Question # 2 of 10 (Start time: 06:31:56 PM) Total Marks: 1
This chart is then used to develop the individual control chart is called statistical control techniques.

Yes
No
Quiz Start Time: 06:31 PM
Time Left 89
sec(s)
Question # 3 of 10 (Start time: 06:33:17 PM) Total Marks: 1
Which statement is correct?

None of the given not sure
The greater the dependency between the components the lesser is coupling
The lesser the dependency between the components the greater is coupling
The greater the dependency between the components the greater is coupling
Quiz Start Time: 06:31 PM
Time Left 89
sec(s)
Question # 4 of 10 (Start time: 06:33:44 PM) Total Marks: 1
Function/Test matrix is a type of

Interim Test report
Final test report
Project status report not sure
Management report
Quiz Start Time: 06:31 PM
Time Left 89
sec(s)
Question # 5 of 10 (Start time: 06:34:41 PM) Total Marks: 1
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.

Together, Single
Together, Multiple
Together, Double
All of the given
Quiz Start Time: 06:31 PM
Time Left 89
sec(s)
Question # 6 of 10 (Start time: 06:35:00 PM) Total Marks: 1

VU130402383

_____help in finding the matrix to be stable or unstable

Control chart

Directed Graph

Cyclic chart

Base line graph

Quiz Start Time: 06:31 PM

Time Left 89

sec(s)

Question # 7 of 10 (Start time: 06:35:13 PM) Total Marks: 1

The most important objective of any engineering activity is to produce high quality product with limited resources and----------

Time

Persons

Cost

Metrics

Quiz Start Time: 06:31 PM

Time Left 88

sec(s)

Question # 8 of 10 (Start time: 06:35:35 PM) Total Marks: 1

Extent to which access to software or data by unauthorized persons can be controlled and called ……

MC130402383

None of given

Efficiency

Reliability

Integrity

Quiz Start Time: 06:31 PM

Time Left 89

sec(s)

Question # 9 of 10 (Start time: 06:36:00 PM) Total Marks: 1

The amount of computing resources required by a program to perform its function is ……..

Efficiency

Integrity

Reliability

None of given

Quiz Start Time: 06:31 PM

Time Left 89

sec(s)

Question # 10 of 10 (Start time: 06:36:21 PM) Total Marks: 1

.....technique was initially developed for manufacturing processes in the 1920's by Walter Shewart.

Upper Control Line
Contorl chart
CMP
Quality
Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 1 of 10 (Start time: 06:37:28 PM) Total Marks: 1
Extent to which access to software or data by unauthorized persons can be controlled and called ……..…

None of given
Efficiency
Reliability
Integrity
Quiz Start Time: 06:37 PM
Time Left 90
sec(s)
Question # 2 of 10 (Start time: 06:37:48 PM) Total Marks: 1
_____help in finding the matrix to be stable or unstable
Control chart
Directed Graph
Cyclic chart
Base line graph
Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 3 of 10 (Start time: 06:37:57 PM) Total Marks: 1
Function/Test matrix is a type of

Interim Test report
Final test report
Project status report not sure
Management report
Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 4 of 10 (Start time: 06:38:05 PM) Total Marks: 1
The extent to which a program satisfies its specifications and fulfills the customer's mission objectives is ……

Integrity
Reliability
Correctness
None of given

BC130402383

Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 5 of 10 (Start time: 06:38:30 PM) Total Marks: 1
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.

Together, Single
Together, Multiple
Together, Double
All of the given
Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 6 of 10 (Start time: 06:38:48 PM) Total Marks: 1
In measuring Software Process Quality by using control charts, if the gap between the defects reported and defects fixed is increasing, then it means

The product is in unstable condition.
The product is ready for shipment
The product is in stable condition.
None of the above
Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 7 of 10 (Start time: 06:40:12 PM) Total Marks: 1
When more than one user interpret the same requirement in different ways then we can say that the requirements are

None of the given
Incomplete
Ambiguous not sure
Incorrect
Quiz Start Time: 06:37 PM
Time Left 88
sec(s)
Question # 8 of 10 (Start time: 06:40:22 PM) Total Marks: 1
This chart is then used to develop the individual control chart is called statistical control techniques.

Yes
No
Quiz Start Time: 06:37 PM
Time Left 88
sec(s)
Question # 9 of 10 (Start time: 06:40:36 PM) Total Marks: 1

- ---------- give you a better insight into the state of the process or product.

Metrics
Efficiency
Reliability
Usability
Quiz Start Time: 06:37 PM
Time Left 89
sec(s)
Question # 10 of 10 (Start time: 06:41:16 PM) Total Marks: 1
In case some software, it is extremely easy to operate with intuitive interface conforming to most excellent GUI practices of the industry. It needs very little training ----------
Less than one hour
Less than two hour not sure
Less than five hour
Less than ten hour
Quiz Start Time: 03:18 PM Time Left 88
sec(s)
Question # 1 of 10 (Start time: 03:18:25 PM) Total Marks: 1
A ----------entity is the one which have any---------- in the problem domain without some other entity.
Strong, Role*
All of the given
Weak, Function
None of the Given P # 47
Quiz Start Time: 03:18 PM Time Left 88
sec(s)
Question # 2 of 10 (Start time: 03:19:51 PM) Total Marks: 1
- ---------- give you a better insight into the state of the process or product.

Metrics
Efficiency
Reliability
Usability
Quiz Start Time: 03:18 PM Time Left 86
sec(s)
Question # 3 of 10 (Start time: 03:21:15 PM) Total Marks: 1
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.
Together, Single
Together, Multiple
Together, Double
All of the given

VC130402383

Quiz Start Time: 03:18 PM Time Left 89
sec(s)
Question # 4 of 10 (Start time: 03:22:27 PM) Total Marks: 1
We need to employ some statistical techniques and plot the result ----------. This is known as statistical control techniques.
Graphically
Automatically
Manually
Personally
Quiz Start Time: 03:18 PM Time Left 89
sec(s)
Question # 5 of 10 (Start time: 03:23:24 PM) Total Marks: 1
The extent to which a program satisfies its specifications and fulfills the customer's mission objectives is ……

Integrity
Reliability
Correctness
None of given
Question # 7 of 10 (Start time: 03:26:12 PM) Total Marks: 1
The amount of computing resources required by a program to perform its function is ……..
Efficiency
Integrity
Reliability
None of given
Question # 8 of 10 (Start time: 03:26:46 PM) Total Marks: 1
Metrics to assess the quality of the analysis models and the corresponding software specification were proposed .....

in 1993- 1999.
Ricado in 1993
Davis in 1990
Davis in 1993
Quiz Start Time: 03:18 PM Time Left 85
sec(s)
Question # 9 of 10 (Start time: 03:27:19 PM) Total Marks: 1
The most important objective of any engineering activity is to produce high quality product with limited resources and----------

Time
Persons
Cost
Metrics

MC130402383

Question # 10 of 10 (Start time: 03:27:53 PM) Total Marks: 1
Function/Test matrix is a type of

Interim Test report
Final test report
Project status report
Management report
Which statement is correct?
None of the given
The greater the dependency between the components the lesser is coupling
The lesser the dependency between the components the greater is coupling
The greater the dependency between the components the greater is coupling
help in finding the matrix to be stable or unstable

Control chart
Directed Graph
Cyclic chart
Base line graph
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.

Together, Single
All of the given
Together, Double
Together, Multiple
The amount of computing resources required by a program to perform its function is ……..

Efficiency
Integrity
Reliability
None of given
Question # 6 of 10 (Start time: 12:35:50 PM) Total Marks: 1
The extent to which a program satisfies its specification and fulfills the customer's mission objectives is said to be achieving the

Correctness
Reliability
Efficiency
Usability
Question # 8 of 10 (Start time: 12:36:40 PM) Total Marks: 1
We need to employ some statistical techniques and plot the result ----------. This is known as statistical control techniques.
Graphically

MC130402383

Automatically
Manually
Personally
of the.....is a pre-requisite of all sorts of estimates, including, resources, time, and budget.

software scope
software Risk
software Quality
software Management
When more than one user interpret the same requirement in different ways then we can say that the requirements are

None of the given
Incomplete
Ambiguous
Incorrect
- ---------- give you a better insight into the state of the process or product.

Metrics
Efficiency
Reliability
Usability
Extent to which access to software or data by unauthorized persons can be controlled and called ……
None of given
Efficiency
Reliability
Integrity
ILF is a ---------- identifiable group of logically control in formations ---------- the boundary the application.
user, within
user, without
All of the given
user, along
.....technique was initially developed for manufacturing processes in the 1920's by Walter Shewart.
Upper Control Line
Contorl chart
CMP
Quality
Question # 6 of 10 (Start time: 12:44:22 PM) Total Marks: 1
A ----------entity is the one which have any---------- in the problem domain without

some other entity.

Strong, Role*
All of the given
Weak, Function
None of the Given
The extent to which a program satisfies its specifications and fulfills the customer's mission objectives is ……

Integrity
Reliability
Correctness
None of given
Which statement is correct?
None of the given
The greater the dependency between the components the lesser is coupling
The lesser the dependency between the components the greater is coupling
The greater the dependency between the components the greater is coupling
help in finding the matrix to be stable or unstable

MC130402383

Control chart
Directed Graph
Cyclic chart
Base line graph
Several entities are always created ---------- and deleted together then this is a strong indication that they should be grouped into---------- logical file/files.

Together, Single
All of the given
Together, Double
Together, Multiple
The amount of computing resources required by a program to perform its function is ……..

Efficiency
Integrity
Reliability
None of given
Question # 6 of 10 (Start time: 12:35:50 PM) Total Marks: 1
The extent to which a program satisfies its specification and fulfills the customer's mission objectives is said to be achieving the
Correctness
Reliability
Efficiency

Usability
Question # 8 of 10 (Start time: 12:36:40 PM) Total Marks: 1
We need to employ some statistical techniques and plot the result ----------. This is known as statistical control techniques.
Graphically
Automatically
Manually
Personally
of the.....is a pre-requisite of all sorts of estimates, including, resources, time, and budget.

software scope
software Risk
software Quality
software Management
When more than one user interpret the same requirement in different ways then we can say that the requirements are

None of the given
Incomplete
Ambiguous
Incorrect
Quiz 2:
- ---------- give you a better insight into the state of the process or product.

Metrics
Efficiency
Reliability
Usability
Extent to which access to software or data by unauthorized persons can be controlled and called ……

None of given
Efficiency
Reliability
Integrity
ILF is a ---------- identifiable group of logically control in formations ---------- the boundary the application.

user, within
user, without
All of the given
user, along
.....technique was initially developed for manufacturing processes in the 1920's by Walter Shewart.

VC130402383

Upper Control Line
Contorl chart
CMP
Quality
Question # 6 of 10 (Start time: 12:44:22 PM) Total Marks: 1
A ----------entity is the one which have any---------- in the problem domain without some other entity.

Strong, Role*
All of the given
Weak, Function
None of the Given
The extent to which a program satisfies its specifications and fulfills the customer's mission objectives is ……

Integrity
Reliability
Correctness
None of given