Download More Files from VUAnswer.com

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ convert the relocatable machine code into absolute machine code by linking library and relocatable object files.

Answer (Please select your correct option)

- Assembler
- Loader/link-editor

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Compiler
- Preprocessor

Question No : 2 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Parsers take ____ as input from lexical analyzer.

Answer (Please select your correct option)

- Linker
- Token

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Instruction
- None of the given

Download More Files from VUAnswer.com

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

The regular expression _____denotes, the set of all strings of a's and b's of length two

Answer (Please select your correct option)

- a*
- (a*|b*)*
- (a*b*)*
- (a|b)(a|b)

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Question No : 4 of 52 **Marks: 1 (Budgeted Time 1 Min)**

_____ is a regular expression for the set of all strings over the alphabet {a} that has an even number of a's.

Answer (Please select your correct option)

- aa*
- (aa)* check Correct answer solved by Hadi
  Email : usmanraj20@gmail.com
  Cell no: 03228043306
- aa*a
- a(aa)*

Made by: Waqar Siddhu

Download More Files from VUAnswer.com

Question No : 5 of 52 **Marks: 1 (Budgeted Time 1 Min)**

_____ phase supports macro substitution and conditional compilation.

Answer (Please select your correct option)

- Semantic
- Syntax
- Preprocessing
- None of given

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 6 of 52 **Marks: 1 (Budgeted Time 1 Min)**

In LL(1) parsing algorithm, ____ contains a sequence of grammar symbols.

Answer (Please select your correct option)

- Stack

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Link List
- Array
- None of the given.

Question No : 7 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Consider the grammar

$$A \rightarrow B\ C\ D$$
$$B \rightarrow h\ B \mid s$$
$$C \rightarrow C\ g \mid g \mid C\ h \mid i$$

Answer (Please select your correct option)

- h, g, i

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- g
- h
- None of the given.

Download More Files from VUAnswer.com

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ parsers never shifts into an error state.

Answer (Please select your correct option)

- LS
- LT
- LR

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- LP

Question No : 9 of 52 **Marks: 1 (Budgeted Time 1 Min)**

In parser, the two LL stand for _____ .

Answer (Please select your correct option)

- Left-to-right scan of input
- left-most derivation
- Left-to-right scan of input and left-most derivation

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- None of the given

Question No : 10 of 52 **Marks: 1 (Budgeted Time 1 Min)**

_____ is elaborated to produce bindings.

Answer (Please select your correct option)

- Declaration

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Expression
- Command
- None of the given

Question No : 11 of 52 **Marks: 1 (Budgeted Time 1 Min)**

A lexical analyzer generated by ____ is essentially a FSA.

Answer (Please select your correct option)

- Dex
- Mex
- Fex
- Lex

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Question No : 12 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The actions (shift, reduce) in a SLR(1) parser depend on a lookahead symbol (_____) .

Answer (Please select your correct option)

- Current input token

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Next Input Token
- Previous output Token
- Previous Input Token.

Question No : 13 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The following grammar contains a _____ conflict.

$S \rightarrow A \mid xb$

Answer (Please select your correct option)

- Shift-Reduce

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- First-Reduce
- Shift-First
- Reduce-Reduce

Question No : 14 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Considering the following grammar:

S → AB
A → ε | aA
B → b | bB

Answer (Please select your correct option)

- 1
- 2
- 3
- 4

Question No : 15 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Simple code generation considers one AST node at the time. When the target is a *stack* machine, the code can be generated in one _____ traversal of the AST.

Answer (Please select your correct option)

- Depth-first

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Breadth-first
- First-first
- Shift-Reduce

Question No : 16 of 52 **Marks: 1 (Budgeted Time 1 Min)**

_____ is a register allocation technique that *always* finds the minimal number of registers needed for a procedure.

Answer (Please select your correct option)

- Dangling reference
- Graph coloring

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Left Factoring
- Right Recursion

Question No : 17 of 52 **Marks: 1 (Budgeted Time 1 Min)**

When generating code at the basic block level, the dependency graph must be converted to target code. By identifying _____ , instruction selection and instruction ordering can be performed efficiently in a single pass.

Answer (Please select your correct option)

- Token sequences
- Ladder sequences
- Physical sequences
- Logical sequences

check

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Question No : 18 of 52 **Marks: 1 (Budgeted Time 1 Min)**

_____ can be considered a small compiler since it transforms a source language (assembly) into a less abstract target language (binary object code).

Answer (Please select your correct option)

- Parser
- Assembler
- Lexical analyzer
- Scanner

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 19 of 52 **Marks: 1 (Budgeted Time 1 Min)**

When memory allocator operates on chunks which include some administrative part and a block of user data. The administrative part includes _____ flag for marking the chunk as free or in-use.

Answer (Please select your correct option)

- One

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Two
- Three
- Four

Made by: Waqar Siddhu

Question No : 20 of 52 **Marks: 1 (Budgeted Time 1 Min)**

A parser transforms a stream of tokens into an _____ .

Answer (Please select your correct option)

- AST

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- IST
- EST
- ATS

Made by: Waqar Siddhu

Question No : 21 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The parser generator yacc can handle _____ grammars.

Answer (Please select your correct option)

- LL(1)
- LT(1)
- LS(1)
- LF(1)

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 22 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Simple code generation considers one AST node at a time. If the target is a *register* machine, the code can be generated in one _____ traversal of the AST, possibly introducing temporaries when running out of registers.

Answer (Please select your correct option)

- Depth-first

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Breadth-first
- Depth-second
- Breadth-second

Made by: Waqar Siddhu

Question No : 23 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Attributes whose values are defined in terms of a node's own attributes, node's siblings and node's parent are called _____ .

Answer (Please select your correct option)

- Inherited attributes

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Physical attributes
- Logical attributes
- Un-synthesized attributes

Made by: Waqar Siddhu

Question No : 24 of 52 **Marks: 1 (Budgeted Time 1 Min)**

A linker combines multiple object files into a _____ executable object.

Answer (Please select your correct option)

- Single

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Double
- Triple
- Quadruple

Made by: Waqar Siddhu

Question No : 25 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The notation _____ instructs YACC to push a computed attribute value on the stack.

Answer (Please select your correct option)

- $$
- &&
- ##
- --

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 26 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The following two items

$A \rightarrow P \bullet Q$
$B \rightarrow P \bullet Q$

can co-exist in an _____ item set.

Answer (Please select your correct option)

- LR

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- LS
- LT
- PR

Made by: Waqar Siddhu

Question No : 26 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The following two items

$A \rightarrow P \bullet Q$
$B \rightarrow P \bullet Q$

can co-exist in an _____ item set.

Answer (Please select your correct option)

- LR

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- LS
- LT
- PR

Made by: Waqar Siddhu

Question No : 27 of 52 **Marks: 1 (Budgeted Time 1 Min)**

When generating a lexical analyzer from a _____ description, the item sets (states) are constructed by two types of "moves": character moves and ε moves.

Answer (Please select your correct option)

- Character
- Grammar
- Token
- Sentence

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 28 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Hybrid IRs combine elements of _____ .

Answer (Please select your correct option)

- Graphical (structural)
- Linear IRs
- Both graphical and linear IRs
- Non-Linear IRs

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 29 of 52 **Marks: 1 (Budgeted Time 1 Min)**

x[i] = y

This is _____ .

Answer (Please select your correct option)

- Prefix assignment
- Postfix assignment
- Index assignment
- Non-Index assignment

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 30 of 52 **Marks: 1 (Budgeted Time 1 Min)**

A lexical analyzer generator, automatically constructs a _____ that recognizes tokens.

Answer (Please select your correct option)

- FA

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- PDA
- DP
- Unidirectional Graph

Made by: Waqar Siddhu

Question No : 31 of 52 **Marks: 1 (Budgeted Time 1 Min)**

if x relop y goto L

Above statement is _____

Answer (Please select your correct option)

- Abstract jump
- Conditional jump

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- While loop
- Unconditional jump

Made by: Waqar Siddhu

Question No : 32 of 52 **Marks: 1 (Budgeted Time 1 Min)**

In a CFG (Context Free Grammar) the set of terminal and non-terminal symbols must be _____.

Answer (Please select your correct option)

- Disjoint

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Logical
- Relational
- Joint

Made by: Waqar Siddhu

Question No : 33 of 52 **Marks: 1 (Budgeted Time 1 Min)**

YACC contains built-in support for handling ambiguous grammars resulting in _____ conflicts.

Answer (Please select your correct option)

- Shift-reduce

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Shift-Shift
- Reduce-reduce
- Reduce-Shift

Made by: Waqar Siddhu

Question No : 34 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The _____ translation statements can be conveniently specified in YACC.

Answer (Please select your correct option)

- Syntax-directed

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Image-directed
- Sign-directed
- Segment-directed

Made by: Waqar Siddhu

Question No : 35 of 52 **Marks: 1 (Budgeted Time 1 Min)**

When constructing an LR(1) parser we record for each item exactly in which context it appears, which resolves many conflicts present in _____ parsers based on FOLLOW sets.

Answer (Please select your correct option)

- SLR(1)
- LRS(1)
- RLS(1)
- SLL(1)

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 36 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Code generation module has to tackle _____.

Answer (Please select your correct option)

- Memory management
- Instruction selection
- Instruction scheduling
- All of the given

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 37 of 52 **Marks: 1 (Budgeted Time 1 Min)**

For convenience, lexical analyzers should read the complete _____ program into memory.

Answer (Please select your correct option)

- Input

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- Output
- Input and output
- Tokens

Made by: Waqar Siddhu

Question No : 38 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Considering the following grammar:

S → A | x
A → aAb | x

The grammar contains a _____ conflict.

Answer (Please select your correct option)

- Reduce-reduce

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

- First-first
- Shift-shift
- Shift-reduce

Made by: Waqar Siddhu

Question No : 39 of 52 **Marks: 1 (Budgeted Time 1 Min)**

The order in which the DAG is traversed can lead to _____ code

Answer (Please select your correct option)

- Better
- Worse
- Large
- Garbage

Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306

Made by: Waqar Siddhu

Question No : 40 of 52 **Marks: 1 (Budgeted Time 1 Min)**

Register allocation problem uses the strategy of _____ .


Answer (Please select your correct option)


- Graph coloring


Correct answer solved by Hadi
Email : usmanraj20@gmail.com
Cell no: 03228043306


- Graph nodding
- Graph edging
- Graph patching


Made by: Waqar Siddhu



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 41 of 52
Marks: 2 (Budgeted Time 4 Min)
Suppose you are making a transition table from a DFA. You find a situation where a state has multiple outgoing paths; one is for epsilon and other for any other alphabet. Which transition will you perform first?
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
DFA me nul ki transition hoti hi nhi mamu
chohdri kukar khan shabaloo
Start Time: 7:35 AM
119:00
Time Left
41
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Question No : 42 of 52
Marks: 2 (Budgeted Time 4 Min)
How a flow graph can be a Reducible Flow Graph?
Answer (Please click here to Add Answer)
Reducible Flow Graphs: If every retreating edge is a back edge, regardless of which depth-rst spanning tree is chosen, then the flow graph is said to be reducible.
Start Time: 7:35 AM
119:00
Time Left
42
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::.. Fall 2012 (FinalTerm) ..::: - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 43 of 52
Marks: 2 (Budgeted Time 4 Min)
Traverse the following tree in Inorder.
A
Answer (Please click here to Add Answer)
Start Time: 7:35 AM
119:00
Time Left
43
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 43 of 52
Marks: 2 (Budgeted Time 4 Min)
B
C
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
Start Time: 7:35 AM
119:00
Time Left
43
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 43 of 52
Marks: 2 (Budgeted Time 4 Min)
D
E
F
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
ABCDEF
BY gull 200%
Start Time: 7:35 AM
119:00
Time Left
43
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 44 of 52
Marks: 2 (Budgeted Time 4 Min)
Identify, whether the following grammar is LR(1) or LL(1)?
S→Aca | Bcb
A→c
B→c
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
Start Time: 7:35 AM
119:00
Time Left
44
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 45 of 52
Marks: 3 (Budgeted Time 6 Min)
Is the given grammar ambiguous? Explain reason in both cases if your answer is yes or no.
G → E
E → T + E | T
T → F * T | F
F → a
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
yes
bcz of E n T has 2 values
Start Time: 7:35 AM
118:00
Time Left
45
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 46 of 52
Marks: 3 (Budgeted Time 6 Min)
How can compiler transformation improve a program?
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
These are called the *LALR(1) states*. LALR(1) stands for **L**ook**A**head **LR**(1). This leads to tables that have 10 times fewer states than LR(1).
Start Time: 7:35 AM
118:00
Time Left
46
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 47 of 52
Marks: 3 (Budgeted Time 6 Min)
Which information we can get from the third section of YACC file?
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
Definitions get from 1st section
%%
Rules get from 2nd section
%%
C/C++ functions get from third section
Start Time: 7:35 AM
118:00
Time Left
47
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 48 of 52
Marks: 3 (Budgeted Time 6 Min)
Transform the following basic block into its equivalent block after performing common sub-expression elimination.
A := 6 * (B+C);
D := A * (B+C);
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
intahai chawal he paper dene wala
temp=(B+C)
A=temp*6
D=temp*A
Start Time: 7:35 AM
118:00
Time Left
48
paper.aspx
Local intranet
100%



VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 49 of 52
Marks: 5 (Budgeted Time 10 Min)
Considering the following grammar, calculate the first set of non-terminals X, Y, Z and follow set of non-terminals X and Y.
X -> YZa | f
Y -> bY | d
Z -> cZ | e
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
first set
X={a,f,b,d,c,e}
Y={b,d}
Z={c,e}
fellow set
X={$}
Start Time: 7:35 AM
118:00
Time Left
49
paper.aspx
Local intranet
100%


VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 50 of 52
Marks: 5 (Budgeted Time 10 Min)
Develop an algorithm to generate LALR(1) DFA.
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
Repeat until all states have distinct code
choose two distinct states with same core
merge states by creating a new one with the union of all the items
point edges from predecessors to new state
new state points to all the previous successors
Start Time: 7:35 AM
118:00
Time Left
50
paper.aspx
Local intranet
100%


VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 51 of 52
Marks: 5 (Budgeted Time 10 Min)
Add semantic rules to the following grammar to compute the attribute rm whose value is the rightmost terminal in the string we parsed.
Note: subscripts in the grammar below are only to distinguish multiple instances of the same non-terminal.
S → A {S.rm =
A → A1 x y
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
S.nptr = A.nptr
S.nptr = mknode ('rm', y.val)
A.nptr = mknode('□', A1.nptr, x.val, y.val)
A.nptr = mknode('□', B.nptr, A1.val, y.val)
B.nptr = mknode('□', B1.nptr, z.val)
B.nptr = mkleaf('*', x.val)
Start Time: 7:35 AM
118:00
Time Left
51
paper.aspx
Local intranet
100%


VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Live Search
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
VU Examination System (CLIENT) VUTES 6.5 :::... Fall...
Page Safety Tools
Question No : 51 of 52
Marks: 5 (Budgeted Time 10 Min)
A → A1 x y
| B A1 y
B → B1 z
| x
Answer (Please click here to Add Answer)
100%
Normal
Arial
12
Start Time: 7:35 AM
118:00
Time Left
51
Local intranet
100%


VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Question No : 52 of 52
Marks: 5 (Budgeted Time 10 Min)
Translate each of the following instruction set into simple words.
if x then goto L
if !x then goto L
param x
call p,n,x
Answer (Please click here to Add Answer)
if x true goto L
if x not true then go to L
reciveing the paramtr x
call the function p,n,x ..
Start Time: 7:35 AM
118:00
Time Left
52
paper.aspx


VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ..... - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
Question No : 52 of 52
Marks: 5 (Budgeted Time 10 Min)
if x then goto L
if !x then goto L
param x
call p,n,x
return x
Answer (Please click here to Add Answer)
x got the value
Start Time: 7:35 AM
118:00
Time Left
52