RIZ MUGHAL



QUIZ MASTER

CS606 QUIZ (LEC 23 to 28)

100% correct solution.

For more information you can visit my channel and for any type of help related to CS619 you can contact me.

YOUTUBE CHANNEL:

https://www.youtube.com/channel/UCINsFwDiB62SValCcPDZbRQ/playlists

FACEBOOK GROUP:

https://www.facebook.com/groups/923887914750307

CS606:Quiz No. 1 Quiz Start Time: 03:15 PM, 19 January 2021

Question # 1 of 10 (Start time: 03:15:04 PM, 19 January 2021) **Total Marks:** 1

The LR(1) parsers can not recognize precisely those languages in which one-symbol lookahead suffices to determine whether to shift or reduce.

Select the correct option

- ○ True
- ● False

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time:

Question # 2 of 10 (Start time: 03:15:24 PM, 19 January 2021)

If / is a set of items for a grammar then closure (/) is a set of items constructed from / by the following rule.

Select the correct option

- (●) Every item in / is in closure (/).
- ( ) Every item in / is not in closure (/).
- ( ) Only one item in / is in closure (/).
- ( ) None of these.

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:15 PM, 19 January 2021

Question # 3 of 10 (Start time: 03:15:45 PM, 19 January 2021) Total Marks: 1

If T --> XYZ is a production of grammar G then which of the following item indicates that a string derivable from X has been seen so far on the input and we hope to see a string derivable from YZ next on the input.

Select the correct option

- T --> .XYZ
- T --> X.YZ
- T --> XY.Z
- T --> XYZ.

RIZ MUGHAL

CS606:Quiz No. 1

Question # 4 of 10 (Start time: 03:16:01 PM, 19 January 2021)

NFA of LR(1) items means _____

Select the correct option

- no look-ahead
- look-ahead one symbole
- look-ahead all symbols
- None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Sta

Question # 5 of 10 (Start time: 03:16:13 PM, 19 January 2021)

In the Parsing Table the rows correspond to Parsing DFA states and columns correspond to ----.

Select the correct option

- (●) Terminals and non-terminals
- ( ) Start Symbole and its derivation
- ( ) Handles and derivations
- ( ) None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:15 PM, 19 January 202

Question # 6 of 10 (Start time: 03:16:30 PM, 19 January 2021) **Total Marks:**

Let a grammar G = (Vn, Vt, P, S) is modified by adding a unit production S'--> S to the grammar and now starting non-terminals becomes S' and grammar becomes G' = (Vn U {S'}, Vt, PU{S' --> S}, S'). The Grammar G' is called the ----------

Select the correct option

- (●) Augmented Grammar
- ( ) Lesser Grammar
- ( ) Anonymous Grammar
- ( ) None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:15 PM, 19 January 2021

Question # 7 of 10 (Start time: 03:16:44 PM, 19 January 2021) **Total Marks:** 1

A canonical collection of sets of items for an augmented grammar, C is constructed as -----

Select the correct option

- (●) The first set in C is the closure of {[S' --> .S]}, where S is starting symbol of original grammar and S' is the starting non-terminal of augmented grammar.
- ( ) The first set in C is the closure of {[S' --> .S]}, where S is starting symbol of original grammar and S' is the starting non-terminal of original grammar.
- ( ) The first set in C is the closure of {[S' --> .S]}, where S is starting symbol of original grammar and S is the starting non-terminal of augmented grammar.
- ( ) None of these

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Star

Question # 8 of 10 (Start time: 03:16:58 PM, 19 January 2021)

Consider the following grammar,
S --> aTUe
T --> Tbc/b
U --> d
And suppose that string "abbcde" can be parsed bottom-up by the following reduction steps:

(i) aTbcde

Select the correct option

- [x] The whole string, (aTUe)
- [ ] The whole string, (aTbcde)
- [ ] The whole string, (aT
- [ ] None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:15 PM, 19 January 2021

Question # 9 of 10 (Start time: 03:17:12 PM, 19 January 2021) Total Marks: 1

A canonical collection of sets of items for an augmented grammar, C is constructed as -----

Select the correct option

- The first set in C is the closure of {[S' --> .S]}, where S is start symbol of original grammar and S' is the starting non-terminal of original grammar.
- The first set in C is the closure of {[S' --> .S]}, where S is starting symbol of original grammar and S' is the starting terminal of augmented grammar.
- The first set in C is the closure of {[S' --> .S]}, where S is starting symbol of original grammar and S is the starting non-terminal of augmented grammar.
- None of these

Click to Save Answer & Move to Next Question

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:15 P

Question # 10 of 10 (Start time: 03:17:28 PM, 19 January 2021)

A grammar is LR if a ------ shift reduce-reduce parser can recognize handles when they appear on the top of stack.

Select the correct option

- ○ left-to-reverse
- ○ left-to-rise
- ◉ left-to-right
- ○ None of the given.

RIZ MUGHAL

2nd account

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 January 202

Question # 1 of 10 (Start time: 03:44:59 PM, 19 January 2021) Total Marks:

Consider the following grammar,
S --> aTUe
T --> Tbc/b
U --> d
And suppose that string "abbcde" can be parsed bottom-up by the following reduction steps:

(i) aTbcde

Select the correct option

- (●) The whole string, (aTUe)
- ( ) The whole string, (aTbcde)
- ( ) The whole string, (aTde)
- ( ) None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Q

Question # 1 of 10 (Start time: 03:44:59 PM, 19 January 2021)

(i) aTbcde
(ii) aTde
(iii) aTUe
(iv) S

So, what can be a handle from the following?

Select the correct option

- [x] The whole string, (aTUe)
- [ ] The whole string, (aTbcde)
- [ ] The whole string, (aTde)
- [ ] None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Tim

Question # 2 of 10 (Start time: 03:45:31 PM, 19 January 2021)

If / is a set of items for a grammar then closure (/) is a set of items constructed from / by the following rule.

Select the correct option

- (●) Every item in / is in closure (/).
- ( ) Every item in / is not in closure (/).
- ( ) Only one item in / is in closure (/).
- ( ) None of these.

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time

Question # 3 of 10 (Start time: 03:45:46 PM, 19 January 2021)

The input to the algorithm of constructing the collection of canonical sets of LR(1) items will be _____

RIZ MUGHAL

Select the correct option

- G
- G' (selected)
- Bothe G and G'
- Canonical Colections

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 January 20

Question # 4 of 10 (Start time: 03:45:59 PM, 19 January 2021) Total Marks

If X is a non-terminal in A? aX•?, then the interpretation of this transition is more complex because non-terminals do not appear in input

Select the correct option

- (●) True
- ( ) False

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 January

Question # 5 of 10 (Start time: 03:46:28 PM, 19 January 2021) Total Ma

We use ----- to mark the bottom of the stack and also the right end of the input when considering the Stack implementation of Shift-Reduce Parsing.

RIZ MUGHAL

Select the correct option

- Epsilon
- #
- $
- None of the given

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 January 2021

Question # 6 of 10 (Start time: 03:46:43 PM, 19 January 2021) **Total Marks:** 1

Let a grammar G = (Vn, Vt, P, S) is modified by adding a unit production S'--> S to the grammar and now starting non-terminals becomes S' and grammar becomes G' = (Vn U {S'}, Vt, PU{S' --> S}, S'). The Grammar G' is called the ----------

Select the correct option

- (●) Augmented Grammar
- ( ) Lesser Grammar
- ( ) Anonymous Grammar
- ( ) None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 January 2021

Question # 7 of 10 (Start time: 03:46:55 PM, 19 January 2021) **Total Marks:** 1

If T --> XYZ is a production of grammar G then which of the following item indicates that a string derivable from X has been seen so far on the input and we hope to see a string derivable from YZ next on the input.

Select the correct option

- T --> .XYZ
- T --> X.YZ
- T --> XY.Z
- T --> XYZ.

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 January 2

Question # 8 of 10 (Start time: 03:47:08 PM, 19 January 2021) Total Mark

The LR(1) items are used as the states of a finite automaton (FA) that maintains information about the parsing stack and progress of a shift-reduce parser.

Select the correct option

- (●) True
- ( ) False

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start Time: 03:44 PM, 19 Janu

Question # 9 of 10 (Start time: 03:47:23 PM, 19 January 2021) Tota

Consider the following grammar,
S --> aTUe
T --> Tbc/b
U --> d
And suppose that string "abbcde" can be parsed bottom-up by the following reduction steps:

(i) aTbcde

Select the correct option

- The (a) in (aTUe)
- The (e) in (aTUe)
- The (d) in (aTUe)
- None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz Start

Question # 9 of 10 (Start time: 03:47:23 PM, 19 January 2021)

(i) aTbcde
(ii) aTde
(iii) aTUe
(iv) S

So, what can be a handle from the following?

Select the correct option

- The (a) in (aTUe)
- The (e) in (aTUe)
- The (d) in (aTUe)
- None of the given

RIZ MUGHAL

CS606:Quiz No. 1 Quiz

Question # 10 of 10 (Start time: 03:47:44 PM, 19 January 2021)

Consider the following grammar,
S --> aTUe
T --> Tbc/b
U --> d
And suppose that string "abbcde" can be parsed bottom-up by the following reduction steps:

(i) aTbcde

Select the correct option

- ○ The second (b) in (abbcde)
- ◉ The first (b) in (abbcde)
- ○ The substring (cd) in (abbcde)
- ○ None of the given

RIZ MUGHAL

Click to Save