

CS432 Final Term Files

Fall 2025

Q#1

Lacking _____ sequence leads to predictability is a general mistake in simulation.

- A. serial
- B. initial
- C. distributed
- D. pseudo-random ☒

Q#2

OMNeT++ is an abbreviation of _____.

- A. Optimized Modular Network Testbed
- B. Optimized Modular Network Tool
- C. Objective Modular Network Testbed ☒
- D. Objective Modular Network Tool

Q#3

_____ is not one of the design feature of OMNET++

- A. Provide IDE
- B. Closed data interface ☒
- C. Provide visualization
- D. Reusable components

Q#4

OMNET++ is designed in _____ language.

- A. Visual basic
- B. C++ ☒
- C. Java
- D. C#

Q#5

_____ handles the occurrence of event.

- A. Event cycle
- B. Event routines ☒
- C. Event order
- D. Event queue

Q#6

Which of the following statement is not considered a general mistake in simulation?

- A. Improper initial conditions
- B. Verified models ☒
- C. Inadequate time estimate
- D. Short run times

Q#7

_____ models don't have unique input–output mapping.

- A. Dynamic
- B. Linear
- C. Stochastic ☒
- D. Deterministic

Q#8

_____ models have no randomness.

- A. Deterministic ☒
- B. Dynamic
- C. Linear
- D. Stochastic

Q#9

Considering the common simulation pitfalls, ----- are caused by lacking pseudo-random sequence.

- A. No achievable goals
- B. Incomplete mix of essential skills
- C. Inadequate time estimate
- D. Poor random number generators ☒

Q#10

Your model must not have _____.

- A. Your assumptions
- B. Your analytics ☒
- C. Your results
- D. Your perspective

Q#11

_____ type of simulation has no time axis.

- A. Continuous events
- B. Trace driven
- C. Monte Carlo ☒
- D. Discrete events

Q#12

Cost and accuracy tradeoff is done in _____ development process.

- A. "What- if" analysis
- B. Model validation, verification and calibration ☒
- C. Data collection and analysis
- D. Problem formulation

Q#13

In _____ type of simulation, states changes to inputs at non discrete times.

- A. Monte carlo simulation
- B. Trace driven
- C. Discrete events
- D. Continuous event ☒

Q#14

Initialization routine initialize all variables except _____.

- A. Global variables
- B. Infinite variables
- C. Statistical variables
- D. State variables ☒

Q#15

Considering the common simulation pitfalls, ----- are caused by lacking pseudo-random sequence.

- A. No achievable goals
- B. Inadequate time estimate
- C. Incomplete mix of essential skills
- D. Poor random number generators ☒

Q#16

_____ is not one of the design feature of OMNET++

- A. Closed data interface ☒
- B. Provide IDE
- C. Reusable components
- D. Provide visualization

Q#17

_____ models don't have unique input-output mapping.

- A. Stochastic ☒
- B. Linear
- C. Deterministic
- D. Dynami

Q#18

Average Response Time = Average Number in System / _____

- A. Average Users
- B. Average Bandwidth
- C. Average Speed
- D. Average Throughput ☒

Q#19

Which of the following statement is not considered a general mistake in simulation?

- A. Improper initial conditions
- B. Short run times
- C. Inadequate time estimate
- D. Verified models ☒

Q#20

Lacking _____ sequence leads to predictability is a general mistake in simulation.

- A. initial
- B. serial
- C. distributed
- D. pseudo-random ☒