CS-610 Quiz -3 File

By Vu Topper RM

_____ protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.

A. Session
B. Internet Layer
C. Network interface layer
D. Internet Layer

Address Resolution Protocol is mostly used to bind a 32-bit IP address to a ____ Ethernet address.

A 16-bit
B 48-bit
C. 64-bit
D. 84-BIT

_____ message is sent in response to incoming datagrams with problems.

A. TCP/IP
B. IGMP
C. ICMP Page 117
D. none of the given

Vu Topper RM

For More Help Contact What's app 03224021365

TCP/IP protocol suit defines the basic characteristics of network hardware.

A. Physical Layer
B Data Link Layer
C Internet Layer

The protocol address of the next hop must be _____ to an equivalent hardware address before a packet can be sent.

A. Encrypted
B. Decrypted
C. Translated Page 93
D. Segmented

_____ masks your IP address.

A. Firewall
B. Antivirus
C. VPN Google
D. Incognito mode

A network with _____ jitter takes more time to deliver some packets than others.

A. Zero
B. High Page 80
C. Low
D. Moderate

VPNs connections are sometimes called _____.

A. Tunnels Page 75
B. Open networking
C. Routing
D. Public network

A separate table is used for each physical network.bit-binding

For More Help Contact What's app 03224021365

Vu Topper RM

A. Checksum
B. CRC
C. Bit-binding
D. Address-binding

Dotted decimal represents each octet in _____ and uses a dot to separate octets.
A. Octal
B. binary
C. Decimal Page 87
D. hexadecimal

_____is the rate at which data can be sent through the network
A. Throughput Page 79
B. Propagation delay
C. Access delay
D. Switching delay

The identifier that is used for data transfer in the virtual circuit network is called _____.
A. Virtual circuit identifier Google
B. Global address
C. Network identifier
D. IP identifier

In the IP address _____ identifies an individual computer on the network.
A. Prefix
B. Suffix Page 85
C. Mux
D. Demux

VU Topper RM

For More Help Contact What's app 03224021365

Mapping between a protocol address and a hardware address is called _____.

A. Segmentation
B. Hashing
C. Fragmentation
D. Address Resolution Page 93

_____ of TCP/IP Protocol Suit specifies the format of packets sent across Internet as well as the mechanisms used to forward packets.

A. Physical Layer
B. Transport Layer
C. Data Link Layer
D. Internet Layer

There are two standard implementations to improve computational efficiency:

A. Hashing and Direct indexing Page 94
B Segmentation and Fragmentation
C. Queuing and Packetizing
D. Indexing and Framing

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

A. Physical Layer
B. Internet Layer
C. Network Interface Layer
D. Transport Layer

There are _____ possibilities to detect the destination using Trace-route

A. 2 Page 118
B. None
C. 3

VU Topper RM

For More Help Contact What's app 03224021365

D. 1

Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

A. Remote access VPNs
B. Peer-to-peer VPNs
C. Country-to-country VPNs
D. Site-to-site VPNs Google

TCP/IP defines the term to refer any computer system that connects to a network and runs applications for users.

A. Router
B. Switch
C. Host computer Google
D. Bridge

In the IP address _____ identifies the physical network to which the computer is attached.

PREFIX Page 85

Dotted decimal notation is a syntactic form the IP software uses to express _____ binary values when interacting with humans.

32 bit Page 87

IPv6 _____ is responsible for fragmentation. Routers simply drop datagram's larger than network

Source Page 113

For _____, information about forwarding is stored in a routing table, which is initialized at system initialization and must be updated as network topology changes.

Efficiency Page 102

_____ contains all information needed to deliver datagram to the destination.

Vu Topper RM

For More Help Contact What's app 03224021365

Header Page 102

The Source can configure outgoing datagram's to avoid _____

Fragmentation Page 118

The IP class scheme does not divide the _____ address space into equal size class and the classes do not contain the same number of networks.

32 bit Page 88

MTU Stands for _____

Maximum transmission unit Page 107

As the Internet grew, the original Classful addressing scheme became a limitation. The IP address space was being exhausted because all networks had to choose one of _____ possible sizes.

Three Page 90

One of the parameters, which motivated IP for change is address space. The _____ address space allows for over a million networks.But most networks are class C and too small for many organizations.

32 bit Page 110

The Network Layer Protocol ICMP stands for_____

Internet Control Message Protocol Page 115

The Header format of IPv6 is entirely different.

True Page 111

False

IPV6 addresses are _____ bits.

128 Page 111

_____field tells the receiver how to order fragments within a given datagram.

FRAGMENT OFFSET Page 375

_____ Source is responsible for fragmentation.

VU Topper RM

For More Help Contact What's app 03224021365

IPV6 Page 103

_____ Protocol provides error reporting mechanism.

ICMP Page 115

Routers use _____ to forward datagrams along prearranged path.

Flow label Page 111

_____ is a technique used to Limit datagram size to small MTU of any network

Fragmentation Page 108

End to End delivery Service of IP datagram is _____

Connectionless Page 101

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the protocol address using basic Boolean and _____ operations.

Arithmetic Page 94

Due to revolutionalization of IP-V6 the speed has increased from _____

56kbps to 1gbps Page 110

Internet protocol (IP) address version 4 is comprised of _____ bits.

32 Google

IPV6 address consists of _____

128 bits Page 111

NEXT HEADER field in the base header defines type of header it appears at the end of fixed-size base header.

True Page 112

False

Vu Topper RM

For More Help Contact What's app 03224021365

_____ shows senders preference for low latency, high Reliability.

SERVICE TYPE Page 105

IP datagram can contains _____ octets.

1-65.535 Page 105

_____ Serve Same purpose in Internet as frames on LAN

Virtual Packets Page 101

Address mask defines how many bits of address are in prefix.

True Page 103

False

Inside a computer, each address mask is stored as a ____-bit value.

32 Page 91

Fragmentation when using ICMP for path MTU should be avoided.

True Page 118

False

_____ encapsulates IP datagram as data area in hardware frame.

Network Interface Layer Page 106

ne of the parameters, which motivated IP for change is address space. The _____ address space allows for over a million networks.But most networks are class C and too small for many organizations.

32 bit Page 110

_____ is a type of address used for collection of computers with same prefix.

None of these Page 114

VU Topper RM

For More Help Contact What's app 03224021365

ICMP message transport is acted upon by getting ICMP Encapsulated in IP.

True Page 117

False

ICMP message transport is acted upon by getting ICMP _____ in IP.

Encapsulated Page 117

Every hardware technology specification includes the definition of the maximum size of the frame data area, which is called the _____ Transmission Unit.

Maximum Page 107

In IPV6 the 128 bit addresses unwidely in dotted decimal;requires _____ numbers.

16 Page 114

Which one is NOT the function of ping program

Traceability Page 117

Class A mask is 255.0.0.0 which is used for _____

Subnetting Page 103

_____ field is used to identify a specific path through the network

. FLOW LABEL Page 111

Which protocol is used to test different tools.

ICMP Page 117

Header contains all information needed to deliver datagram to the destination computer. But which one of the following is not included:

Rectifier Page 102

_____ layer Provides reliable delivery of datagram.

Network Page 104

The Current version of IP-Version 4 is _____ old

VU Topper RM

For More Help Contact What's app 03224021365

20 Year Page 110

HEADER LEN field gives size of extention header.

True Page 112

False

IPV6 128 bits address includes network prefix and _____

Host Suffix Page 114

Preliminary version of IP was called _____.

IP – Next Generation (IPng) Page 110

H.LEN shows the header length in units of ____ Bits

32bit Page 105

TTL stands for _____

Time to live Page 105

Postfix defines how much of address used to identify network.

Ture

False Page 103

The process of learning the path MTU is known as path MTU discovery.

True Page 114

False

IPV6 address with _____ leading zeros is interpreted to hold an IPV4 address.

96 Page 114

Vu Topper RM

For More Help Contact What's app 03224021365