CS-610 Computer Network
Update MCQS For Quiz-4 File
Solve By Vu Topper RM

85 To 100% Marks

وَتُعِزُّ مَن تَشَاء وَتُذِلُّ مَن تَشَاء

PROFESSIONAL ONLINE ACADEMY

VU-TOPPER RM

We Offers

- LMS Handling
- Important Notes
- Online Classes
- Assignments
- Quiz & GDB's
- Projects


NOTHING Is IMPOSSIBLE

Join Us Now

For More Info Contact us at:

Rizwan Manzoor

0322-4021365



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

The process of using a routing table to select a next hop for a given datagram is called_____.

A. Encapsulation
B. Reassembling
C. None of the given
D. Routing or forwarding Page 265

TCP uses _____ format for all messages.

A. Single Page 128
B. Double
C. Multiple
D. None of the given

A popular use of _____ is TCP Splicing. It interconnects two independent TCP connections and performs segment rewriting.

A. NAT
B. NAPT Page 131
C. Twice NAT
D. All of these

OSPF includes _____ address mask with each address.

A. 30-bit
B. 32-bit Page 140
C. 34-bit
D. 36-bit

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Routing refers to the _____ of routing information.

A. Propagation Page 133

B. Transmission

C. Communication

D. None of the given

OSPF is based on--------

A. Link state routing Page 140

B. Path vector routing

C. Distance vector routing

D. Distance vector routing and Link state routing

In IP routing, forwarding refers to _____transfer.

A. Packet

B. Message

C. Datagram Google

D. None of the given

To save traffic, an EGP does not summerize routing information from the autonomous system before passing it to another autonomous system.

False Page 329

True

In TCP when a computer sends a segment, the_____ and _____ fields refer to incoming data.

A. None of the given

B. SEQUENCE NUMBER, WINDOW

C. ACKNOWLEGE NUMBER, WINDOW Page 445

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

VuTopper RM

For More Help Contact What's app 03224021365

D. ACKNOWLGEGE NUMBER, SEQUENCE NUMBER

_____ is used to attach two autonomous systems.

A. IGP
B. BGP
C. EGP Page 135
D. None of the given

OSPF stands for _____

A. None of the given
B. Open Source Path First Protocol
C. Open Secure Path First Protocol
D. Open Shortest Path First Protocol Page 137

The Border Gateway Protocol (BGP) uses_____ for all communication

A. TCP Page 138
B. UDP
C. UDP and TCP
D. None of the given

EGPs stand for _____

A. None of the given
B. Extra Gateway Protocols
C. External Gateway Protocols
D. Exterior Gateway Protocols Page 135

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Twice NAT is another variant of NAT. it is used with site that runs server. In this process NAT box is connected to Domain Name.

True **Page 131**

False

In _____ routing, the table is initialized when system boots and there is no further changes.

A. Static **Page 133**

B. Dynamic

C. Both Static, Dynamic

D. None of these

_____ identifies the application program that sent the data.

A. Source port **Page 445**

B. Logical address

C. Destination Port

D. None of the given

TCP uses the term segment to refer to a _____.

A. Packet

B. Message **Page 128**

C. both (a) and (b)

D. None of the given

All routers within a group exchange routing information.

Ture **Page 135**

False

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

NAT software does not allow a PC to connect with the Internet and act as a NAT device at the same time.

False **Page 132**

True

Which of the following is an exterior routing protocol?

A. RIP

B. BGP **Google**

C. OSPE

D. RIP and OSPF

Autonomous System chooses a routing protocol to exchange routing information which is passed before being summarized to another group.

True **Page 135**

False

OSPF does'nt allows a router to introduce routes learned from another means.

False **Google**

True

_____ protocol uses distance vector algorithm.

A. RIP **Page 139**

B. IGP

C. BGP

D. None of the given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

_____ can be used to propagate information about remote networks.

A. Static routing
B. Dynamic routing **Page 134**
C. Address resolution
D. None of the given

NAT stands for _____

A. None of the given
B. Network Address Test
C. Network Address Translation **Page 128**
D. Network Address Transmission

EGP stands for _____

A. None of the given
B. Extra Gateway Protocols
C. External Gateway Protocols
D. Exterior Gateway Protocols **Page 135**

Which of the following are interior routing protocols?

A. RIP **Page 138**
B. BGP
C. OSPF
D. RIP and OSPF

A standard protocol exits that allows a host to inform a nearby router whenever the host needs to join or leave a particular multicast group is known as _____.

A. ICMP

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. SNMP

C. IGMP Page 142

D. None of the given

Which of the following protocols provide the routing information at the autonomous system level?

A. RIP

B. BGP Page 136

C. OSPF

D. RIP and OSPF

Which of the following protocols allows the sender and receiver to enforce polices.

A. RIP

B. BGP Page 347

C. OSPF

D. RIP and OSPF

In dynamic routing, the routing table is initialized when system boots.

True Page 134

False

Network Address and Port Translation (NAPT) is by far the most popular form of _____

A. None of the given

B. Network Address Test

C. Network Address Translation Page 128

D. Network Address Transmission

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

NAT device stores state information in translation table.

True **Page 130**

False

IETF stands for _____

A. None of the given
B. Internal Efficient Task Force
C. Internet Engineering Task Force **Google**
D. Internet Engineering Technical Force

NAPT stands for _____

A. None of the given
B. Network Address and Port Translation **Page 132**
C. Network Address and Packet Translation
D. Network Address and Protocol Translation

_____measures distance in network hops, where each network between the source and destination counts as single hop.

A. RIP **Page 138**
B. BGP
C. OSPF
D. None of the given

A routing table contains_____

A. All of the given
B. The destination network ID
C. The router ID of the next hop **Page 102**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. The hop count to reach the network

_____ uses distance vector approach to define routing.

A. RIP **Page 332**

B. BGP

C. OSPF

D. None of the given

Twice NAT fails if an application uses the IP addresses instead of Domain Name.

Ture **Page 132**

False

OSPF has designed as an Exterior Gateway Protocol used to pass routing information among routers within an autonomous system.

True

False **Page 140**

The goal of _____ is to avoid adding retransmissions to an already congested network.

A. Packet control

B. Congestion control **Page 128**

C. Transmission control

D. None of the given

We use the term _____ to refer to a measure of the path that routing software use when choosing a route.

A. Routing

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VU Topper RM

B. Switching
C. Routing path
D. Routing metric **Page 132**

_____identifies which application program on receiving computer should receive the data

A. Source port
B. Logical address
C. Destination Port **Page 445**
D. None of the given

Interior Gateway Protocols (IGPs) and Exterior Gateway Protocols (EGPs) two broad classes of Internet Routing Protocol.

True
False

Which of the following protocol uses UDP for all message transmission?

A. RIP
B. BGP
C. OSPF
D. None of the given

Network Address Translation (NAT) requires device to perform packet translation.

True **Page 128**
False

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

OSPF uses _____

Imported routes

Link-state routing **Page 140**

Multi-state routing

None of the given

An area is ---------

A collection stub area **My Point Of View**

Another term of an internet

Composed of at least two As's

Dotted decimal notation is a syntactic form the IP software uses to express _____ binary values when interacting with humans.

A. 8-bit

B. 16-bit

C. 32-bit **Page 87**

D. 64-bit

There are _____ possibilities to detect the destination using Trace-route

A. 2 **Page 118**

B. None

C. 3

D. 1

TTL stands for _____

A. Time to live **Page 105**

B. Time to learn

C. Time to leave

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

VuTopper.RM

For More Help Contact What's app 03224021365

D. None of the given

H.LEN shows the header length in units of ____ Bits

A. 30

B. 32 Page 105

C. 34

D. None of the given

_____ Protocol provides error reporting mechanism.

E. ICMP Page 115

F. SNMP

G. IGMP

H. None of the given

Internet protocol (IP) address version 4 is comprised of _____ bits.

A. 8

B. 16

C. 32 Google

D. 64

IPV6 addresses are _____ bits.

A. 32

B. 64

C. 128 Page 111

D. 256

TCP provides reliable connection startup.

False Page 123

True

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

_____ is a technique used to Limit datagram size to small MTU of any network.

A. Segmentation
B. Encapsulation
C. Fragmentation Page 108
D. None of the given

The Current version of IP-Version 4 is _____ old

A. 10 Year
B. 20 Year Page 110
C. 25 Year
D. 30 Year

The protocol address of the next hop must be_____ to an equivalent hardware address before a packet can be sent.

A. Encrypted
B. Decrypted
C. Translated Page 93
D. Segmented

Preliminary version of IP was called _____.

A. IP – Net Generation (IPng)
B. IP – New Generation (IPng)
C. None of the given
D. IP – Next Generation (IPng) Page 110

One of the parameters, which motivated IP for change is address space. The _____ address space allows for over a million

VuTopper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

networks.But most networks are class C and too small for many organizations.

A. 16-bit
B. 32-bit Page 110
C. 64-bit
D. 128-bit

_____ protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.

A. Session
B. Internet Layer
C. Network interface layer
D. Internet Layer

All of the given options are the types of delay except_____.

A. Propagation
B. Access
C. Throughput Page 79
D. Queuing

_____ provides computer to computer communication.

A. IP Page 119
B. TCP
C. IGMP
D. ICMP

UDP datagram format is _____ bits.

A. 8
B. 16
C. 32 Page 112

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

D. 64

Routers use _____ to forward datagrams along prearranged path.

A. Flow label Page 111

B. Traffic class

C. Destination address

D. None of the given

MTU Stands for _____

A. Multicast transmission unit

B. Minimum transmission unit

C. None of the given

D. Maximum transmission unit Page 107

TCP achieves _____ by retransmission.

A. Accuracy

B. Efficiency

C. Reliability Page 125

D. None of the given

which is not the type of error messages defined by ICMP.

A. Source quench

B. Time exceeded

C. None of the given Page115

D. Destination unreachable

A separate _____ table is used for each physical network.

A. Checksum

B. CRC

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

C. Bit-binding
D. Address-binding Page 94

_____ is used for single destination computer.

A. Unicast Page 114
B. Multicast
C. Broadcast
D. None of the given

_____ uses window mechanism to control the flow of data.

A. IP
B. TCP Page 126
C. UDP
D. None of the given

_____ of TCP/IP Protocol Suit specifies the format of packets sent across Internet as well as the mechanisms used to forward packets.

A. Physical Layer
B. Transport Layer
C. Data Link Layer
D. Internet Layer

_____ Serve Same purpose in Internet as frames on LAN

A. Packet
B. Virtual frames
C. Both
D. Virtual Packets Page 101

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

UDP provides connection-oriented service.
True
False Page 120

In TCP/IP, _____ provides reliable transport service.

A. IP
B. TCP Page 123
C. Both IP and TCP
D. None of the given

Every hardware technology specification includes the definition of the maximum size of the frame data area, which is called the _____ Transmission Unit.

A. Least
B. Frame
C. Fragment
D. Maximum Page 107

Dotted decimal represents each octet in _____ and uses a dot to separate octets.

A. Octal
B. binary
C. Decimal Page 87
D. hexadecimal

TCP connections are not called Virtual connections.
True
False Page 123

Vu TopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

_____ field of header indicates whether a datagram is a fragment or a complete datagram.

A. FLAGS Page 373

B. None of the given

C. IDENTIFICATION

D. FRAGMENT OFFSET

Fragmentation when using ICMP for path MTU should be avoided.

True Page 118

False

_____ is a type of address used for collection of computers with same prefix.

A. Unicast

B. Cluster Page 114

C. Multicast

D. None of these

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the protocol address using basic Boolean and _____ operations.

A. XOR

B. Shift

C. XNOR

D. Arithmetic Page 94

End to End delivery Service of IP datagram is _____

A. Connectionless Page 101

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Connection oriented
C. Both
D. None of the given

The Header format of IPv6 is entirely different.

True Page 111

False

Address mask defines how many bits of address are in prefix.

True Page 103

False

As the Internet grew, the original Classful addressing scheme became a limitation. The IP address space was being exhausted because all networks had to choose one of _____ possible sizes.

A. One
B. Two
C. Four
D. Three Page 90

When there is heavy traffic on the network, the queuing time is _____.

A. Zero
B. Fixed
C. Increased Google
D. Decreased

_____ are two standard implementations to improve computational efficiency.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

A. Hashing and Direct indexing Page 94
B. Segmentation and Fragmentation
C. Queuing and Packetizing
D. Indexing and Framing

NEXT HEADER field in the base header defines type of header it appears at the end of fixed-size base header.
True Page 112
False

The IP class scheme does not divide the _____ address space into equal size class and the classes do not contain the same number of networks.
A. 8-bit
B. 16-bit
C. 32-bit Page 88
D. 64-bit

A network with _____jitter takes more time to deliver some packets than others.
A. Zero
B. High Page 80
C. Low
D. Moderate

The UDP stands for_____.
A. None of the given
B. User Datagram Protocol Page 119
C. United Datagram Protocol
D. Universal Datagram Protocol

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

_____ layer Provides reliable delivery of datagram.

A. Network
B. Transport Page 104
C. Data link
D. None of the given

The Universal Datagram Protocol is a message-oriented protocol.

True Google
False

TCP stands for _____

A. None of the given
B. Terminal control protocol
C. Transport control protocol Page 123
D. Transmission control protocol

Mapping between a protocol address and a hardware address is called _____.

A. Segmentation
B. Hashing
C. Fragmentation
D. Address Resolution Page 93

Reliability is not the responsibility of the Transport layer.

True
False Page 123

_____ encapsulates IP datagram as data area in hardware frame.

A. Datalink Layer

VuTopper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Network Layer
C. None of the given
D. Network Interface Layer Page 106

_____ sends ICMP echo messages with increasing TTL.
A. Ping
B. Tracert Page 118
C. Trace route
D. None of the given

_____ is less complex and easy to understand.
A. IP
B. TCP
C. UDP Page 120
D. None of the given

UDP packet is encapsulated in _____ datagram.
A. IP Page 122
B. TCP
C. TCP/IP
D. None of the given

Inside a computer, each address mask is stored as a ____-bit value.
A. 32 Page 91
B. 16
C. 48
D. 64

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

ICMP message transport is acted upon by getting ICMP _____ in IP.

A. Segmented
B. Encapsulated Page 117
C. De-encapsulated
D. None of the given

Class A mask is 255.0.0.0 which is used for _____

A. Subnetting Page 103
B. Unicasting
C. Multicasting
D. All of the given option

For _____, information about forwarding is stored in a routing table, which is initialized at system initialization and must be updated as network topology changes.

A. Security
B. Accuracy
C. Efficiency Page 102
D. Anomalies

The amount of buffer space available at any time is called the window.

True Page 126
False

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

A. Physical Layer
B. Internet Layer

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

C. Network Interface Layer
D. Transport Layer Page 84

In the IP address _____ identifies the physical network to which the computer is attached.

A. Mux
B. Surffix
C. Demux
D. PREFIX Page 85

_____is the rate at which data can be sent through the network.

A. Throughput Page 79
B. Propagation delay
C. Access delay
D. Switching delay

Header contains all information needed to deliver datagram to the destination computer. But which one of the following is not included:

A. Rectifier Page 102
B. Source address
C. Destination address
D. Other delivery information

System rebooting is one of the major problems in the reliable delivery

True Page 124
False

The maximum segment size of TCP flow control is _____

A. 1000 octets Page 126

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Virtopper RM

B. 2000 octets
C. 3000 octets
D. 4000 octets

TCP/IP defines the term_____ to refer any computer system that connects to a network and runs applications for users.

A. Router
B. Switch
C. Host computer Page 84
D. Bridge

Question No:1 (Marks:1) Vu-Topper RM
Question No:2 (Marks:1) Vu-Topper RM
Question No:3 (Marks:1) Vu-Topper RM

_____is used for typical data applications (where the data rate may be unknown and bursty) and allows use of whatever bandwidth is available at a given time.

A. Variable Bit Rate (VBR) service
B. Constant Bit Rate (CBR) service
C. Available Bit Rate (ABR) service Page 71
D. None of the given

Question No:4 (Marks:1) Vu-Topper RM

ATM assigns each VC a identifier that is divided two parts to produce a hierarchy

A. 22-bit
B. 24-bit Page 67
C. 26-bit
D. 28-bit

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:5 **(Marks:1)** **Vu-Topper RM**

_____of TCP/IP layering model, corresponds to basic network hardware.

A. Internet Layer

B. Physical Layer **Page 84**

C. Transport Layer

D. Network Interface Layer

Question No:6 **(Marks:1)** **Vu-Topper RM**

_____places the boundary between the second and third octets.

A. Class A

B. Class B **Page 86**

C. Class C

D. Class D

Question No:7 **(Marks:1)** **Vu-Topper RM**

UDP and TCP are both_____layer protocols.

A. Network

B. Physical

C. Data link

D. Transport **Page 101**

Question No:8 **(Marks:1)** **Vu-Topper RM**

Connection-oriented service, Point-to-point, Complete reliability, Full-duplex communication, Stream interface, Reliable connection startup and Graceful connection shutdown are the services provided by.

A. IP

B. TCP **Page 123**

C. Both

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

D. None of the given

Question No:9 (Marks:1) Vu-Topper RM

Question No:10 (Marks:1) Vu-Topper RM

The term self-identifying is used for Classful IP addresses because the class of the address can be computed from the address

A. Itself Page 87

B. Suffix

C. Mask

D. Prefix

Question No:11 (Marks:1) Vu-Topper RM

In which method of Address Resolution Protocol the protocol address independent of hardware address? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

A. C

B. D

C. T, C

D. T, D Page 97

Question No:12 (Marks:1) Vu-Topper RM

In which method of Address Resolution Protocol the protocol address is determined by hardware address? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

A. A

B. B

C. C Page 97

D. D

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:13 **(Marks:1)** **Vu-Topper RM**

_____provide Application to application communication it also called end to end communication

A. IP

B. TP **Page 119**

C. RIP

D. None of the given

Question No:14 **(Marks:1)** **Vu-Topper RM**

Router detects datagram --------- than network

A. MTU

B. Larger **Page 108**

C. Smaller

D. None of the given

Question No:15 **(Marks:1)** **Vu-Topper RM**

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a.

A. Connectionless service paradigm **Page 112**

B. Connection-oriented service paradigm

C. Both Connectionless and Connection-oriented service paradigm

D. None of the given

Question No:16 **(Marks:1)** **Vu-Topper RM**

_____places the boundary between the third and fourth octets.

A. Class A

B. Class B

C. Class C **Page 88**

D. Class D

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:17 **(Marks:1)** **Vu-Topper RM**

Question No:18 **(Marks:1)** **Vu-Topper RM**

Which method of Address Resolution Protocol requires hardware broadcast? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

A. C

B. D **Page 97**

C. T

D. D, C

Question No:19 **(Marks:1)** **Vu-Topper RM**

Question No:20 **(Marks:1)** **Vu-Topper RM**

Question No:21 **(Marks:1)** **Vu-Topper RM**

Question No:22 **(Marks:1)** **Vu-Topper RM**

In the IP address_____identifies an individual computer on the network.

A. Prefix

B. Suffix **Page 85**

C. Mux

D. Demux

Question No:23 **(Marks:1)** **Vu-Topper RM**

Question No:24 **(Marks:1)** **Vu-Topper RM**

Question No:25 **(Marks:1)** **Vu-Topper RM**

Question No:26 **(Marks:1)** **Vu-Topper RM**

Question No:27 **(Marks:1)** **Vu-Topper RM**

_____masks your IP address.

A. Firewall

B. Antivirus

C. VPN **Google**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

D. Incognito mode

Question No:28 (Marks:1) Vu-Topper RM

Question No:29 (Marks:1) Vu-Topper RM

VPNs connections are sometimes called _____.

A. Tunnels Page 75

B. Open networking

C. Routing

D. Public network

Question No:30 (Marks:1) Vu-Topper RM

Question No:31 (Marks:1) Vu-Topper RM

Address Resolution Protocol is mostly used to bind a 32-bit IP address to a ____ Ethernet address.

A 16-bit

B 48-bit

C. 64-bit

D. 84-BIT

Question No:32 (Marks:1) Vu-Topper RM

_____message is sent in response to incoming datagrams with problems.

A. TCP/IP

B. IGMP

C. ICMP Page 117

D. None of the given

Question No:33 (Marks:1) Vu-Topper RM

TCP/IP protocol suit defines the basic characteristics of network hardware.

A. Physical Layer

B Data Link Layer

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Internet Layer
D. Transport Layer

Question No:34 (Marks:1) Vu-Topper RM
Question No:35 (Marks:1) Vu-Topper RM
The identifier that is used for data transfer in the virtual circuit network is called _____.

A. Virtual circuit identifier Google
B. Global address
C. Network identifier
D. IP identifier

Question No:36 (Marks:1) Vu-Topper RM
Question No:37 (Marks:1) Vu-Topper RM
Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

A. Remote access VPNs
B. Peer-to-peer VPNs
C. Country-to-country VPNs
D. Site-to-site VPNs Google

Question No:38 (Marks:1) Vu-Topper RM
Question No:39 (Marks:1) Vu-Topper RM
Computer networks are often called _____ because they use packet technology.

A. Ethernet
B. Switch network
C. Packet network
D. None of the given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:40 **(Marks:1)** **Vu-Topper RM**

A Bridge forwards or filters a frame by comparing the information in its address table to the frame's

A. Layer 2 source address
B. Layer 2 destination address
C. Layer 3 destination address
D. Source node's physical address

Question No:41 **(Marks:1)** **Vu-Topper RM**

When an application_____data, it makes a copy of the data available to all other computers on the network.

A. Unicasting
B. Multicasting
C. Broadcasting
D. None of the given

Question No:42 **(Marks:1)** **Vu-Topper RM**

Connectionless service, Message-Oriented protocol, best effort delivery service, arbitrary interaction and operating system independent are the characteristics of

A. IP
B. TCP
C. UDP **Page 120**
D. None of the given

Question No:43 **(Marks:1)** **Vu-Topper RM**

Question No:44 **(Marks:1)** **Vu-Topper RM**

Question No:45 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:46 **(Marks:1)** **Vu-Topper RM**

_____performs local multicast and uses IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another

A. Core Based Trees (CBT)

B. Distance Vector Multicast Routing Protocol **Page 144**

C. Protocol Independent Multicast_ Sparse Mode (PIM-SM)

D. Protocol Independent Multicast _ Dense Mode (PIM-DM)

Question No:47 **(Marks:1)** **Vu-Topper RM**

Question No:48 **(Marks:1)** **Vu-Topper RM**

_____protocol is designed to use within an organization.

A. OSPF

B. MOSPF **Page 139**

C. MEOSPF

D. None of the given

Question No:49 **(Marks:1)** **Vu-Topper RM**

Question No:50 **(Marks:1)** **Vu-Topper RM**

Question No:51 **(Marks:1)** **Vu-Topper RM**

Question No:52 **(Marks:1)** **Vu-Topper RM**

TCP uses_____mechanism to control the flow of data.

A. Door

B. Window **Page 122**

C. Retransmission

D. Acknowledgment

Question No:53 **(Marks:1)** **Vu-Topper RM**

IGPs stand for.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. None of the given
B. Internal Gateway Protocols
C. Interior Gateway Protocols Page 135
D. Intermediate Gateway Protocols

Question No:54 (Marks:1) Vu-Topper RM

_____protocol uses distance vector algorithm.

A. IGP
B. RIP Page 139
C. BGP
D. None of the given

Question No:55 (Marks:1) Vu-Topper RM

_____is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

A. Flood-and –Prune Page 143
B. Core-Based Discovery
C. Configuration-and -Tunneling
D. None of the given

Question No:56 (Marks:1) Vu-Topper RM

Router that decrements TTL to sends ICMP time exceeded message, with router's address as source address

A. 0 Page 118
B. 1
C. 2
D. 3

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:57 **(Marks:1)** **Vu-Topper RM**
Question No:58 **(Marks:1)** **Vu-Topper RM**
Question No:59 **(Marks:1)** **Vu-Topper RM**
Question No:60 **(Marks:1)** **Vu-Topper RM**
Question No:61 **(Marks:1)** **Vu-Topper RM**

TCP is a_____protocol.

A. Multi-Point
B. Point-to-Point **Page 123**
C. Both
D. None of the given

Question No:62 **(Marks:1)** **Vu-Topper RM**
Question No:63 **(Marks:1)** **Vu-Topper RM**
Question No:64 **(Marks:1)** **Vu-Topper RM**
Question No:65 **(Marks:1)** **Vu-Topper RM**
Question No:66 **(Marks:1)** **Vu-Topper RM**
Question No:67 **(Marks:1)** **Vu-Topper RM**
Question No:68 **(Marks:1)** **Vu-Topper RM**
Question No:69 **(Marks:1)** **Vu-Topper RM**
Question No:70 **(Marks:1)** **Vu-Topper RM**
Question No:71 **(Marks:1)** **Vu-Topper RM**
Question No:72 **(Marks:1)** **Vu-Topper RM**

Which one is NOT the function of ping program

A. Reachability
B. Traceability **Page 117**
C. Both
D. None of the given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:73 **(Marks:1)** **Vu-Topper RM**

Question No:74 **(Marks:1)** **Vu-Topper RM**

_____ contains all information needed to deliver datagram to the destination.

A. Header **Page 102**

B. Identifier

C. Data Area

D. None of the given

Question No:75 **(Marks:1)** **Vu-Topper RM**

Question No:76 **(Marks:1)** **Vu-Topper RM**

_____ shows senders preference for low latency, high Reliability.

A. TYPE

B. SERVICE TYPE **Page 105**

C. SERVICE PRIORITY

D. None of the given

Question No:77 **(Marks:1)** **Vu-Topper RM**

Question No:78 **(Marks:1)** **Vu-Topper RM**

Question No:79 **(Marks:1)** **Vu-Topper RM**

IP datagram can contains _____ octets.

A. 1-65.536

B. 0-65.535

C. 1-65.535 **Page 105**

D. None of the given

Question No:80 **(Marks:1)** **Vu-Topper RM**

Question No:81 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

IPV6 address consists of _____

A. 32-bit

B. 64-bit

C. 128 bits Page 111

D. 182-bit

Question No:82 (Marks:1) Vu-Topper RM

Question No:83 (Marks:1) Vu-Topper RM

The Source can configure outgoing datagram's to avoid _____

A. Segmentation

B. Fragmentation Page 118

C. Defragmentation

D. None of the given

Question No:84 (Marks:1) Vu-Topper RM

Question No:85 (Marks:1) Vu-Topper RM

Question No:86 (Marks:1) Vu-Topper RM

Due to revolutionalization of IP-V6 the speed has increased from _____

A. 56kbps to 1gbps Page 110

B. 512kbps to 1gbps

C. 56kbps to 512kbps

D. None of the given

Question No:87 (Marks:1) Vu-Topper RM

The time for acknowledgement to arrive depends on.

A. Distance to destination

B. Current traffic conditions

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

C. Both **Page 125**

D. None of the given

Question No:88 **(Marks:1)** **Vu-Topper RM**

Question No:89 **(Marks:1)** **Vu-Topper RM**

_____ field is used to identify a specific path through the network

A. FLOW LABEL **Page 111**

B. TRAFFIC CLASS

C. Both

D. None of the given

Question No:90 **(Marks:1)** **Vu-Topper RM**

Which protocol is used to test different tools.

A. ICMP **Page 117**

B. IGMP

C. TCP/IP

D. None of the given

Question No:91 **(Marks:1)** **Vu-Topper RM**

Question No:92 **(Marks:1)** **Vu-Topper RM**

IPV6 address with _____ leading zeros is interpreted to hold an IPV4 address.

A. 96 **Page 114**

B. 100

C. 120

D. None of the given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:93 **(Marks:1)** **Vu-Topper RM**

A datagram cannot be larger than of a network over which it is sent.

A. Size

B. MTU **Page 113**

C. IP header

D. None of the given

Question No:94 **(Marks:1)** **Vu-Topper RM**

IPv6 _____ is responsible for fragmentation. Routers simply drop datagram's larger than network

A. Source **Page 113**

B. Medium

C. Destination

D. Intermediate routers

Question No:95 **(Marks:1)** **Vu-Topper RM**

Question No:96 **(Marks:1)** **Vu-Topper RM**

The Network Layer Protocol ICMP stands for_____

A. Initial Control Message Protocol

B. Instant Control Message Protocol

C. Internet Control Message Protocol **Page 115**

D. None of the given

Question No:97 **(Marks:1)** **Vu-Topper RM**

Question No:98 **(Marks:1)** **Vu-Topper RM**

_field tells the receiver how to order fragments within a given datagram

A. FLAGS

B. IDENTIFICATION

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. FRAGMENT OFFSET **Page 375**

D. None of the given

Question No:99 **(Marks:1)** **Vu-Topper RM**

_____ Source is responsible for fragmentation.

A. IPV2

B. IPV4

C. IPV6 **Page 103**

D. IPV8

Question No:100 **(Marks:1)** **Vu-Topper RM**

Question No:101 **(Marks:1)** **Vu-Topper RM**

In IPV6 the 128 bit addresses unwidely in dotted decimal;requires _____ numbers.

A. 12

B. 14

C. 16 **Page 114**

D. None of the given

Question No:102 **(Marks:1)** **Vu-Topper RM**

Question No:103 **(Marks:1)** **Vu-Topper RM**

IPV6 128 bits address includes network prefix and _____

A. Host Suffix **Page 114**

B. Host prefix

C. Source Prefix

D. None of the given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:104 **(Marks:1)** **Vu-Topper RM**

Address mask defines how many bits of address are in suffix?

True

False **Page 103**

Question No:105 **(Marks:1)** **Vu-Topper RM**

Like most application programs, a client and server use a transport protocol to communicate.

True **Page 146**

False

Question No:106 **(Marks:1)** **Vu-Topper RM**

A single networking technology is best for all needs

True

False **Page 81**

Question No:107 **(Marks:1)** **Vu-Topper RM**

Mapping between a protocol address and a hardware address is called Address Resolution.

True **Page 93**

False

Question No:108 **(Marks:1)** **Vu-Topper RM**

Although message exchange can be used to bind addresses, sending a request for each binding is hopelessly inefficient.

True **Page 99**

False

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:109 **(Marks:1)** **Vu-Topper RM**

A computer attached to a given network can only communicate with other computers attached to the same network. Is this a problem with multiple networks?

True **Page 81**

False

Question No:110 **(Marks:1)** **Vu-Topper RM**

Question No:111 **(Marks:1)** **Vu-Topper RM**

UDP offers application programs a Message-Oriented Interface, applications can depend on protocol to preserve data boundaries.

True **Page 120**

False

Question No:112 **(Marks:1)** **Vu-Topper RM**

Question No:113 **(Marks:1)** **Vu-Topper RM**

Question No:114 **(Marks:1)** **Vu-Topper RM**

Question No:115 **(Marks:1)** **Vu-Topper RM**

ICMP message transport is acted upon by getting ICMP Encapsulated in IP.

True **Page 117**

False

Question No:116 **(Marks:1)** **Vu-Topper RM**

HEADER LEN field gives size of extention header.

True **Page 112**

False

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:117 **(Marks:1)** **Vu-Topper RM**

Postfix defines how much of address used to identify network.

Ture

False **Page 103**

Question No:118 **(Marks:1)** **Vu-Topper RM**

The process of learning the path MTU is known as path MTU discovery.

True **Page 114**

False

uestion No:119 **(Marks:1)** **Vu-Topper RM**

A is a special purpose system dedicated to the task of interconnecting networks

Bridge

Router **Page 82**

Visit My YouTube Channel
For Subjective and More Important Notes
Channel Name = #VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365