STA301 – Statistics & Probability
SPRING 2022 – Quiz # 3 Solved

Prepared by:

Team VU Global

Solved by: *MALIK*

Contact us to join our esteemed network
AARISH ALI +96569002641

Question # 1 of 10 (Start time: 09:16:25 AM, 16 August 2022) Total Marks: 1

A sales firm receives different calls from clients. If someone says, today it will receive "at most 3 calls". How many calls will be received?

Select the correct option

○	0, 1, 2, 3
○	3, 4, 5, ...
○	0, 1, 2, 3, 5, ...
○	1, 2, 3

MALIK'S

Click to Save Answer & Move to Next Question

In a binomial distribution,formula of calculating s tan dard deviation is

Select the correct option

Reload Math Equations

○	$\sqrt{npq}$
○	$\sqrt{p}$
○	$\sqrt{np}$
○	$\sqrt{pq}$

MALIK'S

Click to Save Answer & Move to Next Question

The uni-variate distribution obtained from a bi-variate distribution is known as:

Select the correct option

○	Joint Distribtion
○	None of the above
○	Both of the above
○	Marginal Distribtion

Click to Save Answer & Move to Next Questio

If the first moment ratio is less than 0, then the distribution will be:

Select the correct option

○	Nobe of these
○	Symmetrical
○	Positively Skewed
○	Negatively Skewed

MALIK'S

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 09:22:32 AM, 16 August 2022) **Total M**

From joint distribution function f(X, Y), we can get marginal probabilities function, but vise versa is true when

Select the correct option

- X and Y are symmetrical
- X and Y are dependent
- X and Y are independent
- X and Y are highly correlated

MALIK'S

Click to Save Answer & Move to Next Questi

Question # 6 of 10 (Start time: 09:24:43 AM, 16 August 2022) **Total Marks:** 1

The marginal p.d.f. of _____ variables is obtained by integrating the other variable from the joint p.d.f.

Select the correct option

○	Binomial
○	Qualitative
○	Continuous
○	Discrete

MALIK'S

Click to Save Answer & Move to Next Question

If $E(x)=2$ and $E(y)=5$ then $E(xy)$ is equal to:

Select the correct option

- 5
- 10
- 7
- 3

NOT SURE

Click to Save Answer & Move to Next Questio

Question # 8 of 10 (Start time: 09:28:21 AM, 16 August 2022) **Total Marks:** 1

The standard normal distribution has it mean and variance equal to:

Select the correct option

- ○ 1 and 1 respectively
- ○ 0 and 1 respectively
- ○ 0 and 0 respectively
- ○ 1 and 0 respectively

MALIK'S

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 09:29:20 AM, 16 August 2022) **Total Marks:** 1

The variance of the Hypergeometric distribution is:

Select the correct option

○	{nk(N-n)}/N(N-1)
○	npq
○	{nk(N-k)(N-n)}/N*N(N-1)
○	pq

MALIK'S

Click to Save Answer & Move to Next Question

Using the normal approximation to the binomial distribution with n= 3 and p= 0.0571 the value of mean is:

Select the correct option

- 0.1923
- 0.5133
- 0.2132
- 0.1713

MALIK'S

12:03 50.85K/s 48%

vulms.vu.edu.pk/Quiz

BC190204393: FAREEHA SAIFULLAH

Time Left 90 sec(s)

STA301 - Statistics and Probability (quiz#3)

Quiz start Time: 12:03 PM, 16 August 2022

Question # 1 of 10 (Start time: 12:03:11 PM, 16 August 2022)

Total Marks: 1

The number of parameters in Poisson distribution is (are):

Select the correct option

2

4

1

3

MALIK'S

Click to Save Answer & Move to Next Question

12:05 0.37K/s 47%

vulms.vu.edu.pk/Quiz

BC190204303: FAREEHA SAIFULLAH

STA301 - Statistics and Probability (Quiz#3)

Question # 2 of 10 (Start time: 12:04:56 PM, 16 August 2022)

What are the numbers of parameter of Hyper geometric distribution ?

Select the correct option

- 3
- 5
- 4
- 2

MALIK'S

12:06 24.21K/s 46%

vulms.vu.edu.pk/Quiz

C190204303: FAREEHA SAIFULLAH

Time Left

TA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:03 PM, 16 Aug

uestion # 3 of 10 (Start time: 12:06:20 PM, 16 August 2022)

Total

The marginal p.d.f. of any continuous variables is obtained by _____ the other variable from the joint p.d.f.

elect the correct option

- Integrating
- Averaging
- Multiplying
- Dividing

MALIK'S

Click to Save Answer & Move to Next Que

Question # 4 of 10 (Start time: 12:08:06 PM, 16 August 2022) Total Marks: 1

The mean of Uniform distribution defined on the interval [a,b] is:

Select the correct option

Reload Math Equations

○	$\frac{a-b}{2}$
○	$(a-b)$
○	$(a+b)$
○	$\frac{a+b}{2}$

MALIK'S

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 12:10:17 PM, 16 August 2022) Total Marks: 1

The variance of the Hypergeometric distribution is:

Select the correct option

- {nk(N-k)(N-n)}/N*N(N-1)
- pq
- npq
- {nk(N-n)}/N(N-1)

MALIK'S

Question # 6 of 10 (Start time: 12:11:21 PM, 16 August 2022) Total Marks: 1

What should be the type of both variables in joint probability distribution of X and Y?

Select the correct option

- Both discrete
- Both continuous
- Either both continuous or both discrete
- One continuous and other discrete

Question # 7 of 10 (start time: 12:13:32 PM, 16 August 2022)

Total Marks: 1

Integrating the product of x and f(x) from range
$-\infty$ to $+\infty$ give us the

Select the correct option

- ○ Cumulative probability of x
- ○ Total probability of x
- ○ First moment about origin
- ○ First moment about mean

MALIK'S

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 12:15:25 PM, 16 August 2022) Total Marks: 1

If total probability of joint probability distribution f(x,y) is ONE then what will be the total probability of its marginal pdf h(y)?

Select the correct option

- Depend on given values
- One
- Less than one
- Anywhere between zero and one

MALIK'S

Question # 9 of 10 (Start time: 12:17:24 PM, 16 August 2022) Total Marks

The hypergeometric probability distribution has parameters:

Select the correct option

- N, N-K, n
- N, P, n
- N, n, k
- N, n

MALIK'S

Which of the following is major property of hypergeometric distribution other than binomial distribution.

Select the correct option

○	The outcome of each trial may be classified into one of two categories
○	It follows a continuous distribution
○	The experiment is repeated a fix number of time
○	The successive trials are not independent

NOT SURE

BC210402637: USMAN KHAN

Time Left 79 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 10 of 10 (Start time: 01:39:14 PM, 16 August 2022)

Total Marks: 1

The shape of the Poisson distribution is:

Select the correct option

- J shaped
- U shaped
- Negatively skewed
- Positively skewed

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 79 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 10 of 10 (Start time: 01:39:14 PM, 16 August 2022)

Total Marks: 1

The shape of the Poisson distribution is:

Select the correct option

- J shaped
- U shaped
- Negatively skewed
- Positively skewed

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 78 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 8 of 10 (Start time: 01:37:47 PM, 16 August 2022)

Total Marks: 1

Let X and Y be two random variables then the
Cov (X, Y) =

Select the correct option

- 0
- E [Y – E(Y)]}
- E {[X – E(X)] [Y – E(Y)]}
- E {[X – E(X)]

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 62 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 9 of 10 (Start time: 01:38:04 PM, 16 August 2022)

Total Marks: 1

If a random variable X denotes the number of heads when we toss a fair coin 5 times, the X assumed the values:

Select the correct option

- 1, 2,3,4,5
- 0, 1, 2,3,4,5
- 0,1,2,3
- 1, 5, 5

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 82 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 6 of 10 (Start time: 01:37:06 PM, 16 August 2022)

Total Marks: 1

The hypergeometric probability distribution has parameters:

Select the correct option

- N, P, n
- N, N-K, n
- N, n, k
- N, n

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 72 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 7 of 10 (Start time: 01:37:19 PM, 16 August 2022)

Total Marks: 1

If in a lottery, one thousand tickets are sold. The chance of a ticket for wining the lottery is:

Select the correct option

- Equally likely
- Not equally likely
- No information is given
- Mutually exclusive

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 71 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 4 of 10 (Start time: 01:36:07 PM, 16 August 2022)

Total Marks: 1

Which of the following is major property of hypergeometric distribution other than binomial distribution.

Select the correct option

- The successive trials are not independent
- It follows a continuous distribution
- The experiment is repeated a fix number of time
- The outcome of each trial may be classified into one of two categories

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 64 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 5 of 10 (Start time: 01:36:36 PM, 16 August 2022)

Total Marks: 1

The second moment-ratio of a particular continuous probability distribution found to be is 3.845. What does this value tell us about the distribution?

Select the correct option

- ○ Flatter than normal distribution
- ◉ Higher peak than the normal distribution
- ○ Normal distribution
- ○ Neither very peaked nor flatter

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 71 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 2 of 10 (Start time: 01:35:13 PM, 16 August 2022)

Total Marks: 1

The sum of the probabilities of bivariate probabilities function f(X, Y) is ONE then what will be the value of sum of its marginal probability function f(x)?

Select the correct option

- May and may not be one
- Will be the average of two variables
- Depends on the Y variable
- Will be one

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 72 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 3 of 10 (Start time: 01:35:43 PM, 16 August 2022)

Total Marks: 1

If the first moment ratio is greater than 0, then the distribution will be:

Select the correct option

- (●) Positively Skewed
- ( ) None of these
- ( ) Symmetrical
- ( ) Negatively Skewed

Click to Save Answer & Move to Next Question

BC210402637: USMAN KHAN

Time Left 76 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 01:34 PM, 16 August 2022

Question # 1 of 10 (Start time: 01:34:50 PM, 16 August 2022)

Total Marks: 1

In which of the following distributions is the probability of a success usually small?

Select the correct option

- (●) Binomial
- ( ) Poisson
- ( ) Hypergeometric
- ( ) All distribution

Click to Save Answer & Move to Next Question

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 03:14 PM, 16 August 2022

Question # 1 of 10 (Start time: 03:14:32 PM, 16 August 2022)

Total Marks: 1

The normal distribution has points of inflection which are equidistance from the:

Select the correct option

- Variance
- Mean
- Standard Deviation
- None of these

MALIK'S

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 03:16:01 PM, 16 August 2022) **Total Marks:** 1

Using the normal approximation to the binomial distribution with n= 3 and p= 0.0571 the value of mean is:

Select the correct option

- ○ 0.1713
- ○ 0.5133
- ○ 0.2132
- ○ 0.1923

MALIK'S

Click to Save Answer & Move to Next Question

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 03:14 PM, 16 August 2022

Question # 3 of 10 (Start time: 03:17:55 PM, 16 August 2022)

Total Marks: 1

In case of bivariate distribution, co-variance of distribution is represented:

Select the correct option

- E(X.X)-E(X).E(Y)
- E(Y.X)-E(X).E(Y)
- E(Y.Y)-E(X).E(Y)
- E(X^2)-[E(X)]^2

MALIK'S

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 03:20:44 PM, 16 August 2022) **Total Marks:** 1

Which statement is true for a discrete Uniform distribution?

Select the correct option

○	It is absolutely symmetrical distribution.
○	Sometimes it becomes symmetrical.
○	Its graphical shape of the data is like "U".
○	Cannot say anything without observing the actual data.

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 03:22:38 PM, 16 August 2022) Total Marks: 1

According to emperical rule, how much data lies between $\mu - \sigma$ and $\mu + \sigma$?

Select the correct option

Reload Math Equations

- 75.66%
- 95.44%
- 99.73%
- 68.26%

MALIK'S

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 03:23:28 PM, 16 August 2022) **Total Marks:** 1

Let X and Y are two random variables. Which property of expectation is true?

Select the correct option

○	$E(X - Y) = E(X) - E(Y)$
○	$E(X - Y) = E(X) + E(Y) - 2\,E(XY)$
○	$E(X - Y) = E(X) + E(Y) - E(XY)$
○	$E(X - Y) = E(X) - E(Y) + E(XY)$

MALIK'S

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 03:25:11 PM, 16 August 2022) **Total Marks:** 1

A sales firm receives different calls from clients. If someone says, today it will receive "at most 3 calls". How many calls will be received?

Select the correct option

○	0, 1, 2, 3, 5, ...
○	3, 4, 5, ...
○	0, 1, 2, 3
○	1, 2, 3

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 03:26:52 PM, 16 August 2022) **Total Marks:** 1

In a bivariate probability distribution of X and Y,
If $f(1,1)=4/15$, $g(1)=2/3$, $h(1)=2/5$,
then

Select the correct option

- X and Y are statistically independent
- None of these
- X and Y are not statistically independent
- Both of these

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 03:28:11 PM, 16 August 2022) **Total Marks:** 1

In hyper geometric distribution the following condition is violated

Select the correct option

○	Dependence of trials
○	Independence of trials
○	None of the above
○	Both a) and b)

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 03:29:49 PM, 16 August 2022) **Total Marks:** 1

Which of the following is a characteristic of a binomial probability experiment?

Select the correct option

○	The binomial random variable x is the count of the number of trials that occur
○	P(success) = P(failure)
○	The result of one trial does not affect the probability of success on any other trial
○	Each trial has more than two possible outcomes

MALIK'S

Click to Save Answer & Move to Next Question

The number of telephone calls that pass through a switchboard has a Poisson distribution with mean equal to two per minute. The probability that no telephone call passes through the switch board in a minutes is:

Select the correct option

- 0.0183
- 0.2707
- 0.0517
- 0.1353

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 02:21:54 PM, 16 August 2022)

In hyper geometric distribution probability of success always:

Select the correct option

- None of the above
- sometimes varies and sometimes is constant
- Varies from trial to trial
- is constant from trial to trial

Click

A sales firm receives different calls from clients. If someone says, today it will receive "at most 3 calls". How many calls will be received?

Select the correct option

- 3, 4, 5, ...
- 1, 2, 3
- 0, 1, 2, 3
- 0, 1, 2, 3, 5, ...

Click to Save Answer & Move to Next Quest

41% 2:29 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 87 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 1 of 10 (Start time: 02:30:29 PM, 16 August 2022)

Total Marks: 1

The number of typing errors per page in a book follows:

Select the correct option

- Poisson Process
- Binomial Distribution
- Normal Distribution
- Hyper geometric Distribution

Click to Save Answer & Move to Next Question

41% 2:31 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 2 of 10 (Start time: 02:32:00 PM, 16 August 2022)

Total Marks: 1

Integrating the product of x and f(x) from range
−∞ to +∞ give us the

Select the correct option

- Cumulative probability of x
- Total probability of x
- First moment about origin
- First moment about mean

Click to Save Answer & Move to Next Question

40% 2:32 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 3 of 10 (Start time: 02:32:57 PM, 16 August 2022)

Total Marks: 1

If total probability of joint probability distribution f(x,y) is ONE then what will be the total probability of its marginal pdf g(x)?

Select the correct option

- Half of the joint pdf
- One
- Anywhere between zero and one
- Less than one

Click to Save Answer & Move to Next Question

40% 2:32 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 3 of 10 (Start time: 02:32:57 PM, 16 August 2022)

Total Marks: 1

If total probability of joint probability distribution f(x,y) is ONE then what will be the total probability of its marginal pdf g(x)?

Select the correct option

- Half of the joint pdf
- One
- Anywhere between zero and one
- Less than one

Click to Save Answer & Move to Next Question

40% 2:35 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 73 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 4 of 10 (Start time: 02:35:26 PM, 16 August 2022)

Total Marks: 1

A correlation of -0.5 would indicate a scatterplot in which the slope is:

Select the correct option

- upwards.
- curvilinear.
- downwards.
- none of these.

Click to Save Answer & Move to Next Question

40% 2:36 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 90 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 5 of 10 (Start time: 02:37:09 PM, 16 August 2022)

Total Marks: 1

Let X and Y are TWO random variables. Which property of expectation is true?

Select the correct option

- $E(X + Y) = E(X) + E(Y) - E(XY)$
- $E(X + Y) = E(X) + E(Y)$
- $E(X + Y) = 2 * \{E(X) + E(Y)\}$
- $E(X + Y) = 2\,E(X + Y)$

Click to Save Answer & Move to Next Question

39% 2:37 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 6 of 10 (Start time: 02:38:06 PM, 16 August 2022)

Total Marks: 1

P[(X+Y) < 2] =? , where x=0, 1, 2 and y=0, 1, 2

Select the correct option

- f(0,0) + f(1,1) + f(1,0)
- f(0,0) + f(1,1) + f(2,0)
- f(0,1) + f(0,2) + f(2,0)
- f(0,0) + f(0,1) + f(1,0)

Click to Save Answer & Move to Next Question

39% 2:38 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 90 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 7 of 10 (Start time: 02:39:17 PM, 16 August 2022)

Total Marks: 1

Let the random variable Z have the standard normal distribution. P (Z > 1.96) is:

Select the correct option

- 0.0250
- 0.4750
- 0.1334
- 0.3210

Click to Save Answer & Move to Next Question

39% 2:39 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

MC200204572: ASIF EJAZ

Time Left 90 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 8 of 10 (Start time: 02:40:38 PM, 16 August 2022)

Total Marks: 1

Which of the following is not a requirement of a binomial distribution?

Select the correct option

- Only two possible outcomes.
- Equally likely outcomes.
- A constant probability of success
- A fixed number of trials.

Click to Save Answer & Move to Next Question

38% 2:41 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

MC200204572: ASIF EJAZ

Time Left 90 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 9 of 10 (Start time: 02:42:34 PM, 16 August 2022)

Total Marks: 1

The number of parameters in uniform distribution is (are):

Select the correct option

- 4
- 1
- 3
- 2

Click to Save Answer & Move to Next Question

38% 2:42 pm

vulms.vu.edu.pk/Quiz/QuizQuestion.as

2

MC200204572: ASIF EJAZ

Time Left 89 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 02:30 PM, 16 August 2022

Question # 10 of 10 (Start time: 02:43:23 PM, 16 August 2022)

Total Marks: 1

It is sometimes possible to obtain approximate probabilities associated with values of a random variable by using the different probability distribution of a different random variable. For example, binomial probabilities use the Poisson probability function, binomial probabilities using the normal etc. In order for the Poisson to give "good" approximate values for binomial probabilities we must have the condition(s) that:

Select the correct option

- The population size is large relative to the sample size
- The probability, p, is close to 0.5 and the sample size is large
- The probability, p, is close to 0.5 and the population size is large
- The probability, p, is small and the sample size is large

Click to Save Answer & Move to Next Question

12:38 85

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 87 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 1 of 10 (Start time: 12:38:24 PM, 16 August 2022)

Total Marks: 1

When the event occur randomly over a specified interval of time, space or length; the distribution is known as:

Select the correct option

- Hyper geometric distribution
- None of the above
- Poisson Process.
- Poisson Distribution

Click to Save Answer & Move to Next Question

12:40 84

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 2 of 10 (Start time: 12:40:00 PM, 16 August 2022)

Total Marks: 1

If p is very small and n is considerably large then we shall apply the:

Select the correct option

- Poisson distribution
- Exponential distribution
- Hypergeometric distribution
- Binomial distribution

Click to Save Answer & Move to Next Question

12:40 84

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 3 of 10 (Start time: 12:40:53 PM, 16 August 2022)

Total Marks: 1

If b = 0, then E(ay+b) =

Select the correct option

- y E(a)
- a E(y)
- 0
- y E(a+b)

Click to Save Answer & Move to Next Question

12:42 84

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 4 of 10 (Start time: 12:42:16 PM, 16 August 2022)

Total Marks: 1

If X and Y are independent random variables, then Cov (X, Y) =

Select the correct option

- 0.5
- 2
- 1
- 0

Click to Save Answer & Move to Next Question

12:44 83

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 5 of 10 (Start time: 12:44:01 PM, 16 August 2022)

Total Marks: 1

What will be the value of C.V if S.D = 0.5 and mean = 1.

Select the correct option

- 50%
- 10%
- 30%
- 45%

Click to Save Answer & Move to Next Question

12:45 83

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 6 of 10 (Start time: 12:45:53 PM, 16 August 2022)

Total Marks: 1

Most of the times Poisson approximation to the binomial is applied when p is less than 0.05 and n is greater than:

Select the correct option

- 10
- 20
- 5
- 25

Click to Save Answer & Move to Next Question

12:48 82

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 87 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 7 of 10 (Start time: 12:48:21 PM, 16 August 2022)

Total Marks: 1

A uniform distribution has the following shape:

Select the correct option

- Rectangular
- U-shaped
- Bell-shaped
- Bi-modal

Click to Save Answer & Move to Next Question

12:49 82

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 8 of 10 (Start time: 12:49:42 PM, 16 August 2022)

Total Marks: 1

The number of typing errors per page in a book follows:

Select the correct option

- Poisson Process
- Normal Distribution
- Binomial Distribution
- Hyper geometric Distribution

Click to Save Answer & Move to Next Question

12:51 81

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 9 of 10 (Start time: 12:51:48 PM, 16 August 2022)

Total Marks: 1

Nature of the binomial random variable X is:

Select the correct option

- Continuous
- Qualitative
- Quantitative
- Discrete

Click to Save Answer & Move to Next Question

12:53 81

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 10 of 10 (Start time: 12:53:12 PM, 16 August 2022)

Total Marks: 1

If the first moment ratio is equal to 0, then the distribution will be:

Select the correct option

- Negatively Skewed
- Leptokurtic
- Positively Skewed
- Symmetrical

Click to Save Answer & Move to Next Question

12:38 85

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 87 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 1 of 10 (Start time: 12:38:24 PM, 16 August 2022)

Total Marks: 1

When the event occur randomly over a specified interval of time, space or length; the distribution is known as:

Select the correct option

- Hyper geometric distribution
- None of the above
- Poisson Process.
- Poisson Distribution

MALIK'S

Click to Save Answer & Move to Next Question

12:40 84

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 2 of 10 (Start time: 12:40:00 PM, 16 August 2022)

Total Marks: 1

If p is very small and n is considerably large then we shall apply the:

Select the correct option

- Poisson distribution
- Exponential distribution
- Hypergeometric distribution
- Binomial distribution

MALIK'S

Click to Save Answer & Move to Next Question

12:40 84

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 3 of 10 (Start time: 12:40:53 PM, 16 August 2022)

Total Marks: 1

If b = 0, then E(ay+b) =

Select the correct option

- y E(a)
- a E(y)
- 0
- y E(a+b)

NOT SURE

Click to Save Answer & Move to Next Question

12:42 84

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 4 of 10 (Start time: 12:42:16 PM, 16 August 2022)

Total Marks: 1

If X and Y are independent random variables, then Cov (X, Y) =

Select the correct option

- 0.5
- 2
- 1
- 0

NOT SURE

Click to Save Answer & Move to Next Question

12:44 83

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 5 of 10 (Start time: 12:44:01 PM, 16 August 2022)

Total Marks: 1

What will be the value of C.V if S.D = 0.5 and mean = 1.

Select the correct option

- 50%
- 10%
- 30%
- 45%

MALIK'S

Click to Save Answer & Move to Next Question

12:45 83

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 6 of 10 (Start time: 12:45:53 PM, 16 August 2022)

Total Marks: 1

Most of the times Poisson approximation to the binomial is applied when p is less than 0.05 and n is greater than:

Select the correct option

- 10
- 20
- 5
- 25

MALIK'S

Click to Save Answer & Move to Next Question

12:48 82

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 87 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 7 of 10 (Start time: 12:48:21 PM, 16 August 2022)

Total Marks: 1

A uniform distribution has the following shape:

Select the correct option

- Rectangular
- U-shaped
- Bell-shaped
- Bi-modal

MALIK'S

Click to Save Answer & Move to Next Question

12:49 82

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 8 of 10 (Start time: 12:49:42 PM, 16 August 2022)

Total Marks: 1

The number of typing errors per page in a book follows:

Select the correct option

- Poisson Process
- Normal Distribution
- Binomial Distribution
- Hyper geometric Distribution

MALIK'S

Click to Save Answer & Move to Next Question

12:51 81

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 9 of 10 (Start time: 12:51:48 PM, 16 August 2022)

Total Marks: 1

Nature of the binomial random variable X is:

Select the correct option

- Continuous
- Qualitative
- Quantitative
- Discrete

MALIK'S

Click to Save Answer & Move to Next Question

12:53 81

Quiz
vulms.vu.edu.pk

BC210424398: SAMIA ISHTIAQ

Time Left 88 sec(s)

STA301 - Statistics and Probability (Quiz#3)

Quiz Start Time: 12:38 PM, 16 August 2022

Question # 10 of 10 (Start time: 12:53:12 PM, 16 August 2022)

Total Marks: 1

If the first moment ratio is equal to 0, then the distribution will be:

Select the correct option

- Negatively Skewed
- Leptokurtic
- Positively Skewed
- Symmetrical

NOT SURE

Click to Save Answer & Move to Next Question

REMEMBER IN PRAYERS

KEEP SMILING

SAY NO TO CURRUPTION

HELPOTHERS

Regards,

AARISH ALI & TEAM

"VU GLOBAL STUDY GROUP"

+9656900241