STA301 - Statistics and Probability (Quiz 3)

Question # 2 of 10 (Start time: 04:39:41 PM, 18 June 2025)

The parameters of binomial distribution are:

Select the correct option

○	n,p,q
◉	n,p
○	n,(n-1)
○	p,q

STA301 - Statistics and Probability (Quiz 3)

Question # 6 of 10 (Start time: 04:41:13 PM, 18 June 2025)

If $E(x)=2$ and $E(y)=5$ then $E(xy)$ is equal to:

Select the correct option

○	5
○	7
○	3
◉	10

STA301 - Statistics and Probability (Quiz 3)

Question # 9 of 10 (Start time: 04:42:09 PM, 18 June 2025)

The hypergeometric probability distribution has parameters:

Select the correct option

○	N, n
○	N, P, n
○	N, N-K, n
◉	N, n, k

STA301 - Statistics and Probability (Quiz 3)

Question # 10 of 10 (Start time: 04:42:31 PM, 18 June 2025)

From the following table,

x	0	1	2	3
f (x)	0.26	0.49	0.22	0.02

F(x=2) will be:

Select the correct option

- (●) 0.97
- ( ) 0.49
- ( ) 0.23
- ( ) 0.99

STA301 - Statistics and Probability (Quiz 3)

Question # 8 of 10 (Start time: 04:41:50 PM, 18 June 2025)

In a bivarite probability distribution of X and Y,
If E(X)=3 and E(Y)=5, then E(X-Y)= ?

Select the correct option

○	2
○	15
○	None of these
●	-2

STA301 - Statistics and Probability (Quiz 3)

Question # 5 of 10 (Start time: 04:40:46 PM, 18 June 2025)

Which of the probability distributions has three parameters?

Select the correct option

○	Normal distribution
●	Binomial distribution
○	Poisson distribution
○	Hypergeometric distribution

STA301 - Statistics and Probability (Quiz 3)

Question # 4 of 10 (Start time: 04:40:21 PM, 18 June 2025)

In a discrete distribution function, F(10) can be stated as:

Select the correct option

○	P (there are less than 10 successes)
○	P (there are more than 10 successes)
●	P (there are at most 10 successes)
○	P (there are at least 10 successes)

STA301 - Statistics and Probability (Quiz 3)

Question # 7 of 10 (Start time: 04:41:32 PM, 18 June 2025)

Which of the following is not true statement for the hypergeometric distribution?

Select the correct option

○	Trials are dependent
○	Only two possible outcomes
○	A fixed number of trials
●	A constant probability of success

STA301 - Statistics and Probability (Quiz 3)

Question # 1 of 10 (Start time: 04:39:24 PM, 18 June 2025)

λ is a positive _____, equal to the expected number of occurrences that occur during the given interval.

Select the correct option

- ○ Irrational number
- ◉ Real number
- ○ Complex number
- ○ Transcendental number

STA301 - Statistics and Probability (Quiz 3)

Quiz Start Time: 04:39 PM, 18 June 2025

Question # 3 of 10 (Start time: 04:39:55 PM, 18 June 2025) **Total Marks:** 1

Two discrete r.v.'s X and Y are said to be statistically independent, if and only if, for all possible pairs of values (Xi, Yj) the joint probability function f(x, y) can be expressed as the _____ of the two marginal probability functions.

Select the correct option

- ○ Sum
- ○ Inverse
- ○ Average
- ◉ Product

Click to Save Answer & Move to Next Question