STA301 - STATISTICS AND PROBABILITY

# Solved Quiz No. 01

Complete Practice Set

Solved by: **Sahirullah** | info.sahirweb@gmail.com

**1. A bell shaped distribution is also known as:**

- U shaped
- Skewed
- Bimodal
- **Symmetrical**

**Ans:** Bell-shaped curves are characteristic of Normal distributions, which are symmetrical.

**2. Any population which we want to study is referred as?**

- Infinite population
- Final population
- Standard population
- **Target population**

**Ans:** The target population is the specific group that the researcher wants to generalize the findings to.

**3. A circle in which sectors represents various quantities is called:**

- Frequency Polygon
- **Pie Chart**
- Histogram
- Component Bar Chart

**Ans:** Pie charts use segments of a circle to show relative sizes of data.

**4. If we want to calculate average speed of a car then which average will be used?**

- Mode
- **Harmonic mean**
- Mean
- Geometric mean

**Ans:** Harmonic mean is used for rates (like speed or price) involving equal distance or units.

**5. Which pair of measure cannot be calculated when one of numbers in the series is zero?**

- H.M. and A.M.
- **G.M. and H.M.**
- G.M. and A.M.
- None of these

**Ans:** Geometric mean becomes zero and Harmonic mean becomes undefined if a data point is zero.

**6. If you have 28.95 – 29.95 class boundaries then the midpoint will be:**

- **29.45**
- 30.45
- 31.45
- 28.45

**Ans:** Midpoint = (28.95 + 29.95) / 2 = 29.45.

**7. From the following table, what is the Upper limit of the 3rd class? (Table: 30.0-32.9, 33.0-35.9, 36.0-38.9...)**

- 35.9
- 33.0
- 42.0
- **38.9**

**Ans:** The third class interval is 36.0 – 38.9; the upper limit is 38.9.

**8. A frequency distribution formed considering two variables at a time is called:**

- Trivariate frequency distribution
- Univariate frequency distribution
- Bimodal distribution
- **Bivariate frequency distribution**

**Ans:** Bivariate analysis involves two different variables.