

**Q.1 The mean of the continuous probability function  $f(x)$  can be obtained by**

- A. Integrating the  $x$
  - B. Multiplying the  $x$  by its function  $f(x)$
  - C. Integrating the product  $xf(x)$**
  - D. Integrating the function  $f(x)$
- 

**Q.2 A discrete probability function  $f(x)$  is always:**

- A. Non-negative**
  - B. Zero
  - C. One
  - D. Negative
- 

**Q.3  $P[(X+Y) < 2] = ?$  , where  $x=0, 1, 2$  and  $y=0, 1, 2$**

- A.  $f(0,0) + f(0,1) + f(1,0)$**
  - B.  $f(0,0) + f(1,1) + f(2,0)$
  - C.  $f(0,0) + f(1,1) + f(1,0)$
  - D.  $f(0,1) + f(0,2) + f(2,0)$
- 

**Q.4 In a binomial experiment ,probability of success changes on:**

- A. Each trial**
  - B. Second trial
  - C. 30th trial
  - D. 10th trial
- 

**Q.5 Suppose 'X' is equal to the number of heads, when you throw a coin three times. The possible values of X are:**

- A. 1,2,3,.....
  - B. 0,1,2,3**
  - C. 1,2,3
  - D. 0,1,2,3,.....
- 

**Q.6 Suppose 60% of a herd of cattle is infected with a particular disease. Let  $Y$  = the number of non-diseased cattle in a sample of size 5. the distribution of  $Y$  is:**

- A. Binomial with  $n = 5$  and  $p = 0.4$**
  - B. Binomial with  $n = 5$  and  $p = 0.6$
  - C. Poisson with  $u = .6$
  - D. Binomial with  $n = 5$  and  $p = 0.5$
-

**Q.7** Suppose the population of all scores from this class has a mean of 72% and a standard deviation of 12%. For a random sample of 36 students, the distribution of sample mean has a mean of \_\_\_ and a standard deviation of \_\_\_:

- A. 72, 12
- B. 12, 12
- C. 72, 2**
- D. 12, 1/3

**Q.8** According to the empirical rule, how much data lies between  $\mu - 2\sigma$  and  $\mu + 2\sigma$ ?

- A. 50%
- B. 99.73%
- C. 95.44%**
- D. 68.26%

**Q.9** The total area under the normal curve is:

- A. 0
- B. 0.75
- C. 1**
- D. 0.5

**Q.10** For the Poisson distribution  $P(X = 1) = \frac{e^{-0.135} (0.135)^1}{1!}$  the mean value is:

- A. -0.135
- B. 0.135**
- C. 1
- D.  $e^{-0.135}$

**Q.11** What type of protocol is the User Datagram Protocol (UDP)?

- A. A connection-oriented transport layer protocol
- B. An application layer protocol
- C. A network layer protocol
- D. A connectionless transport layer protocol**

**Q.12** Which of the following Internet based application(s) can tolerate data loss?  
calling

- a. File transfer
  - c. Stored video streaming
  - b. Live audio
  - d. Instant messaging
  - e. Interactive gaming
- B, b, c and e**
- C. c, d and e
  - D. a and b only

**Q.13 The SMB Header section contains smb.time field which exists \_\_\_\_\_.**

- A. Only in SMB Request packets
- B. In both SMB Request and Response packets
- C. Neither in SMB Request nor in Response packets
- D. Only in SMB Response packets**

**Q.14 In Wireshark, what symptom indicates the application has failed at the server side?**

- A. The client does not receive any acknowledgment
- B. The TCP handshake fails to complete
- C. The server closes the connection immediately
- D. The client sends a RST/ACK after almost 120 seconds**

**Q.15 Expert Infos button in wireshark define network problem in \_\_\_\_\_ categories.**

- A. 4**
- B. 8
- C. 6
- D. 2

**Q.16 In the context of a TCP handshake, SYN/ACK packet is used for \_\_\_\_\_.**

- A. To acknowledge receipt of the SYN packet**
- B. To initiate data transfer
- C. To terminate the connection
- D. To request retransmission of lost packets

**Q.17 Which of the following Internet based application(s) cannot tolerate data loss?**  
**audio streaming**

- a. E-mail
  - b. Real-time
  - c. Interactive gaming
  - d. Web documents
  - e. Instant messaging
- B, a, d and e**
- C. a and b only
  - D. All of the given

**Q.18 What is the purpose of a Transport Layer Security (TLS) Encrypted Alert?**

- A. To start an encrypted connection
- B. To close an encrypted connection**
- C. To request a new encryption key
- D. To authenticate the server

**Q.19 What type of delay is likely not felt by the end user and can be safely ignored in trace files?**

- A. Delay before a TCP RST packet**
  - B. Delay before a TCP SYN packet
  - C. Delay before an HTTP GET request
  - D. Delay before a DNS query
- 

**Q.20 UDP conversation statistics such as packet rate and bps rate can be obtained \_\_\_\_\_.**

- A. In the Packet Details pane
  - B. In the Conversations Window**
  - C. In the Protocol Hierarchy window
  - D. In the Expert Information window
- 

**Q.21 Which type of cursor does an implicit and explicit cursor belong to?**

- A. System cursor
  - B. Database cursor**
  - C. Operating System cursor
  - D. Session cursor
- 

**Q.22 Which of the following is not correct about Cursor?**

- A. SQL uses implicit Cursors to retrieve rows**
  - B. Cursor is used for retrieving multiple rows
  - C. Cursor holds temporary results
  - D. Cursor is a named Private SQL area
- 

**Q.23 When is an implicit cursor used?**

- A. SELECT statement is run even if the statements are associated with explicit cursor.
  - B. SELECT or DML statement is run and not associated with any cursor variable.
  - C. DDL statement is run and the statements are not associated with any explicit cursor.
  - D. SELECT/DML statement is run and the statements are not associated explicit cursor.**
- 

**Q.24 Which of the following statements is true about implicit cursors?**

- A. Implicit cursors are used for SQL statements that are not named.
  - B. Implicit cursors are no longer a feature in Oracle.**
  - C. Implicit cursors are used in cursor for loops to handle data processing.
  - D. Developers should use implicit cursors with great care.
-

**Q.25 What is the maximum number of exception handlers processed before the PL/SQL block is exited, provided an exception occurs?**

- A. One**
  - B. All exceptions that are referenced in the block
  - C. All exceptions that apply
  - D. None
- 

**Q.26 Programmers cannot control the \_\_\_\_\_ cursors and the information in it.**

- A. both implicit & explicit
  - B. explicit
  - C. Can not say
  - D. implicit**
- 

**Q.27 Where do you declare an explicit cursor in the PL/SQL language?**

- A. In the PL/SQL declaration section**
  - B. In the PL/SQL working storage section
  - C. In the PL/SQL body section
  - D. In the PL/SQL exception section
- 

**Q.28 ..... cursors are declared and used by the user to process multiple row, returned by SELECT statement.**

- A. External
  - B. Internal
  - C. Implicit
  - D. Explicit**
- 

**Q.29 Explicit cursors are programmer-defined cursors for gaining more control over the context area.**

- A. Can be yes or no
  - B. Can not say
  - C. No
  - D. Yes**
- 

**Q.30 XBAP stands for:**

- A. XAML Browser application**
  - B. XAML Base Application
  - C. Extensive Browser application
  - D. ActiveX Browser application
-

**Q.31 XBAPs are suited for relatively full-featured applications that:**

- A. Require .Net framework
- B. Happen to be hosted directly in a web browser**
- C. Run on Desktop
- D. Require Android Studio

**Q.32 By default, Navigation Window \_\_\_\_\_ a bar along with the top with Back/Forward buttons while a frame \_\_\_\_\_.**

- A. Doesn't have, has
- B. Both doesn't have
- C. Has, doesn't have**
- D. Has, has

**Q.33 In WPF, \_\_\_\_ resource is reapplied every time it changes**

- A. Dynamic**
- B. Abstract
- C. permanent
- D. Static

**Q.34 In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to \_\_\_\_ in order to bypass integration.**

- A. Null
- B. 0
- C. True
- D. False**

**Q.35 Frame has a \_\_\_\_\_ property used in enabling or disabling the bar (containing Back/Forward buttons).**

- A. BlocknavigationUI
- B. NavigationUIVisibility**
- C. NavigationUIBlock
- D. ShowsNavigationUI

**Q.36 If you want to navigate to an HTML page, you must use the \_\_\_\_\_ of "Navigate" that \_\_\_\_\_ a URI.**

- A. Overload, rejects
- B. IFrame, accepts
- C. IFrame, rejects
- D. Overload, accepts**

**Q.37 Which one of the following is used, if we want to add a window resource in procedural code?**

- A. <Window.Resources></Window.Resources>
  - B. Window.Resource.Add ();
  - C. Window.Resources.Add();**
  - D. <Widows.Resources></Widows.Resources>
- 

**Q.38 \_\_\_\_\_ supports the creation of applications that run directly in a web browser.**

- A. Logic Behind
  - B. WPF**
  - C. C/C++
  - D. Partial Class
- 

**Q.39 In C# WPF, \_\_\_\_\_ and \_\_\_\_\_ are the two important properties of Binding object.**

- A. Source, Path**
  - B. Start, Destination
  - C. Items, Selected
  - D. BindTo, BindFrom
-