Question # 2 of 30 (Start time: 12:42:07 AM, 26 December 2020)

The limitations of PCR are _____.

Select the correct option

○	Contamination risk
○	Primer complexities
○	Primer-binding site complexities
○	all of these

Scanned with CamScanner

Question # 6 of 30 (Start time: 12:46:42 AM, 26 December 2020)

Methylation-specific PCR is used to identify patterns of DNA methylation at _____

Select the correct option

- [x] CpG islands
- [ ] Promoter region
- [ ] AP Site
- [ ] Start site

Scanned with CamScanner

(Deadline: 12:46:42 AM, 26 December 2020)

Methylation-specific PCR is used to identify patterns of DNA methylation at _____

Select the correct option

○	CpG islands
○	Promoter region
○	AP Site
○	Start site

Scanned with CamScanner

Question # 8 of 30 (Start time: 12:48:06 AM, 26 December 2020)

Prenatal genetic diagnosis is not important for identification of _____.

Select the correct option

○	Chromosomal abnormality
○	inherited mutation
○	Familial disorder
○	Infectious diseases

Scanned with CamScanner

Question # 7 of 30 (Start time: 12:47:38 AM, 26 December 2020)

Methylation-specific PCR is used to identify patterns of DNA methylation at CpG islands in _____

Select the correct option

◉	Genomic DNA
○	cDNA
○	RNA
○	All given

Scanned with CamScanner

_____enzymes have symmetrical recognition sequences but are of little value

Select the correct option

○	Type III
○	Exonucleases
○	Type II
○	Type I

Scanned with CamScanner

Question # 10 of 30 (Start time: 12:50:37 AM, 26 December 2020)

What would be the effect on the PCR reaction if any of the following circumstances arose:
1) there are no primers in the reaction.
2) there are no dNTPs in the reaction.
3) there is no Taq polymerase in the reaction?

Select the correct option

○	PCR would proceed normally
○	Non-specific PCR of random templates will occur
○	The reaction will cease after a few cycles
○	The PCR reaction will not commence

Scanned with CamScanner

Question # 12 of 30 (Start time: 12:52:52 AM, 26 December 2020)

Which of the following is not a thermostable polymerase?

Select the correct option

○	pfu polymerase
○	Taq polymerase
○	Vent polymerase
○	DNA polymerase III

Scanned with CamScanner

Question # 11 of 30 (Start time: 12:51:37 AM, 26 December 2020)

Pfu polymerase enzyme is particularly used in _____ PCR

Select the correct option

○	Real time PCR
○	Conventional PCR
○	RT-PCR
○	Long

Scanned with CamScanner

Question # 13 of 30 (Start time: 12:53:12 AM, 26 December 2020)

To amplify one strand of the original DNA more than the other, a special type of PCR is used which is known as ----------

Select the correct option

○	Asymetic PCR
○	Colony PCR
○	In-situ PCR
○	None of these

Scanned with CamScanner

Question # 14 of 30 (Start time: 12:54:00 AM, 26 December 2020)

In Hot Start PCR, the conditions are adjusted in such a way to stop the activity of ---------- enzyme at ambient temperature.

Select the correct option

○	Helicase
○	Ligase
○	Taq Polymerase
○	Primase

Scanned with CamScanner

Question # 19 of 30 (Start time: 12:55:47 AM, 26 December 2020)

Which of the following belongs to PCR?

Select the correct option

○	Detection of Mutations
○	Track DNA abnormalities
○	Prenatal diagnosis
○	All given

Scanned with CamScanner

Question # 17 of 30 (Start time: 12:58:51 AM, 26 December 2020)

Assembly PCR is used to assemble two or more pieces of DNA into ----------

Select the correct option

○	One piece
○	Two pieces
◔	Three pieces
○	None of these

Scanned with CamScanner

BC180404321: ALI HASSAN

BIO203:Grand Quiz

Quiz S

Question # 16 of 30 (Start time: 12:57:09 AM, 26 December 2020)

You decide to use PCR to determine if you have Cystic Fibrosis, a genetic disorder. You then decide to also check if you are at risk for developing Alzheimers, another genetic disorder. What PCR "ingredient" would be different in these two tests?

Select the correct option

- ○ Template DNA
- ○ Nucleotides
- ○ Taq DNA polymerase
- ○ Primers

Scanned with CamScanner

Question # 18 of 30 (Start time: 12:59:35 AM, 26 December 2020)

AFLP is a highly sensitive PCR-based method for detecting _____in DNA

Select the correct option

○	Polymorphisms
○	Deletion
○	Insertion
○	Duplication

Scanned with CamScanner

PCR technique is not applied for _____.

Select the correct option

- ○ Bioinformatics
- ○ Site directed mutagenesis
- ○ Viral load detection
- ○ None of these

Scanned with CamScanner

Question # 20 of 30 (Start time: 01:01:32 AM, 26 December 2020)

Real Time PCR is used to measure the quantity of a_____

Select the correct option

○	RNA expression
○	PCR product
○	DNA amplification
○	All given

Scanned with CamScanner

Question # 21 of 30 (Start time: 01:03:00 AM, 26 December 2020)

Which of the following is the first and the most important step in the polymerase chain reaction?

Select the correct option

- ○ Annealing
- ○ Primer extension
- ○ Denaturation
- ○ Final extension

Scanned with CamScanner

Question # 23 of 30 (Start time: 01:04:03 AM, 26 December 2020)

AFLP is a highly sensitive PCR-based method used for detecting polymorphisms in ----------

Select the correct option

○	RNA
○	DNA
○	Both (a) and (b)
○	None of these

Scanned with CamScanner

_____may occur due to hybridization of primers to each other

Select the correct option

- ○ Primer dimmers
- ○ Primers complex
- ○ Primers duplex

Scanned with CamScanner

Polymerase used for PCR is extracted from _____ .

Select the correct option

- ○ Homo sapiens
- ○ Thermus aquaticus
- ○ Escherichia coli
- ○ Saccharomyces cerevisiae

Scanned with CamScanner

Question # 25 of 30 (Start time: 01:05:34 AM, 26 December 2020)

Inverse PCR is used for the identification and amplification of _____

Select the correct option

○	Long genes
○	Flanking sequence
○	Promoter region
○	Whole genome

Scanned with CamScanner

Which of the following is the basic requirement of PCR reaction?

Select the correct option

○	Two oligonucleotide primers
○	DNA segment to be amplified
○	A heat-stable DNA polymerase
○	All of the above

Scanned with CamScanner

Select the correct option

○	Hexacutter
○	Tetracutter
○	Pentacutter
○	Polycutter

Scanned with CamScanner

Question # 28 of 30 (Start time: 01:10:08 AM, 26 December 2020)

Mini Primer PCR uses a thermostable polymerase (S-Tbr) that can extend from short primers as short as_____nucleotides.

Select the correct option

○	14-15
○	5-6
○	7-8
○	9-10

Scanned with CamScanner

Which one of the following is not the application of PCR?

Select the correct option

○	Bacterial and fungal infections
○	Diagnosis of latent viruses
○	DNA finger printing
○	Protein expression

Scanned with CamScanner

Question # 30 of 30 (Start time: 01:11:35 AM, 26 December 2020)

What are the base-pairing rules in DNA?

Select the correct option

- A-C, G-T
- A-U, G-C
- A-T, G-C
- A-C, G-U

Scanned with CamScanner

Question # 4 of 30 (Start time: 12:43:52 AM. 26 December 2020)

In _____ PCR there is very low probability of non-specific amplification of DNA

Select the correct option

○	Nested
○	Multiplex
○	RT-PCR
○	Conventional

Scanned with CamScanner

Question # 3 of 30 (Start time: 12:43:06 AM, 26 December 2020)

Formula for calculating the melting temperature of primers is ---------

Select the correct option

○	Tm = 3 (G+C) + 2 (A+T)
◉	Tm = 4 (G+C) + 2 (A+T)
○	Tm = 4 (G+C) + 4 (A+T)
○	Tm = 3 (G+C) + 4 (A+T)

Scanned with CamScanner

Question # 1 of 30 (Start time: 12:40:46 AM, 26 December 2020)

Amplification of DNA lengths that cannot typically be amplified using routine PCR methods or reagents is done by _____.

Select the correct option

○	Long PCR
○	Asymmetric PCR
○	RT-PCR
○	All given

Scanned with CamScanner

Jazz Ufone 4G 3G 81 12:05 AM

Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 69 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 4 of 30 (Start time: 12:04:43 AM, 26 December 2020)

Total Marks: 1

_____PCR uses the template for the reverse primers is a restriction fragment that has been self-ligated

Select the correct option

- ● Inverse
- ○ Allele-specific
- ○ Colony
- ○ Asymmetric

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Jazz Ufone 4G 3G 80 12:07 AM

Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 48 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 6 of 30 (Start time: 12:06:44 AM, 26 December 2020)

Total Marks: 1

In situ PCR is limited to the detection of ---------- materials.

Select the correct option

- ○ Genomic
- ● Non-genomic
- ○ Both (a) and (b)
- ○ None of these

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Jazz Ufone 4G 3G 80 12:08 AM

Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 44 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 7 of 30 (Start time: 12:07:33 AM, 26 December 2020)

Total Marks: 1

_____is a variation of PCR used to preferentially amplify one strand of the original DNA more than the other.

Select the correct option

- ● Asymmetric PCR
- ○ Conventional PCR
- ○ Arms PCR
- ○ Q-PCR

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Jazz Ufone
4G 3G 80 12:10 am
Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 81 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 11 of 30 (Start time: 12:10:46 AM, 26 December 2020)

Total Marks: 1

At what temperature does denaturation of DNA double helix takes place?

Select the correct option

- ○ 54°C
- ○ 74°C
- ● 94°C
- ○ 60°C

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Jazz Ufone
79 12:13 am
Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 67 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 14 of 30 (Start time: 12:12:54 AM, 26 December 2020)

Total Marks:

PCR happens in 3 steps (denaturing, annealing, extending) or 1 "cycle". How many times are cycles typically repeated?

Select the correct option

- ○ 1
- ● 30
- ○ 100
- ○ Over 1 billion

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Jazz Ufone
4G 3G 79 12:16 AM
Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 61 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 16 of 30 (Start time: 12:16:13 AM, 26 December 2020)

Total Marks: 1

Melting of DNA template results in yielding _____of DNA

Select the correct option

- (●) Single strands
- ( ) Double strands
- ( ) Replicated strands
- ( ) All given

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Jazz Ufone
78 12:21 am
Quiz
quiz.vu.edu.pk

BC180401118: MUNAZZA

Time Left 81 sec(s)

BIO203:Grand Quiz

Quiz Start Time: 12:03 AM, 26 December 2020

Question # 22 of 30 (Start time: 12:21:21 AM, 26 December 2020)

Total Marks: 1

From where does Taq polymerase come?

Select the correct option

- o Bacteria that live in hydrothermal vents/hot springs.
- o Cambodia
- o The rain forest
- o The CDC

Click to Save Answer & Move to Next Question

Scanned with CamScanner