



In the Name of Allāh, the Most Gracious, the Most Merciful

Midterm Papers Solved MCQ(S) (1 TO 22 Lectures)

1. What is the correct HTML tag for inserting a line break?

- **
**
- <lib>
- <break>
-

PG # 19

**
 tag is used to provide a line break.**

2. If we leave out the target attribute in frame tag and link was clicked, the document loads into the window

_____.

- **In the same page.**
- In other blank page.
- Will display browser error.
- Will open in new window

The target attribute specifies where to open the linked document.

Attribute Values and description:

- _blank:** Opens the linked document in a new window or tab
- _self :** Opens the linked document in the same frame as it was clicked (this is default)
- _parent :** Opens the linked document in the parent frame
- _top:** Opens the linked document in the full body of the window

3. In Style Sheets, how do you add a background color for all “<h1>” elements?

- all.h1 {background-color:#FFFFFF}
- h1.all {background-color:#FFFFFF}
- **h1{background-color:#FFFFFF}**
- h1{bgcolor:#FFFFFF}

4. What are the three methods for using style sheets with a webpage?

- Dreamweaver, GoLive and FrontPage
- **Inline, embedded or document level and external**
- User-defined, Hard-coded and Machine-generated
- Styling, Markup and embedded method

Three Ways to Insert CSS

There are three ways of inserting a style sheet:

- External style sheet
- Internal style sheet
- Inline style

5. Border-width: specifies the width of all borders in which of the following order?

- ‘border-right-width, border-bottom-width, border-left-width, border-top-width’
- ‘border-bottom-width, border-left-width, border-top -width, border-right-width’
- **‘border-top-width, border-right-width, border-bottom -width, border-left-width’**
- ‘border-bottom-width, border-right-width, border-top -width, border-left-width’

border-width: specifies the width of all borders in the order ‘border-top-width, border-right width, border-bottom-width, border-left-width’

اپنی مرضی اور اللہ کی مرضی میں فرق کا نام غم ہے

6. Border-style: specifies the style of all borders in which of the following order?

- **'border-top-style, border-right-style, border-bottom-style, border-left-style'** PG # 50
- 'border-right-style, border-bottom-style, border-left-style, border-top-style'
- 'border-left-style, border-top-style, border-right-style, border-bottom-style'
- 'border-right-style, border-left-style, border-top-style, border-bottom-style'

border-style: specifies the style of all borders in the order 'border-top-style, border-right style, border-bottom-style, border-left-style'

7. In JavaScript you can reference an entry in an array using _____.

- myarray (entry)
- **myarray [entry]** PG # 67
- myarray {entry}
- myarray <entry>

myArray=[0,1,2,3,4,5,6,7,8,9,10];

8. Which SQL statement is used to insert new data in a database?

- ADD NEW
- INSERT NEW
- **INSERT INTO** PG # 83 ,84
- ADD RECORD

We can use insert statement of SQL in order to insert certain data in a database.

9. IIS stands for _____.

- International Information Service
- **Internet Information Server** PG # 85
- Internet Information Standards
- Internet Information Service

10. <MARQUEE ...> tag creates a _____.

- **Scrolling display** PG # 37
- Static display
- Frame display
- Panel display

Text that we put between <Marquee> and </Marquee> tags scrolls across the screen

11. charAt() is the function/method of _____.

- **String object** PG # 70
- Date object
- Time object
- Array object

charAt() is the function/method of string object.

12. Which is the correct syntax to display images in HTML specification?

- <PIC src = "Picture file name">
- **** [Click here For More](#)
- <GIF src = "Picture file name">
- <PIC name= "Picture file name">

The tag defines an image in an HTML page.

13. To insert a JavaScript into an HTML page, which tag is used?

- <script='java'>
- <Javascript>
- **<script>** PG # 57
- <js>

Note we can embed JavaScript code/instructions in the plain HTML code with the help of <script> and </script> tags.

14. Consider the following code

```
var string1 ="123";  
var string2 ="123";  
  
alert(string1 + string2);
```

- 123246
- 246
- **123123**
- Exception

Because in variable type is string It cannot add. It will do concatenation

15. Which of these is the correct HTML code for creating a reset button?

- <input type = “button” name = “reset” value = “reset”>
- <input type = “resetButton” value = “clear”>
- **<input type = “reset” value = “reset”>** PG # 26
- <input type = “button” name = “reset” value = “clear”>

16. _____ specify the amount of space between the edges of the cell and the text inside.

- SPACE TAG
- CELLSPACING
- **CELLPADDING**
- FRAMESPACING

[Click Here for More](#)

Cell padding is used for formatting purpose which is used to specify the space needed between the edges of the cells and also in the cell contents.

17. Constructor defined as the initializing function used to create _____.

- Instance of object
- Copy of object
- **Instance / copy of object** PG # 69
- Shallow copy of object

18. _____ divides large network in small logical segments called subnets on basis of IP addresses.

- **Router** PG # 15 & 16
- Bridge
- Repeater
- Switches

19. ASP server scripts are surrounded by which delimiters?

- `<script>...</ script >`
- **`<%... %>`** PG # 85
- `<%>...</%>`
- `<&>.../<&>`

ASP statements are contained within `<% and %>` which are called delimiters.

20. ASP server scripts are surrounded by delimiters, which?

- `<script>...</ script >`
- **`<%... %>`** PG # 85
- `<%>...</%>`
- `<&>.../<&>`

21. An array in JavaScript language is _____.

- A variable
- **An object**
- A method
- A function

22. Network addresses 128 - - - 191 range belongs to which of the following class network?

- A
- **B** [Click here for more](#)
- C
- E

Class	1 st Octet Decimal Range
A	1 – 126*
B	128 – 191
C	192 – 223
D	224 – 239
E	240 – 254

23. What is the correct HTML for inserting an image?

- <image src = “image.gif”>
- ****
-
- image.gif

PG # 21

To apply an image in html, use tag. Also, use attribute ‘src’ and keep the name of the image file as its value.

24. What is the correct HTML for making a hyperlink?

- **< a href = “http://www.w3school.com”>W3Schools**
- < a name = “http://www.w3school.com”>W3Schools.com
- < a url = “http://www.w3school.com”>W3Schools.com
- < a> http://www.w3school.com

PG # 23

Hypertext links are used to connect HTML documents. Text can be links. Images can be links. Links can be used for email also. An attribute ‘href’ is used in anchor tag <A>, and its value is set as the URL of a web page or a file name which is required to be opened by clicking the hyperlink. Content enclosed between <A> and becomes clickable.

25. What does mean by != comparison operator?

- Equal to
- Not
- Equal
- **Not Equal**

PG # 58

Comparison operators

‘==’ for Equal

‘!=’ for not equal

‘<’ for Less than

‘<=’ for less than equal

‘>’ for Greater than

‘>=’ for Greater than equal

26. Which one of the following object’s properties and functions are accessible every where?

- **Global object**
- Browser object
- Window object
- Predefined object

PG # 67

Global object is an object with globally-accessible variables/properties and functions

27. In XML, in which of following element tag, other element or enclosed

- Child element
- **Root element** PG # 76
- `<?xml version = "1.0"?>`
- `<XML>`

First line of the code is a declaration that it is an XML document (version 1). Second and last lines of the code are called root element tags. We enclose other elements within the root element tags.

28. In given XML code, which of following element represents the highlighted node?

```
<?xml version = "1.0"?>
```

```
<note>
```

```
<to>Mr.Riaz</to>
```

```
<from>Aamer</from>
```

- Property
- **Root** PG # 76
- Child
- Nothing

29. Which of the following is NOT true about Applets?

- Applets are compiled java programs
- Applet code is send from server to the browser for processing
- **<script> tag is used to make a call for the applet code** PG # 79
- Typically applets take more space on the window screen

special **<applet>** tag has been used to make a call for the applet code

30. What is the biggest factor slowing down the growth of e-commerce worldwide?

- Internet bandwidth
- Governments
- **Security** PG # 93
- Illiteracy

Security is the biggest factor slowing down the growth of e-commerce worldwide. For instance, when you enter your credit card no. in a text box, it is potentially exposed to millions of people on the internet and can be misused. It is important to know following terms in connection with the security threats over the internet.

31. If a web server is bombarded with thousands of HTTP request, that would be example of _____.

- sniffing
- password attack
- man in the middle attack
- **denial of service attack** PG # 95

32. The 'shape' attribute of <AREA> tag accepts the following values, EXCEPT

- rect
- circle
- poly
- **square** PG # 36

33. What is the correct HTML for referring to an external style sheet?

- **<link rel = "stylesheet" type = "text/css" href = "mainstyle.css">** PG # 39
- <style src = "mainstyle.css">
- <stylesheet>mainstyle.css</stylesheet>
- <link url = "stylesheet" type = "text/css" href = "mainstyle.css">

34. In Style Sheets, how do you change the text color of an element?

- text-color:
- **color:**
- text-color=
- front-color:

PG # 42

35. <http://cs.vu.edu> is an example of

- Two zone domain name
- **Three zone domain name**
- Four zone domain name
- Five zone domain name

36. TCP/IP consists of _____

- **4 layers**
- 7 layers
- 9 layers
- None of the given

PG # 6

Internet communication model (TCP/IP Stack) proposes a 4 layer architecture. Following are the names of internet layers that map with the OSI model's layers:

Application layer is equivalent to OSI model's Application, Presentation and Session layers

Host-to-Host Layer is equivalent to OSI model's Transport layer

Internet layer is equivalent to OSI model's Network layer

Network Access layer is equivalent to OSI model's data link layer

جھوٹ انسان اور ایمان دونوں کا دشمن ہے

37. The control statement on a while loop is tested _____

- **Before each time through the loop** [Click Here For More](#)
- after each time through the loop
- once at the start
- once at the end

while loop checks the condition/expression before the block is executed and **do while loops** check the condition after the block is executed

38. Choose the correct HTML tag to make a text italic:

- <it>
- **<i>** PG # 19
- <italics>
- <italic>

<i> and </i> are used for italic text.

39. HTML is a case sensitive language.

- True
- **False** PG # 45

Hypertext Markup Language was initially developed in America for military purposes. Now it is a popular tool for creating web pages. It is a language of tags. It has a fixed vocabulary. **It is not case sensitive.**

عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ بے وقوف کہتا ہے کہ میں سب کچھ جانتا ہوں

40. DOS is a type of attack and its stands for:

- **Denial of Services**
- Digital Operation Services
- Dynamic Object Solution
- Dynamics Object Services

Denial of services (DOS) attacks

In this type of attack, the attacker gains access to the network and then send invalid data to network services or applications. These services or applications consequently become unable to perform their normal tasks or functions.

41. Firewall is used for _____

- Efficient Working
- **Protection against security attacks** PG # 96
- Networking purpose
- Internet Service

A firewall is a combination of hardware and software that sits between the internet and internal network of an organization to **protect the network from outside attack.**

42. Which protocol is used for downloading messages to client machine from servers?

- SMTP
- **POP3** PG # 18
- IMAP
- POP3 and IMAP

There are three protocols commonly used for emails. Simple Mail Transfer Protocol (SMTP) is used for sending email messages between servers. In other words, it is used for message uploads. **Post Office Protocol 3 (POP3) or Internet Message Access Protocol (IMAP) can be used to retrieve messages. They should also be configured with SMTP. POP is used to download email to the client machine from the server side and the message is deleted from the email server after download.** On the other hand, in case of IMAP the message is not deleted in the email server and thus can be reopened from another location/machine.

43. What does the Target = “_top” tag perform?

- Loads the new page into the same frame
- **Loads the new page into the entire window**
- Loads the new page into a new browser window
- All of the above

Target=“_top” - loads the new page into the entire window

44. Which of the following is NOT an advantage of CSS?

- **Works on version 4 browser or newer**
- Define the look of your page in one place
- Easily change the look
- Implement same formatting each time tag is used.

45. Which would you NOT be able to do with CSS ?

- **Add text.**
- Change the background color.
- Position the content.
- Define the look of your pages in one place.

46. CSS can be defined for entire pages by simply adding what to the head section?

- Class structure
- **Style definition**
- Script
- XML

47. CSS can be defined for entire web site by simply writing the CSS definition in _____.

- Body section of each page
- Plain text document
- **head section of each page**
- top of the page

48. Which of the following is not the Data types in JavaScript?

- Int
- Float
- String
- **Null**

In JavaScript null is "nothing". It is supposed to be something that doesn't exist. Unfortunately, in JavaScript, the data type of null is an object. You can consider it a bug in JavaScript that type of null is an object. It should be null

49. We can divide the client Server architecture up to:

- 3 Tier
- **N-Tier**
- 1 Tier
- 2 Tier

جھوٹ انسان اور ایمان دونوں کا دشمن ہے

50. Which of the following needs human action to execute?

- **Virus** [Click Here For More Detail](#)
- Worm
- Trojan horse
- All of these

Viruses and Worms are malicious programs that can travel between computers as attachments on email or independently over a network. These terms are sometimes used interchangeably; however, essentially, they are different. Worms spread from computer to computer and having the capability to travel without any help or human action.

51. Asymmetric cryptography is also called _____.

- **Public key cryptography** [Click Here For More Detail](#)
- Private key cryptography
- Substitution cryptography
- Transposition

Asymmetric cryptography, also known as public key cryptography, uses public and private keys to encrypt and decrypt data. The keys are simply large numbers that have been paired together but are not identical (asymmetric). One key in the pair can be shared with everyone; it is called the public key. The other key in the pair is kept secret; it is called the private key. Either of the keys can be used to encrypt a message; the opposite key from the one used to encrypt the message is used for decryption.

52. Which of the following is NOT supported by position property?

- Relative
- Absolute
- Static
- **Dynamic**

PG # 51

Position Property position: absolute – you can place the element box anywhere on the page
position: relative – position is relative to the normal position of the element
position: static – position remains unchanged

53. Which of the following is the correct place to refer an external style sheet in HTML document?

- In the <body> section
- At the end of the document
- **In the <head> section** [Click here for more detail](#)
- At the top of the document

With an **external style sheet**, you can change the look of an entire website by changing just one file. Each page must include a reference to the external style sheet file inside the <link> element. The <link> element goes **inside the <head> section**:

```
<head>  
<link rel="stylesheet" type="text/css" href="mystyle.css">  
</head>
```

An external style sheet can be written in any text editor. The file should not contain any html tags. The style sheet file must be saved with a .css extension.

54. The mode of business in which the process of buying, selling or exchanging of products is done via internet is termed as _____.

- Internet banking
- Traditional business
- **E-commerce**
- E-marketing

The process of **buying, selling, or exchanging products, services, or information via computer networks**

55. In star network features a central connection point called a “hub” which considers to be backbone of the star topology.

- **True**
- False

خود کو تمہیں سے بڑھ کر کوئی اچھا مشورہ نہیں دے سکتا

56. HTML is abbreviation of:

- Hyper Text Marked Language
- **Hyper Text Markup Language**
- Hyper Text Member license
- Hyper Text Member Language

PG # 18

Web documents are defined by the **Hypertext Markup Language (HTML)**. It is a language of tags. A tag is a special letter or key word enclosed in angular brackets.

Note: Give me a feedback and your Suggestion also If you find any mistake in mcqz plz inform me Viva Contact us Page on our Site. And tell me your answer with references.

For More Solved Papers By Arslan Visit Our Website :

www.VirtualUstaad.blogspot.com



*Winning is not everything,
but wanting to win is
everything.....
Go Ahead..... Best Of Luck !*