



DANISH MIDTERM HANIF FILES FOR LMS HANDLING: 0323-1731413



CS311 Quiz File

السلام وعلیکم!

امید کرتا ہوں کہ آپ سب خیریت سے ہوں گے کافی دنوں کی محنت کے بعد الحمد للہ
ورچوئل یونیورسٹی کے مڈ ٹرم امتحان کے لیے فائلز تیار کر لی ہیں امید کرتا ہوں کہ آپ
سب سٹوڈنٹس کے امتحانات میں بہت فائدہ مند ہوں گی۔ فائلز میں کسی قسم کی کوئی بھی
غلطی ہو گئی ہو تو اس کے لیے معذرت خواہ ہیں انشاء اللہ مزید محنت سے ان فائلز کو بہتر بنائیں
گے۔ آپ سب سٹوڈنٹس سے گزارش ہے کہ ہمارے یوٹیوب چینل اور ویب سائٹ کو فالو
کر لیں۔

مکمل پیپرز آپ کو میری ویب سائٹ پہ ملیں گے لنک نیچے دیا گیا ہے۔

Here is Website Link: <https://hbdanish.me/>

Here is YouTube Channel Link:

https://www.youtube.com/@Danish_Khagga

اگر آپ لوگ اپنا ایل۔ ایم۔ ایس ہینڈل کروانا چاہتے ہیں یا اسائنمنٹس کو ریز کروانا چاہتے
ہیں تو اس نمبر پہ واٹس ایپ کریں۔

+923231731413

<https://wa.me/message/7GG2TH2MZV3OL1>

Question #1:

_____ provides extra information about XML elements.

- A) Tags
- B) Delimiter
- C) Attributes
- D) Entities

Answer: C) Attributes

Contact for Paid Solution

Whatsapp: 03231731413

Question #2:

If the DTD is included in your XML source file, it should be wrapped in a DOCTYPE definition with the following syntax:

- A) `<DOCTYPE root-element [element-declarations]>`
- B) `<!DOCTYPE [element-declarations]>`
- C) `<DOCTYPE root-element (element-declarations)>`
- D) `<!DOCTYPE root-element [element-declarations]>`

Answer: D) `<!DOCTYPE root-element [e`

Contact for Paid Solution

Whatsapp: 03231731413

Question #3:

Which one is correct syntax to declare zero or one occurrences of child element "message":

- A) `<!ELEMENT note (message+)>`
- B) `<!ELEMENT note (message?)>`
- C) `<!ELEMENT note (message*)>`
- D) None

Contact for Paid Solution

Whatsapp: 03231731413

Answer: B) <!ELEMENT note (message?)>

Question #4:

Name conflicts in XML elements can easily be avoided using _____.

- A) xml schema
- B) name prefix
- C) empty elements
- D) entities

Contact for Paid Solution

Whatsapp: 03231731413

Answer: B) name prefix

Question #5:

Which of the following DTD statement indicates that an ELEMENT can contain any combination of parsable data?

- A) `<! ELEMENT element-name EMPTY>`
- B) None of the given
- C) `<! ELEMENT element-name ANY>`
- D) `<! ELEMENT element-name (#PCDATA)>`

Answer: C) <! ELEMENT element-name ANY>

Question #6:

Which of the following is not the building block of XML documents?

- A) Elements
- B) Lists
- C) Attributes

Contact for Paid Solution

Whatsapp: 03231731413

D) Entities

Answer: B) Lists

Question #7:

_____ provides methods for creating internal and external links within XML documents.

A) Xpath

B) XLink

C) Xquery

D) Xpointer

Contact for Paid Solution

Whatsapp: 03231731413|

Answer: B) XLink

Question #8:

Which of the following is not part of XSL?

A) XQuery

B) XPath

C) XSLT

D) XPointer

Answer: A) XQuery

Question #9:

In DTD, empty elements are declared with the keyword _____.

A) IDLE

B) EMPTY

C) NULL

Contact for Paid Solution

Whatsapp: 03231731413|

D) VOID

Answer: B) EMPTY

Question #10:

In XML, the term PCDATA stands for _____.

A) Predefined Character Data

B) Pure Character Data

C) None of the given options

D) Parsed Character Data

Contact for Paid Solution

Whatsapp: 03231731413

Answer: D) Parsed Character Data

DANISH

HANIF

Question 1: XML DOM is:

A. Dynamic in nature

B. All of the given

C. Traversable

D. Platform independent



Answer: B. All of the given

Question 2: Parsed Character Data (PCDATA) is a term used about _____ data that will be parsed by the XML parser.

A. Character

B. Text

C. Element

D. None of the given options

Answer: B. Text

Question 3: Which of the following specifies the type of node?

- A. nodeType
- B. nodeValue
- C. nodeName
- D. None of the given options

Answer: A. nodeType

Question 4: _____ evaluates XML document as DOM structure.

- A. Compiler
- B. Interpreter
- C. Parser
- D. Translator

Answer: C. Parser



Question 5: Which of the following is used to request data from a server?

- A. XMLHttpRequest object
- B. DTD
- C. XLink
- D. XML Schema

Answer: A. XMLHttpRequest object



Question 6: XML files can be stored on an Internet server exactly the same way as _____ files.

- A. Java files
- B. PHP files
- C. HTML files
- D. C++ files

Answer: C. HTML files

Question 7: On a server request, the readyState changes from ____.

- A. 1 to 4
- B. 1 to 5
- C. 0 to 4
- D. 0 to 3

Answer: D. 0 to 3

Question 8: Which one of the following is not an advantage of XML DOM?

- A. It is modifiable
- B. Language and Platform independent
- C. It is traversable
- D. Operational speed is slower than SAX

Answer: D. Operational speed is slower than SAX

Question 9: During a server request, the readyState = 3 means:

- A. Request finished and response is ready
- B. Server connection established
- C. Processing request
- D. Request received

Answer: C. Processing request

Question 10: By using the _____, we can loop through a node list.

- A. node type
- B. title
- C. length property
- D. None of the given options

Answer: C. length property

DANISH

HANIF

