

7:16



quiz.vu.edu.pk/QuizQue

4



Question # 10 of 10 (Start time: 07:16:21 PM, 06 June 2022)

Total Marks: 1

A stack carries _____ behavior.

Select the correct option



FIFO



FEFO



LIFO



AVCO

Generalized code written for a class is called:

Select the correct option



Structure



Function



Stack



Template



There is no such node whose next field is NULL, which one of the given option supports the statement.

Select the correct option



Linked list



Queue



Array



Circular link list

What will be the postfix expression of following infix expression?

$D + E * F / G$

Select the correct option



$DEF * G / +$



$DE * F / G +$



$DE + FG * /$



$DE + F * G /$

Which of the following function don't belongs to the stack class?

Select the correct option



push()



top()



crash()



pop()

The order of operands in postfix is the _____ as that in the infix.

Select the correct option



None of the above



Same



Unusual



Different

What is the postfix form of $(A+B)*(C-D)$

Select the correct option

 Reload Math Equations

☐	$A + B * C - D$
☐	$CD - A B + *$
☐	$+A B - C D *$
☐	$A B + C D - *$

Click to Save Answer & Move to Next Question

copy() method of List data structure _____

Select the correct option



Copy first item of list



Copy any item of list



Copy last item of list



Set one list to be a copy of another

7:09

4G 81



quiz.vu.edu.pk/QuizQue

4



Question # 2 of 10 (Start time: 07:09:55 PM, 06 June 2022)

Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling remove() function on the following linked list current point will point to memory location having value?

Select the correct option



25



65



35



6

7:09

4G 81



quiz.vu.edu.pk/QuizQue

4



The principal benefit of a linked list over a conventional array is that the order of the linked items may be_____ from the order that the data items are stored in memory.

Select the correct option



Equivalent



Same



Different



Identical



ASS01: QUIZ NO. 1

QUIZ START TIME: 06:52 PM, 06 JUNE 2022

Question # 10 of 10 (Start time: 07:04:24 PM, 06 June 2022)

Total Marks:

Allocating and de-allocating memory for linked list nodes does take _____ time than pre-allocated array.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | No |
| ☐ | Equal |
| ☐ | More |
| ☐ | Less |

Click to Save Answer & Move to Next Question



Question # 9 of 10 (Start time: 07:03:24 PM, 06 June 2022)

Total Ma

Which one of the following operations returns and removes top value of the stack?

Select the correct option



Push



First



Pop



Top

Click to Save Answer & Move to Next Question



Question # 6 of 10 (Start time: 07:02:27 PM, 00 June 2022)

"--" is a _____ operator.

Select the correct option

☐	Binary
☐	Technical
☐	Unary
☐	Logical

Click to Save Answer & Move



Question # 7 of 10 (Start time: 07:00:38 PM, 06 June 2022)

Total Marks

Linked list is generally considered an example of _____ type of memory location.

Select the correct option

- ☐ Compile time
- ☐ Static
- ☐ Dynamic
- ☐ Nonlinear

Click to Save Answer & Move to Next Question



Question # 5 of 10 (Start time: 06:57:56 PM, 06 June 2022)

Total Marks

First element of an int array can be manipulated by using the index zero as

Select the correct option



int[0];



a[0];



0[int];



0[];

Click to Save Answer & Move to Next Question



_____ is the maximum number of nodes that you can have on a stack-linked list ?

Select the correct option



Zero



Any Number



$2n$ (where n is the number of nodes in linked list)



None of these

Click to Save Answer & Move to Next Question





Trying to remove an element from an empty stack is called _____.

Select the correct option



Garbage collection



Empty collection



Underflow of stack



Overflow of stack

Click to Save Answer & Move to Next Question



DC1R04032B4: AMBA IRSHAD

Time Left 81 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 3 of 10 (Start time: 06:37:25 PM, 06 June 2022)

Total Marks: 1

$2*(7+8)-6$ is an example of _____ expression.

Select the correct option

- | | |
|----------------------------------|---------|
| ☐ | Logical |
| ☒ | Infix |
| ☐ | Prefix |
| ☐ | Postfix |

[Click to Save Answer & Move to Next Question](#)



DC1R04032B4: AMBA IRSHAD

Time Left

78

min (N)

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 5 of 10 (Start time: 06:37:55 PM, 06 June 2022)

Total Marks: 1

In singly linked list which node will keep track of starting position of the list.

Select the correct option

☒	Next Node
☐	Head Node
☐	Last Node
☐	Previous Node

[Click to Save Answer & Move to Next Question](#)



DC1R04032B4: AMBA IRSHAD

Time Left 78 sec (N)

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 4 of 10 (Start time: 06:37:38 PM, 06 June 2022)

Total Marks: 1

isEmpty() method of stack class will return true when:

Select the correct option

- | | |
|----------------------------------|-----------------------------|
| ☒ | Stack is empty |
| ☐ | Stack is not empty nor full |
| ☐ | Stack is partially empty |
| ☐ | Stack is full |

[Click to Save Answer & Move to Next Question](#)



DC1R04032B4: AMNA IRSHAD

Time Left 16 min (0)

CS301 Quiz No. 1

Quiz Start Time: 08:38 PM, 06 June 2022

Question # 6 of 10 (Start time: 08:38:11 PM, 06 June 2022)

Total Marks: 1

The first step to add a node in a linked list between the existing nodes is

Select the correct option

- ☒ `currentNode->getNext();`
- ☐ `newNode->setNext();`
- ☐ `newNode->setNext(currentNode->getNext());`
- ☐ `newNode->getNext();`



Click to Save Answer & Move to Next Question



DC1R04032B4: AMBA IRSHAD

Time Left

63 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 1 of 10 (Start time: 06:36:31 PM, 06 June 2022)

Total Marks: 1

A kind of expressions where the operator is present between two operands called _____ expressions.

Select the correct option

☒	Infix
☐	Postfix
☐	Prefix
☐	None of the above

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 06:15:33 PM, 06 June 2022)

Which one of the following is not a one-step method in List Implementation using Array?

Select the correct option

- | | |
|-----------------------|----------|
| ☐ | get() |
| ☐ | length() |
| ☐ | back() |
| ☐ | find() |

Click to Save Answer



BC180403284: AMNA IRSHAD

CS301:Quiz No. 1

Question # 8 of 10 (Start time: 06:40:39 PM, 06 June 2022)

Head node pointer always points to the _____ of the linked list?

Select the correct option

- | | |
|----------------------------------|------------------|
| ☐ | newly added node |
| ☐ | last node |
| ☐ | first node |
| ☒ | current node |



DC1R04032B4: AMBA IRSHAD

Time Left 16 min (16)

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 6 of 10 (Start time: 06:38:11 PM, 06 June 2022)

Total Marks: 1

The first step to add a node in a linked list between the existing nodes is

Select the correct option

- ☒ `currentNode->getNext();`
- ☐ `newNode->setNext();`
- ☐ `newNode->setNext(currentNode->getNext());`
- ☐ `newNode->getNext();`



Click to Save Answer & Move to Next Question





DC1R04032B4: AMNA IRSHAD

Time Left 78 sec (N)

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 2 of 10 (Start time: 06:37:08 PM, 06 June 2022)

Total Marks: 1

length() method of List class is used to:

Select the correct option

- | | |
|----------------------------------|--|
| ☒ | Return the length of the list |
| ☐ | Return the length of empty part of the array |
| ☐ | Return the length of empty part of the list |
| ☐ | Return the length of the array |

[Click to Save Answer & Move to Next Question](#)



BC18040328-E: AMNA IRSHAD

Time Left: 20
sec

CS301 Quiz No. 1

Quiz Start Time: 06:38 PM, 06 June 2022

Question # 7 of 10 (Start time: 06:39:31 PM, 06 June 2022)

Total Marks

What is the postfix form of $(A+B)*(C-D)$

Select the correct option

Reload Math Equ

☐ $+A B - C D *$ ☐ $A + B * C - D$ ☒ $A B + C D - *$ ☐ $CD - A B + *$

Click to See Answer & Move to Next Question





Quiz

quiz.vu.edu.pk



BC210407344: MADEEHA RUBAB

Time Left 87 sec(s)

CS301: Quiz No. 1

Quiz Start Time: 06:01 PM, 06 June 2022

Question # 10 of 10 (Start time: 06:10:51 PM, 06 June 2022)

Total Marks: 1

Which of the following is the correct conversion of infix to postfix expression?
 $Z+B-(D-H)/K$

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | $ZB+DHK--/$ |
| ☐ | $ZB+D-H-K/$ |
| ☐ | $ZB+DH-K/-$ |
| ☐ | $ZB+DH-K-/$ |

[Click to View Answer & Move to Next Question](#)

The first step to add a node in a linked list between the existing nodes is

Select the correct option

☐

`newNode->getNext();`

☐

`newNode->setNext();`

☐

`currentNode->getNext();`

☐

`newNode->setNext(currentNode->getNext());`

Click to Save Answer & Move to Next Question

Time Left 00 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:38 PM, 06 June 2022

Question # 1 of 10 (Start time: 05:38:21 PM, 06 June 2022)

Total Marks: 1

Which of the following signature of the constructor function for a stack is correct as a generic data type?

Select the correct option

 Reload Math Equations



Template Stack::Stack ();



Stack<T> :: Stack() ;



Template<stack T>;



Stack:: Stack() ;

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 10 of 10 (Start time: 05:36:31 PM, 06 June 2022)

Total Marks: 1

“+” is a _____ operator.

Select the correct option

- | | |
|-----------------------|-------------------|
| ☐ | Binary |
| ☐ | None of the above |
| ☐ | Ternary |
| ☐ | Unary |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 90 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 9 of 10 (Start time: 05:35:46 PM, 06 June 2022)

Total Marks: 1

What will be the postfix expression of following infix expression?
 $A * B / C + D - E$

Select the correct option

- | | |
|-----------------------|---------------------|
| ☐ | $A B * C / D + E -$ |
| ☐ | $A B * C + D E / -$ |
| ☐ | $A B + C D / + E -$ |
| ☐ | $A B / C * D + E -$ |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 8 of 10 (Start time: 05:35:10 PM, 06 June 2022)

Total Marks: 1

Josephus problem is resolved by the implementation of_____.

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|----------------------|
| ☐ | Circular linked list |
| ☐ | Queue |
| ☐ | Stack |
| ☐ | List |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left

90

sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 7 of 10 (Start time: 05:34:32 PM, 06 June 2022)

Total Marks: 1

STL is a _____ that is a part of the official standard of C++.

Select the correct option

- | | |
|-----------------------|----------------|
| ☐ | .cpp file |
| ☐ | Library |
| ☐ | C program file |
| ☐ | .h file |

[Click to Save Answer & Move to Next Question](#)



MC210400742: HAFSA NOREEN

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 6 of 10 (Start time: 05:33:47 PM, 06 June 2022)

Total Marks: 1

length() method of List class is used to:

Select the correct option

- | | |
|-----------------------|--|
| ☐ | Return the length of the list |
| ☐ | Return the length of the array |
| ☐ | Return the length of empty part of the list |
| ☐ | Return the length of empty part of the array |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 5 of 10 (Start time: 05:33:17 PM, 06 June 2022)

Total Marks: 1

NULL is an invalid address and _____.

Select the correct option

- | | |
|-----------------------|---|
| ☐ | Accessible |
| ☐ | Inaccessible |
| ☐ | Points to the start point of the list |
| ☐ | Points to the last current node of the list |

[Click to Save Answer & Move to Next Question](#)



MC210400742: HAFSA NOREEN

Time Left 90 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 4 of 10 (Start time: 05:32:45 PM, 06 June 2022)

Total Marks: 1

Circular linked list solve the problem of _____ pointers/method of the doubly link list.

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|--------|
| ☐ | null |
| ☐ | remove |
| ☐ | find |
| ☐ | add |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 90 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 3 of 10 (Start time: 05:31:49 PM, 06 June 2022)

Total Marks: 1

What is the postfix form of $(A+B)*(C-D)$

Select the correct option

 Reload Math Equations

- | | |
|-----------------------|-----------------|
| ☐ | $A B + C D - *$ |
| ☐ | $A + B * C - D$ |
| ☐ | $+ A B - C D *$ |
| ☐ | $CD - A B + *$ |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 2 of 10 (Start time: 05:30:23 PM, 06 June 2022)

Total Marks: 1

“set()” method of list class is used to:

Select the correct option

- | | |
|-----------------------|-----------------------------|
| ☐ | Set the value of pointer |
| ☐ | Set the value of Null Nodes |
| ☐ | Set the value of lvalue |
| ☐ | Set the value of object |

Click to Save Answer & Move to Next Question



MC210400742: HAFSA NOREEN

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 05:29 PM, 06 June 2022

Question # 1 of 10 (Start time: 05:29:48 PM, 06 June 2022)

Total Marks: 1

In doubly linked list there is/are _____ pointer/s in each node.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | Four |
| ☐ | Three |
| ☐ | One |
| ☐ | Two |

[Click to Save Answer & Move to Next Question](#)

17:27



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301:Quiz No. 1

Time Left 87
sec(s)

Quiz Start Time: 05:22 PM, 06 June 2022

Question # 10 of 10 (Start time: 05:27:35 PM, 06 June 2022)

Total Marks: 1

A stack carries _____ behavior.

Select the correct option

- | | |
|-----------------------|------|
| ☐ | AVCO |
| ☐ | FIFO |
| ☐ | LIFO |
| ☐ | FEFO |

Go Back to Previous Question

17:27



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301-Quiz No. 1

Time Left 86
sec(s)

Quiz Start Time: 05:22 PM, 06 June 2022

Question # 9 of 10 (Start time: 05:27:16 PM, 06 June 2022)

Total Marks: 1

Before using the push method of stack, the user must call the _____ method.

Select the correct option

☐ isFull();



☐ pop();



☐ push();



☐ isEmpty();



Click to Save Answer to My Favorite Question

17:26



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301:Quiz No. 1

Time Left 85
sec(s)

Quiz Start Time: 05:22 PM, 06 June 2022

Question # 8 of 10 (Start time: 05:26:22 PM, 06 June 2022)

Total Marks: 1

In doubly linked list there is/are _____ pointer/s in each node.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | Four |
| ☐ | Two |
| ☐ | Three |
| ☐ | One |

Click to Save Answer or Move to Next Question

17:25



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301: Quiz No. 1

Time Left 85 sec(s)

Quiz Start Time: 05:22 PM, 06 June 2022

Question # 7 of 10 (Start time: 05:25:51 PM, 06 June 2022)

Total Marks: 1

Which of the following is the limitation of the array?

Select the correct option



Fix size



Cannot store more than 1000 elements



Have no random access



Cannot store user define objects

Click to Save Answer & Move to Next Question



Suggested Sites

Question # 10 of 10 (Start time: 05:25:22 PM, 06 June 2022)

Clear() of a list is used to _____.

Select the correct option

- | | |
|-----------------------|------------------------|
| ☐ | remove current element |
| ☐ | remove first element |
| ☐ | remove all elements |
| ☐ | remove last element |

17:25



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301:Quiz No. 1

Time L

Quiz Start Time: 05:22 PM

Question # 6 of 10 (Start time: 05:25:28 PM, 06 June 2022)

Memory address is stored in

Select the correct option



Array



Reference



Address operator



Pointer

Click to Save Answer & Move to Next Question

17:25



Quiz
quiz.vu.edu.pk



SAFETY: This device is not for use in the presence of flammable or explosive atmospheres.

Version: 1.0.0



TimeLapse Timer 00:00:00 (00:00:00)

Question 1 of 10 (00:00:00) (00:00:00)

Time: 00:00:00

Consider the following expression:

$$P = A * B + C - D$$

In the above expression "+" is a _____ operator.

Select the correct option:



Unary



Technical




Logical



Binary

17:24



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

Time Left 86
sec(s)

CS301: Quiz No. 1

Quiz Start Time: 05:22 PM, 06 June 20

Question # 4 of 10 (Start time: 05:24:22 PM, 06 June 2022)

Total Mark

What will be postfix expression of following infix expression?
 $4 * 1 \uparrow 7 + 2$

Select the correct option



$4 1 7 2 \uparrow * +$



$4 1 7 \uparrow * 2 +$



$4 1 \uparrow 7 * 2 +$



$\uparrow * + 4 1 7 2$

Click on the correct answer to Mark as Your Question

Question # 9 of 10 (**Start time: 05:23:50 PM, 06 June 2022**)

In array list the worst case of removing an element is

Select the correct option

- | | |
|-----------------------|--|
| ☐ | To remove an element from the end of the list |
| ☐ | We cannot remove element from an array list |
| ☐ | To remove an element from the middle of the list |
| ☐ | To remove an element from the start of the list |



17:23



Quiz

quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301: Quiz No. 1

Time

Quiz Start Time: 05:22 P

Question # 3 of 10 (Start time: 05:23:38 PM, 06 June 2022)

Last node in circular linked list contains

Select the correct option



Maximum two null pointers



tail pointer




No null pointer



At least one null pointer

Click to See Answer & Mark as Done



quiz.vu.edu.pk/QuizQuestion.aspx?ver=b847f12e-a9bc-4feb-

Suggested Sites

Question # 8 of 10 (**Start time: 05:23:18 PM, 06 June 2022**)

We cannot remove items randomly from _____

Select the correct option

- | | |
|-----------------------|-----------------|
| ☐ | stack and queue |
| ☐ | list |
| ☐ | Stack |
| ☐ | Queue |

17:23



Quiz
quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

Time Left: 02:00

CS301 Quiz No. 1

Quiz Start Time: 05:23 PM, 06 June 2022

Question # 2 of 10 (Start time: 05:23:01 PM, 06 June 2022)

Total Marks: 1

In node class one field is an integer data and other field will be

Select the correct option:



Pointer to class



pointer to a list




Pointer to node



Pointer to integer

Submit Answer



quiz.vu.edu.pk/QuizQuestion.aspx?ver=f599b669-6cc7-4e3d-be8c-fa8678c7de

Suggested Sites

Question # 7 of 10 (Start time: 05:22:31 PM, 06 June 2022)

There is no such node whose next field is NULL, which one of the given option supports the statement.

Select the correct option

- | | |
|-----------------------|--------------------|
| ☐ | Circular link list |
| ☐ | Linked list |
| ☐ | Array |
| ☐ | Queue |



Quiz

quiz.vu.edu.pk



MC190205454: RAFIA HAKIM ALI

CS301: Quiz No. 1

Question # 1 of 10 (Start time: 05:22:09 PM, 06 June 2022)

Quiz Start Time:

Which of the following is not a data structure ?

Select the correct option

☐ Stack

☐ Queue

☐ Linked list

☐ Memory cell

Click to Save / Answer / Mark to Read



quiz.vu.edu.pk/QuizQuestion.aspx?ver=2727e652-1526-4246-8d8e-c8b1

Suggested Sites

Question # 6 of 10 (Start time: 05:21:49 PM, 06 June 2022)

Circular Linked List always has _____ NULL pointer/s in a node.

Select the correct option

- | | |
|-----------------------|---|
| ☐ | 0 |
| ☐ | 3 |
| ☐ | 2 |
| ☐ | 1 |

Question # 5 of 10 (Start time: 05:21:07 PM, 06 June 2022)

Suppose a Stack class has been defined using template. Now, we want to declare a Stack object of an int type. What will be the correct syntax?

Select the correct option

- | | |
|-----------------------|-------------------|
| ☐ | Stack int stack; |
| ☐ | int Stack stack; |
| ☐ | Stack<int> stack; |
| ☐ | <int>Stack stack; |

→ G quiz.vu.edu.pk/QuizQuestion.aspx?ver=9317ee15-8a67-4dac-b1d7-e1a81118eb6b

Suggested Sites

Question # 4 of 10 (Start time: 05:20:07 PM, 06 June 2022) Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling remove() function on the following linked list current point will point to memory location having value?

Select the correct option

☐	65
☐	35
☐	25
☐	6

Windows taskbar: 5:20 PM Monday 6/6/2022



The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option

- | | |
|----------------------------------|--------|
| ☐ | Next |
| ☒ | Start |
| ☐ | Remove |
| ☐ | Back |

[Click to Save Answer & Move to Next Question](#)



What will be postfix expression of the following infix expression?

Infix Expression : $a+b*c-d$

Select the correct option



abc^*+d-



$abcd+*-$



abc^*+d-



$ab+c*d-$



Click to See Answer & Move to Next Question



Each node in doubly link list has,

Select the correct option



1 pointer



4 pointers



3 pointers



2 pointers



Click to Save Answer & Move to Next Question



Suppose you are writing a class for Node class and forgot to write the constructor of the class, then

Select the correct option



Compiler will give run time error



Compiler will give compile time error



Compiler will do nothing



Compiler will automatically generate a default constructor



What will be the postfix expression of following infix expression?
 $A * B / C + D - E$

Select the correct option

 $A B * C + D E / -$  $A B * C / D + E -$  $A B + C D / + E -$  $A B / C * D + E -$ 

Click to Save Answer & Move to Next Question



Consider the following expression:

$$P = A * B + C - D$$

In the above expression "+" is a _____ operator.

Select the correct option

- | | |
|----------------------------------|-----------|
| ☐ | Unary |
| ☐ | Technical |
| ☒ | Binary |
| ☐ | Logical |

[Click to Save Answer & Move to Next Question](#)



First element of an int array can be manipulated by using the index zero as

Select the correct option

- | | |
|----------------------------------|---------|
| ☒ | int[0]; |
| ☐ | 0[int]; |
| ☐ | a[0]; |
| ☐ | 0[]; |

Click to Save Answer & Move to Next Question



A software solution is said to be efficient if it solves the problem _____.

Select the correct option



by consuming more hardware resources.



within no time.



by using some extra resources.



within its resource constraints.

[Click to View Answer & Move to Next Question](#)





A list is the collection of items of the _____

Select the correct option



same type



May be of same or may be of different type



different type



Structure type

Click to See Answer & Move to Next Question

Question # 3 of 10 (Start time: 05:19:13 PM, 06 June 2022)

The type of expression in which operator succeeds its operands is _____ expression.

Select the correct option

☐	Prefix
☐	Infix
☐	Preorder
☐	Postfix

Consider the following infix expression.

$$7/8 + 9$$

If one converts the above expression into postfix, what would be the resultant expression?

Select the correct option



$$7\ 8\ 9\ /\ +$$



$$7\ 8\ /\ +\ 9$$




$$\ /\ 7\ 8\ +\ 9$$



$$7\ 8\ /\ 9\ +$$

Click to Save Answer & Move to Next Question



quiz.vu.edu.pk/QuizQuestion.aspx?ver=ca1ef2ca-827a-4949

Suggested Sites

Question # 2 of 10 (**Start time: 05:18:23 PM, 06 June 2022**)

_____ is a collection of elements arranged in a linear order.

Select the correct option

- | | |
|-----------------------|--------------------|
| ☐ | Binary Search Tree |
| ☐ | Stack |
| ☐ | Heap |
| ☐ | AVL Tree |



There is no such node whose next field is NULL, which one of the given option supports the statement.

Select the correct option



Queue



Circular link list



Array



Linked list

Click to Save Answer & Move to Next Question



quiz.vu.edu.pk/QuizQuestion.aspx?ver=d4eadfff-6aa1-45

Suggested Sites

Question # 1 of 10 (Start time: 05:17:43 PM, 06 June 2022)

Memory address is stored in

Select the correct option

☐	Array
☐	Reference
☐	Address operator
☐	Pointer



In _____ various cells of memory are not located continuously.

Select the correct option

☐

Arrays

☐

Linked list

☐

Circular array

☐

List

Click to Save Answer & Move to Next Question

While implementing stack with an array and to achieve LIFO behavior, we used push and pop elements at _____.

Select the correct option

- ☐ The start of the array.
- ☐ The end of the array.
- ☐ The mid of the array.
- ☐ At least one position before array starting index.

Click to Save Answer & Move to Next Question

Memory address is stored in

Select the correct option

☐

Pointer

☐

Reference

☐

Address operator

☐

Array

Click to Save Answer & Move to Next Question

In a list, tail() method of current pointer _____

Select the correct option



moves the "current" pointer to the very last element



moves the "current" pointer to the very first element



returns the first element of the "current" pointer



returns the last element of the "current" pointer

Click to Save Answer & Move to Next Question

In singly linked list a node comprises of _____ field/s.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | One |
| ☐ | Two |
| ☐ | Four |
| ☐ | Three |

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 05:12:18 PM, 06 June 2022)

Total Marks: 1

What is the postfix form of $(A+B)*(C-D)$

Select the correct option

 Reload Math Equations

☐	$A B + C D - *$
☐	$A + B * C - D$
☐	$C D - A B + *$
☐	$+ A B - C D *$

Click to Save Answer & Move to Next Question

Consider the following expression:
 $P = A * B + C - D$
In the above expression “-” is a _____ operator.

Select the correct option

- | | |
|-----------------------|-----------|
| ☐ | Technical |
| ☐ | Unary |
| ☐ | Binary |
| ☐ | Logical |

Click to Save Answer & Move to Next Question



Question # 10 of 10 (Start time: 05:10:05 PM, 06 June 2022)

To

start() method of List class is used to:

Select the correct option



Moves the "current" pointer to one step after the first element of the array.



Moves the "current" pointer to one step before the first element of the array.



Moves the "current" pointer to very last element.



Moves the "current" pointer to very first element.

[Click to Save Answer & Move to Next Question](#)



start() method of List class is used to:

Select the correct option



Moves the "current" pointer to very last element.



Moves the "current" pointer to very first element.



Moves the "current" pointer to one step after the first element of the array.



Moves the "current" pointer to one step before the first element of the array.

[Click to See Answer & Move to Next Question](#)



BC190412489: MUHAMMAD AMEER UD DIN

CS301:Quiz No. 1

Question # 8 of 10 (Start time: 04:58:07 PM, 06 June 2022)

Convert the given infix form: $12 + 60 - 23$ of expression in postfix form.

Select the correct option



$12+ 60 23 -$



$+12 60 - 23$



$12 60 + 23 -$



$12 60 + -23$



BC190412489: MUHAMMAD AMEER UD DIN

CS301:Quiz No. 1

Question # 1 of 10 (Start time: 04:52:53 PM, 06 June 2022)

Clear() of a list is used to_____

Select the correct option

- | | |
|----------------------------------|------------------------|
| ☒ | remove all elements |
| ☐ | remove first element |
| ☐ | remove last element |
| ☐ | remove current element |



The -- is a decrement operator in C++ that decreases the value of the operand by _____.

Select the correct option

- | | |
|----------------------------------|-------|
| ☐ | Three |
| ☐ | Two |
| ☒ | One |
| ☐ | Four |

[Click to See Answer & Move to Next Question](#)



Which of the following is the limitation of the array?

Select the correct option



Fix size



Cannot store user define objects



Have no random access



Cannot store more than 1000 elements

[Click to See Answer & Move to Next Question](#)



Which data structure is needed to convert infix expression to postfix expression?

Select the correct option

- | | |
|----------------------------------|-------|
| ☐ | Tree |
| ☐ | Queue |
| ☐ | Graph |
| ☒ | Stack |

[Click to Save Answer & Move to Next Question](#)



If we do not have to move too much in the list then use of which one type of list is not necessary/essential.

Select the correct option

- | | |
|-----------------------|----------------------|
| ☐ | Doubly linked list |
| ☐ | Circular linked list |
| ☐ | Simple list |
| ☐ | Linked list |



If we do not have to move too much in the list then use of which one type of list is not necessary/essential.

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Doubly linked list |
| ☒ | Circular linked list |
| ☐ | Simple list |
| ☐ | Linked list |

[Click to See Answer & Move to Next Question](#)



In node class one field is an integer data and other field will be _____.

Select the correct option

- | | |
|----------------------------------|--------------------|
| ☐ | Pointer to class |
| ☐ | pointer to a list |
| ☒ | Pointer to node |
| ☐ | Pointer to integer |

Click to Save Answer & Move to Next Question



Which of the following statement is correct for the variable "current--"?

Select the correct option

- | | |
|----------------------------------|---------------------------------------|
| ☐ | $\text{current} = \text{current} - 2$ |
| ☐ | $\text{current} - 1 = \text{current}$ |
| ☐ | $\text{current} = \text{current} + 1$ |
| ☒ | $\text{current} = \text{current} - 1$ |

[Click to See Answer & Move to Next Question](#)



On performing which task on the list implementing array has to visit the entire from start to end.

Select the correct option

- | | |
|----------------------------------|------------------------------|
| ☐ | By removing element at start |
| ☒ | Finding of element |
| ☐ | By adding of element at last |
| ☐ | By updating an element |

Click to See Answer & Move to Next Question



In singly linked list which node will keep track of starting position of the list.

Select the correct option

- | | |
|----------------------------------|---------------|
| ☐ | Head Node |
| ☐ | Last Node |
| ☐ | Previous Node |
| ☒ | Next Node |

Click to Save Answer & Move to Next Question



copy() method of List data structure _____

Select the correct option

- | | |
|----------------------------------|--------------------------------------|
| ☐ | Copy first item of list |
| ☐ | Copy any item of list |
| ☒ | Set one list to be a copy of another |
| ☐ | Copy last item of list |

[Click to View Answer & Move to Next Question](#)



Question # 1 of 10 (Start time: 04:52:53 PM, 06 June 2022)

Clear() of a list is used to _____

Select the correct option

- | | |
|----------------------------------|------------------------|
| ☒ | remove all elements |
| ☐ | remove first element |
| ☐ | remove last element |
| ☐ | remove current element |



The first step to add a node in a linked list between the existing nodes is

Select the correct option.



`newNode->setNext(currentNode->getNext());`



`currentNode->getNext();`



`newNode->getNext();`



`newNode->setNext();`



In_____, a programmer uses two pointers in the node, i.e. one to point to next node and the other to point to the previous node.

Select the correct option

- | | |
|----------------------------------|------------------|
| ☐ | Linked list |
| ☐ | array |
| ☐ | structure |
| ☒ | doubly-link list |



Click to Save Answer & Move to Next Question





Array cells are _____ in computer memory.

Select the correct option

- | | |
|----------------------------------|-----------------------------|
| ☐ | Random |
| ☐ | Store in multiple functions |
| ☐ | Store in multiple variables |
| ☒ | Contiguous |

Click to Save Answer & Move to Next Question





Each operator in a postfix expression refers to the previous _____ operand(s).

Select the correct option

- | | |
|----------------------------------|-------|
| ☒ | one |
| ☐ | two |
| ☐ | three |
| ☐ | four |

[Click to See Answer & Move to Next Question](#)



If we do not have to move too much in the list then use of which one type of list is not necessary/essential.

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Doubly linked list |
| ☒ | Circular linked list |
| ☐ | Linked list |
| ☐ | Simple list |

[Click to See Answer & Move to Next Question](#)[View Question in Test Series](#)



CS301:Quiz No. 1

Quiz Start Time: 05:01 PM, 06 June 2022

Question # 9 of 10 (Start time: 05:08:43 PM, 06 June 2022)

Total Marks:

Compiler uses which one of the following in Function calls,

Select the correct option

- | | |
|-----------------------|--------------------|
| ☐ | Stack |
| ☐ | Binary Search Tree |
| ☐ | AVL Tree |
| ☐ | Queue |

Click to Save Answer & Move to Next Question





CS301: Quiz No. 1

Quiz Start Time: 05:01 PM, 06 June 2

Question # 8 of 10 (Start time: 05:08:09 PM, 06 June 2022)

Total Marks

In singly linked list a node comprises of _____ field/s.

Select the correct option



Four



Three



One



Two

Click to Save Answer & Move to Next Question





CS301: Quiz No. 1

Quiz Start Time: 05:01 PM, 06 June 2022

Question # 7 of 10 (Start time: 05:06:22 PM, 06 June 2022)

Total M

Consider the following push operations of a Stack:

Stack.push(4);

Stack.push(6);

Stack.push(5);

Stack.push(8);

Select the correct option

☐	4
☐	5
☐	8
☐	6

Click to Save Answer & Move to Next Question





Question 2 of 10 (Start time: 05:05:39 PM, 06 June 2022)

Total Marks

To create a _____ we link the last node with the first node in the list.

Select the correct option



Double linked list



Circularly-linked list



Linked list



List

Click to See Answer & Move to Next Question





A software solution is said to be efficient if it solves the problem _____ .

Select the correct option



within its resource constraints.



within no time.



by consuming more hardware resources.



by using some extra resources.

Click to Save Answer & Move to Next Question





Question # 4 of 10 (Start time: 05:03:51 PM, 06 June 2022)

Total

What will be the postfix expression of following infix expression?

$D+E*F/G$

Select the correct option



$DE+FG*/$



$DEF*G/+$



$DE+F*G/$



$DE*F/G+$

[Click to Save Answer & Move to Next Question](#)



CS301:Quiz No. 1

Quiz Start Time: 05:01 PM, 06 June 20

Question # 3 of 10 (Start time: 05:03:09 PM, 06 June 2022)

Total Marks:

The `--` is a decrement operator in C++ that decreases the value of the operand by _____.

Select the correct option



Four



Two



Three



One

Click to Save Answer & Move to Next Question





CS301: Quiz No. 1

Quiz Start Time: 05:01 PM, 06 June

Question # 2 of 10 (Start time: 05:02:23 PM, 06 June 2022)

Total Ma

Consider the following expression:

$$P = A * B + C - D$$

In the above expression "-" is a _____ operator.

Select the correct option

☐ Binary☐ Technical☐ Unary☐ Logical

Click to Save Answer & Move to Next Question





CS301: Quiz No. 1

Quiz Start Time: 05:01 PM, 06 June 2

Question # 1 of 10 (Start time: 05:01:29 PM, 06 June 2022)

Total Mark

_____ is a collection of elements arranged in a linear order.

Select the correct option

☐ Binary Search Tree☐ AVL Tree☐ Stack☐ Heap[Click to Show Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 04:43:05 PM, 06 June 2022)

Consider the linked list implementation of a stack. Which of the following node is considered as Top of the stack?

Select the correct option

☐

Last node

☐

First node

☐

Middle node

☐

Any node

Type here to search

lenovo

CS301:Quiz No. 1

Question # 9 of 10 (Start time: 04:42:31 PM, 06 June 2022)

When an executable program runs, it is loaded in the computer memory and becomes a _____

Select the correct option

☐

h file

☐

None of the above

☐

Thread

☐

Process

Lenovo

BC190404685: AHSAN ALI SIDDIQI

CS301: Quiz No. 1

Quiz Start Time: 04:36 PM

Question # 8 of 10 (Start time: 04:40:59 PM, 06 June 2022)

Linked list is generally considered an example of _____ type of memory location.

Select the correct option


- ☐ Dynamic
- ☐ Nonlinear
- ☐ Static
- ☐ Compile time



Type here to search



Lenovo



Question # 6 of 10 (Start time: 04:39:36 PM, 06 June 2022)

back() method of List class is used to

Select the correct option

☐

Moves the "current" pointer to backward four elements

☐

Moves the "current" pointer to backward one element

☐

Moves the "current" pointer to backward three elements

☐

Moves the "current" pointer to backward two elements

Type here to search

Lenovo

Question # 5 of 10 (Start time: 04:39:03 PM, 06 June 2022)

Clear() of a list is used to _____

Select the correct option

☐

remove last element

☒

remove all elements

☐


remove first element

☐

remove current element



Type here to search



Lenovo

Question # 4 of 10 (Start time: 04:38:19 PM, 06 June 2022)

Before using the push method of stack, the user must call the _____ method.

Select the correct option

☐ isFull();

☐ isEmpty();

☐ push();

☐ pop();

Question # 3 of 10 (Start time: 04:37:26 PM, 06 June 2022)

Quiz Start Time: 04:38 PM

In the calling function, after the execution of the function called, the program continues its execution from the _____ after the function call.

Select the correct option

- | | |
|-----------------------|---------------|
| ☐ | Next line |
| ☐ | Previous line |
| ☐ | End |
| ☐ | Beginning |

Type here to search

CS301:Quiz No. 1

Question # 2 of 10 (Start time: 04:36:43 PM, 06 June 2022)

After evaluating this expression what will be the result?
 $7+3*3/(7-4)$

Select the correct option

- ☐ 6
- ☐ 10
- ☐ 9
- ☐ 12

CS301: Quiz No. 1

Question # 2 of 10 (Start time: 04:36:43 PM, 06 June 2022)

Quiz Start Time: 04:36 PM

After evaluating this expression what will be the result?
 $7 + 3 * 3 / (7 - 4)$

Select the correct option

- | | |
|-----------------------|----|
| ☐ | 6 |
| ☐ | 10 |
| ☐ | 9 |
| ☐ | 12 |

Question # 1 of 10 (Start time: 04:35:58 PM, 06 June 2022)

In singly linked list "next" field of node contains

Select the correct option

- ☐ Object of next node
- ☐ Address of next node
- ☐ Object of current node
- ☐ Address of head node

Type here to search

Array cells are _____ in computer memory.

Select the correct option

☐	Store in multiple variables
☐	Random
☐	Store in multiple functions
☐	Contiguous

What will be postfix expression of following infix expression?

$4 * 1 \uparrow 7 + 2$

Select the correct option

☐

$\uparrow * + 4 1 7 2$

☐

$4 1 \uparrow 7 * 2 +$

☐

$4 1 7 2 \uparrow * +$

☐

$4 1 7 \uparrow * 2 +$



Which one option is correct to know the first element of the linked list.

Select the correct option

- | | |
|-----------------------|-----------------|
| ☐ | Current pointer |
| ☐ | Last pointer |
| ☐ | Head pointer |
| ☐ | Start(); |

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 04:20:40 PM, 06 June 2022)

Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling remove() function on the following linked list current point will point to memory location having value?

Select the correct option

- | | |
|-----------------------|----|
| ☐ | 6 |
| ☐ | 65 |
| ☐ | 35 |
| ☐ | 25 |

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



BC200409103: IRUM SHEHZADI

Time Left 86
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 9 of 10 (Start time: 04:20:00 PM, 06 June 2022)

Total Marks: 1

In queue data structure elements are removed from _____

Select the correct option

Reload Math Equations

- | | |
|-----------------------|-------|
| ☐ | Front |
| ☐ | Push |
| ☐ | Pop |
| ☐ | Rear |

Click to Save Answer & Move to Next Question

In doubly linked list there is/are _____ pointer/s in each node.

Select the correct option



Four



One



Two



Three

Click to Save Answer & Move to Next Question



BC200409103: IRUM SHEHZADI

Time Left 86 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 8 of 10 (Start time: 04:19:26 PM, 06 June 2022)

Total Marks: 1

STL is a _____ that is a part of the official standard of C++.

Select the correct option

- | | |
|-----------------------|----------------|
| ☐ | .h file |
| ☐ | Library |
| ☐ | .cpp file |
| ☐ | C program file |

Click to Save Answer & Move to Next Question



BC200409103: IRUM SHEHZADI

Time Left 87
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 7 of 10 (Start time: 04:18:40 PM, 06 June 2022)

Total Marks: 1

Each node in a singly linked list contains two fields, one field called data field while other field contains:

Select the correct option

- | | |
|-----------------------|-----------------------|
| ☐ | Pointer to character |
| ☐ | Pointer to class |
| ☐ | Pointer to next node |
| ☐ | Pointer to an integer |

Click to Save Answer & Move to Next Question

While implementing stack with an array and to achieve LIFO behavior, we used push and pop elements at _____.

Select the correct option



At least one position before array starting index.



The start of the array.



The end of the array.



The mid of the array.



BC200409103: IRUM SHEHZADI

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 6 of 10 (Start time: 04:18:06 PM, 06 June 2022)

Total Marks: 1

The next field in the last node in a singly-linked list is set to_____.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | 1 |
| ☐ | 0 |
| ☐ | false |
| ☐ | NULL |

Click to Save Answer & Move to Next Question

Trying to remove an element from an empty stack is called _____.

Select the correct option



Empty collection



Overflow of stack



Underflow of stack



Garbage collection



BC200409103: IRUM SHEHZADI

Time Left

87

sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 5 of 10 (Start time: 04:17:27 PM, 06 June 2022)

Total Marks: 1

back() method of List class is used to:

Select the correct option

- | | |
|-----------------------|---|
| ☐ | Moves the "current" pointer to backward three elements. |
| ☐ | Moves the "current" pointer to backward four elements. |
| ☐ | Moves the "current" pointer to backward two elements. |
| ☐ | Moves the "current" pointer to backward one element. |

Click to Save Answer & Move to Next Question

On performing which task on the list implementing array has to visit the entire from start to end.

Select the correct option

- | | |
|-----------------------|------------------------------|
| ☐ | By updating an element |
| ☐ | By removing element at start |
| ☐ | By adding of element at last |
| ☐ | Finding of element |



BC200409103: IRUM SHEHZADI

Time Left 84 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 4 of 10 (Start time: 04:16:49 PM, 06 June 2022)

Total Marks: 1

On performing which task on the list implementing array has to visit the entire from start to end.

Select the correct option

- | | |
|-----------------------|------------------------------|
| ☐ | By updating an element |
| ☐ | By removing element at start |
| ☐ | By adding of element at last |
| ☐ | Finding of element |

Click to Save Answer & Move to Next Question



41% 4:16 PM



Quiz
quiz.vu.edu.pk



MC200205102: TAYBA NAZ

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 3 of 10 (Start time: 04:16:24 PM, 06 June 2022)

Total Marks: 1

Local variables of a function are stored in,

Select the correct option



Binary Search Tree



AVL Tree



Stack



Queue

Click to Save Answer & Move to Next Question



BC200409103: IRUM SHEHZADI

Time Left 86 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 3 of 10 (Start time: 04:16:12 PM, 06 June 2022)

Total Marks: 1

Whenever we call a function, the compiler makes a _____ that it uses to fulfill this function call.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | Macro |
| ☐ | Stack |
| ☐ | Queue |
| ☐ | Heap |

Click to Save Answer & Move to Next Question



BC200409103: IRUM SHEHZADI

Time Left 86 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 2 of 10 (Start time: 04:15:40 PM, 06 June 2022)

Total Marks: 1

At the time while evaluating an expression, if we want to give higher precedence to lower precedence operator, we used

_____.

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Parenthesis |
| ☐ | Operands |
| ☐ | Dots |
| ☐ | Comas |

[Click to Save Answer & Move to Next Question](#)



Quiz

quiz.vu.edu.pk



MC200205102: TAYBA NAZ

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 04:14 PM, 06 June 2022

Question # 2 of 10 (Start time: 04:15:38 PM, 06 June 2022)

Total Marks: 1

add(12) method of linked list class will:

Select the correct option



Add 12 pointers in linked list



Add 12 values in the linked list



Add 12 nodes in linked list



Add 12 as value in linked list

Click to Save Answer & Move to Next Question



The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option

☐	Start
☐	Back
☐	Next
☐	Remove

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 04:14:26 PM, 06 June 2022)

Total Marks: 1

After evaluating this expression what will be the result?
 $7+3*3/(7-4)$

Select the correct option

☐	10
☐	6
☐	9
☐	12

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 04:10:31 PM, 06 June 2022)

Total Marks: 1

"new int[11]" will allocate memory for _____ integers.

Select the correct option

☐	11
☐	10
☐	13
☐	12

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 04:09:31 PM, 06 June 2022)

Total Marks: 1

STL is a _____ that is a part of the official standard of C++.

Select the correct option



.cpp file



C program file



Library



.h file

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 04:08:59 PM, 06 June 2022)

Total Marks: 1

-- is a _____ operator.

Select the correct option

☐	Unary
☐	Binary
☐	Logical
☐	Technical

[Click to Save Answer & Move to Next Question](#)

An efficient program executes faster and helps in _____ the usage of resources like memory and disk.

Select the correct option

☐	Increase
☐	Minimizing
☐	Equalizing
☐	Maximizing

Click to Save Answer & Move to Next Question



Question # 6 of 10 (Start time: 04:07:51 PM, 06 June 2022)

Total Marks: 1

What will be the postfix expression of following infix expression?
 $D+E*F/G$

Select the correct option

- ☐ $DE*F/G+$
- ☐ $DE+F*G/$
- ☐ $DEF*G/+$
- ☐ $DE+FG*/$

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 04:06:41 PM, 06 June 2022)

Total Marks: 1

Which of the following is the correct conversion from infix to postfix expression?
 $A*B+C/(E-F)$

Select the correct option

 $ABC*+EF-/$  $AB*C+EF/-$  $AB+C*E-F/$  $AB*CEF-/+$ [Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 04:06:07 PM, 06 June 2022)

Total Marks: 1

The -- is a decrement operator in C++ that decreases the value of the operand by _____.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | Four |
| ☐ | One |
| ☐ | Two |
| ☐ | Three |

[Click to Save Answer & Move to Next Question](#)

In array list the worst case of removing an element is

Select the correct option



To remove an element from the middle of the list



To remove an element from the start of the list



We cannot remove element from an array list



To remove an element from the end of the list

[Click to See Answer & Move to Next Question](#)



Question # 2 of 10 (Start time: 04:05:01 PM, 06 June 2022)

Total Marks: 1

The computer memory can be thought of as a/an

Select the correct option



Queue



Array



List



Stack

Click to Save Answer & Move to Next Question



Question # 1 of 10 (Start time: 04:04:28 PM, 06 June 2022)

Total Marks: 1

The principal benefit of a linked list over a conventional array is that the order of the linked items may be_____ from the order that the data items are stored in memory.

Select the correct option

☐	Same
☐	Identical
☐	Different
☐	Equivalent

[Click to Save Answer & Move to Next Question](#)



BC210202405: AHMAD HASSAN SHAH

Time Left 90 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 10 of 10 (Start time: 03:47:24 PM, 06 June 2022)

Total Marks: 1

length() method of List class is used to:

Select the correct option

- | | |
|-----------------------|--|
| ☐ | Return the length of empty part of the list |
| ☐ | Return the length of empty part of the array |
| ☐ | Return the length of the array |
| ☐ | Return the length of the list |

Click to Save Answer & Move to Next Question



BC210202405: AHMAD HASSAN SHAH

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 9 of 10 (Start time: 03:46:24 PM, 06 June 2022)

Total Marks: 1

On performing which task on the list implementing array has to visit the entire from start to end.

Select the correct option

- | | |
|-----------------------|------------------------------|
| ☐ | By removing element at start |
| ☐ | By adding of element at last |
| ☐ | By updating an element |
| ☐ | Finding of element |

Click to Save Answer & Move to Next Question



BC210202405: AHMAD HASSAN SHAH

Time Left 85 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 8 of 10 (Start time: 03:45:09 PM, 06 June 2022)

Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling add(4) function on the following linked list current point will point to memory location having value?

Select the correct option

☐	25
☐	4
☐	35
☐	72

[Click to Save Answer & Move to Next Question](#)

Screenshot has been saved to Pictures/
Screenshot



BC210202405: AHMAD HASSAN SHAH

Time Left 86 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 7 of 10 (Start time: 03:43:30 PM, 06 June 2022)

Total Marks: 1

An array is collection of cells of the .

Select the correct option

- | | |
|-----------------------|----------------|
| ☐ | Same type |
| ☐ | Different type |
| ☐ | Struct type |
| ☐ | Hybrid type |

Click to Save Answer & Move to Next Question



BC210202405: AHMAD HASSAN SHAH

CS301:Quiz No. 1

Question # 6 of 10 (Start time: 03:42:29 PM, 06 June 2022)

Circular linked list solve the problem of _____ pointers/method of the doubly link list.

Select the correct option



add



remove



null



find

Click



Which of the following statement is correct for the variable "current--"?

Select the correct option

- | | |
|-----------------------|---------------------------------------|
| ☐ | $\text{current} = \text{current} - 2$ |
| ☐ | $\text{current} - 1 = \text{current}$ |
| ☐ | $\text{current} = \text{current} + 1$ |
| ☐ | $\text{current} = \text{current} - 1$ |

Click to Save Answer & Move to Next Question



BC210202405: AHMAD HASSAN SHAH

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 4 of 10 (Start time: 03:40:07 PM, 06 June 2022)

Total Marks: 1

At the time while evaluating an expression, if we want to give higher precedence to lower precedence operator, we used _____.

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Dots |
| ☐ | Parenthesis |
| ☐ | Operands |
| ☐ | Comas |

Click to Save Answer & Move to Next Question



BC210202405: AHMAD HASSAN SHAH

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 3 of 10 (Start time: 03:39:32 PM, 06 June 2022)

Total Marks: 1

We cannot remove items randomly from _____

Select the correct option

- | | |
|-----------------------|-----------------|
| ☐ | list |
| ☐ | stack and queue |
| ☐ | Queue |
| ☐ | Stack |

Click to Save Answer & Move to Next Question



BC210202405: AHMAD HASSAN SHAH

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 03:37 PM, 06 June 2022

Question # 2 of 10 (Start time: 03:38:37 PM, 06 June 2022)

Total Marks: 1

Consider the linked list implementation of a stack. Which of the following node is considered as Top of the stack?

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | First node |
| ☐ | Last node |
| ☐ | Any node |
| ☐ | Middle node |

Click to Save Answer & Move to Next Question



In array list the worst case of removing an element is

Select the correct option



To remove an element from the end of the list



We cannot remove element from an array list



To remove an element from the start of the list



To remove an element from the middle of the list

Click to Save Answer & Move to Next Question

If we do not have to move too much in the list then use of which one type of list is not necessary/essential.

Select the correct option

- | | |
|-----------------------|----------------------|
| ☐ | Simple list |
| ☐ | Circular linked list |
| ☐ | Doubly linked list |
| ☐ | Linked list |

Click on correct Answer & Move to Next Question

CS302:Semester Quiz # 01

Question # 4 of 10 (Start time: 10:40:03 AM, 06 June 2022)

Boolean algebra is the _____ of Digital Systems.


Time Left 88 sec(s)

Quiz Start Time: 10:38 AM, 06 June 2022

Total Marks: 1

Select the correct option

- ☐ Expression
- ☐ Equation
- ☐ Mathematics
- ☐ Science



Question # 9 of 10 (Start time: 10:46:37 AM, 06 June 2022)

The ANSI/IEEE Standard 754 defines a _____ Single-Precision Floating Point format for binary numbers.

Select the correct option

- ☐ 8-bit
- ☐ 16-bit
- ☐ 32-bit
- ☐ 64-bit



Question # 5 of 10 (Start time: 10:41:22 AM, 06 June 2022)

Quiz Start Time: 10:38 AM, 06 June

Total Mar

K-Map is difficult to manage for _____ or more variables.

Select the correct option



7




8



5



6



DELL

Question # 7 of 10 (Start time: 10:42:53 AM, 06 June 2022)

End time: 10:43:00 AM

The Game-McJostey method has _____ number of steps.

Select the correct option



2



4



5



3



Question # 8 of 10 (Start time: 10:45:22 AM, 06 June 2022)

A standard SOP form has _____ terms that have all the variables in the domain of the expression.

Select the correct option

☐ Composite

☐ Sum

☐ Max

☐ Product

Question # 7 of 10 (Start time: 10:43:53 AM, 06 June 2022)

The Quine-McCluskey method has _____ number of steps.

▶ Select the correct option

☐

2

☐

4

☐

5

☐

3

Click to Save Answer

Question # 6 of 10 (Start time: 10:42:56 AM, 06 June 2022)

Total Marks: 1

The OR Gate performs a Boolean _____ function

Select the correct option

- | | |
|-----------------------|----------------|
| ☐ | Division |
| ☐ | Subtraction |
| ☐ | Addition |
| ☐ | Multiplication |

Question # 4 of 10 (Start time: 10:39:27 AM, 06 June 2022)

_____ Device dissipate varying amount of power depending upon the frequency of operation.

Select the correct option

☐	CMOS
☐	Storage
☐	TTL
☐	Peripheral

Question # 5 of 10 (Start time: 10:40:54 AM, 06 June 2022)

Consider $A=1, B=0, C=1$. A, B and C represent the input of three bit NAND gate, the output of the NAND gate will be _____

Select the correct option

☐	One
☐	Zero
☐	No output as input is invalid
☐	Undefined

CS302:Semester Quiz # 01

Question # 2 of 10 (Start time: 10:37:28 AM, 06 June 2022)

Which circuit is used in 7-segments display?

Select the correct option

- ☐ Excess code
- ☐ Gray code
- ☐ Binary code
- ☐ BCD code



DELL

CS302:Semester Quiz # 01

Question # 3 of 10 (Start time: 10:38:30 AM, 06 June 2022)

The boolean expression $A + BC$ equals

Select the correct option

☐

$(A + B)(A' + C)$

☐

$(A + B)(A + C)$

☐

$(A + B')(A + C')$

☐

$(A' + B)(A' + C)$

Question # 3 of 10 (Start time: 10:38:05 AM, 06 June 2022)

How many maximum group can be generated in 4 variable K map?

Select the correct option

☐	12
☐	8
☐	16
☐	4

Question # 2 of 10 (Start time: 10:36:46 AM, 06 June 2022)

In a 4-variable K-map, a 2-variable product term is produced by

Select the correct option

- ☐ a 4-cell group of 0s
- ☐ a 4-cell group of 1s
- ☐ a 2-cell group of 1s
- ☐ a 8-cell group of 1s

← → ↻ Not secure | https://quiz.yu.edu.pk/QuizQuestion.aspx?ver=20d062f9-a072-4dd4-a57f-2677fe2b56fe

CS302:Semester Quiz # 01

Question # 1 of 10 (Start time: 10:36:14 AM, 06 June 2022)

$A + B = B + A$ is _____

Quiz Start Time: 10:36 AM, 06 June 2022

Total Marks: 1

Select the correct option

☒	Associative Law
☐	Commutative Law
☐	Demorgan's Law
☐	Distributive Law

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 10:35:47 AM, 06 June 2022)

NOT gate is also known as an _____.

Select the correct option

☐	Inverter
☐	Fan-Out
☐	Input
☐	Exclusive-OR

Which of the following is the limitation of the array?

Select the correct option

- ☐ Have no random access
- ☐ Cannot store more than 1000 elements
- ☐ Fix size
- ☐ Cannot store user define objects

[Click to Get Answer & Marked Correct Option](#)

NULL is an invalid address and _____.

Select the correct option



Inaccessible



Accessible



Points to the start point of the list



Points to the last current node of the list

Click on Save Answer to Move to Next Question

In singly linked list “next” field of node contains:

Select the correct option

- | | |
|-----------------------|------------------------|
| ☐ | Object of next node |
| ☐ | Address of next node |
| ☐ | Object of current node |
| ☐ | Address of head node |

Submit Your Answer & Move to Next Question

Question # 1 of 10 (Start time: 01:23:12 PM, 06 June 2022)

Total Marks: 1

“end() ” method of list performs it’ s tasks in

Select the correct option

☐	One steps
☐	Three steps
☐	Many steps
☐	Two steps

[Click for Save Answer to My Saved Questions](#)

Allocating and de-allocating memory for linked list nodes does take _____ time than pre-allocated array.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | No |
| ☐ | Less |
| ☐ | Equal |
| ☐ | More |

Click to Save Answer & Move to Next Question

The back() method decreases the value of variable current by

_____.

Select the correct option

☐

Two

☐

Three

☐

One

☐

Four

Click to Save Answer & Move to Next Question

Which of the following is not a form of expression?

Select the correct option

- | | |
|-----------------------|---------|
| ☐ | Infix |
| ☐ | Postfix |
| ☐ | Pastfix |
| ☐ | Prefix |

Click to Save Answer & Move to Next Question

Suppose a Stack class has been defined using template. Now, we want to declare a Stack object of an int type. What will be the correct syntax?

Select the correct option

- | | |
|-----------------------|---------------------------------------|
| ☐ | <code>int Stack stack ;</code> |
| ☐ | <code><int>Stack stack ;</code> |
| ☐ | <code>Stack int stack;</code> |
| ☐ | <code>Stack<int> stack;</code> |

Click on correct Answer & Move to Next Question

Mark the Statements as true/false.

Implicit purpose means the purpose which is clearly stated.

Select the correct option

☐

True

☐

False

Click to Save Answer & Move to Next Question



Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling add(4) function on the following linked list current point will point to memory location having value?

Select the correct option

☐	35
☐	72
☐	4
☐	25

Click on Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 02:43:19 PM, 06 June 2022)

Total Marks: 1

Which of the following signature of the constructor function for a stack is correct as a generic data type?

Select the correct option

[Reload Math Equations](#)

- | | |
|-----------------------|---------------------------|
| ☐ | Stack: Stack(); |
| ☐ | Template Stack::Stack (); |
| ☐ | Stack<T>:: Stack(); |
| ☐ | Template<stack T>; |

[Click to Save Answer & Move to Next question](#)

back() method of List class is used to:

Select the correct option

- ☐ Moves the "current" pointer to backward three elements.
- ☐ Moves the "current" pointer to backward one element.
- ☐ Moves the "current" pointer to backward four elements.
- ☐ Moves the "current" pointer to backward two elements.

Click to Save Answer & Move to Next Question



Which of the following function don't belongs to the stack class?

Select the correct option



crash()



pop()



push()



top()

Click to Save Answer & Move to Next Question



In singly linked list a node comprises of _____ field/s.

Select the correct option



One



Two



Four



Three

Click to Save Answer & Move to Next Question



In the linked list implementation of the stack class, where does the push member function places the new entry on the linked list?

Select the correct option

- ☐ At the head
- ☐ After all other entries that are greater than the new entry.
- ☐ At the tail
- ☐ After all other entries that are smaller than the new entry.

[Click to Save Answer & Move to Next Question](#)



A software solution is said to be efficient if it solves the problem _____ .

Select the correct option

- ☐ by using some extra resources.
- ☐ within no time.
- ☐ within its resource constraints.
- ☐ by consuming more hardware resources.

[Click to Save Answer & Move to Next Question](#)



Which one option is associated with the data structures?

Select the correct option

☐	Quality
☐	Time to perform each basic operation
☐	Function
☐	Class

Click to Save Answer & Move to Next Question

Each operator in a postfix expression refers to the previous _____ operand(s).

Select the correct option

- ☐ four
- ☐ three
- ☐ two
- ☐ one

Click to Save Answer & Move to Next Question

The principal benefit of a linked list over a conventional array is that the order of the linked items may be_____ from the order that the data items are stored in memory.

Select the correct option

☐	Same
☐	Identical
☐	Equivalent
☐	Different

Click to See Answer & Move to Next Question



Each node in singly linked list contains_____

Select the correct option

- ☐ One pointer
- ☒ NULL pointer
- ☐ Two pointers
- ☐ No pointer

Click to Save Answer & Move to Next Question





MC1904055672: ZAHIEER ABBAS

Time Left 08 min(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 10 of 10 (Start time: 12:36:17 PM, 06 June 2022)

Total Marks: 1

What will be postfix expression of following infix expression?
 $4 * 1 \uparrow 7 + 2$

Select the correct option

- | | |
|-----------------------|------------------------|
| ☐ | $\uparrow * + 4 1 7 2$ |
| ☐ | $4 1 7 \uparrow * 2 +$ |
| ☐ | $4 1 \uparrow 7 * 2 +$ |
| ☐ | $4 1 7 2 \uparrow * +$ |

Click on the correct answer to get the correct answer



MC190405672: ZAHIER ABBAS

Time Left 08 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 9 of 10 (Start time: 12:35:54 PM, 06 June 2022)

Total Marks: 1

Before using the push method of stack, the user must call the _____ method.

Select the correct option

- | | |
|-----------------------|------------|
| ☐ | pop(); |
| ☐ | isFull(); |
| ☐ | push(); |
| ☐ | isEmpty(); |

Click on the correct answer to get the correct result



MC190405672: ZAHED ABBAS

Time Left 08 min(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 8 of 10 (Start time: 12:34:21 PM, 06 June 2022)

Total Marks: 1

In array list the worst case of removing an element is

Select the correct option

- ☐ To remove an element from the start of the list
- ☐ To remove an element from the end of the list
- ☐ We cannot remove element from an array list
- ☐ To remove an element from the middle of the list

Click here to report a problem/question



MC190405672: ZAHED ABBAS

Time Left 83 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 7 of 10 (Start time: 12:33 04 PM, 06 June 2022)

Total Marks: 1

The type of expression in which operator succeeds its operands is_____expression.

Select the correct option

- | | |
|-----------------------|----------|
| ☐ | Prefix |
| ☐ | Postfix |
| ☐ | Preorder |
| ☐ | Infix |

Click on the correct answer to get the correct result



MC190405672: ZAHED ABBAS

Time Left 08 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 6 of 10 (Start time: 12:32:15 PM, 06 June 2022)

Total Marks: 1

In doubly linked list there is/are _____ pointer/s in each node.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | One |
| ☐ | Two |
| ☐ | Three |
| ☐ | Four |

Click on the correct answer



MC190405672: ZAHEER ABBAS

CS301:Quiz No. 1

Question # 5 of 10 (Start time: 12:31:15 PM, 06 June 2022)

Circular linked list solve the problem of _____ pointers/method of the doubly link list

Select the correct option

☐	null
☐	remove
☐	add
☐	find



MC190405672: ZAHEER ABBAS

Time Left 08 min(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 5 of 10 (Start time: 12:31:15 PM, 06 June 2022)

Total Marks: 1

Circular linked list solve the problem of pointers/method of the doubly link list.

Select the correct option

Reveal Math Equations

- | | |
|-----------------------|----------|
| ☐ | null |
| ☐ | retroive |
| ☐ | edit |
| ☐ | find |

Click to view correct & Wrong options



MC190405672: ZAHHEER ABBAS

Time Left 08 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 4 of 10 (Start time: 12:30:22 PM, 06 June 2022)

Total Marks: 1

Allocating and de-allocating memory for linked list nodes does take _____ time than pre-allocated array.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | Less |
| ☐ | Equal |
| ☐ | More |
| ☐ | No |

Question Report / Download Question



MC190405672: ZAHEER ABBAS

Time Left 50 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 3 of 10 (Start time: 12:29:07 PM, 06 June 2022)

Total Marks: 1

Circular Linked List always has _____ NULL pointer/s in a node.

Select the correct option

Reveal Math Equations

- ☐ 0
- ☐ 1
- ☐ 2
- ☐ 3

Click to view correct & Wrong options



MC190405672: ZAHEER ABBAS

Time Left 87 min(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 3 of 10 (Start time: 12:29:07 PM, 06 June 2022)

Total Marks: 1

Circular Linked List always has _____ NULL pointer/s in a node.

Select the correct option

Reveal Math Equations

- | | |
|-----------------------|---|
| ☐ | 0 |
| ☐ | 1 |
| ☐ | 2 |
| ☐ | 3 |

Click to view correct & Wrong options explanation



MC190405672: ZAHIER ABBAS

Time Left 08 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 2 of 10 (Start time: 12:27:51 PM, 06 June 2022)

Total Marks: 1

In a list, tail() method of current pointer _____

Select the correct option

- ☐ returns the first element of the "current" pointer
- ☐ moves the "current" pointer to the very last element
- ☐ moves the "current" pointer to the very first element
- ☐ returns the last element of the "current" pointer

Click here to report a problem/question



MC190405672: ZAHHEER ABBAS

Time Left 06 sec(s)

CS301 Quiz No. 1

Quiz Start Time: 12:27 PM, 06 June 2022

Question # 1 of 10 (Start time: 12:27:20 PM, 06 June 2022)

Total Marks: 1

```
y = &x[0];
```

In the above statement, we get the address of the first location of the array x and store it in y. Here "y" is:

Select the correct option

☐	lvalue
☐	xvalue
☐	zvalue
☐	rvalue

Question Report / Download Question



MC210400503: IQRA KOUSAR

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 10 of 10 (Start time: 12:20:52 PM, 06 June 2022)

Total Marks: 1

The abstract data type refers to the basic mathematical concept that defines the

Select the correct option

☐	Data type
☐	structure
☐	Function type
☐	Class type

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 9 of 10 (Start time: 12:20:28 PM, 06 June 2022)

Total Marks: 1

Which of the following line of code is incorrect?

Select the correct option

`float i = 60;``float *i = float new;``float *i = new float;``float *i = new float[3];`

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 8 of 10 (Start time: 12:18:59 PM, 06 June 2022)

Total Marks: 1

Head node pointer always points to the _____ of the linked list?

Select the correct option

Reload Math Equations

☐	last node
☐	newly added node
☐	first node
☐	current node

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 7 of 10 (Start time: 12:17:59 PM, 06 June 2022)

Total Marks: 1

Consider the following infix expression.

 $7/8 + 9$

If one converts the above expression into postfix, what would be the resultant expression?

Select the correct option

- | | |
|-----------------------|-----------------|
| ☐ | $7\ 8\ 9\ /\ +$ |
| ☐ | $/\ 7\ 8\ +\ 9$ |
| ☐ | $7\ 8\ /\ +\ 9$ |
| ☐ | $7\ 8\ /\ 9\ +$ |

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 6 of 10 (Start time: 12:17:32 PM, 06 June 2022)

Total Marks: 1

Each node in singly linked list contains_____

Select the correct option

- | | |
|-----------------------|--------------|
| ☐ | Two pointers |
| ☐ | One pointer |
| ☐ | No pointer |
| ☐ | NULL pointer |

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 5 of 10 (Start time: 12:16:39 PM, 06 June 2022)

Total Marks: 1

The usage of the class of a data structure causes the code of the program

Select the correct option

☐	Lengthy
☐	Simplifies
☐	Complicated
☐	Difficult

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 4 of 10 (Start time: 12:14:54 PM, 06 June 2022)

Total Marks: 1

When an executable program runs, it is loaded in the computer memory and becomes a_____.

Select the correct option

☐	Thread
☐	Process
☐	None of the above
☐	.h file

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 3 of 10 (Start time: 12:14:07 PM, 06 June 2022)

Total Marks: 1

The principal benefit of a linked list over a conventional array is that the order of the linked items may be_____ from the order that the data items are stored in memory.

Select the correct option

☐	Different
☐	Equivalent
☐	Same
☐	Identical

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 2 of 10 (Start time: 12:13:30 PM, 06 June 2022)

Total Marks: 1

A software solution is said to be efficient if it solves the problem _____ .

Select the correct option



within its resource constraints.



within no time.



by using some extra resources.



by consuming more hardware resources.

Click to Save Answer & Move to Next Question





MC210400503: IQRA KOUSAR

Time Left 88
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:12 PM, 06 June 2022

Question # 1 of 10 (Start time: 12:12:53 PM, 06 June 2022)

Total Marks: 1

Before using the push method of stack, the user must call the _____ method.

Select the correct option

- | | |
|-----------------------|------------|
| ☐ | isFull(); |
| ☐ | push(); |
| ☐ | isEmpty(); |
| ☐ | pop(); |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 10 of 10 (Start time: 11:59:39 AM, 06 June 2022)

Total Marks: 1

Which of the following line of code is incorrect?

Select the correct option

- | | |
|-----------------------|---------------------------------------|
| ☐ | <code>float i = 60;</code> |
| ☐ | <code>float *i = float new;</code> |
| ☐ | <code>float *i = new float;</code> |
| ☐ | <code>float *i = new float[3];</code> |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 9 of 10 (Start time: 11:58:44 AM, 06 June 2022)

Total Marks: 1

In queue data structure elements are removed from _____.

Select the correct option

Reload Math Equations

☐	Front
☐	Pop
☐	Push
☐	Rear

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 8 of 10 (Start time: 11:57:59 AM, 06 June 2022)

Total Marks: 1

Whenever we call a function, the compiler makes a _____ that it uses to fulfill this function call.

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | Macro |
| ☐ | Stack |
| ☐ | Heap |
| ☐ | Queue |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 7 of 10 (Start time: 11:57:14 AM, 06 June 2022)

Total Marks: 1

If we use array to implement list, then there is an issue that it gives difficulty when:

Select the correct option

- | | |
|-----------------------|--------------------------------|
| ☐ | We will increase its size |
| ☐ | We will remove data from it |
| ☐ | We will access values randomly |
| ☐ | We will decrease its size |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 86
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 6 of 10 (Start time: 11:56:00 AM, 06 June 2022)

Total Marks: 1

When add() operation of a linked list is called the following action is done

Select the correct option

- | | |
|-----------------------|---|
| ☐ | last node is removed to add new |
| ☐ | Current node is removed to add new |
| ☐ | Set the next pointer of last current node |
| ☐ | A new node is made |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 88
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 5 of 10 (Start time: 11:55:09 AM, 06 June 2022)

Total Marks: 1

Which of the following is the limitation of the array?

Select the correct option

- | | |
|-----------------------|--------------------------------------|
| ☐ | Cannot store more than 1000 elements |
| ☐ | Have no random access |
| ☐ | Fix size |
| ☐ | Cannot store user define objects |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 4 of 10 (Start time: 11:54:13 AM, 06 June 2022)

Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling remove() function on the following linked list current point will point to memory location having value?

Select the correct option

☐	65
☐	6
☐	25
☐	35

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 3 of 10 (Start time: 11:53:42 AM, 06 June 2022)

Total Marks: 1

Generalized code written for a class is called:

Select the correct option

- | | |
|-----------------------|-----------|
| ☐ | Stack |
| ☐ | Structure |
| ☐ | Function |
| ☐ | Template |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 2 of 10 (Start time: 11:52:53 AM, 06 June 2022)

Total Marks: 1

add(12) method of linked list class will:

Select the correct option

- | | |
|-----------------------|----------------------------------|
| ☐ | Add 12 pointers in linked list |
| ☐ | Add 12 nodes in linked list |
| ☐ | Add 12 values in the linked list |
| ☐ | Add 12 as value in linked list |

Click to Save Answer & Move to Next Question





MC210401180: NIMRA AKRAM

Time Left 89
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:52 AM, 06 June 2022

Question # 1 of 10 (Start time: 11:52:22 AM, 06 June 2022)

Total Marks: 1

```
y = &x[0];
```

In the above statement, we get the address of the first location of the array x and store it in y. Here "y" is:

Select the correct option

☐	zvalue
☐	lvalue
☐	rvalue
☐	xvalue

Click to Save Answer & Move to Next Question





11:49 AM △ P ..



quiz.vu.edu.pk/QuizQue:

2



BC190402849: IQRA TARIQ

Time Left 78 sec(s)

CS301: Quiz No. 1

Quiz Start Time: 11:37 AM, 06 June 2022

Question # 10 of 10 (Start time: 11:49:08 AM, 06 June 2022)

Total Marks: 1

In doubly linked list there is/are _____ pointer/s in each node.

Select the correct option



Three



One



Four



Two

Click to Save Answer & Move to Next Question





11:48 AM



quiz.vu.edu.pk/QuizQue:

2



BC190402849: IQRA TARIQ

Time Left 86 sec(s)

CS301: Quiz No. 1

Quiz Start Time: 11:37 AM, 06 June 2022

Question # 9 of 10 (Start time: 11:48:14 AM, 06 June 2022)

Total Marks: 1

Consider we have performed the following operations on a stack of size 5.

Push(10);

Push(20);

Push(30);

Select the correct option

4



1



2



3



Click to Save Answer & Move to Next Question



Question # 8 of 10 (Start time: 11:46:19 AM, 06 June 2022)

Total Marks: 1

Which one of the following is not a one-step method in List Implementation using Array?

Select the correct option

Reload Math Equations

- | | |
|-----------------------|----------|
| ☐ | length() |
| ☐ | find() |
| ☐ | back() |
| ☐ | get() |

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 11:46:19 AM, 06 June 2022)

Total Marks: 1

Which one of the following is not a one-step method in List Implementation using Array?

Select the correct option

Reload Math Equations

- | | |
|-----------------------|----------|
| ☐ | length() |
| ☐ | find() |
| ☐ | back() |
| ☐ | get() |

Click to Save Answer & Move to Next Question

The abstract data type refers to the basic mathematical concept that defines the

Select the correct option



Data type



structure



Function type



Class type

Click to Save Answer & Move to Next Question

The abstract data type refers to the basic mathematical concept that defines the

Select the correct option



Data type



structure



Function type



Class type

Click to Save Answer & Move to Next Question

What will be the postfix expression of following infix expression?
 $D+E*F/G$

Select the correct option

☐ $DE+F*G/$ ☐ $DE+FG*/$ ☐ $DEF*G/+$ ☐ $DE*F/G+$ [Click to Save Answer & Move to Next Question](#)

What will be the postfix expression of following infix expression?
 $D+E*F/G$

Select the correct option

☐ $DE+F*G/$ ☐ $DE+FG*/$ ☐ $DEF*G/+$ ☐ $DE*F/G+$ [Click to Save Answer & Move to Next Question](#)

Consider we have performed the following operations on a stack of size 5.

Push(10);

Push(20);

Push(30);

Select the correct option



50



10



40



20

Click to Save Answer & Move to Next Question

“new int[11]” will allocate memory for _____ integers.

Select the correct option



12



10



13



11

Click to Save Answer & Move to Next Question

$2*(7+8)-6$ is an example of _____ expression.

Select the correct option



Postfix



Logical



Prefix



Infix

Click to Save Answer & Move to Next Question

$2*(7+8)-6$ is an example of _____ expression.

Select the correct option



Postfix



Logical



Prefix



Infix

Click to Save Answer & Move to Next Question

BC190402849: IQRA TARIQ

Time Left 88
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:37 AM, 06 June 2022

Question # 2 of 10 (Start time: 11:39:12 AM, 06 June 2022)

Total Marks: 1

Circular linked list solve the problem of _____ pointers/method of the doubly link list.

Select the correct option

 Reload Math Equations

☐	remove
☐	null
☐	add
☐	find

Click to Save Answer & Move to Next Question

BC190402849: IQRA TARIQ

Time Left 88
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 11:37 AM, 06 June 2022

Question # 2 of 10 (Start time: 11:39:12 AM, 06 June 2022)

Total Marks: 1

Circular linked list solve the problem of _____ pointers/method of the doubly link list.

Select the correct option

 Reload Math Equations

☐	remove
☐	null
☐	add
☐	find

Click to Save Answer & Move to Next Question



quiz.vu.edu.pk/Qi



MC210201387: AMBREEN FATIMA

Time Left 90
sec(s)

CS301:Quiz No. 1

Quiz Start Time: 12:08 PM, 05 June 2022

Question # 8 of 10 (Start time: 12:13:11 PM, 05 June 2022)

Total Marks: 1

Stack and Queue can be implemented using _____,

Select the correct option



Binary Tree



Singly Link List



AVL Tree



Binary Search Tree

Click to View Answer / Move to Next Question



Which of the following statement is correct for the variable "current--"?

Select the correct option



current = current – 1



current = current - 2



current – 1 = current



current = current + 1

Which of the following statement is correct for the variable "current--"?

Select the correct option



current = current – 1



current = current - 2



current – 1 = current



current = current + 1

Question # 10 of 10 (Start time: 09:39:55 AM, 06 June 2022) Total Marks: 1

The computer memory can be thought of as a/an

- Select the correct option
- ☐ List
 - ☐ Stack
 - ☐ Array
 - ☐ Queue

BC200408590: SAHER

Time Left 86 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:27 AM, 06 June 2022

Question # 9 of 10 (Start time: 09:38:27 AM, 06 June 2022)

Total Marks: 1

Which of the following line of code is incorrect?

Select the correct option

- | | |
|-----------------------|---------------------------------------|
| ☐ | <code>float *i = new float[3];</code> |
| ☐ | <code>float *i = new float;</code> |
| ☐ | <code>float *i = float new;</code> |
| ☐ | <code>float i = 60;</code> |

Question # 8 of 10 (Start time: 09:36:45 AM, 06 June 2022)

Total Marks: 1

Each node in a singly linked list contains two fields, one field called data field while other field contains:

- Select the correct option
- | | |
|-----------------------|-----------------------|
| ☐ | Pointer to an integer |
| ☐ | Pointer to next node |
| ☐ | Pointer to class |
| ☐ | Pointer to character |

Question # 7 of 10 (Start time: 09:34:47 AM, 06 June 2022)

Total Marks: 1

Which of the following is the limitation of the array?

Select the correct option

- | | |
|-----------------------|--------------------------------------|
| ☐ | Cannot store more than 1000 elements |
| ☐ | Have no random access |
| ☐ | Fix size |
| ☐ | Cannot store user define objects |

Question # 6 of 10 (Start time: 09:33:15 AM, 06 June 2022) Total Marks: 1

Consider the following infix expression.
 $7/8 + 9$
If one converts the above expression into postfix, what would be the resultant expression?

Select the correct option

- ☐ $789/+$
- ☐ $78/+9$
- ☐ $/78+9$
- ☐ $78/9+$

Question # 3 of 10 (Start time: 09:31:11 AM, 06 June 2022)

Total Marks: 1

Local variables of a function are stored in,

- Select the correct option
- ☐ AVL Tree
 - ☐ Stack
 - ☐ Binary Search Tree
 - ☐ Queue

Quiz xQuiz xExter xSave xExter xExter xSave xDark xOran xBrow xDark xSave x

https://quiz.vu.edu.pk/QuizQuestion.aspx?ver=78b5270d-75a5-46fd-8bdc-605fa2968d1f

PausedTime Left sec(s)

BC200406590: SAHER

CS301:Quiz No. 1

Quiz Start Time: 09:27 AM, 06 June 2022

Question # 2 of 10 (Start time: 09:30:04 AM, 06 June 2022)

Total Marks: 1

Current pointer always points to the _____ of the linked list.

Select the correct option

Reload Math Equations

☐

last node

☐

first node

☐

lastcurrent node

☐

current node

Click to Save Answer & Move to Next Question

Type here to search

9:29 AM6/6/2022

Question # 1 of 10 (Start time: 09:27:26 AM, 06 June 2022) Total Marks: 1

Which kind of data structure is used to evaluate postfix expression?

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Stack |
| ☐ | Tree |
| ☐ | Queue |
| ☐ | Linked List |



BC190411844: MAHAM FATIMA

Time Left 86 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 8 of 10 (Start time: 06:52:28 PM, 05 June 2022)

Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling remove() function on the following linked

Select the correct option

☐	35
☐	6
☐	25
☐	65

Click to Save Answer & Move to Next Question





BC190411844: MAHAM FATIMA

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 9 of 10 (Start time: 06:53:31 PM, 05 June 2022)

Total Marks: 1

Linked List use _____ to store data.

Select the correct option

- | | |
|-----------------------|---------------|
| ☐ | Array |
| ☐ | Variables |
| ☐ | Linked Memory |
| ☐ | 2-D Array |

Click to Save Answer & Move to Next Question





quiz.vu.edu.pk/QuizQ1



BC190411844: MAHAM FATIMA

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 10 of 10 (Start time: 06:54:27 PM, 05 June 2022)

Total Marks: 1

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 35 stored in it. What will be the resultant linked list after calling

Select the correct option

- ☐ 6, 72, 35, 18, 65, 25
- ☐ 6, 72, 18, 35, 65, 25
- ☐ 6, 18, 72, 35, 65, 25
- ☐ 6, 72, 35, 65, 25, 18

Click to Save Answer & Move to Next Question





quiz.vu.edu.pk/QuizQ1

3



DC190411044: MIAN FATIMA

CS301:Quiz No. 1

Question # 6 of 10 (Start time: 06:49:37 PM, 05 June 2022)

In queue data structure elements are removed from _____.

Select the correct option



Pop



Push



Rear



Front





quiz.vu.edu.pk/QuizQ1

3



BC190411844: MAHAM FATIMA

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 7 of 10 (Start time: 06:51:16 PM, 05 June 2022)

Total Marks: 1

“end()” method of list performs it's tasks in

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Many steps |
| ☐ | Three steps |
| ☐ | One steps |
| ☐ | Two steps |

Click to Save Answer & Move to Next Question





quiz.vu.edu.pk/QuizQ1

3



BC190411844: MAHAM FATIMA

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 3 of 10 (Start time: 06:46:44 PM, 05 June 2022)

Total Marks: 1

Consider the following infix expression.

 $7/8 + 9$

If one converts the above expression into postfix, what would be the resultant expression?

Select the correct option

 $7\ 8\ /\ +\ 9$  $7\ 8\ /\ 9\ +$  $7\ 8\ 9\ /\ +$  $\ /\ 7\ 8\ +\ 9$

Click to Save Answer & Move to Next Question





quiz.vu.edu.pk/QuizQ1



BC190411844: MAHAM FATIMA

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 4 of 10 (Start time: 06:47:34 PM, 05 June 2022)

Total Marks: 1

A stack carries _____ behavior.

Select the correct option

☐	FIFO
☐	FEFO
☐	LIFO
☐	AVCO

Click to Save Answer & Move to Next Question





CS301:Quiz No. 1

Question # 5 of 10 (Start time: 06:48:20 PM, 05 June 2022)

_____ method returns the top element of the stack without removing it.

Select the correct option

- | | |
|-----------------------|---------|
| ☐ | pop() |
| ☐ | front() |
| ☐ | push() |
| ☐ | top() |





quiz.vu.edu.pk/QuizQ1



BC190411844: MAHAM FATIMA

Time Left 83 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 2 of 10 (Start time: 06:45:39 PM, 05 June 2022)

Total Marks: 1

A software solution is said to be efficient if it solves the problem _____ .

Select the correct option



within its resource constraints.



within no time.



by consuming more hardware resources.



by using some extra resources.

Click to Save Answer & Move to Next Question





quiz.vu.edu.pk/QuizQ1



BC190411844: MAHAM FATIMA

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 06:43 PM, 05 June 2022

Question # 1 of 10 (Start time: 06:43:58 PM, 05 June 2022)

Total Marks: 1

The computer memory can be thought of as a/an

Select the correct option

- | | |
|-----------------------|-------|
| ☐ | List |
| ☐ | Queue |
| ☐ | Stack |
| ☐ | Array |

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

CS301:Quiz No. 1

Quiz St

Question # 10 of 10 (Start time: 10:34:01 PM, 05 June 2022)

If the input symbol is not ')' and the stack is not empty then which of the following option will be pushed on the stack.

Select the correct option

- | | |
|-----------------------|--------------------------------|
| ☐ | Operand and operator |
| ☐ | Nothing can be pushed in stack |
| ☐ | Operator |
| ☐ | Operand |

Click to Save Ans





BC210210903: SAHIBA ISLAM

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 9 of 10 (Start time: 10:32:56 PM, 05 June 2022)

Total Marks: 1

Before using the push method of stack, the user must call the _____ method.

Select the correct option

- | | |
|-----------------------|------------|
| ☐ | isEmpty(); |
| ☐ | push(); |
| ☐ | pop(); |
| ☐ | isFull(); |

Click to Save Answer & Move to Next Question





If we use doubly linked list to implement list, then there is an issue of:

Select the correct option



pre pointer of first node and next pointer of last node are NULL



next pointer of first node and next pointer of last node are NULL



next pointer of first node and pre pointer of last node are NULL



pre pointer of first node and pre pointer of last node are NULL

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 7 of 10 (Start time: 10:29:17 PM, 05 June 2022)

Total Marks: 1

$2*(7+8)-6$ is an example of _____ expression.

Select the correct option

- | | |
|-----------------------|---------|
| ☐ | Prefix |
| ☐ | Logical |
| ☐ | Postfix |
| ☐ | Infix |

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 6 of 10 (Start time: 10:27:34 PM, 05 June 2022)

Total Marks: 1

Each node in singly linked list contains_____

Select the correct option

- | | |
|-----------------------|--------------|
| ☐ | Two pointers |
| ☐ | No pointer |
| ☐ | NULL pointer |
| ☐ | One pointer |

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 5 of 10 (Start time: 10:26:06 PM, 05 June 2022)

Total Marks: 1

In node class one field is an integer data and other field will be

_____.

Select the correct option

- | | |
|-----------------------|--------------------|
| ☐ | Pointer to integer |
| ☐ | Pointer to class |
| ☐ | pointer to a list |
| ☐ | Pointer to node |

Click to Save Answer & Move to Next Question





next() method of List class is used to:

Select the correct option



Moves the current position forward one element



Moves the current position backward one element



Moves the "current" pointer to two steps before the last element of the array



Moves the "current" pointer to two steps after the last element of the array

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

Time Left 24 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 3 of 10 (Start time: 10:23:10 PM, 05 June 2022)

Total Marks: 1

The stack implementing an array causes worst case behavior when the insertion and deletion of an element done from

Select the correct option

- | | |
|----------------------------------|-----------------------|
| ☐ | Beginning of an array |
| ☒ | Last of an array |
| ☐ | Middle of an array |
| ☐ | Last of stack |



Click to Save Answer & Move to Next Question





The stack implementing an array causes worst case behavior when the insertion and deletion of an element done from

Select the correct option

- | | |
|-----------------------|-----------------------|
| ☐ | Beginning of an array |
| ☐ | Last of an array |
| ☐ | Middle of an array |
| ☐ | Last of stack |

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 2 of 10 (Start time: 10:22:32 PM, 05 June 2022)

Total Marks: 1

“+” is a _____ operator.

Select the correct option

- | | |
|-----------------------|-------------------|
| ☐ | Ternary |
| ☐ | Unary |
| ☐ | None of the above |
| ☐ | Binary |

Click to Save Answer & Move to Next Question





BC210210903: SAHIBA ISLAM

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 10:20 PM, 05 June 2022

Question # 1 of 10 (Start time: 10:20:38 PM, 05 June 2022)

Total Marks: 1

At the time while evaluating an expression, if we want to give higher precedence to lower precedence operator, we used

_____.

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Comas |
| ☐ | Operands |
| ☐ | Dots |
| ☐ | Parenthesis |

Click to Save Answer & Move to Next Question





Quiz No. 1

Total Questions : 10

Announcement

It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz. The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their Mid-Term quiz.

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button / Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
 - Saving...
 - Question Timeout: Now loading next question...
7. **Javascript MUST be enabled** in your browser; otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

[Start Quiz](#)



Quiz No. 1

Total Questions : 10

Announcement

It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz.

The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their Mid-Term quiz.

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button / Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
 - Saving...
 - Question Timeout: Now loading next question...
7. **Javascript MUST be enabled** in your browser; otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

[Start Quiz](#)



BC200417798: AMISH RAZA

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 9 of 10 (Start time: 09:51:38 PM, 05 June 2022)

Total Marks: 1

"new int[11]" will allocate memory for _____ integers.

Select the correct option

- | | |
|-----------------------|----|
| ☐ | 13 |
| ☐ | 10 |
| ☐ | 12 |
| ☐ | 11 |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 79 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 8 of 10 (Start time: 09:51:07 PM, 05 June 2022)

Total Marks: 1

To search an element which method of the list searches the entire list from beginning to end?

Select the correct option

- | | |
|-----------------------|-----------|
| ☐ | find(); |
| ☐ | start(); |
| ☐ | update(); |
| ☐ | end(); |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 8 of 10 (Start time: 09:51:07 PM, 05 June 2022)

Total Marks: 1

To search an element which method of the list searches the entire list from beginning to end?

Select the correct option

- | | |
|-----------------------|-----------|
| ☐ | find(); |
| ☐ | start(); |
| ☐ | update(); |
| ☐ | end(); |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 7 of 10 (Start time: 09:49:34 PM, 05 June 2022)

Total Marks: 1

--" is a _____ operator.

Select the correct option

- | | |
|-----------------------|-----------|
| ☐ | Technical |
| ☐ | Unary |
| ☐ | Binary |
| ☐ | Logical |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

CS301:Quiz No. 1

Quiz S

Question # 6 of 10 (Start time: 09:47:56 PM, 05 June 2022)

Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

Select the correct option

☐	Last argument
☐	Return address
☐	Variable name only
☐	First argument

Click to Save An





BC200417798: AMISH RAZA

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 5 of 10 (Start time: 09:46:38 PM, 05 June 2022)

Total Marks: 1

“+” is a _____ operator.

Select the correct option

- | | |
|-----------------------|-------------------|
| ☐ | Ternary |
| ☐ | None of the above |
| ☐ | Binary |
| ☐ | Unary |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 88 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 4 of 10 (Start time: 09:44:38 PM, 05 June 2022)

Total Marks: 1

In doubly linked list a node consists of three parts:

Select the correct option

- | | |
|-----------------------|-------------------------|
| ☐ | 1 pointer and 2 objects |
| ☐ | 2 pointers and 1 object |
| ☐ | 3 objects |
| ☐ | 3 pointers |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 3 of 10 (Start time: 09:43:13 PM, 05 June 2022)

Total Marks: 1

Generalized code written for a class is called:

Select the correct option

- | | |
|-----------------------|-----------|
| ☐ | Function |
| ☐ | Stack |
| ☐ | Template |
| ☐ | Structure |

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 87 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 2 of 10 (Start time: 09:42:05 PM, 05 June 2022)

Total Marks: 1

Which of the following is the correct conversion of infix to postfix expression?

$Z+B-(D-H)/K$

Select the correct option



$ZB+D-H-K/$



$ZB+DH-K-/$



$ZB+DHK--/$



$ZB+DH-K/-$

Click to Save Answer & Move to Next Question





BC200417798: AMISH RAZA

Time Left 89 sec(s)

CS301:Quiz No. 1

Quiz Start Time: 09:40 PM, 05 June 2022

Question # 1 of 10 (Start time: 09:40:26 PM, 05 June 2022)

Total Marks: 1

Consider the linked list implementation of a stack. Which of the following node is considered as Top of the stack?

Select the correct option

- | | |
|-----------------------|-------------|
| ☐ | Last node |
| ☐ | Any node |
| ☐ | Middle node |
| ☐ | First node |

Click to Save Answer & Move to Next Question



Question # 9 of 10 (Start time: 04:10:38 PM, 05 June 2022)

In singly linked list which node will keep track of starting position of the list.

Select the correct option

☒

Next Node

☐

Last Node

☐

Previous Node

☐

Head Node

Question # 7 of 10 (Start time: 04:07:04 PM, 05 June 2022)

add(12) method of linked list class will:

Select the correct option

- ☒ Add 12 as value in linked list
- ☐ Add 12 pointers in linked list
- ☐ Add 12 nodes in linked list

← → ↻ quiz.vu.edu.pk/QuizQuestion.aspx?ver=5a868db6-60be-46fb-b96b-8feb9a511537

Question # 3 of 10 (Start time: 04:01:14 PM, 05 June 2022)

The `--` is a decrement operator in C++ that decreases the value of the operand by _____

Select the correct option

☐ Three

☒ One

☐ Two

☐ Four

A stack carries _____ behavior.

Select the correct option



FIFO



AVCO



FEFO



LIFO

Local variables of a function are stored in,

Select the correct option

☐

Queue

☐

AVL Tree

☒

Stack

Question # 2 of 10 (Start time: 04:00:29 PM, 05 June 2022)

In simple or singly linked list there is/are _____ pointer/s in each node.

Select the correct option

☒

One

☐

Three

☐

Four

☐

Two

When a ticket is created through Support System, its default status in relevant interface is _____

Select the correct option

Reload Math E

- | | |
|-----------------------|------------|
| ☐ | In Process |
| ☐ | Waiting |
| ☐ | Pending |
| ☐ | Submitted |

Click to Save Answer & Move to Next Question

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.

Unauthenticated Download of this document is illegal. This document is protected by copyright law.



Students can view their ticket listing and details through ----- section.

Select the correct option

☐	Reply Tickets
☐	Tickets detail
☐	My Tickets
☐	My Courses