CS-614 Data Warehousing

Update MCQS For Quiz-4 File

Solve By Vu Topper RM

85% To 100% Marks



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

"What means What". The phrase refers to:

A. Meta data Page 338

B. External data

C. Transformed data

D. Internal representations

In Four Cell Quadrant Technique, The quadrant's vertical axis refers to:

A. Scope

B. Feasibility

C. Resources available

D. The potential impact or value to the business Page 297

Which of the following is NOT one of the methodologies for Data Warehouse project development?

A. Data driven

B. System driven Page 283

C. Resource driven

D. Requirement driven

Which of the following is the most ignored step during data warehouse development

A. Schema validation

B. The vision definition

C. The requirement verification

D. Success criteria development

Waterfall model is appropriate when

A. When the budget is low

B. When the deadline is strict

C. When resources are limited

D. Requirements are clearly defined Page 284

Users do not care, how advance the front end of your DWH is, what they care is that:

A. Tables should be properly denormalized

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VU Topper RM

B. Proper partitioning technique should be used
C. At least star or snow flake schema should be implemented
D. They should get information in timely manner and the way they want

A top down implementation approach is useful when
A. Business objectives are unclear
B. Technology is mature and well understood Page 283
C. Problem to be solved are not well documented
D. Organization can not implement latest technologies

Identify the TRUE statement:
A. Both clustering and classification are supervised learning
B. Both clustering and classification are unsupervised learning
C. Clustering is unsupervised learning and classification is supervised learning Page 270
D. Clustering is supervised learning and classification is unsupervised learning

The _____ phase of fundamental data warehouse life cycle model includes data warehouse daily maintenance activities
A. Project
B. Operation Page 288
C. Deployment
D. Maintenance

Horizontally wide data means:
A. Dataset has attribute skews
B. Dataset has partitioning skews
C. Dataset has large no. of records
D. Dataset has large no. of attributes Page 330

Which of the following is/are included in the list of Top-7 key steps for smooth DWH implementation?
A. All of the given options Page 318
B. Be a diplomat NOT a technologist

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365
VU Topper RM

C. Assign significant resources for ETL
D. Consider handing-off project management

Implementation of a data warehouse requires _____ activities
A. Highly integrated
B. Loosely integrated
C. Tightly decoupled
D. None of the given Page 289

Goal driven approach of data warehouse development was result of _____ work
A. Bill Inmon
B. Westerman
C. Ralph Kimball
D. Böhnlein and Ulbrich-vom Page 285

In context of analytical applications track, the application development activity can begin after:
A. Database Design is complete Page 307
B. A subset of historical data has been loaded
C. The data access tools and metadata are installed
D. All of the given options

In _____ phase of a fundamental data warehouse life cycle model, a working model of data warehouse is deployed for a selective set of users
A. Design
B. Operation
C. Prototype Page 287
D. Deployment

Which of the following activity executes parallel with all other activities in Kimball's DWH development approach?
A. Deployment
B. Project planning
C. Project management Page 289

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

D. Requirement elicitation

The first step of the "12-steps data warehouse implementation approach" of Shaku Atre is:

A. Finding user needs **Page 336**

B. Finding system scope

C. Planning system resources

D. Data acquisition and cleansing

A typical cycle of implementing the change in DWH comprises of the sequence:

A. Production -> Development -> QA

B. Development-> QA -> Production **Page 314**

C. Development -> Production -> QA

D. Production -> QA -> Development

Which of the following is NOT one of the three parallel tracks in Kimballs approach?

A. Lifecycle technology track

B. Lifecycle Data track

C. Lifecycle Maintenance track **Page 299**

D. Lifecycle Analytical Applications track

As per Bill Inmon, a data warehouse, in contrast with classical applications is:

A. Data driven **Page 285**

B. Time sensitive

C. Resource driven

D. Requirement driven

Normally the input data structure (a database table) for a data mining algorithm:

A. Has limited amount of data

B. Has limited amount of relations

C. Has more number of records than attributes

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D.Has more number of attributes than records

Normally the term "DWH face to the business user" refers to:

A. Lifecycle Data track
B. Lifecycle technology track
C. Lifecycle Maintenance track
D. Lifecycle Analytical Applications track

An effective user education program includes, among others, the following guideline(s):

A. Postpone education, if DWH not ready
B. Understand the audience, don't overwhelm
C. Train after delivery of the data and analytic applications
D. All of the given options Page 308

In _____ phase of kimballs approach, we identify the components needed now and in future.

A. Architectural design Page 300
B. Product development
C. Requirement definition
D. Analytical application development

Spiral model is _____

A. Risk oriented model
B. Risk oriented model
C. Sequence of waterfall model
D. All of the given Page 284

In context of requirement definition phase of Kimball's DWH development approach, _____ is positioned as a findings review and prioritization meeting.

A. System analysis
B. Scope definition
C. Requirement configuration
D. Requirements wrap-up presentation Page 297

VuTopper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

In analytical application development phase, we follow standards for:

A. Naming conventions.
B. Standard for libraries.
C. Standard for calculations.
D. All of the given option Page 307

Technical architecture design supports the communication about technical requirements: I) Within the team II) Upward to management III) Outward to vendors

A. (I) only
B. (II) Only
C. (III) Only
D. (I), (II) and (III) Page 300

In context of the most fundamental data warehouse life cycle model, which of the following is NOT one of the data warehouse design activities?

A. Source system cataloguing
B. System vision development Page 287
C. End-user interviews and re-interviews
D. Definition of key performance indicators

Improper documentation results the problem(s) like:

A. Maintenance issue
B. Lot of time required for enhancing the code
C. New developers unable to configure already existing code Page 314
D. All of the given options

Vertically wide data means:

A. Dataset has attribute skews
B. Dataset has partitioning skews
C. Dataset has large no. of records
D. Dataset has large no. of attributes

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

In _____learning you don't know the number of clusters and no idea about their attributes.

A. Supervised learning
B. Un-Supervised learning Page 269
C. Multi Dimension modeling
D. None of the given options

Bill Inmon argues that requirements are well understood only after

A. They are documented
B. All schemes are defined
C. They extracted and verified
D. Data warehouse is populated Page 285

Waterfall is a/an _____ model

A. Iterative
B. Object Oriented
C. Rapid development
D. Simple linear sequential Page 284

Which of the following activity/activities is/are part of project planning phase in Kimballs DWH development approach?

A. Obtain resources
B. Establish the preliminary scope and justification
C. Assess organization's readiness for a data warehouse initiative
D. All of the given options Page 290

Which of the following is NOT one of the examples of dynamic attributes?

A. Daily Sale
B. Air pressure
C. Date of Birth Page 342
D. None of the given options

A bottom up implementation approach is useful when

A. All the requirements are well documented
B. The business objectives are very much clear

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

C. Technology is mature and well understood Page 283
D. Organization can not implement latest technologies

The phase-3 i.e. "Rollout and Maintenance" phase in "12-steps data warehouse implementation approach" of Shaku Atre comprises of _____ activity.
A. On Line Analytical Processing
B. Construct Metadata Repository
C. Deployment & System Management
D. None of the these

In lifecycle data track, we begin with translating the requirements into dimensional model, which then transforms into _____
A. System structure
B. Logical structure
C. Physical structure Page 290
D. Conceptual structure

In context of clustering, the term "distance" means:
A. Similarity/dissimilarly of records Page 272
B. The difference between the primary keys of two records
C. The relation of a record with corresponding record in child table
D. None of the given options

As per Kimball, _____ is the main operational process
A. Goal design
B. Schema design
C. Business process Page 285
D. Requirement extraction

Which of the following is/are example(s) of static attributes?
A. Employee Name Page 342
B. Employee Blood Group
C. Employee Date of Birth
D. All of the given options

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

Which of the following is NOT one of the possible pitfalls in DWH Life Cycle & Development?

A. Improper documentation
B. Not having multiple servers
C. Low priority for OLAP Cube Construction
D. None of the given options Page 313

Which of the following is NOT one of the activities of "Maintenance and Growth" phase in Kimball's DWH development approach?

A. Support
B. Education Program
C. Education Technical
D. Interface Deployment Page 309

_____ says that as far as company goals are concerned, the entire company pursues in the same direction

A. Bill inmon
B. Kimball
C. Bohnlein
D. Westerman Page 285

One of the drawbacks of waterfall model is that:

A. It does not define the project timeline/schedule
B. It does not work when the resources are limited
C. Customers can not review the product during development Page 284
D. All of the given options

_____ index uses even less space than _____ index, but the block has to be searched, even for unsuccessful searches.

Sparse, dense Page 224 ok
Dense, inverted
Sparse, inverted
Dense, sparse

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

In context of data mining definition, the term “value” means:
The primary key of table
The index location of the record
Importance of hidden patterns discovered Page 250
Numerical or string measure assigned to an attribute

If a task takes “T” time units to execute on a single data item, then execution of this task on “N” data items will take _____ time units.
N*t
N+t
N/t
N-t

Which of the following is NOT one of the variants of Nested-loop join?
Naïve nested-loop join
Indexed nested-loop join
Binary index nested-loop join ok
Temporary index nested-loop join

_____ index stores first value in each block in the sequential file and a pointer to the block.
Hash
Dense
Sparse Page 224
B-Tree

_____ refers to the overall process of discovering useful knowledge from data and data mining refers to a particular step in this process.
Statistics
Clustering
Information cleansing
Knowledge discovery in database Page 254

Which of the following tasks can NOT be parallelized?
Partitioned index scans
Creation of large indexes

Vu Topper RM
بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What’s app 03224021365

Large table scans and joins
None of the given options

In nested-loop join case, if there are ‘M’ rows in outer table and ‘N’ rows in inner table, time complexity is
O (MN)
O (M + N)
O (log MN)
O (M log N)

In context of data mining definition, the term “nontrivial” means:
We can not discover information
Discovering information is a simple task
Discovering information is a complex task ok
We simply find things rather than discovery

In contrast to statistics, data mining is _____ driven.
Human
Database
Assumption
Knowledge Page 254 ok

Parallelism can be exploited, if there is:
All of the given options
Sufficient I/O bandwidth
Symmetric multi-processors (SMP)
Underutilized or intermittently used CPUs

One of the preconditions to decide about operations to be parallelized is that:
Operations share same namespace
Operations share same memory location
Output of one operation becomes input of other
Operations can be implemented independent of each other

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What’s app 03224021365

In B-tree index, the lowest level index blocks are called leaf blocks, and these blocks contain:
NULL value to make the leaf terminal node
Every indexed data value and pointer to root block
Every indexed data value and pointer to next level block
Every indexed data value and a corresponding ROWID Page 225
ok

Which of the following is NOT one of the parallel hardware architectures?
Shared Memory
Symmetric Multi Processing
Massively Parallel Processing
Non-uniform Memory Access

In context of joining tables, the join condition is specified in ____ clause
FROM
SELECT
WHERE
GROUP BY

Classification consists of examining the properties of a newly presented observation and assigning it to a predefined _____.
Class Page 259
Object
Subject
Container

An optimized structure which is built primarily for retrieval, with update being only a secondary consideration is
DSS
OLAP
OLTP
Inverted Index Page 232

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

Data mining is all about:
All of the given options **Page 249**
Finding relationships in data
Finding hidden patterns in data
Knowledge discovery in database

Mining multi dimensional databases allow users to:
Analyze the data
Categorize the data
Summarize the data
All of the given options

In context of data parallelism, the work done by query processor should be:
Pipelined
Maximum
Almost zero **ok**
Filtered across partitions

_____ do not (typically) keep the index values in sorted order
Dense index
Sparse index
B-Tree index
Hash based index **Page 227** **ok**

_____ refers to “Parallel execution of single data operation across multiple partitions of data”
Data parallelism **Page 212**
Software parallelism
Hardware parallelism
Operational parallelism

In _____ index, the ith bit is set to "1" if the ith row of the base table has the value for the indexed column.
Join index
Cluster index

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What’s app 03224021365

Bitmap index **ok**
Inverted index

_____ is the technique in which existing heterogeneous segments are reshuffled, relocated into homogeneous segments.
Clustering **Page 269**
Partitioning
Aggregation
Segmentation

In context of bitmap index, the length of the bit vector is:
None of the given options
The number of records in the base table
The possible number of domain values in corresponding field (column)
The possible number of bitmap tables formed for corresponding field (column)

Bitmap index is appropriate for:
Clustered data
Aggregated data
High cardinality data
Low cardinality data

In context of data parallelism, to get a speed-up of N with N partitions, it must be ensured that:
All of the given options **ok**
There are enough computing resources
Work done in each partition almost same
Query-coordinator is very fast as compared to query servers

Which of the following is NOT one of the top-10 mistakes that should be avoided during DWH development?
Not interacting directly with end user
Not being an accommodating person **Page 316**
Isolating IT support people from business users

VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

Training the users with dummy data and considering it success

Question # 4 of 10 (Start time: 10:17:31 PM) Total Marks: 1
In contrast to data mining, statistics is _____ driven.
Select correct option:
Assumption (Correct)
Knowledge
Discovery
Database

2_ _____ do not (typically) keep the index values in stored order

Hash based index

3_ if every key in the data is represented in the index file then it is called

Dense index

9_ As the number of processors increase, the speedup should also increase. thus we should have linear speedup. Which of the following is NOT the one of the barriers to achieve this linear speed-up?

Amdah'l Law not sure

Q1: in context of nested-loop join, actual number os matching rows returned as a result of the join would be _____ of the order of tables. Independent.

Q3: If resources increase in proportion to increase in data size. time is constant'. The statement refers to:
Scale-Up

Q7: The goal of_____ is to look at as few blocks as possib le to find the matching records(s).
Indexing

Q8: Parallelism can be
exploited, if there is. All of
the given options

Q13: if every key the data file is represented in the index file then
it is called. Dense Index

Q17: Parallelism can exploited, if there is
All of the given options

Q22: _____ lists each term in the collection only once and then shows a list of all the documents the contain the given term.
Inverted index

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

Q23: “More resources means proportionally less time for given amount of data”. The statement refers to:
Speed-UP

Q28: In context of nested-loop join, actual number of matching rows returned as a result of the join would be ___ of the order of tables
Independent

Q29: _____ refers to “ Parallelexectution of single data operation across multiple partitions of data” Data Parallelism.

The goal of _____ ing Goal _____ is to look at as few blocks as possible to find the matching records(s).

2_ _____ do not (typically) keep the index values in stored order

Hash based index

3_ if every key in the data is represented in the index file then it is called

Dense index

9_ As the number of processors increase, the speedup should also increase. thus we should have linear speedup. Which of the following is NOT the one of the barriers to achieve this linear speed-up?

Amdah’l Law not sure

Q1: in context of nested-loop join, actual number os matching rows returned as a result of the join would be _____ of the order of tables. Independent.

Q3: If resources increase in proportion to increase in data size. time is constant’. The statement refers to:
Scale-Up

Q7: The goal of_____ is to look at as few blocks as possib le to find the matching records(s).
Indexing

Q8: Parallelism can be exploited, if there is.
All of the given options

Q13: if every key the data file is represented in the index file then
it is called. Dense Index

Q17: Parallelism can exploited, if there is
All of the given options

Q22: _____ lists each term in the collection only once and then shows a list of all the documents the contain the given term.
Inverted index

Q23: “More resources means proportionally less time for given amount of data”. The statement refers to:
Speed-UP

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Vu Topper RM

Q28: In context of nested-loop join, actual number of matching rows returned as a result of the join would be ___ of the order of tables
Independent

Q29: _____ refers to " Parallelexectution of single data operation across multiple partitions of data" Data Parallelism.

The goal of _____ ing Goal ____ is to look at as few blocks as possible to find the matching records(s).

it must be ensured that:

Customers can not review the product during development
It does not work when the resources are limited
It does not define the project timeline/schedule
All of the given options (Correct)

The primary key of table
The index location of the record
Importance of hidden patterns discovered (Correct)
Numerical or string measure assigned to an attribute

Question # 3 of 10 (Start time: 09:28:57 PM) Total Marks: 1

CS614 Data Warehousing Solved MCQs from Quiz # 2 Solved and shared by Gulshan

Data mining uses _____ algorithms to discover patterns and regularities in data. Select correct option:
Mathematical
Computational
Statistical
Non
e of
thes
e

If every key in the data file is represented in the index file then index is Select correct option:
Dense Index
Spar
se
Inde
x
Inverted Index
None of these

There are many variants of the traditional nested-loop join. If the index is built as part of the query plan and subsequently dropped, it is called Naive nested-loop join
Inde
x

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365
Vu Topper RM

nest
ed-
loop
join
Temporary index nested-loop join
None of these

Data mining evolve as a mechanism to cater the limitations of _____ systems to deal massive data sets with high dimensionality, new data types, multiple heterogeneous data resources etc.
OLTP
OLA
P
DSS
DWH

A dense index, if fits into memory, costs only _____ disk I/O access to locate a record by given key. **One**
Two
Linear
Quadratic

The goal of ideal parallel execution is to completely parallelize those parts of a computation that are not constrained by data dependencies. The _____ the portion of the program that must be executed sequentially, the greater the scalability of the computation
Larger
Smaller
Una
mbig
uous
Sup
erior
_____, if fits into memory, costs only one disk I/O access to locate a record by given key. An Inverted Index
A Sparse Index
A Dense Index
Non
e of
thes
e

A dense index, if fits into memory, costs only _____ disk I/O access to locate a record by given key. **One**
Two
Linear
Quadratic
Data mining uses _____ algorithms to discover patterns and regularities in data. Mathematical
Computational
Statistical
None of these

_____, if too big and does not fit into memory, will be expensive when used to find a record by given key. An Inverted Index
A Sparse Index

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365
Vu Topper RM

A Dense Index
None of these

There are many variants of the traditional nested-loop join. If the index is built as part of the query plan and subsequently dropped, it is called **Naive nested-loop join**
Index nested-loop join
Temporary index nested-loop join
None of these

The goal of ideal parallel execution is to completely parallelize those parts of a computation that are not constrained by data dependencies. The smaller the portion of the program that must be executed _____, the greater the scalability of the computation.
In Parallel
Distributed
Sequentially
None of these

Data mining is a/an _____ approach, where browsing through data using data mining techniques may reveal something that might be of interest to the user as information that was unknown previously.
Non-Exploratory
Exp
lora
tory
Co
mp
ute
Sci
enc
e
none of these

To identify the _____ required we need to perform data profiling **Degree of Transformation**
Complexity
Cost
Time

Execution can be completed successfully or it may be stopped due to some error. If some error occurs, execution will be terminated abnormally and all transactions will be _____
Committed to the database
Rolled back

Companies collect and record their own operational data, but at the same time they also use reference data obtained from _____ sources such as codes, prices etc.
Operational
None of these
Internal
External

_____ in agriculture extension is that pest population beyond which the benefit of spraying outweighs its cost. Profit Threshold Level
Economic Threshold Level
Medicine Threshold Level
None of these

VuTopperKM
بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

People that design and build the data warehouse must be capable of working across the organization at all levels **True**
False
The _____ is only a small part in realizing the true business value buried within the mountain of data collected and stored within organizations business systems and operational databases.
Independence on technology
Dependence on technology
None of these

1_ As per Bill Inmost, a data warehouse, in contrast with classical applications is:

Data driven _ pg285

2_ Which of the following is NOT one of the three parallel tracks in Kimball's approach? Lifecycle Maintenance track

In context of nested-loop join, actual number of matching rows returned as a result of the join would be _____ of the order of tables
Select correct option:

Independent (Correct)

In case of nested-loop join, Inner table is accessed _____ for each qualifying row (or touple) in outer table Select correct option:

One Time (Correct)

Quiz Start Time: 04:09 PM
Time Left 10 sec(s)

Question # 10 of 10 (Start time: 04:22:32 PM) Total Marks: 1 In contrast to data mining, statistics is _____ driven. knowledge (Correct)

1 In data mining, initially you _____ what you are looking for. Select correct option:

Know
Don't know (Answer)
May or may not know
None of the given options

The optimizer uses a hash join to join two tables if they are joined using an equijoin and

Select correct option:

Outer table has less number of rows

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Inner table has less number of rows

Cardinality of tables is equal

Large amount of data needs to be joined

“More resources means proportionally less time for given amount of data”. The statement refers to:

Select correct option:

Scale-Up

Speed-Up

Size-up

Over-utilized system

If we apply Run Length Encoding on the input “11001100”, the output will be:

Select correct option:

41#40

14#04

12#02#12#02

21#20#21#20

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

The possible number of bitmap tables formed for corresponding field (column) None of the given options

“More resources means proportionally less time for given amount of data”. The statement refers to:

Scale-Up

Speed-Up

Size-up

Over-utilized system

“If resources increase in proportion to increase in data size, time is constant”. The statement refers to:

Scale-Up

Speed-Up

Size-up

Over-utilized system

In context of nested-loop join. actual number of matching rows returned as a result of the join would be _____ of the order of tables.

Dependent

Independent

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Superset

Subset

“If resources increase in proportion to increase in data size, time is constant”. The statement refers to:

Scale-Up

Speed-Up

Size-up

Over-utilized system

If every key in the data file is represented in the index file then index is

Dense Index

Sparse Index

Inverted Index

None

The goal of _____is to look at as few block as possible to find the matching records.

Indexing

ETL

Joining

Dimentional Modeling

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Parallelism can be exploited, if there is.

Symmetric multi-processors (SMP)

Sufficient I/O bandwidth

Underutilized or intermittently used CPUs

All of the above

as the number of processors increase, the speedup should also increase thus we should have linear speedup. Which of the following is not one of the barriers to achive this linear speedup?

Amdhal law

Startup

No interference

Skew

Bitmap index is approperiate lists each term in the collection only once and then shows a list of all the documents that contain the given term.

Inverted Index

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Bitmap index

Clustor index

Join index

_____ if fits into memory, costs only one disk I/O access to locate a record by given key.

A Dense Index

A Sparse Index

An Inverted Index

None of These

1_In context of nested-loop join, actual number of matching rows returned as a result of the join would be _____ of the order of tables.

Independent

3 "If resources increase in proportion to increase in data size. Time is constant'.

The statement refers to:

Scale Up

4_ If every key in the data file is represented in the index file then it is called

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Dense Index

6_ In nested-loop join case, if there are 'M' rows in outer table and 'N' rows in inner table, time complexity is o(MN)

7_ The goal of _____ is to look at as few blocks as possible to find matching records(s).

Indexing

9_ If we apply Run Length Encoding on the input "11001100", the output will be: 21#20#21#20

10_ Which of the following is NOT one of variants of Nested-loop join?

Binary index nested-loop join

2_ _____ do not (typically) keep the index values in stored order

Hash based index

3_ if every key in the data is represented in the index file then it is called Dense index

6_ A join is identified by multiple tables in the _____ clause.

From

Vu Topper PM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

9_ As the number of processors increase, the speedup should also increase. thus we should have linear speedup. Which of the following is NOT the one of the barriers to achieve this linear speed-up?

Amdah'l Law not sure

Q1: in context of nested-loop join, actual number os matching rows returned as a result of the join would be _____ of the order of tables.

Independent

Q3: If resources increase in proportion to increase in data size. time is constant'.

The statement refers to:

Scale-Up

Q7: The goal of_____ is to look at as few blocks as possib le to find the matching records(s).

Indexing

Q8: Parallelism can be exploited, if there is.

All of the given options

Q13: if every key the data file is represented in the index file then it is called. Dense Index

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Q17: Parallelism can exploited, if there is

All of the given options

Q19: As the number of processors increase, the speedup should also increase. Thus we should have linear speedup. Which of the following is NOT one of the barriers to achieve this linear speed-up?

Amdahl' Law

Q22: _____ lists each term in the collection only once and then shows a list of all the documents the contain the given term.

Inverted index

Q23: "More resources means proportionally less time for given amount of data".

The statement refers to:

Speed-UP

A _____ index, if fits in the memory, costs only one disk I/O access to locate a record given a key.

Dense Index

Q28: In context of nested-loop join, actual number of matching rows returned as a result of the join would be ___ of the order of tables

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Independent

Q29: _____ refers to " Parallelexectution of single data operation across multiple partitions of data" Data Parallelism.

The goal of _____ ing Goal _____ is to look at as few blocks as possible to find the matching records(s).

3. In _____ phase of kimball's approach, we identify the components needed now and in future.

1. Project Planning
2. **Requirements Definition (Pg 294)**
3. Technical Architecture Design
4. Maintenance & Growth

- *2_ Which of the following is NOT one of the three parallel tracks in Kimball's approach?*
- ***Lifecycle Maintenance track***

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے
For More Help Contact What's app 03224021365

Clustering is unsupervised learning and classification is supervised learning _ pg 270

-
-
-
- 1_ As per Bill Inmost, a data warehouse, in contrast with classical applications is:
- Data driven _ pg285
- 2_ Which of the following is NOT one of the three parallel tracks in Kimball's approach?
  Lifecycle Maintenance track

  In case of nested-loop join, Inner table is accessed _____ for each qualifying row (or touple) in outer table Select correct option:
- One Time (Correct)
- Quiz Start Time: 04:09 PM Time Left 10

sec(s)

- Question # 10 of 10 (Start time: 04:22:32 PM) Total Marks: 1 In contrast to data mining, statistics is _____ driven.
  knowledge (Correct)

Which of the following is NOT one of the top-10 mistakes that should be avoided during DWH development?

Select correct option:

Not interacting directly with end user

Not being an accommodating person

Isolating IT support people from business users

Training the users with dummy data and considering it success

As opposed to the outcome of classification, estimation deals with _____ valued outcome.
Select correct option:
Discrete (Correct)
Isolated
Continuous
Distinct

Vu Topper RM

2_ Which of the following is NOT one of the three parallel tracks in Kimball's approach?

Lifecycle Maintenance track

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

Vu Topper

For More Help Contact What's app 03224021365



CS614-Data Ware House

(Solved MCQ's)

LECTURE FROM

(23 to 45)



Junaidfazal08@gmail.com
Bc190202640@vu.edu.pk

FOR MORE VISIT
VULMSHELP.COME

JUNAID MALIK
0304-1659294

AL-JUNAID TECH INSTITUTE

1. Bill Inmon argues that requirements are well understood only after
   a. They are documented
   b. They extracted and verified
   c. Data warehouse is populated page 285
   d. All the schemas are defined
2. Spiral model is _____
   a. Sequence of waterfall model page 284
   b. Risk oriented model
   c. An iterative model
   d. All of the given options
3. Waterfall is a/an_____model
   a. Iterative
   b. Simple linear sequential page 284
   c. Object oriented
   d. Rapid development
4. An effective user education program includes, among others, the following guideline(s);
   a. Understand the audience, don't overwhelm
   b. Train after delivery of data and analytic applications
   c. Postpone education, if DWH not ready
   d. All of the given options page 308
5. One of the drawbacks of waterfall model is that:
   a. Customers can not review the product during development
   b. It does not work when the resources are limited
   c. It does not define the project timeline/schedule
   d. All of the given options page 284
6. As per Bill Inmon, a data warehouse, in contrast with classical applicationsis:
   a. Data driven page 285
   b. Resource driven
   c. Requirement driven
   d. Time sensitive
7. Horizontally wide data means:
   a. Dataset has large no. of attributes page 330
   b. Dataset has large no. of records
   c. Dataset has attribute skews
   d. Dataset has partitioning skews
8. In context of requirement definition phase of Kimball's DWH developmentapproach, is positioned as a findings review and prioritization meeting.
   a. System analysis
   b. Scope definition
   c. Requirement configuration

AL-JUNAID TECH INSTITUTE
www.vulmshelp.com

d. Requirements wrap-up presentation page 297

9. In analytical application development phase, we follow standards for:
   a. Naming conventions
   b. Standard for calculations
   c. Standard for libraries
   d. All of the given options page 307
10. In lifecycle data track, we begin with translating the requirements into dimensional model, which then transforms into_____.
   a. Physical structure page 290
   b. Logical structure
   c. Conceptual structure
   d. System structure
11. Technical architecture design supports the communication about technical requirements:
   I. Within the team
   II. Upward to management
   III. Outward to vendors
   a. (I) Only
   b. (II) Only
   c. (III) Only
   d. (I), (II) and (III) page 300
12. A top down implementation approach is useful when
   a. Technology is mature and well understood page 283
   b. Organization can not implement latest technologies
   c. Business objectives are unclear
   d. Problem to be solved are not well documented
13. Which of the following is NOT one of the possible pitfalls in DWH LifeCycle & Development?
   a. Not having multiple servers
   b. Low priority OLAP Cube Construction
   c. Improper documentation
   d. None of the given options page 312, 313, 314
14. Goal driven approach of data warehouse development was result of _____ work.
   a. Bill Inmon
   b. Ralph Kimball
   c. Bohnlein and Ulbrich-vom page 285
   d. Westerman
15. Which of the following is/are included in the list of Top-7 key steps forsmooth DWH implementation?
   a. Consider handing-off project management

b. Assign significant resources for ETL
c. Be a diplomat NOT a technologist
d. All of the given options page 318, 319

16. A typical cycle of implementing the change in DWH comprises of thesequence:
a. Production -> QA -> Development
b. Development -> QA -> Production page 314
c. Development -> Production-> QA
d. Production-> Development -> QA

17. In_____phase of a fundamental data warehouse life cycle model, a working model of data warehouse is deployed for a selective set of users
a. Design
b. Prototype page 287
c. Deployment
d. Operation

18. In context of requirement definition phase in Kimball's DWH developmentapproach, activities like debriefing, documentation, and prioritization are considered to be the part of
a. Requirement preplanning
b. Business requirements collection
c. Post collection page 294
d. None of the given options

19. Which of the following is NOT one of the three parallel tracks in Kimballsapproach?
c. Lifecycle technology track
d. Lifecycle data track
e. Lifecycle analytical applications track
d. Lifecycle maintenance track page 299

19. Normally the term "DWH face to the business user" refers to:
a. Lifecycle technology track
b. Lifecycle data track
c. Lifecycle analytical applications track page 306
d. Lifecycle maintenance track

20. In Four Cell Quadrant Technique. The quadrant's vertical axis refers to:
a. Scope
b. Feasibility
c. Resources available
d. The potential impact or value to the business page 297

21. Improper documentation results the problem(s) like:
a. Maintenance issue
b. New developers unable to configure already existing code
c. Lot of time required for enhancing the code
d. All of the given options

22. A bottom up implementation approach is useful when

a. Technology is mature and well understood
b. Organization can not implement latest technologies
c. The business objectives are very much clear

d. All the requirements are well documented page 283

23. As per Kimball,_____is the main operational process
    a. Requirement extraction
    b. Goal design
    c. Business process page 285
    d. Schema design
24. Which of the following is NOT one of the top-10 mistakes that should beavoided during DWH development?
    a. Not interacting directly with end user
    b. Not being an accommodating person page 316, 317
    c. Isolating IT support people from business users
    d. Training the users with dummy data and considering it success
25. The_____phase of fundamental data warehouse life cycle modelincludes data warehouse daily maintenance activities
    a. Deployment
    b. Operation page 288
    c. Enhancement
    d. Maintenance
26. In context of the most fundamental data warehouse life cycle model, whichof the following is NOT one of the data warehouse design activities?
    a. End-user interviews and re-interviews
    b. Source system cataloguing
    c. Definition of key performance indicators
    d. System vision development page 287
27. Which of the following is NOT one of the methodologies for Data Warehouse project development?
    a. Goal Driven
    b. Data Driven
    c. User Driven
    d. System Driven page 283
28. In context of analytical applications track, the application developmentactivity can begin after:
    a. Database design is complete
    b. A subset of historical data has been loaded
    c. The data access tools and metadata are installed
    d. All of the given options page 307
29. Waterfall model is appropriate when
    a. When the budget is low

b. When the deadline is strict
c. When resources are limited
d. Requirements are clearly defined page 284

30. Users do not care, how advance the front end of your DWH is, what theycare is that:
    a. Tables should be properly Denormalized
    b. Proper partitioning technique should be used
    c. At least star or snowflake schema should be implemented
    d. They should get information in timely manner and the way theywant page 314

31. Which of the following activity executes parallel with all other activities inKimball's DWH development approach?
    a. Requirement elicitation
    b. Project planning
    c. Project management My Point of View
    d. Deployment

32. Which of the following is the most ignored step during data warehouse development
    a. The requirement verification
    b. The vision definition
    c. Schema validation
    d. Success criteria development My Point of View

33. Which of the following is NOT one of the activities of "Maintenance andGrowth phase in Kimball's DWH development approach?
    a. Education
    b. Technical Education
    c. Program Support
    d. Interface Deployment page 309

34. In_____phase of Kimballs approach, we identify the componentsneeded now and in future.
    a. Requirement definition
    b. Architectural design page 300
    c. Product development
    d. Analytical application development

35. Implementation of a data warehouse requires_____activities
    a. Highly integrated
    b. Loosely integrated
    c. Tightly decoupled
    d. None of the given page 289

36. Which of the following activity/activities is/are part of project planningphase in Kimballs DWH development approach?
    - ❖ Obtain resources

- Establish the preliminary scope and justification
- Assess organization's readiness for a data warehouse initiative

d. All of the given options page 290

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

37. says that as far as company goals are concerned, the entirecompany pursues in the same direction

a. Westerman page 285

b. Bill Inmon

c. Kimball

d. Bohnlein

38. A dense index, if fits into memory, costs only_____disk I/O access to locate a record by given key.

- **One PG # 223**
- Two
- lg (n)
- n

39. _, if fits into memory, costs only one disk I/O access to locate a record by given key.

- **A Dense Index PG # 223**
- A Sparse Index
- An Inverted Index
- None of These

40. __, if too big and doesn"t fit into the memory will be expensive when used to find a record bygiven key.

- **A Dense Index PG # 223**
- A Sparse Index
- An Inverted Index
- None of these

41. __operator is conservative in that it assigns to the dimension an aggregate value no higher than the value ofits weakest data quality indicator.

- **The Min PG # 188**
- The Simple Ratio
- The Weighted Average
- None of these

42. Parallel execution dramatically reduces response time for_____operations on large databases typicallyassociated with Decision Support Systems (DSS) and data warehouses.

- **Data-Intensive PG # 201**
- Quality-Intensive

0304-1659294 www.vulmshelp.com

- Analysis-Intensive

43. Data dependencies between different phases of computation introduce synchronization requirements that force ___execution.

- **Sequential PG # 204**
- Parallel
- Analogous
- Interactive Parallel

44. Maintaining locking consistency over all nodes can become a problem in large clusters. This is the disadvantageof

- **Shared Disk Approach PG # 209**
- Local Memory Approach
- Distributed Memory Approach

45. Performance is dictated by the_____stage in the pipeline.

- **Slowest PG # 217**
- Fastest
- Smallest
- Largest

46. An optimized structure which is built primarily for retrieval, with update being only a secondary consideration is

- **Inverted Index PG # 232**
- OLTP
- OLAP
- DSS

47. During business hours, most_____systems should probably not use parallel execution.

- **OLTP PG # 206**
- OLAP
- DSS
- Data Mining

48. There are many variants of the traditional nested-loop join. If there is an index and that index is exploited, then itis called

- Naive nested-loop join
- **Index nested-loop join PG # 243**

0304-1659294 www.vulmahelp.com

- Temporary index nested-loop join
- None of these

49. There are many variants of the traditional nested-loop join. If the index is built as part of the query plan andsubsequently dropped, it is called
    - Naive nested-loop join
    - Index nested-loop join
    - **Temporary index nested-loop join PG # 243**
    - None of these
50. There are many variants of the traditional nested-loop join. When the entire table is scanned it is called
    - **Naive nested-loop join PG # 243**
    - Index nested-loop join
    - Temporary index nested-loop join
    - None of these
51. If someone told you that he had a good model to predict customer usage, the first thing you might try would be toask him to apply his model to your customer_____, where you already knew the answer.
    - **Base**
    - Drive
    - File
    - Log
52. Data mining is a/an_____approach, where browsing through data using data mining techniques may revealsomething that might be of interest to the user as information that was unknown previously.
    - **Exploratory PG # 249**
    - Non-Exploratory
    - Computer Science
53. Data mining uses_____algorithms to discover patterns and regularities in data.
    - **Statistical PG # 251**
    - Mathematical
    - Computational
54. Classification consists of examining the properties of a newly presented observation and assigning it to apredefined_____.
    - **Class PG # 259**
    - Object

0304-1659294 www.vulmshelp.com

- Container
- Subject

55. As opposed to the outcome of classification, estimation deal with_____valued outcome.

- **Continuous PG # 260**
- Discrete
- Isolated
- Distinct

67. is the technique in which existing heterogeneous segments are reshuffled, relocated into homogeneoussegments.

- **Clustering PG # 264**
- Aggregation
- Segmentation
- Partitioning

68. Giving the least time to_____can prove suicidal to the DWH project.

- OLAP
- De-normalization
- **ETL PG # 313**
- None of these

69. In DWH project, it is assured that_____environment is similar to the production environment

- Designing
- **Development PG # 314**
- Analysis
- Implementation

70. The application development quality-assurance activities cannot be completed until the data is__.

- **Stabilized PG # 308**
- Identified
- Finalized
- Computerized

71. Many data warehouse project teams waste enormous amounts of time searching in vain for a ___.

- **Silver Bullet PG # 315**
- Golden Bullet
- Suitable Hardware

0304-1659294 www.aiimshelp.com

- Compatible Product

72. Focusing on data warehouse delivery only often end up_____.

- **Rebuilding PG # 315**
- Success
- Good Stable Product
- None of these

73. Investing years in architecture and forgetting the primary purpose of solving business problems, results ininefficient application. This is the example of_mistake.

- Extreme Technology Design
- Extreme Architecture Design
- **None of these**

74. Division is cotton hub of Punjab.

- Lahore
- Faisalabad
- **Multan**
- Bahawalpur

75. in agriculture extension is that pest population beyond which the benefit of spraying outweighs itscost.

- None of these
- Profit Threshold Level
- **Economic Threshold Level PG # 332**
- Medicine Threshold Level

76. is a process which involves gathering of information about column through execution of certainqueries with intention to identify erroneous records.

- **Data profiling PG # 439**
- Data Anomaly Detection
- Record Duplicate Detection
- None of these

77. Execution can be completed successfully or it may be stopped due to some error. In case of successful completionof execution all the transactions will be ___

- **Committed to the database PG # 419**
- Rolled back

78. If some error occurs, execution will be terminated abnormally and all transactions will be rolled back. In this casewhen we will access the database we will find it in the state that was before the_____.

- **Execution of package PG # 419**
- Creation of package
- Connection of package

79. Execution can be completed successfully or it may be stopped due to some error. If some error occurs, executionwill be terminated abnormally and all transactions will be ___

- Committed to the database
- **Rolled back PG # 419**

80. To identify the degree of transformation required we need to perform_____.

- **Data Profiling PG # 437**
- Data Anomaly Detection
- Data Cleansing
- None of The Given

81. To identify the_____required we need to perform data profiling

- **Degree of Transformation PG # 437**
- Complexity
- Cost
- Time

82. To judge effectiveness we perform data profiling twice.

- One before Extraction and the other after Extraction
- **One before Transformation and the other after Transformation PG # 441**
- One before Loading and the other after Loading

83. If the dates are missing, we must need to consult_____.

- **Golden Copy PG # 456**
- Default System Date
- Silver Copy
- None of the given

84. After implementing Change Data Capture, the advantage we have is that, data is able to be integrated andtransformed _____

- **In-flight PG # 152**
- Off-flight
- Stored Data
- Over-flight

85. All data is_____of something real.

I An Abstraction

II A Representation

Which of the following option is true?

- **I Only PG # 180**
- II Only
- Both I & II
- None of I & II

86. In the Information Age, the_____learning organization is at a distinct disadvantage. This term means"impaired functioning

- Functional
- **Dysfunctional PG #181**
- Purposeful
- Serviceable

87. Many DW projects do not deliver to full potential because they treat data quality as a one-time undertaking as partof UAT. Here UAT stands for

- **User Acceptance Testing PG # 193**
- Uninterrupted Availability of Testing
- Universal Acceptance Test
- Universal Applied Test

88. NUMA stands for _____

- **Non-uniform Memory Access PG # 206**
- Non-updateable Memory Architecture
- New Universal Memory Architecture

89. Parallelism can_____system performance on over-utilized systems or systems with small I/O bandwidth.

- **Reduce PG # 202**
- Enhance
- Maintain
- Boost

90. Data mining evolve as a mechanism to cater the limitations of_____systems to deal massive data sets withhigh dimensionality, new data types, multiple heterogeneous data resources etc.

- **OLTP PG # 254**
- OLAP
- DSS

- DWH

91. In contrast to data mining, statistics is_____driven.

- **Assumption PG # 255**
- Knowledge
- Discovery
- Database

92. A_implementation approach is generally useful for projects where the technology is mature and wellunderstood, as well as where the business problems that must be solved are clear and well understood.

- **Top Down PG # 283**
- Bottom Up
- Waterfall
- Spiral

93. Implementing a data warehouse requires_____integrated activities.

- Loosely
- **Tightly PG # 289**
- Slackly
- Lethargically

94. The Kimball"s iterative data warehouse development approach drew on decades of experience to develop the____.

- OLAP Dimension
- Business Definition Lifecycle
- **Business Dimensional Lifecycle PG # 289**
- Data Warehouse Dimension

95. Pipeline parallelism focuses on increasing throughput of task execution, NOT on _____sub-task executiontime.

- Increasing
- **Decreasing PG # 215**
- Maintaining
- None of these

96. Pipeline parallelism focuses on increasing_____of task execution.

- **Throughput PG # 215**
- Non I/O Portion
- I/O Speed
- None of these

97. One needs to slot the alternative tools into categories that allow for meaningful comparison in order to____.

- **Evaluate Tools PG # 315**
- Reduce Cost
- None of these

98. Pakistan is one of the five major_____countries in the world.

- **Cotton-growing PG # 330**
- Rice-growing
- Weapon Producing

99. is a systematic field sampling process that provide field specific information on pest pressure andcrop injury.

- **Pest Scouting PG # 333**
- Soil Survey
- Seed Survey
- Water Survey

100. Data Transformation Services (DTS) provide a set of_____that lets you extract, transform, and transformationrequired we need to perform into single or multiple destinations supported by DTS connectivity.

- **Tools PG # 373**
- Documentations
- Guidelines

101. Data Transformation Services (DTS) provide a set of tools that lets you extract, transform, and consolidate datafrom disparate sources into supported by DTS connectivity.

- Single Destination
- Multiple Destinations
- **Single or Multiple Destinations PG # 373**

102. Data Transformation Services (DTS) provide a set of_____that lets you extract, transform, and consolidatedata from disparate sources into single or multiple destinations supported by DTS connectivity.

- **Tools PG # 373**
- Documentations
- Guidelines

103. The_____measures the ratio of desired outcomes to total outcomes.

- **Simple Ratio PG # 187**
- Min Operation
- Max Operation
- Weighted Average

104. In 1972 the Mitsubishi Shipyards in Kobe developed a technique in which customer

wants were linked to productspecifications via a matrix format. This technique is known today as:

- The Matrix of Quality
- **The House of Quality PG # 194**
- The Base Structure of Quality
- None of these

105. improve the overall data design and use data standards.

- Process Improvement
- System Improvement
- Policy & Procedure Improvement
- **Data Design Improvement PG # 196**

106. Which is the least appropriate join operation for Pipeline parallelism?

- Inner Join
- Inner Join
- **Sort-Merge Join**
- Hash Join

107. It must be ensured that, there are enough computing resources, Query-coordinator is very fast as compared toquery servers, Work done in each partition almost same to avoid performance bottlenecks

- To get a speed-up of N with M partitions
- To get a speed-up of N with N^2 partitions
- **To get a speed-up of N with N partitions PG # 213**
- To get a speed-up of N with N/2 partitions

108. The automated, prospective analyses offered by data mining move beyond the analyses of past events provided by_____tools typical of decision support systems.

- Introspective
- Intuitive
- Reminiscent
- **Retrospective**

109. The automated, prospective analyses offered by data mining move beyond the analyses of past events provided byretrospective tools typical of___.

- **Decision Support Systems**
- OLTP
- OLAP
- Initial Data Mining Systems

110. The most recent attack is the_____attack on the cotton crop during 2003-04,

resulting in a loss of nearly 0.5million bales.

- Cotton Worm
- **Boll Worm PG # 333**
- Purple Worm
- Blue Worm

111. Data recorded by pest scouts consists of two parts:

- **Static and Dynamic PG # 342**
- Valid and Invalid
- Volatile and Non-Volatile

112. DTS allows us to connect through any data source or destination that is supported by _____

- **OLE DB PG # 373**
- OLAP
- OLTP
- Data Warehouse

113. Merging information is one of the major types of _____

- **Transformation PG # 152 , 153**
- Extraction
- Loading
- None of these

114. The goal of_____is to look at as few block as possible to find the matching records.

- **Indexing PG # 222**
- Partitioning
- Joining

115. If every key in the data file is represented in the index file then index is

- **Dense Index PG # 223**
- Sparse Index
- Inverted Index
- None of these

116. means meeting customer"s needs, not necessarily exceeding them.

- **Quality PG # 180**
- Marketing
- DSS
- OLAP

0304-1659294 www.vulmshelp.com

117. The purpose of the House of Quality technique is to reduce_____types of risk

- **Two PG # 194 , 195**
- Three
- Four
- All

118. Majority of data warehouse projects fail due to the complexity of the_____

- **Development Process PG # 283**
- Analytical Process of Cube
- Query Complexity
- Index Complexity

119. For a DWH project, the key requirement are_____and product experience.

- Tools
- **Industry PG # 320**
- Software
- None of these

120. The goal of_____is to look at as few blocks as possible to find the matching records(s).

- **Indexing PG # 222**
- Partitioning
- Joining

121. After performing most of the transformation and cleansing steps, especially after having cleaned single-sourceerror and conflicting representations, we perform____task.

- **Duplicate Elimination PG # 165**
- Duplicate Identification
- Duplicate Classification
- Duplicate Categorization

122. improve the functional processes used to create, manage, access, and use data.

- **Process Improvement PG # 196**
- System Improvement
- Policy & Procedure Improvement
- Data Design Improvement

123. Non uniform distribution, when the data is distributed across the processors, is called _____.

- **Skew in Partition PG # 218**
- Pipeline Distribution
- Distributed Distribution
- Uncontrolled Distribution

124. In nested-loop join case, if there are „M" rows in outer table and „N" rows in inner table, time complexity is

- O (M log N)
- O (M log N)
- **O (MN) PG # 240**
- O (M^N)

125. There are different DWH implementation strategies, Kimball"s Approach for data warehouse implementationis

- Data-Driven
- **Goal-Driven PG # 289**
- User-Driven
- None of these

126. If w is the window size and n is the size of data set, then the complexity of merging phase in BSN methodis___

- O (n)
- O (w)
- **O (w n) PG # 171**
- O (w log n)

127. Within the data warehousing field, data_____is applied especially when several databases are merged.

- Extraction
- Loading
- **Cleansing PG # 168**
- Join

128. Every operation cannot be parallelized, there are some preconditions and one of them is

- **The operations to be parallelized can be implemented independent of each other.**
  PG # 201
- The operations to be parallelized can be implemented dependent on each other.
- The operation to be parallelized has dependent sub-operations.
- None of these

129. As per Kimball,_____is the main operational process

- Requirement extraction
- Goal design
- **Business process PG # 285**
- Schema design

0304-1659294 www.vulmshelp.com

130. In context of data parallelism, the work done by query processor should be:

- Almost zero
- **Maximum**
- Pipelined
- Filtered across partitions

131. "More resources means proportionally less time for given amount of data". The statement refers to:

- Scale-Up
- **Speed-Up**
- Size-up
- Over-utilized system

132. "If resources increase in proportion to increase in data size, time is constant". The statementrefers to:

- **Scale-Up**
- Speed-Up
- Size-up
- Over-utilized system

133. Waterfall is a/an_____model.

- Iterative
- **Simple linear sequential**
- Object Oriented
- Rapid development

134. Spiral model is _____

- Sequence of waterfall model
- Risk oriented model
- An iterative model
- **All of the given options**

135. In contrast to statistics, data mining is_____driven.

- Assumption
- **Knowledge PG # 255**
- Discovery
- Database

136. In the context of Business Development Lifecycle (Kimball's approach), the first task intechnology track is_____Technical

- **Architecture Design PG # 299**
- Requirement Specification Development

0304-1659294 www.vulmshelp.com

- Requirement Analysis
- Lifecycle Model Selection

137. SMP Stands for_____.

- **Symmetric multi-processors PG # 2**
- **Sufficient multi-processors**

138. Identify the TRUE statement about Hypertext Transfer Protocol (HTTP).

- **HTTP is stateless protocol PG # 364**
- HTTP is not a word wide web protocol
- HTTP is used to maintain sessions
- HTTP is message routing protocol

139. contribute(s) to an under-utilization of valuable and expensive historicaldata, and inevitably results in a limited capability to provide decision support and analysis.

- **The lack of data integration and standardization PG # 330**
- Less number of frequent updates
- Minimum aggregation level
- Low cube cardinality

140. For a given data set, to get a local view in un-supervised learning we use

- One-way Clustering
- **Bi-clustering PG # 271**
- Pearson correlation
- Euclidean distance

141. One-way and Two-way clustering are types of

- Supervised
- Semi-Supervised
- **Un-Supervised PG # 271**
- Reinforcement

142. If we apply Run Length Encoding on the input "111100001111", the output will be.

- **14#04#14 PG # 234**
- 41#40#41
- 18#04
- 81#40

143. PTCL is one of the examples of the following data warehouse organization

- **Telecommunications PG # 323**
- Financial service/insurance
- Transportation
- Government

144 ____can be placed in front of our enterprise's Web servers to help them offload requests for frequently accessed content.

- **Reverse Proxy PG # 369**

- Forward Proxy

145. a small piece of information generated by the Web server and stored on the client.

- **Cookie PG # 359**

146. In context of web warehousing, which of the following is NOT one of the way to identify thesession?

- Using Transient Cookies
- Using Time-contiguous Log Entries
- Using HTTP's secure sockets layer (SSL)
- **Using Simple Session Protocol (SSP) PG #364**

147. The ith bit is set to 1 if the ith row of the base table has the value for the indexed column.This statement refers to:

- Inverted index
- **Bitmap index PG233**
- Cluster index
- join index

148. Which of the following is NOT one of the issues of Clickstream data?

- Identifying the visitor origin
- Identifying the session
- Identifying the visitor
- **Identify the domain server PG # 363**

149. Which of the following is/are drawback(s) of traditional web searches?

- Limited to keyword-based matching
- Cannot distinguish between the contexts in which a link is used
- Coupling of files has to be done manually
- **All of the given options PG # 351**

150. Classification consist of examining the properties of a newly presented observation and assigning it to a predefined_____

- Object
- Class
- Container
- Subjects

151. In context of clustering the term “distance” means

- The relation of a record with corresponding recordsin child table
- None of these
- The difference between the primary keys of two records
- Similarity dissimilarity of record

152. In contrast to data mining statistics is_____driven

- Discovery
- Knowledge
- Database
- Assumption

153. _____ is the technique in which existing heterogeneous segmentsare reshuffled, relocated into homogenous segments.

- Clustering
- Partitioning
- Aggregation
- Segmentation

154. In context of data mining definition, the term "Value" means.

- Importance of hidden pattern discovered
- The primary key of table
- The index location of record
- Numerical or string measure assigned to an attributes

155. As oppose to the outcome of classification, estimation deal with _____valuedoutcomes

- Discrete
- Continuous
- Isolated
- distinct

156. _____ incorporates the con cept of product quality, process control,quality assurance, and quality improvement.

- **Total Quality Management**
- Intrinsic Data Quality Management
- Realistic Data Quality Management
- Strong Data Quality Management

157. The extent to which data is in appropriate languages, symbols and units, andthe definitions are clear is known as_____.

- **Interpretability**
- Uniqueness
- Accessibility
- Consistency

158. The degree to which values are present in the attributes that require them isknown as___.

- **Completeness**
- Uniqueness
- Accessibility
- Consistency

159. The _____dimension represents data correctness.

- **Free-of-error**
- Completeness
- Consistency
- Correctness

160. In B-tree index, the lowest level index blocks are called leaf blocks, andthese blocks contain:

- NULL value to make the leaf terminal node
- **Every indexed data value and a corresponding ROWID**

0304-1659294 www.vulmshelp.com

- Every indexed data value and pointer to next level block
- Every indexed data value and pointer to root block

161. Data is the_____on which a Data Warehouse (DWH) runs.

- **Fuel**
- Element
- Component
- Entity

162. Mining Multi dimensional databases allow users to:

- Categorize the data
- Summarize the data
- Analyze the data
- All of the given

163. In context of data parallelism to get a speed-up of N with N partitions, it must be ensured that:

- There are enough computing resources
- Query-coordinator is very fast as compared to query servers
- Work done in each partition almost same
- **All of the given options**

164. Which of the following is not an activity of Data Quality Analysis Project?

- "Define"
- "Measure"
- "Analyze"
- **"Compression"**

165. Which of the following is not a Data Quality Validation Technique?

- Referential Integrity
- Using Data Quality Rules
- Data Histograming
- **Indexes**

166. One of the preconditions to decide about operations to be parallelized is that

- **Operation can be implemented independent of each other**
- Output of one operation becomes input of other
- Operations share same memory location
- Operations share same namespace

167. _____do not (typically) keep the index values in sorted order

- Dense index
- Sparse index
- B-Tree Index
- **Hash Based index**

168. Parallelism can be exploited, if there is :

- Symmetric multi processors (SMP)
- Sufficient I/O bandwidth

- Underutilized or intermittently used CPUs
- **All of the given options**

169. Which of the following is NOT one of the parallel hardware architectures?

- Symmetric Multi-Processing
- Massively Parallel Processing
- Non-uniform Memory Access
- **Shared Memory**

170. Two interesting examples of quality dimensions that can make use of themin operator are_____.

- Believability and Consistency
- **Believability and appropriate amount of data**
- Believability and Redundancy
- Reliability and appropriate amount of data

171. As the number of processors increase the speedup should also increase. Thus we should have linear speedup. Which of the following is NOT one ofthe barriers to achieve this linear speed-up?

- Amdahl Law
- Start-up
- **No Interference**
- Skew

172. In_____index, the ith bit is set to "1" if the ith row of the base table has the value for the indexed column

- Inverted index
- **Bitmap index**
- Cluster index
- Join index

173. ._____lists each term in the collection only once and then shows a list of all the documents that contain the given term.

- **Inverted index**
- Bitmap index
- Cluster index
- Join index

174. . The exact formula for Speed-up is:

- **(Time on Serial Processor) / (Time on parallel processors)**
- (Time on Serial Processor) * (Time on parallel processors)
- (Time on Serial Processor) + (Time on parallel processors)
- (Time on Serial Processor) - (Time on parallel processors)

175. is the degree to which data accurately reflects the real-world object that the data represents

- Realistic data quality
- Strong data quality
- Intrinsic data quality
- Weak data quality

176. Assume a company with a multi-million row customer table i.e. n rows.

Checking for Referential Integrity (RI), using a smart technique with some kind of a tree data structure would require_____ time.

- **O(log n)**
- O(n)
- O(1)
- None of the given

177. Which of the following is NOT one of the variants of Nested-loop join?

- Naive nested-loop join
- Indexed nested-loop join
- Temporary index nested-loop join
- **Binary index nested-loop join**

178. "More resources means proportionally less time for given amount of data" that statement refers to

- Scale-Up
- **Speed-Up**
- Size-Up
- Over-Utilized system

179. The optimizer uses a hash join to join two tables if they are joined using an equijoin and

- outer table has less number of rows
- inner table has less number of rows
- cardinality of table is equal
- **large amount of data needs to be joined**

180. "If resources increase in proposition to increase in data size, time is constant". The statement refers to

- **Scale-up**
- Speed-up
- Size-up
- Over-utilized system

181. If a product meets formally defined "requirement specifications", yet fails to be a quality product form the customer's perspective, this means the requirements were_____.

- **Defective**
- Unclear
- Unrefined
- Undefined

182. _is the extent to which data is regarded as true and credible.

- **Believability**
- Completeness
- Accessibility
- consistency

183. Which is not a/an data quality validation technique?

- **Consistency integrity**
- Referential integrity
- Attribute domain

- Using data quality rules

184. Which of the following is not an "Orr's law of data quality"?

- Data that Is not used is cannot be correct
- Data quality is function of its use not its collection
- Data will be no better than its most stringent use
- **Data duplication can be harmful for the organization**

185. is known as state of being only one of its kind or being without anequal or parallel.

- Completeness
- **Uniqueness**
- Accessibility
- Consistency

186. Which is not a/an characteristics of data quality?

- **Reliability**
- Uniqueness
- Accessibility
- Consistency

187. If every key in the data file is represented in the index file then it is called

- **Dense Index**
- Sparse Index
- Inverted Index
- A Multi level Sparse Index

188. One of the main reasons for the failure of DWH deployment is _____

- **Data quality**
- Data integrity
- Data duplication
- Data anomaly

189. The_____operator is conservative in that it assigns to the dimension an aggregate value no higher than the value of its weakest data quality indicator.

- **Max**
- Min
- Min and Max
- None of given

190. is making all efforts to increase effectiveness in meeting and deficiency in meeting except customer expectations

- Quality assurance
- **Quality improvement**
- Quality maintenance
- Quality establishment

191. Most DWH implantations today do not use_____enforced by the database,but as TQM method improved overall data quality and database optimizers.

- Consistency integrity
- **Referential integrity**

0304-1659294 www.vulmshelp.com

- Attribute domain
- Using data quality rules

192. If a task takes "T" time units to execute on a single data item, then execution of the Task on "N" data items will take_____time units.

- N/T
- N+T
- N*T
- N-T

193. An optimized structure which is built primarily for retrieval, with update being only a secondary consideration is

- OLTP
- OLAP
- DSS
- **Inverted Index**

194. _ refers to "Parallel execution of single data operation acrossmultiple partitions of data"

- Hardware parallelism
- Software parallelism
- **Data parallelism**
- Operational parallelism

195. in a database or data warehouse has no actual value, it only haspotential value.

- **Data**
- Entity
- Flat tables
- Data marts

196. Which of the following tasks can NOT be parallelized?

- Large table scans and joins
- Creation of large indexes
- Partitioned index scans
- **None of the given options**

197.
A join is identified by multiple tables in the_____clause

- **FROM**
- SELECT
- GROUP BY
- SORT BY

198. _____index stores first value in each block in the sequential file and a pointer to the block.

- Dense
- **Sparse**

- B-Tree
- Hash

199. ___is a/an measure of how current or up to date the data is

- **Timeliness page 185**
- b. Completeness
- Accessibility
- Consistency

200. In context of data parallelism, the work done by query processor should be:

- **Almost zero** **Goggle**
- Maximum
- Pipelined
- Filtered across partitions

201. In context of joining tables, the join condition is specified in_____clause

- FORM
- SELECT
- **WHERE**
- GROUP BY

202. A_____index, if fits in the memory, costs only one disk I/O access to locate a record given a key.

- **Dense**
- Sparse
- B-Tree
- Hash

203. index uses even less space than _____index, but the blockhas to be searched, even for unsuccessful searches.

- Dense, sparse
- **Sparse, dense**
- Dense, inverted
- Sparse, inverted

204. is the degree of utility and value the data has to support theenterprise processes that enable accomplishing enterprise objectives.

- Intrinsic Data Quality
- **Realistic Data Quality**
- Strong Data Quality
- Weak Data Quality

205. is a system of activities that assures conformance of product topre-established requirements.

- **Quality assurance**
- Quality improvement
- Quality maintenance
- Quality establishment

206. In context of nested-loop join actual number of matching rows returned as a result of the join would be_____of the order of tables

- Dependent
- **Independent**

- Superset
- Subset

207. In context of bitmap index, the length of the bit vector is:
    - The possible number of domain values in correspondingfield (column)
    - **The number of records in the base table**
    - The possible number of bitmap tables formed for correspondingfield (column)
    - None of the given options

208. The_____operator proves useful in more complex metric applicableto the dimensions of timeliness and accessibility.
    - **Max**
    - Min
    - Min and Max
    - None of given

209. In nested-loop join case, if there are 'M' rows in outertable and 'N' rows in inner table, time complexity is
    - O (M log N)
    - O (log MN)
    - **O (MN)**
    - O (M + N)

210. Assume a company with a multi-million row customer table i.e. nrows Checking for Referential Integrity (RI), using anaïve approach would take _____time.
    - **O(n)**
    - O(1)
    - O(log n)
    - None of the given

211. Bitmap index is appropriate for:
    - **Low cardinality data**
    - High cardinality data
    - Clustered data
    - Aggregated data

212. For a given data set, to get a global view in un-supervised learning we use
    - One-way Clustering (Page 271)
    - Bi-clustering
    - Pearson correlation
    - Euclidean distance

FINAL TERM EXAMINATION
Spring 2012
CS614- Data Warehousing

Question No: 1 (Marks: 1) – Please choose one
To identify the _____ required we need to perform data profiling
►**Degree of Transformation** **(Page 437)**
►Complexity
►Cost
►Time

Question No: 2 (Marks: 1) – Please choose one
Companies collect and record their own operational data, but at the same time they also use reference data obtained from _____ sources such as codes, prices etc.
►Operational
►None of these
►Internal
►**External** **(Page 21)**

Question No: 3 (Marks: 1) – Please choose one
Ad-hoc access means to run such queries which are known already.
►True
►**False** **(Page 18)**

Question No: 4 (Marks: 1) – Please choose one
_____ in agriculture extension is that pest population beyond which the benefit of spraying outweighs its cost.
►Profit Threshold Level
►**Economic Threshold Level** **(Page 332)**
►Medicine Threshold Level
►None of these

خدا کے سوا کسی سے امید مت رکھو

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 5 (Marks: 1) – Please choose one
People that design and build the data warehouse must be capable of working across the organization at all levels
►**True** **(Page 320)**
►False

Question No: 6 (Marks: 1) – Please choose one
The _____ is only a small part in realizing the true business value buried within the mountain of data collected and stored within organizations business systems and operational databases.
►Independence on technology
►**Dependence on technology** **(Page 320)**
►None of these

Question No: 7 (Marks: 1) – Please choose one
Relational databases allow you to navigate the data in _____ that is appropriate using the primary, foreign key structure within the data model.
► Only One Direction
► **Any Direction** **(Page 19)**
► Two Direction
► None of these

Question No: 8 (Marks: 1) – Please choose one
DSS queries do not involve a primary key
► **True** **(Page 21)**
► False

Question No: 9 (Marks: 1) – Please choose one
Data Transformation Services (DTS) provide a set of _____ that lets you extract, transform, and consolidate data from disparate sources into single or multipledestinations supported by DTS connectivity.
► **Tools** **(Page 373)**
► Documentations
► Guidelines

Question No: 10 (Marks: 1) – Please choose one
The need to synchronize data upon update is called
► Data Manipulation
► Data Replication
► **Data Coherency** **(Page 12)**
► Data Imitation

دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکتہ چینی کرنا ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 11 (Marks: 1) – Please choose one
Taken jointly, the extract programs or naturally evolving systems formed a spider web, also known as
► Distributed Systems Architecture
► **Legacy Systems Architecture** **(Page 14)**
► Online Systems Architecture
► Intranet Systems Architecture

Question No: 12 (Marks: 1) – Please choose one
Node of a B-Tree is stored in memory block and traversing a B-Tree involves _____ page faults.
► O (n)
► O (n2)
► O (n lg n)
► **O (lg n)** **(Page 22)**

Question No: 13 (Marks: 1) – Please choose one
Which statement is true for De-Normalization?
► Redundant data is a performance liability at query time, but is a performance benefit at update time.
► Redundant data is a performance benefit at both query time and update time.
► Redundant data is a performance liability at both query time and update time.
► **Redundant data is a performance benefit at query time, but is a performance liability at update time.** **(Page 51)**

Question No: 14 (Marks: 1) – Please choose one
As apposed to the out come of classification, estimation deal with _____ valued outcome.
►Discrete
►Isolated
►**Continuous** **(Page 260)**
►Distinct

Question No: 15 (Marks: 1) – Please choose one
The goal of _____is to look at as few block as possible to find the matching records.
►**Indexing** **(Page 222)**
►Partitioning
►Joining
►none of these

Question No: 16 (Marks: 1) – Please choose one
The technique that is used to perform these feats in data mining modeling, and this act of model building is something that people have been doing for long time, certainly before the _____ of computers or data mining technology.
►**Access Advent** click for detail
►Ascent Avowal

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 17(Marks: 1) – Please choose one
De-Normalization normally speeds up
► **Data Retrieval** **(Page 51)**
► Data Modification
► Development Cycle
► Data Replication

Question No: 18 (Marks: 1) – Please choose one
In horizontal splitting, we split a relation into multiple tables on the basis of
► **Common Column Values** **(Page 54)**
► Common Row Values
► Different Index Values
► Value resulted by ad-hoc query

Question No: 19 (Marks: 1) – Please choose one
For good decision making, data should be integrated across the organization to cross the LoB (Line of Business). This is to give the total view of organization from:
► Owner's Perspective
► **Customer's Perspective** **(Page 16)**
► Decision Maker's Perspective
► Employee's Perspective

Question No: 20 (Marks: 1) – Please choose one
The automated, prospective analyses offered by data mining move beyond the analysis of past events provided by respective tools typical of _____.
►OLTP
►OLAP
►**Decision Support systems**
►None of these



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

FINAL TERM EXAMINATION
Spring 2010
CS614- Data Warehousing

Question No: 1 (Marks: 1) – Please choose one
A data warehouse may include
► **Legacy systems (Page 135)**
► Only internal data sources
► Privacy restrictions
► Small data mart

Question No: 2 (Marks: 1) – Please choose one
De-Normalization normally speeds up
► **Data Retrieval (Page 51)**
► Data Modification
► Development Cycle
► Data Replication

Question No: 3 (Marks: 1) – Please choose one
In horizontal splitting, we split a relation into multiple tables on the basis of
► **Common Column Values (Page 54)**
► Common Row Values
► Different Index Values
► Value resulted by ad-hoc query

Question No: 4 (Marks: 1) – Please choose one
Multidimensional databases typically use proprietary _____ format to store pre-summarized cube structures.
► **File (Page 79)**
► Application
► Aggregate
► Database

Question No: 5 (Marks: 1) – Please choose one
A dense index, if fits into memory, costs only _____ disk I/O access to locate a record by given key.
► **One (Page 223)**
► Two
► lg (n)
► n

ایماندار کو غصہ دیر سے آتا ہے اور جلدی دور ہو جاتا ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 6 (Marks: 1) – Please choose one
All data is _____ of something real.
I **An Abstraction**
II A Representation
Which of the following option is true?
► **I Only (Page 180)**
► II Only
► Both I & II
► None of I & II

Question No: 7 (Marks: 1) – Please choose one
The key idea behind _____ is to take a big task and break it into subtasks that can be processed concurrently on a stream of data inputs in multiple, overlapping stages of execution.
► **Pipeline Parallelism (Page 214)**
► Overlapped Parallelism
► Massive Parallelism
► Distributed Parallelism

Question No: 8 (Marks: 1) – Please choose one
Non uniform distribution, when the data is distributed across the processors, is called _____.
► **Skew in Partition (Page 218)**
► Pipeline Distribution
► Distributed Distribution
► Uncontrolled Distribution

Question No: 9 (Marks: 1) – Please choose one
The goal of ideal parallel execution is to completely parallelize those parts of a computation that are not constrained by data dependencies. The smaller the portion of the program that must be executed _____, the greater the scalability of the computation.
► None of these
► **Sequentially (Page 204)**
► In Parallel
► Distributed

Question No: 10 (Marks: 1) – Please choose one
If 'M' rows from table-A match the conditions in the query then table-B is accessed 'M' times. Suppose table-B has an index on the join column. If 'a' I/Os are required to read the data block for each scan and 'b' I/Os for each data block then the total cost of accessing table-B is _____ logical I/Os approximately.
► **(a + b)M**
► (a – b)M
► (a + b + M)
► (a * b * M)

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 11 (Marks: 1) – Please choose one
Data mining is a/an _____ approach, where browsing through data using data mining techniques may reveal something that might be of interest to the user as information that was unknown previously.
► **Exploratory** **(Page 249)**
► Non-Exploratory
► Computer Science

Question No: 12 (Marks: 1) – Please choose one
Data mining evolve as a mechanism to cater the limitations of _____ systems to deal massive data sets with high dimensionality, new data types, multiple heterogeneous data resources etc.
► **OLTP** **(Page 254)**
► OLAP
► DSS
► DWH

Question No: 13 (Marks: 1) – Please choose one
_____ is the technique in which existing heterogeneous segments are reshuffled, relocated into homogeneous segments.
► **Clustering** **(Page 264)**
► Aggregation
► Segmentation
► Partitioning

Question No: 14 (Marks: 1) – Please choose one
To measure or quantify the similarity or dissimilarity, different techniques are available. Which of the following option represent the name of available techniques?
► Pearson correlation is the only technique
► Euclidean distance is the only technique
► **Both Pearson correlation and Euclidean distance** **(Page 270)**
► None of these

Question No: 15 (Marks: 1) – Please choose one
For a given data set, to get a global view in un-supervised learning we use
► **One-way Clustering** **(Page 271)**
► Bi-clustering
► Pearson correlation
► Euclidean distance

Question No: 16 (Marks: 1) – Please choose one
In DWH project, it is assured that _____ environment is similar to the production environment
► Designing
► **Development** **(Page 314)**
► Analysis
► Implementation

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 17 (Marks: 1) – Please choose one
For a DWH project, the key requirement are _____ and product experience.
► Tools
► **Industry** **(Page 320)**
► Software
► **None of these**

Question No: 18 (Marks: 1) – Please choose one
Pipeline parallelism focuses on increasing throughput of task execution, NOT on _____ sub-task execution time.
► **Increasing**
► **Decreasing** **(Page 215)**
► Maintaining
► None of these

Question No: 19 (Marks: 1) – Please choose one
Many data warehouse project teams waste enormous amounts of time searching in vain for a _____.
► **Silver Bullet** **(Page 315)**
► Golden Bullet
► Suitable Hardware
► Compatible Product

Question No: 20 (Marks: 1) – Please choose one
Focusing on data warehouse delivery only often end up _____.
► **Rebuilding** **(Page 315)**
► Success
► Good Stable Product
► None of these

Question No: 21 (Marks: 1) – Please choose one
Pakistan is one of the five major _____ countries in the world.
► **Cotton-growing** **(Page 330)**
► Rice-growing
► Weapon Producing

Question No: 22 (Marks: 1) – Please choose one
_____ is a process which involves gathering of information about column through execution of certain queries with intention to identify erroneous records.
► **Data profiling** **(Page 439)**
► Data Anomaly Detection
► Record Duplicate Detection
► None of these

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 23 (Marks: 1) – Please choose one
Relational databases allow you to navigate the data in _____ that is appropriate using the primary, foreign key structure within the data model.
► Only One Direction
► **Any Direction (Page 19)**
► Two Direction
► None of these

Question No: 24 (Marks: 1) – Please choose one
DSS queries do not involve a primary key
► **True (Page 21)**
► False

Question No: 25 (Marks: 1) – Please choose one
_____ contributes to an under-utilization of valuable and expensive historical data, and inevitably results in a limitedcapability to provide decision support and analysis.
► **The lack of data integration and standardization (Page 330)**
► Missing Data
► Data Stored in Heterogeneous Sources

Question No: 26 (Marks: 1) – Please choose one
DTS allows us to connect through any data source or destination that is supported by _____
► **OLE DB (Page 373)**
► OLAP
► OLTP
► Data Warehouse

Question No: 27 (Marks: 1) – Please choose one
Data Transformation Services (DTS) provide a set of _____ that lets you extract, transform, and consolidate data from disparate sources into single or multiple destinations supported by DTS connectivity.
► **Tools (Page 373) rep**
► Documentations
► Guidelines

Question No: 28 (Marks: 1) – Please choose one
Execution can be completed successfully or it may be stopped due to some error. In case of successful completion of execution all the transactions will be _____
► **Committed to the database (Page 419)**
► Rolled back

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 29 (Marks: 1) – Please choose one
If some error occurs, execution will be terminated abnormally and all transactions will be rolled back. In this case when we will access the database we will find it in the state that was before the _____.
► **Execution of package** **(Page 419)**
► Creation of package
► Connection of package

Question No: 30 (Marks: 1) – Please choose one
To judge effectiveness we perform data profiling twice.
► One before Extraction and the other after Extraction
► **One before Transformation and the other after Transformation** **(Page 441)**
► One before Loading and the other after Loading

FINALTERM EXAMINATION
Spring 2009
CS614- Data Warehousing

Question No: 1 (Marks: 1) - Please choose one
It is observed that every year the amount of data recorded in an organization is
►**Doubles** **(Page 15)**
►Triples
►Quartiles
►Remains same as previous year

Question No: 3 (Marks: 1) - Please choose one
Pre-computed _____ can solve performance problems
►**Aggregates** **(Page 11)**
►Facts
►Dimensions

Question No: 4 (Marks: 1) - Please choose one
_____, if fits into memory, costs only one disk I/O access to locate a record by given key.
►**A Dense Index** **(Page 223)**
►A Sparse Index
►An Inverted Index
►None of These

زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت بنو

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 5 (Marks: 1) - Please choose one
The degree of similarity between two records, often measured by a numerical value between _____, usually depends on application characteristics.
►**0 and 1** **(Page 169)**
►0 and 10
►0 and 100
►0 and 99

Question No: 6 (Marks: 1) - Please choose one
The purpose of the House of Quality technique is to reduce _____ types of risk.
►**Two** **(Page 194)**
►Three
►Four
►All

Question No: 7 (Marks: 1) - Please choose one
NUMA stands for _____
►**Non-uniform Memory Access** **(Page 206)**
►Non-updateable Memory Architecture
►New Universal Memory Architecture

Question No: 8 (Marks: 1) - Please choose one
Which is the least appropriate join operation for Pipeline parallelism?
►Hash Join
►Inner Join
►Outer Join
►**Sort-Merge Join**

Question No: 9 (Marks: 1) - Please choose one
There are many variants of the traditional nested-loop join. If the index is built as part of the query plan and subsequently dropped, it is called
►Naive nested-loop join
►Index nested-loop join
►**Temporary index nested-loop join** **(Page 243)**
►None of these

Question No: 10 (Marks: 1) - Please choose one
Data mining derives its name from the similarities between searching for valuable business information in a large database, for example, finding linked products in gigabytes of store scanner data, and mining a mountain for a _____ of valuable ore.
►Furrow
►Streak
►Trough
►**Vein** Click here for detail

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 11 (Marks: 1) - Please choose one
With data mining, the best way to accomplish this is by setting aside some of your data in a _____ to isolate it from the mining process; once the mining is complete, the results can be tested against the isolated data to confirm the model's validity.
►Cell
►Disk
►Folder
►**Vault** Click here for detail

Question No: 12 (Marks: 1) - Please choose one
The Kimball s iterative data warehouse development approach drew on decades of experience to develop the _____.
►**Business Dimensional Lifecycle** **(Page 289)**
►Data Warehouse Dimension
►Business Definition Lifecycle
►OLAP Dimension

Question No: 13 (Marks: 1) - Please choose one
We must try to find the one access tool that will handle all the needs of their users.
►True
►**False** **(Page 315)**

Question No: 14 (Marks: 1) - Please choose one
For a smooth DWH implementation we must be a technologist.
►True
►**False** **(Page 319)**

Question No: 15 (Marks: 1) - Please choose one
During the application specification activity, we also must give consideration to the organization of the applications.
►**True** **(Page 307)**
►False

Question No: 16 (Marks: 1) - Please choose one
Investing years in architecture and forgetting the primary purpose of solving business problems, results in inefficient application. This is the example of _____ mistake.
►Extreme Technology Design
►Extreme Architecture Design
►**None of these** **(Page 315)**

دنیا کی سب سے بڑی فتح نفس پر قابو رکھنا ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 17 (Marks: 1) - Please choose one
The most recent attack is the _____ attack on the cotton crop during 2003- 04, resulting in a loss of nearly 0.5 million bales.
►**Boll Worm** **(Page 333)**
►Purple Worm
►Blue Worm
►Cotton Worm

Question No: 18 (Marks: 1) - Please choose one
The users of data warehouse are knowledge workers in other words they are _____ in the organization.
►**Decision maker** **(Page 18)**
►Manager
►Database Administrator
►DWH Analyst

Question No: 19 (Marks: 1) - Please choose one
_____ breaks a table into multiple tables based upon common column values.
►**Horizontal splitting** **(Page 54)**
►Vertical splitting

Question No: 20 (Marks: 1) - Please choose one
Execution can be completed successfully or it may be stopped due to some error. In case of successful completion of execution all the transactions will be _____
►**Committed to the database** **(Page 419) rep**
►Rolled back

جھوٹ انسان اور ایمان دونوں کا دشمن ہے

خود کو تمھیں سے بڑھ کر کوئی اچھا مشورہ نہیں دے سکتا

عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ بے وقوف کہتا ہے کہ میں سب کچھ جانتا ہوں

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Cs614 – Final Term Quizzes (Quiz No.3 & 4)

Quiz No.3 (7th June 2012)

Question # 1 of 10 (Total M a r k s: 1)
With data mining, the best way to accomplish this is by setting aside some of your data in a vault to isolate it from the mining process; once the mining is complete, the results can be tested against the isolated data to confirm the model's _____.
►**Validity** Click here for detail
►Security
►Integrity
►None of above

Question # 2 of 10 (Total M a r k s: 1)
Classification consists of examining the properties of a newly presented observation and assigning it to a predefined _____.
►Object
►Container
►Subject
►**Class** **(Page 259)**

Question # 3 of 10 (Total M a r k s: 1)
During business hours, most _____ systems should probably not use parallel execution.
►OLAP
►DSS
►Data Mining
►**OLTP** **(Page 206)**

Question # 4 of 10 (Total M a r k s: 1)
In contrast to statistics, data mining is _____ driven.
►Assumption
►**Knowledge** **(Page 254)**
►Human
►Database

Question # 5 of 10 (Total M a r k s: 1)
As opposed to the outcome of classification, estimation deal with _____ valued outcome.
►Discrete
►Isolated
►**Continuous** **(Page 260)**
►Distinct

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 6 of 10 (Total M a r k s: 1)
The goal of ideal parallel execution is to completely parallelize those parts of a computation that are not constrained by data dependencies. The _____ the portion of the program that must be executed sequentially, the greater the scalability of the computation.
►Larger
►**Smaller (Page 204)**
►Unambiguous
►Superior

Question # 7 of 10 (Total M a r k s: 1)
The goal of _____ is to look at as few blocks as possible to find the matching records(s).
►**Indexing (Page 222)**
►Partitioning
►Joining
►None of above

Question # 8 of 10 (Total M a r k s: 1)
In nested-loop join case, if there are 'M' rows in outer table and 'N' rows in inner table, time complexity is
►O (M log N)
►O (log MN)
►O (MN)
►O (M + N)

Question # 9 of 10 (Total M a r k s: 1)
If every key in the data file is represented in the index file then index is

►**Dense Index Page 223)**
►Sparse Index
►Inverted Index
►None

Question # 10 of 10 (Total M a r k s: 1)
An optimized structure which is built primarily for retrieval, with update being only a secondary consideration is

►OLTP
►OLAP
►DSS
►**inverted Index (Page 232)**

جو لوگوں کے سامنے فخر کرتا ہے وہ لوگوں کی نظروں سے گر جاتا ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 1 of 10 (Total M a r k s: 1)
Which of the following is not an "Orr's Law of Data Quality"?

►Data that is not used cannot be correct!"
►Data quality is a function of its use, not its collection
►Data will be no better than its most stringent use!"
►Data duplication can be harmful for the organization!" (Page 181)

Question # 2 of 10 (Total M a r k s: 1)
_____, if too big and does not fit into memory, will be expensive when used to find a record by given key.

►An Inverted Index
►A Sparse Index
►A Dense Index (Page 223)
►None of these

Question # 3 of 10 (Total M a r k s: 1)
Which of the following is not an activity of Data Quality Analysis Project?

►"Define"
►Measure"
►Analyze"
►"Compression" (Page 194)

Question # 4 of 10 (Total M a r k s: 1)
The automated, prospective analyses offered by data mining move beyond the analyses of past events provided by retrospective tools typical of _____ .
►OLTP
►OLAP
►Decision Support Systems Click here for detail
►None of these

Question # 5 of 10 (Total M a r k s: 1)
Data mining, the _____ of hidden predictive information from large databases, is a powerful new technology with great potential to help companies focus on the most important information in their data warehouses.
►Extraction Click here for detail
►Insertion
►Inclusion
►Enclosure

جو شخص ناکامیوں سے ڈر کر بھاگتا ہے کامیابی اُس سے ڈر کر بھاگتی ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 6 of 10 (Total M a r k s: 1)
If someone told you that he had a good model to predict customer usage, the first thing you might try would be to ask him to apply his model to your customer _____, where you already knew the answer.
►**Base** Click here for detail
►Drive
►File
►Log

Question # 7 of 10 (Total M a r k s: 1)
Data mining uses _____ algorithms to discover patterns and regularities in data.
►Mathematical
►Computational
►**Statistical** **(Page 251)**
►None of these

Question # 8 of 10 (Total M a r k s: 1)
Data mining evolve as mechanism to cater the limitations of _____ systems to deal massive data sets with high dimensionality, new data types, multiple heterogeneous data resources etc..
►**OLTP** **(Page 254)**
►OLAP
►DSS
►DWH

Question # 9 of 10 (Total M a r k s: 1)
If 'M' rows from table-A match the conditions in the query then table-B is accessed 'M' times. Suppose table-B has an index on the join column. If 'a' I/Os are required to read the data block for each scan plus 'b' I/Os for each data block then the total cost of accessing table-B is _____ logical I/Os approximately.
Select correct option:
► **(a + b)M** **(Right Answer)**
► (a - b)M
► (a + b + M)
► (a * b * M)

Question # 10 of 10 (Total M a r k s: 1)
A data warehouse implementation without an OLAP tool is always possible.
►True
►**False** **(Page 69)**

بد صورت چہرہ بد صورت دماغ سے بہتر ہے

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 1 of 10 (Total M a r k s: 1)
_____modeling technique is more appropriate for data warehouses.
►entity-relationship
►**dimensional** Click here for detail
►physical
►None of the given

Question # 2 of 10 (Total M a r k s: 1)
The performance in a MOLAP cube comes from the O(1) look-up time for the array data structure.
►**True (Page 79)**
►False

Question # 3 of 10 (Total M a r k s: 1)
Multi-dimensional databases (MDDs) typically use _____ formats to store pre-summarized cube structures.
►SQL
►**proprietary file (Page 79)**
►Object oriented
►Non- proprietary file

Question # 4 of 10 (Total M a r k s: 1)
Slice and Dice is changing the view of the data.
►True
►**False (Page 81)**

Question # 5 of 10 (Total M a r k s: 1)
Data warehousing and on-line analytical processing (OLAP) are _____ elements of decision support system.
►Unusual
►**Essential (Page 69)**
►Optional
►None of the given

Question # 6 of 10 (Total M a r k s: 1)
Virtual cube is used to query two similar cubes by creating a third "virtual" cube by a join between two cubes.

►True
►**False (Page 86)**

Question # 7 of 10 (Total M a r k s: 1)
Analytical processing uses _____ , instead of record level access.
►**multi-level aggregates (Page 74)**
►Single-level aggregates
►Single-level hierarchy
►None of the Given

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 8 of 10 (Total M a r k s: 1)
The divide&conquer cube partitioning approach helps alleviate the _____ limitations of MOLAP
►implementation.
►Flexibility
►Maintainability
►Security
►**Scalability (Page 85)**

Question # 9 of 10 (Total M a r k s: 1)
In a traditional MIS system, there is an almost linear sequence of queries.
►**True (Page 72)**
►False

Question # 10 of 10 (Total M a r k s: 1)
Data Warehouse provides the best support for analysis while OLAP carries out the _____ task.
►Mandatory
►Whole
►**Analysis (Page 69)**
►Prediction

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

CS614 Quiz No.3 & 4 (Fall 2012)

Question # 1 of 10 (Total M a r k s: 1) Select correct option:
If each cell of Relation R contains a single value (no repeating values) then it is confirmed that

Relation R is in 1st Normal Form (Page 43)
Relation R is in 2nd Normal Form
Relation R is in 3rd Normal Form
Relation R is in 3rd Normal Form but not in 2nd Normal Form

Question # 2 of 10 (Total M a r k s: 1) Select correct option:
In contrast to data mining, statistics is _____ driven.

Assumption (Page 255)
Knowledge
Discovery
Database

Question # 3 of 10 (Total M a r k s: 1) Select correct option:
If every key in the data file is represented in the index file then it is called

Dense Index (Page 223)
Sparse Index
Inverted Index
A Multi level Sparse Index

Question # 4 of 10 (Total M a r k s: 1) Select correct option:
Which of the following is not a technique of 'De-Normalization'?

Pre-joining
Splitting Tables
Adding Redundant Columns
ER Modeling (Page 54)

Question # 5 of 10 (Total M a r k s: 1) Select correct option:
Which of the following is an example of Additive Facts?

Sales Amount (Page 119)
Average
Discount
Ratios

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 6 of 10 (Total M a r k s: 1) Select correct option:
Which of the following is not technique of "changed data capture" in currently used modem source system?

Timestamps
Partitioning
Triggers
Dimensional modeling (Page 150)

Question # 7 of 10 (Total M a r k s: 1) Select correct option:
The automated, prospective analyses offered by data mining move beyond the analyses of past events provided by _____ tools typical of decision support systems.

Introspective
Intuitive
Reminiscent
Retrospective Click here for detail

Question # 8 of 10 (Total M a r k s: 1) Select correct option:
There are many variants of the traditional nested-loop join. When the entire table is scanned it is called

Index nested-loop join
Naive nested-loop join (Page 243)
Temporary index nested-loop join
None of these

Question # 9 of 10 (Total M a r k s: 1) Select correct option:
The relation R will be in 2nd Normal Form if

it is in 1NF and each cell contains single value
it is in 1NF and each non key attribute is dependent upon entire primary key (Page 44)
it is in 1NF and each non key attribute dependent upon a single column of composite primary key.
it is in 1NF and Primary Key is composite.

Question # 10 of 10 (Total M a r k s: 1) Select correct option:
Which one of the following is not data quality validation technique?

Using data quality Rules
Data Histograming
Indexes (Page 189)

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Some More MCQs

Question # 1 of 10 (Total M a r k s: 1) Select correct option:
Which of the following is not a technique of Data Mining?

Estimation
Prediction
Clustering
Normalization (Page 259)

Question # 2 of 10 (Total M a r k s: 1) Select correct option:
The STAR schema used for data design is a _____ consisting of fact and dimension tables.

►Network odel
►**Relational model (Page 87)**
►Hierarchical data model
►None of the given

Question # 3 of 10 (Total M a r k s: 1) Select correct option:
DOLAP allows download of "cube" structures to a desktop platform with the need for shared relational or cube server.

►True
►**False (Page 78)**

Question # 4 of 10 (Total M a r k s: 1) Select correct option:
There are many variants of the traditional nested-loop join, if there is an index is exploited, then it is called……

►Naïve nested loop join
►**index nested loop join (Page 243)**
►temporary index nested loop join
►none of these

Question # 5 of 10 (Total M a r k s: 1) Select correct option:
Data mining is a/an _____ approach , where browsing through data using mining techniques may reveal something that might be of interest to the user as information that was unknown previously.

►Non-Exploratory
►**Exploratory (Page 249)**
►Compute Science
►none of these

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 6 of 10 (Total M a r k s: 1) Select correct option:
Pre-join technique is used to avoid

- ► **Run time join (Page 58)**
- ► Compile time join
- ► Load time join

Question # 7 of 10 (Total M a r k s: 1) Select correct option:
Cube is a _____ entity containing values of a certain fact at a certain aggregation level at an intersection of a combination of dimensions.

- ► **Logical (Page 88)**
- ► Physical
- ► Analytical
- ► None of these

Question # 8 of 10 (Total M a r k s: 1) Select correct option:
The goal of star schema design is to simplify _____

- ► Logical data model
- ► **Physical data model (Page 107)**
- ► Conceptual data model
- ► None of these

Question # 9 of 10 (Total M a r k s: 1) Select correct option:
Grain is the _____ level of data stored in the warehouse.

- ► **Atomic (Page 111)**
- ► Summarized
- ► Aggregated
- ► Cube

Question # 10 of 10 (Total M a r k s: 1) Select correct option:
Transactional fact tables do not have records for events that do not occur. These are called

- ► **Not Recording Facts (Page 120)**
- ► Fact-less Facts
- ► Null Facts
- ► None of these

Question # 1 of 10 (Total M a r k s: 1) Select correct option:
A _____ dimension is a collection of random transactional codes, flags and/text attributes that are unrelated to any particular dimension. The _____ dimension is simply a structure that provides a convenient place to store the _____ attributes.

- ► **Junk (Page 127)**
- ► Time
- ► Parallel
- ► None of these

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 2 of 10 (Total M a r k s: 1) Select correct option:
During ETL process of an organization, suppose you have data which can be transformed using any of the transformation method. Which of the following strategy will be your choice for least complexity?

- ► **One-to-One Scalar Transformation (Page 144)**
- ► One-to-Many Element Transformation
- ► Many-to-Many Element Transformation
- ► Many-to-One Element Transformation

Question # 3 of 10 (Total M a r k s: 1) Select correct option:
Change Data Capture is one of the challenging technical issues in _____

- ► **Data Extraction (Page 149)**
- ► Data Loading
- ► Data Transformation
- ► Data Cleansing

Question # 4 of 10 (Total M a r k s: 1) Select correct option:
Rearranging the grouping of source data, delivering it to the destination database, and ensuring the quality of data are crucial to the process of loading the data warehouse. Data _____ is vitally important to the overall health of a warehouse project.

Cleansing
Cleaning
Scrubbing

Which of the following options is true?

- ► **Option 1 only (Page 158)**
- ► Option 2 only
- ► Option 1 & 2 only
- ► Option 1, 2 & 3

Question # 5 of 10 (Total M a r k s: 1) Select correct option:
When performing objective assessments, companies follow a set of principles to develop metrics specific to their needs, there is hard to have "one size fits all" approach. Which of the following statement represents the pervasive functional forms?

- ► **Simple Ratio, Min or Max Operation, Weighted Average (Page 186)**
- ► Only Complex Ratio, Min Operation, Max Operation
- ► Only Simple Ratio, Min or Max Operation
- ► Only Min or Max Operation, Weighted Average

Question # 6 of 10 (Total M a r k s: 1) Select correct option:
The input to the data warehouse can come from OLTP or transactional system but not from other third party database.

- ► **True (Page 19)**
- ► False

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 7 of 10 (Total M a r k s: 1) Select correct option:
Normalization effects performance
- ► **True**
- ► False

Question # 8 of 10 (Total M a r k s: 1) Select correct option:
Collapsing tables can be done on the _____ relationships
- ► One-to-One
- ► Many-to-Many
- ► **Both One-to-One and Many-to-Many (Page 52)**
- ► None of these

Question # 9 of 10 (Total M a r k s: 1) Select correct option:
_____ breaks a table into multiple tables based upon common column values.
- ► **Horizontal splitting (Page 54)**
- ► Vertical splitting

Question # 10 of 10 (Total M a r k s: 1) Select correct option:
If w is the window size and n is the size of data set, then the complexity of merging phase in BSN method is_____
- ► O (n)
- ► O (w)
- ► **O (w n) (Page 171)**
- ► O (w log n)

Question # 1 of 10 (Total M a r k s: 1) Select correct option:
Data Warehouse is about taking / colleting data from different _____ sources:
- ► Harmonized
- ► Identical
- ► Homogeneous
- ►**Heterogeneous (Page 21)**

Question # 2 of 10 (Total M a r k s: 1) Select correct option:
_____ is class of Decision Support Environment.
- ► OLTP
- ► **OLAP (Page 30)**
- ► DBMS
- ► Network

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 3 of 10 (Total M a r k s: 1) Select correct option:
For a relation to be in 4NF it must be:-
► In 2NF if and only if it is in first normal form and all nonkey attributes are fully functionally dependent on the key.
► In 3NF and every non-key column is non-transitively dependent upon its primary key.
► In 3NF and every non-key column is non-transitively dependent upon its Foreign key.
► In 3NF and It does not have multi valued dependencies (Page 48)

Question # 4 of 10 (Total M a r k s: 1) Select correct option:
Horizontal splitting breaks a table into multiple tables based upon_____

► Common Row values
► Range of Data.
► Redundant data.
► Common column values. (Page 54)

Question # 5 of 10 (Total M a r k s: 1) Select correct option:
D-Normalization speeds up_____
► Data Retrieval (Page 51)
► Data Duplication
► Data Extraction
► Data Loading

Question # 6 of 10 (Total M a r k s: 1) Select correct option:
The most common use of range partitioning is on _____.
► Date (Page 66)
► Rows
► DSS
► None of these

Question # 7 of 10 (Total M a r k s: 1) Select correct option:
The fact table is a way of *visualizing as* an _____cube
► Rolled Up
► Un-rolled (Page 87)
► Rolled Down
► None of these

Question # 8 of 10 (Total M a r k s: 1) Select correct option:
High Granularity, more _____.
► Details Click here for detail
► Dimensions
► Aggregates
► Cubes

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 9 of 10 (Total M a r k s: 1) Select correct option:
Transactional fact tables do not have records for events that do not occur. These are called

► **Not Recording Facts (Page 120)**
► Fact-less Facts
► Null Facts
► None of these

Question # 10 of 10 (Total M a r k s: 1) Select correct option:
Cubes not drilled down is, It is a _____.
► **Data Mart**
► DWH
► DOLAP
► None of these

Question # 1 of 10 (Total M a r k s: 1) Select correct option:
Full & Incremental Extraction are the types of _____ Extraction
► **Logical (Page 132)**
► Physical
► Both Logical & Physical
► None of Above

Question # 2 of 10 (Total M a r k s: 1) Select correct option:
Selectivity is low in _____ environment.

► **DWH (Page 22)**
► DBMS
► OLTP
► None of Above

Question # 3 of 10 (Total M a r k s: 1) Select correct option:
Normalization effects performance
► True
► **False**

Question # 4 of 10 (Total M a r k s: 1) Select correct option:
MOLAP physically builds "cubes" for direct access in a multi-dimensional database (MDD) Therefore _____is not supported.
► One-to-One
► Facts
► **ANSI SQL (Page 78)**
► Dimensions
► None of these

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 5 of 10 (Total M a r k s: 1) Select correct option:
The users of data warehouse are knowledge workers in other words they are _____ in the organization.
► **Decision maker (Page 18)**
► Manager
► Database Administrator
► DWH Analyst

Question # 6 of 10 (Total M a r k s: 1) Select correct option:
In _____ system, the contents change with time.
Select correct option:
►**OLTP (Page 20)**
►ATM
►DSS
►OLAP

Question # 7 of 10 (Total M a r k s: 1) Select correct option:
The growth of master files and magnetic tapes exploded around the mid- _____.
Select correct option:
►1950s.
►**1960s. (Page 12)**
►1970s.
►1980s.

Question # 8 of 10 (Total M a r k s: 1) Select correct option:
Naturally Evolving architecture occurred when an organization had a _____ approach to handling the whole process of hardware and software architecture.
►**Relaxed (Page 14)**
►Good
►Not Relaxed
►None

Question # 9 of 10 (Total M a r k s: 1) Select correct option:
_____ gives total view of an organization
►OLAP
►OLTP
►**Data Warehouse (Page 16)**
►Database

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question # 10 of 10 (Total M a r k s: 1) Select correct option:
Suppose the amount of data recorded in an organization is doubled every year. This increase is _____ .
►Linear
►Quadratic
►**Exponential (Page 15)**
►logarithmic

Question # 1 of 10 (Total M a r k s: 1) Select correct option:
_____ is an application of information and data.
►**Knowledge (Page 11)**
►Intelligence
►Power
►Education

Question # 2 of 10 (Total M a r k s: 1) Select correct option:
A single database, couldn't serve both operational high performance transaction processing and DSS, analytical processing, all at the same time.
►**True (Page 13)**
►False

Question # 3 of 10 (Total M a r k s: 1) Select correct option:
B-Tree is used as an index to provide access to records
►**Without scanning the entire table (Page 22)**
►By scanning the entire meta data
►By scanning the entire table
►None of these

Question # 4 of 10 (Total M a r k s: 1) Select correct option:
in agriculture extension is that pest population beyond which the benefit of spraying outweighs levels

►**True (Page 332)**
►False

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari