ZOO603P – FISH BIOLOGY

Practical Exam Notes

Prepared by: *Sir Mughal*

Main Group link: https://chat.whatsapp.com/DWXwJpXahbxFVQutey8JXN

Subject Group link: https://chat.whatsapp.com/GoONwR4PCC0170F4wt83yr

MCQs (Multiple Choice Questions)

1. Turbidity means **CLOUDINESS OF WATER**.
2. Hardness of water refers to these dissolved minerals: **CALCIUM AND MAGNESIUM**
3. Fishes must be killed before fixation and preservation is: **ETHICAL TREATMENT OF LIVE ANIMALS**
4. Taken from the tip of the snout to the bony margin of the operculum: **HEL**
5. Transparent membrane in fish is: **NICTITATING MEMBRANE**
6. Number of gills in cartilaginous fish is **5-7 PAIRS**
7. Number of vertebra in Labeo rohita are: **37**
8. Fish museums are called ichthyology due to **STUDY OF FISHES** or **FISH PRESERVATION**
9. Fishes belong to phylum **CHORDATA**
10. There are currently over **1100** species of fishes that are at the risk of extinction.
11. The gonadotropin hormone is secreted by **PITUITARY GLAND**
12. Fish flesh is an important source of vitamin **A & D**.
13. Muller's classification was presented in **1844**.
14. Main focus of ichthyology museum is **PRESERVIING SPECIMENS**.
15. Fishes respire through **OXYGEN**.
16. **EYD** means **EYE DIAMETER**
17. Which fish is called drum in Pakistan? **MUSHKA, DHOTI, JEWFISH**
18. Fish commonly known as Dumbro in Pakistan is **ROHU**.
19. **DIVIDERS** is not a recommended measurement tool for fish taxonomy.
20. A fish biologist is examining a fish specimen and is interested in studying its buoyancy regulation. They discover the presence of swim bladder. What type of fish are they likely examining? **BONY FISH (OSTEICHTHYES)**.
21. Although they lack **EYE LIDS**, fishes protect their eyes.
22. **RADICALS** support the fin rays in the caudal fins of **LABEO ROHITA**.
23. Excessively high or low **PH LEVELS** in water can **INCREASE** heavy metal solubility.
24. Human body contains **70%** water.
25. Primary function of fish scales is to **PROVIDE PROTECTION**.
26. Swim bladder is present in **BONY FISHES**.
27. Function of Gill Filament is **RESPIRATION**.
28. Several lines are attached along with hooks on outrigger of the boat. Only predatory fishes get caught by this line. The line is called **TROLL LINE**.
29. Fishes are preserved in **ETHANOL**.

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

SHORT QUESTIONS

1. Define cranium of Labeo rohita.

The cranium is the anterior part of the skull that encloses and protects the brain. In *Labeo rohita* (Rohu), it is composed of several dermal and cartilaginous bones that are fused together to form a strong protective braincase. The cranium also supports the sensory organs such as the eyes, olfactory sacs, and inner ears, and provides attachment sites for muscles involved in feeding and movement

2. Write parameters are required while preserving the fish?

Fish preservation requires consideration of several parameters. The specimen should be fresh and free from decomposition. A suitable preservative such as 10% formalin or 70% ethanol should be used in the correct concentration. Large fishes may require injection of preservative into body cavities to ensure proper fixation. Specimens should be stored in cool conditions away from direct sunlight. Proper labeling with collection data and species information is also essential for future identification and study.

3. Write importance of fishes in biodiversity conservation.

Fishes play a vital role in biodiversity conservation by maintaining the balance of aquatic ecosystems. They occupy different trophic levels in food chains and help regulate populations of other aquatic organisms. Fishes serve as indicators of water quality and ecosystem health. They contribute to nutrient cycling and support the survival of many aquatic and terrestrial species. Conserving fish diversity helps preserve genetic resources and ensures the stability and sustainability of freshwater and marine ecosystems. Key points include**:**

- Maintain ecological balance.
- Important components of aquatic food webs.
- Indicators of environmental health.
- Contribute to nutrient cycling.
- Help preserve aquatic biodiversity.

4. Describe the reproductive organs in Rohu. Highlight the gender identification as well.

The reproductive organs of *Labeo rohita* consist of a pair of gonads located in the body cavity beneath the swim bladder. In males, the gonads are testes, which are elongated, whitish structures that produce sperm. In females, the gonads are ovaries, which are larger, yellowish to orange in color, and contain developing eggs.

Gender identification in Rohu:

- ***Male:*** Smaller body size, slender abdomen, rough pectoral fins during breeding season, and testes are whitish.
- ***Female:*** Larger body size, swollen and soft abdomen during breeding season, smoother pectoral fins, and ovaries are yellowish and filled with eggs.

5. Write a short note on sensory regulation in fishes related to eyes and lateral lines.

Fishes possess specialized sensory organs that help them detect and respond to their environment. The eyes are well-developed organs of vision that enable fishes to detect light, movement, prey, predators, and obstacles. Most fishes have a wide field of vision, which helps them survive in aquatic habitats.

The lateral line system is a unique sensory organ present along the sides of the body. It consists of sensory cells that detect vibrations, water currents, and pressure changes in the surrounding water. This system helps fishes in navigation, schooling behavior, prey detection, and avoiding predators, especially in murky water where vision is limited.

Thus, the eyes and lateral line system play an important role in sensory regulation and environmental adaptation in fishes.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

6. Write fixation method of fishes using formalin.

Fish fixation using formalin is a common method for preserving specimens for scientific study. Freshly collected fish are first washed to remove dirt and mucus. Small fishes are placed directly in 10% formalin solution, while larger fishes are injected with formalin into the body cavity, muscles, and gill region to ensure complete penetration. The specimen is then immersed in a sufficient volume of 10% formalin, usually at least 10 times the volume of the fish. The fish is left in the solution for several days until fixation is complete. After fixation, specimens may be washed and transferred to a preservative such as 70% ethanol for long-term storage.

Steps involved:

- Clean the specimen.
- Inject formalin into large fishes.
- Immerse in 10% formalin solution.
- Allow complete fixation for several days.
- Transfer to a suitable preservative for storage.

7. Discuss the concept of meristic counts in relation to fish taxonomy.

Meristic counts are the counts of countable structures in fishes and are widely used in fish taxonomy for identification and classification. These characters remain relatively constant within a species and help distinguish closely related species.

Common meristic characters include the number of fin rays, scales along the lateral line, gill rakers, vertebrae, and spines. Taxonomists compare these counts among specimens to identify species and determine their relationships.

Thus, meristic counts provide reliable morphological data and play an important role in the systematic classification, identification, and study of fish diversity.

8. Why students visit fish museum?

Students visit fish museums to gain practical knowledge about fish diversity, morphology, taxonomy, and ecology. Fish museums contain preserved specimens of different species, allowing students to observe their external and internal characteristics closely. These visits help in species identification, understanding classification, and learning preservation techniques. Fish museums also promote awareness about aquatic biodiversity, conservation, and the economic importance of fishes.

9. Name components of pelvic fin and pelvic girdle.

The pelvic fin and pelvic girdle are important structures of the appendicular skeleton in fishes.

Components of pelvic fin:

The pelvic fin is made up of:

1. ***Fin rays (lepidotrichia) –*** segmented supporting rays of the fin.
2. ***Fin spines (if present) –*** hard, unsegmented rays in some fishes.
3. ***Basal pterygiophores –*** internal supporting elements attached to the girdle.

Components of pelvic girdle:

The pelvic girdle consists mainly of:

1. ***Basipterygium (pelvic bone) –*** the main paired cartilaginous or bony element supporting the pelvic fins.
2. ***Connecting cartilage or ligament –*** joins the two halves of the girdle in many fishes.

Compiled by SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

10. What are physical parameters of water?

Physical parameters of water are the measurable physical characteristics that determine water quality and influence aquatic life. The main physical parameters include:

1. ***Temperature*** – affects metabolism and growth of aquatic organisms.
2. ***Color*** – indicates the presence of dissolved substances or impurities.
3. ***Turbidity*** – measures the cloudiness of water caused by suspended particles.
4. ***Transparency*** – indicates the penetration of light into water.
5. ***Odor*** – may suggest contamination or decomposition.
6. ***Taste*** – reflects the presence of dissolved substances.
7. ***Conductivity*** – indicates the amount of dissolved salts in water.

11. Write steps involved in measuring fish length for taxonomic studies.

For taxonomic studies, fish length is measured carefully to ensure accurate identification and comparison among species. The fish is first placed flat on a measuring board with its body straightened. The snout is aligned with the zero mark of the scale. Length measurements such as total length, fork length, and standard length are then recorded. The tail fin is gently compressed when measuring total length. Measurements are taken in centimeters or millimeters and recorded accurately for taxonomic analysis.

Steps involved:

1. Place the fish on a flat measuring board.
2. Align the tip of the snout with the zero mark.
3. Straighten the body of the fish.
4. Measure total length, fork length, or standard length as required.
5. Record the measurements accurately for identification and classification purposes.

12. Define HEL, PEL and PVL.

In fish morphometric studies:

- ***HEL (Head Length):*** Distance from the tip of the snout to the posterior margin of the operculum (gill cover).
- ***PEL (Pre-Eye Length):*** Distance from the tip of the snout to the anterior margin of the eye.
- ***PVL (Pre-Ventral Length):*** Distance from the tip of the snout to the origin (base) of the pelvic (ventral) fin.

13. Explain the primary rules that museums play in relation to their specimens.

Museums play an important role in the collection, preservation, study, and display of biological specimens. They preserve specimens for long periods, preventing their deterioration and ensuring their availability for future generations. Museums serve as reference centers for taxonomic research, species identification, and biodiversity studies. They also provide educational opportunities for students and the public by displaying specimens and promoting awareness about conservation. In addition, museums maintain scientific records that help researchers monitor changes in species diversity over time.

Main roles of museums:

- Preservation of specimens.
- Support for research and taxonomy.
- Education and training of students.
- Public awareness about biodiversity and conservation.
- Maintenance of scientific records and collections.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

14. What are the description parameters of Labeo rohita?

The description of Labeo rohita is based on various morphometric and meristic parameters used in fish taxonomy. Important description parameters include:

1. ***Total length (TL)*** – length from snout to tip of caudal fin.
2. ***Standard length (SL)*** – length from snout to base of caudal fin.
3. ***Head length (HL)*** – length of the head from snout to operculum.
4. ***Body depth*** – maximum vertical depth of the body.
5. ***Eye diameter*** – size of the eye.
6. ***Pre-dorsal, pre-pectoral, pre-pelvic, and pre-anal lengths*** – distances from snout to the respective fins.
7. ***Scale counts*** – especially scales along the lateral line.
8. ***Fin ray counts*** – number of rays in dorsal, pectoral, pelvic, anal, and caudal fins.
9. ***Body coloration and shape*** – external appearance used for identification.

15. Write name of bones of occipital region.

In the cranium of Labeo rohita, the occipital region forms the posterior part of the skull and surrounds the foramen magnum. The bones of the occipital region are:

1. Supraoccipital
2. Exoccipital (pair)
3. Basioccipital

16. What is the purpose and procedure of removing formaldehyde during long term preservation of fish? Also write its importance.

Formaldehyde is commonly used for the fixation of fish specimens, but it is removed before long-term preservation because prolonged exposure can make tissues hard, brittle, and discolored. It may also damage specimens and pose health hazards to handlers.

Procedure:

After fixation in 10% formalin, the fish specimen is removed and thoroughly washed in running water for several hours to remove excess formaldehyde. The specimen is then transferred to 70% ethanol or another suitable preservative for long-term storage.

Importance:

- Prevents hardening and shrinkage of tissues.
- Maintains the natural shape and appearance of the specimen.
- Reduces toxicity and health risks.
- Improves the quality of long-term preservation.
- Facilitates future taxonomic and research studies.

17. Write a short note on nictitating membrane.

The nictitating membrane is a thin, transparent or translucent third eyelid present in many vertebrates, including fishes. It is located at the inner corner of the eye and can move horizontally across the eyeball. Its main function is to protect the eye from mechanical injury, dust particles, and other harmful materials while still allowing partial vision. In fishes and other aquatic animals, it also helps in protecting the eyes from water currents, suspended particles, and pressure changes during swimming. In addition, it helps to keep the eye surface moist and clean, ensuring proper functioning of vision. Thus, the nictitating membrane is an important protective structure that supports eye safety and visual efficiency in aquatic environments.

Compiled by: Sir MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

18. Write short note on handpicking method of fishing.

The handpicking method of fishing is one of the simplest traditional fishing techniques in which fishes are collected directly by hand from shallow water bodies such as ponds, streams, flooded fields, or small pools. In this method, fishermen physically catch fish without using nets or advanced equipment, often by searching in mud, rocks, or vegetation where fish hide. It is commonly practiced in rural areas and is usually used for small-sized fish or during low water conditions when fish are easily accessible. Although it is cost-free and requires no tools, this method has limited efficiency and is suitable only for small-scale or subsistence fishing.

19. How fish eyes are protected without eyelids?

Fishes do not have movable eyelids like terrestrial animals, yet their eyes are protected by specialized structures and adaptations. In many fishes, a nictitating membrane (third eyelid) may be present, which can partially cover and protect the eye. The eyes are also continuously washed by water, which helps remove dust and foreign particles. In addition, the eyes are covered by a tough outer layer called the cornea, which provides protection from mechanical injury and environmental hazards. Some fishes also rely on behavioral adaptations, such as avoiding harmful environments, to protect their eyes. Thus, despite the absence of true eyelids, fish eyes remain well protected in aquatic habitats.

20. Why do we classify fishes? Give one example of classification.

We classify fishes to organize the vast diversity of fish species into groups based on their similarities and differences. Classification helps in easy identification, study of evolutionary relationships, understanding biodiversity, and proper documentation of species. It also supports research, fisheries management, and conservation of aquatic resources.

Example of classification:

Fish are broadly classified into major groups such as:

- Class Cyclostomata (jawless fishes, e.g., lampreys)
- Class Chondrichthyes (cartilaginous fishes, e.g., sharks)
- Class Osteichthyes (bony fishes, e.g., rohu *Labeo rohita*)

LONG QUESTIONS

1. Why do we choose right side of abdomen while dissecting the fish?

In fish dissection, the right side of the abdomen is usually chosen as the standard practice for opening the body cavity. This is done mainly for convenience, uniformity, and to avoid damage to important internal organs.

Firstly, most fish specimens are preserved in a way that the left side is kept relatively intact for external observation and measurement, so the right side is preferred for cutting to preserve diagnostic features on the left side. Secondly, opening the right side provides easier access to the digestive, reproductive, and excretory organs without disturbing the major external morphological characters used in taxonomy.

Another important reason is standardization in biological studies. Using a consistent side for dissection allows comparison between specimens and ensures that all students and researchers follow the same method. It also minimizes confusion during identification and recording of anatomical structures.

Thus, the right side of the abdomen is selected to ensure clear observation, preservation of taxonomic characters, and standard dissection procedure.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

2. Define the structure of tail in bony and cartilaginous fish.

The tail structure in fishes is an important anatomical feature used in classification and locomotion. It differs significantly between bony fishes (Osteichthyes) and cartilaginous fishes (Chondrichthyes).

Tail structure in bony fishes (Osteichthyes)

In bony fishes, the tail is supported by a bony skeleton and is externally symmetrical or asymmetrical depending on the type of caudal fin. The vertebral column typically extends into the tail and shows different modifications.

Types of caudal tail in bony fishes:

- ***Homocercal tail:***
  The external lobes are equal in size, but internally the vertebral column is bent upward. This is the most common type (e.g., rohu, carp).
- ***Diphycercal tail:***
  The vertebral column extends straight to the end of the tail, and the fin is symmetrical (e.g., lungfish).
- ***Heterocercal tail (primitive condition in some bony fishes):***
  Upper lobe is larger due to extension of vertebral column.

Tail structure in cartilaginous fishes (Chondrichthyes)

In cartilaginous fishes, the tail is supported by a cartilaginous vertebral column, and the caudal fin is typically heterocercal in structure.

Features:

- Vertebral column extends into the upper lobe, making it larger.
- Lower lobe is smaller and less developed.
- Tail is asymmetrical externally.
- Provides upward lift during swimming.

Example:

Sharks and rays show heterocercal tail structure.

3. Name the bones of skull of Labeo rohita.

The skull of Labeo rohita is a well-developed bony structure that protects the brain and supports the sensory and feeding organs. It is composed of several dermal and endochondral bones that are functionally grouped into different regions.

Bones of the skull of Labeo rohita

1. Cranial (Braincase) bones

These form the main protective covering of the brain: Supraoccipital, Exoccipital (pair), Basioccipital, Parietals, Frontals, Sphenoid region bones.

2. Orbital (Eye) region bones

These surround and support the eyes: Prefrontal, Postfrontal, Lacrimal, Orbitosphenoid.

3. Olfactory region bones

These are related to the nasal capsules: Nasals, Ethmoid complex.

4. Otic (ear) region bones

These protect the inner ear: Prootic, Pterotic, Epiotic.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

5. Jaw (Visceral) bones
These form the feeding apparatus: Premaxilla, Maxilla, Mandible (dentary, articular), Quadrate, Articular.

4. How many vertebra are there in Labeo rohita? What are their roles?

In Labeo rohita, the vertebral column is well developed and consists of approximately 39–42 vertebrae (the exact number may vary slightly among individuals).

Types of vertebrae in Labeo rohita

The vertebral column is divided into two main regions:

1. Trunk vertebrae (anterior vertebrae)
2. Caudal vertebrae (posterior vertebrae)

Roles of vertebrae in Labeo rohita

1. Support of body: The vertebral column provides a strong internal framework that supports the entire body and maintains its shape.
2. Protection of spinal cord: Each vertebra encloses the spinal cord in the neural canal, protecting it from mechanical injury.
3. Movement and flexibility: The vertebrae are connected by joints and ligaments, allowing flexibility and enabling the fish to perform lateral swimming movements.
4. Muscle attachment: Ribs and neural/spinal processes of vertebrae provide attachment sites for muscles, which are essential for locomotion.
5. Formation of tail region: Caudal vertebrae support the caudal fin and play a key role in propulsion and swimming efficiency.

5. Explain role of Gill raker and Gill arch in respiration and feeding.

In fishes, the gill apparatus is not only responsible for respiration but also plays an important role in feeding. Two important structures involved are the gill arch and gill rakers.

1. Gill Arch – Structure and Role

The gill arches are bony or cartilaginous curved skeletal supports present in the pharyngeal region. In typical bony fishes like Labeo rohita, there are usually four pairs of gill arches.

Role in Respiration:

- The gill arch supports the gill filaments and lamellae where gas exchange occurs.
- It provides a framework for blood vessels that absorb oxygen and release carbon dioxide.
- It helps maintain proper spacing of gill structures for efficient water flow.

Role in Feeding:

- Gill arches support the pharyngeal region and assist in filtering food particles in some fishes.
- They help in coordinating movement of water and food through the pharynx.

2. Gill Rakers – Structure and Role

Gill rakers are finger-like projections located on the inner side of the gill arches facing the mouth cavity.

Role in Feeding:

- Gill rakers act as a filtering mechanism.
- They prevent large food particles, debris, and unwanted materials from escaping through the gill openings.
- In filter-feeding fishes, they help trap plankton and small food particles.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

Role in Respiration:

- They help regulate water flow over the gills, ensuring smooth passage of water for efficient gas exchange.
- By filtering particles, they protect delicate gill filaments from damage or blockage.

6. Write adaptive features of skull of fish.

The skull of fishes shows several adaptive features that help them survive efficiently in aquatic environments. These adaptations are related to feeding, respiration, protection of sensory organs, and reduction of body weight for better swimming.

Adaptive features of fish skull

1. Light and flexible structure

The skull of fishes is composed of many thin and loosely fused bones, making it relatively light. This reduces body weight and helps in easy movement and swimming in water.

2. Protection of brain and sense organs

The skull forms a protective case around the brain, eyes, olfactory organs, and inner ear, safeguarding them from mechanical injury and pressure changes in water.

3. Modification for feeding (visceral skull)

The skull includes a highly modified visceral skeleton (jaws and gill arches) which is adapted for:

- Efficient capture of prey
- Food handling and processing
- Different feeding habits (carnivorous, herbivorous, filter feeding)

4. Well-developed jaws

Fishes possess movable upper and lower jaws (in most bony fishes) which allow:

- Wide opening of mouth
- Efficient suction feeding
- Better prey capture

5. Presence of gill support structures

The skull supports gill arches and gill rakers, which are essential for:

- Respiration
- Filter feeding
- Protection of gills

6. Adaptation of sensory regions

The skull has specialized regions for:

- Large eyes for vision in water
- Olfactory capsules for smell
- Lateral line system integration for detecting vibrations

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

7. Differentiate between homocercal and heterocercal tail.

Feature	Homocercal Tail	Heterocercal Tail
Definition	Caudal fin with externally equal lobes	Caudal fin with unequal lobes
Symmetry	Externally symmetrical	Externally asymmetrical
Vertebral column position	Ends at base of caudal fin	Extends into upper lobe
Lobe size	Both lobes equal in size	Upper lobe larger than lower
Occurrence	Found in most bony fishes (e.g., rohu)	Found in cartilaginous fishes (e.g., sharks)
Function	Provides efficient forward propulsion	Provides lift and propulsion
Evolutionary status	More advanced type	Primitive type

8. What factors effect water quality?

Water quality is influenced by a combination of physical, chemical, and biological factors. These factors determine whether water is suitable for aquatic life, drinking, or other uses.

Factors affecting water quality

1. Physical factors

These are measurable properties of water:

- ***Temperature*:** Affects dissolved oxygen level and metabolic rate of aquatic organisms.
- ***Turbidity*:** Caused by suspended particles like silt and plankton; reduces light penetration.
- ***Color and transparency*:** Indicate presence of dissolved substances or pollutants.
- ***Odor and* taste*:*** May indicate decomposition or contamination.

2. Chemical factors

These involve dissolved substances in water:

- ***Dissolved oxygen* (*DO*):** Essential for respiration of aquatic organisms.
- ***pH level*:** Indicates acidity or alkalinity of water.
- ***Carbon dioxide* (CO_2*):*** Excess affects pH and respiration balance.
- ***Salinity*:** Concentration of salts in water.
- ***Nutrients* (*nitrates, phosphates*):** Excess causes eutrophication.
- ***Toxic substances*:** Heavy metals, pesticides, and industrial wastes harm aquatic life.

3. Biological factors

These include living organisms in water:

- ***Microorganisms*:** Bacteria, algae, and protozoa affect decomposition and oxygen levels.
- ***Pathogens*:** Disease-causing organisms reduce water quality.
- ***Aquatic plants*:** Excess growth can disturb oxygen balance and light penetration.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

9. What are chemical parameters of water quality?

Chemical parameters of water quality are the chemical characteristics of water that determine its suitability for aquatic life, drinking, and other uses. These parameters mainly describe the type and amount of dissolved substances present in water.

Chemical parameters of water quality

1. Dissolved Oxygen (DO)

It is the amount of oxygen dissolved in water. It is essential for respiration of aquatic organisms. Low DO indicates polluted water.

2. pH value

pH shows the acidity or alkalinity of water. Natural water usually has a pH range of 6.5–8.5. Extreme pH affects fish survival and metabolism.

3. Carbon dioxide (CO_2)

Dissolved CO_2 affects the acidity of water. High levels can reduce pH and harm aquatic life.

4. Salinity

It is the concentration of dissolved salts in water. It influences osmoregulation in freshwater and marine organisms.

5. Hardness

Hardness is mainly due to calcium and magnesium salts. It affects water quality and biological processes in aquatic systems.

6. Nutrients (Nitrates and Phosphates)

These are essential in small amounts but excess leads to algal blooms and eutrophication.

7. Ammonia, nitrites, and other nitrogenous wastes

These are toxic to fish even in low concentrations and indicate organic pollution.

8. Toxic chemicals

Heavy metals (lead, mercury, cadmium) and pesticides severely affect aquatic organisms and ecosystem health.

10. Write role of fish museum in preserving biodiversity, scientific research and education.

Fish museums play an important role in the preservation of biodiversity, scientific research, and education by maintaining preserved specimens of different fish species and making them available for study and public awareness.

1. Role in Biodiversity Conservation

Fish museums help in conserving biodiversity by preserving specimens of rare, endangered, and extinct fish species. These collections act as a permanent record of aquatic biodiversity and help scientists study species diversity, distribution, and changes in populations over time. They also support conservation planning by providing baseline data for identifying threatened species.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

2. Role in Scientific Research

Fish museums serve as important reference centers for taxonomic and systematic studies. Researchers use museum specimens to study morphology, classification, evolution, and phylogenetic relationships of fishes. They also help in verifying species identification and conducting comparative studies. Museums preserve voucher specimens that support published scientific research and biodiversity records.

3. Role in Education

Fish museums provide valuable educational resources for students and the public. They help students understand fish anatomy, morphology, and classification through direct observation of preserved specimens. Museums also increase awareness about aquatic ecosystems, conservation issues, and the importance of protecting biodiversity. They are widely used for practical training in zoology and fisheries science.

11. Explain different fishing methods.

Fishing methods are the techniques used to capture fish from natural water bodies such as rivers, lakes, seas, and ponds. These methods vary according to habitat, fish size, fishing purpose, and available equipment. They are broadly classified into traditional (small-scale) and modern (commercial) fishing methods.

1. Traditional Fishing Methods

a) Hand picking method

In this method, fish are directly collected by hand from shallow waters, puddles, or flooded fields. It is simple, cost-free, but suitable only for small fish and low water conditions.

b) Hook and line method

A hook attached to a baited line is used to catch fish individually. It is commonly used for recreational fishing and catching larger fish.

c) Basket traps

Bamboo or wire baskets are placed in water with openings that allow fish to enter but not escape. Fish are collected after some time.

d) Net traps (fixed nets)

Simple nets are set in water bodies to trap fish as they swim through them.

2. Modern Fishing Methods

a) Gill netting

Vertical nets are placed in water; fish get trapped by their gills while trying to pass through.

b) Seine netting

Large nets are dragged through water by boats or people, enclosing and capturing schools of fish.

c) Trawling

Large cone-shaped nets are dragged along the sea floor or mid-water by fishing vessels. It is a major commercial method.

d) Purse seining

A large net is used to encircle fish schools, and the bottom is closed like a purse to trap fish inside.

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859

3. Other methods

- Electrofishing (controlled use in research)
- Fish farming (aquaculture capture systems)

12. Write down the importance of accurate labeling of specimen and what kind of labeling should be on the specimen?

Accurate labeling of specimens is a very important step in biological collection and museum studies because it ensures proper identification, documentation, and future use of the specimen in research and education.

Importance of accurate labeling of specimens

Accurate labeling is essential because it provides complete scientific information about the specimen and prevents confusion or loss of data. It helps researchers correctly identify species and compare them with other specimens in taxonomic studies. Proper labeling also ensures that the specimen can be traced back to its original habitat and collection history. In addition, it supports biodiversity studies, conservation planning, and long-term scientific records. Without proper labeling, even well-preserved specimens lose their scientific value.

Information included in specimen labeling

A specimen label should contain clear and permanent information, such as:

1. Scientific name

The correct taxonomic name of the species.

2. Common name

If available, for easy understanding.

3. Collection details

- Date of collection
- Place of collection (location, habitat type)
- Collector's name

4. Specimen details

- Size (length/weight if applicable)
- Sex (male/female, if known)
- Developmental stage (juvenile/adult)

5. Preservation details

- Type of preservative used (e.g., formalin, ethanol)
- Museum or collection number (accession number)

Compiled by: SIR MUGHAL

Get in touch with us:
Sir Mughal: https://wa.me/923132310940
Sir Jawad: https://wa.me/923036100859



LMS HANDLING

— BY SIR MUGHAL —

Your Academic Success Partner



- ✅ Timely Activities
- ✅ Expert Team Members
- ✅ Maximum Quiz Scores
- ✅ Assignment Solutions *by Subject Oriented Experts*
- ✅ Paid Project Handling
- ✅ Guaranteed Results
- ✅ Market Competitive Rates
- ✅ On Demand Online Classes *(Zoology & Biotech)*
- ✅ Complete / Half LMS Handling

Contact Us:

📞 0313-2310940

✉ shahzeb.zoologist04@gmail.com

Smart LMS Handling • Reliable Results • Professional Support