VU Quiz Collection

Total Questions: 10 from 10 Quiz(es)

Courses: CS301

Generated: 1/6/2026, 4:59:55 PM

Powered by Firewall Bypass VU Extension
Waseem Akram | wasii.dev | +1 (226) 798-2360

Quiz 1 - CS301 (Q1/10)

Question:

The scenario “If Ali is brother of Asif and Asif is brother of Uzma then Ali is brother of Uzma” is the example of _____ property.

Options:

A. Transitive

B. Symmetry

C. Identity

D. Reflexive

Copied: 1/6/2026, 4:56:17 PM

Quiz 2 - CS301 (Q2/10)

Question:

In heap's percolateDown method, why do we start our iterations from n/2 instead of n?

Options:

A. Because nth node is a leaf node and it doesn't have any left & right child to get sorted

B. nth node contains null

C. Because n node iterations create complexity

D. nth node key is always largest

Copied: 1/6/2026, 4:56:39 PM

Quiz 3 - CS301 (Q3/10)

Question:

The total number of nodes on 10th level of a perfect binary tree are :

Options:

A. 256

B. 512

C. 1024

D. Can't be determined

Copied: 1/6/2026, 4:56:56 PM

Quiz 4 - CS301 (Q4/10)

Question:

Following data that is array representation of min heap. If we have to get the value 27 from the min heap then how many times deleteMin() method will be called?

Options:

A. 5

B. 8

C. 9

D. 4

Copied: 1/6/2026, 4:57:11 PM

Quiz 5 - CS301 (Q5/10)

Question:

In heap data structure, the time required for insert() method will be proportional to _____.

Options:

A. N

B. Nlog2N

C. N2

D. log2n

Copied: 1/6/2026, 4:57:43 PM

Quiz 6 - CS301 (Q6/10)

Question:

Which of the following heap method lowers the value of key at position ‘p’ by the amount ‘delta’?

Options:

A. percolateDown(p,delta)

B. decreaseKey(p,delta)

C. increaseKey(p,delta)

D. remove(p,delta)

Copied: 1/6/2026, 4:58:31 PM

Quiz 7 - CS301 (Q7/10)

Question:

Which one of the following is NOT the property of equivalence relation?

Options:

A. Symmetric

B. Transitive

C. Reflexive

D. Associative

Copied: 1/6/2026, 4:58:46 PM

Quiz 8 - CS301 (Q8/10)

Question:

To remove any node in the min heap other than the root node, the remove method first calls the _____ method before calling deleteMin().

Options:

A. increaseKey(p,delta)

B. remove(p,delta)

C. decreaseKey(p,delta)

D. percolateDown(p,delta)

Copied: 1/6/2026, 4:59:00 PM

Quiz 9 - CS301 (Q9/10)

Question:

The expression
if (! heap->isFull())
check

Options:

A. Heap is full

B. Heap is not full

C. Heap is empty

D. Heap is not empty

Copied: 1/6/2026, 4:59:26 PM

Quiz 10 - CS301 (Q10/10)

Question:

In min heap, if there are 100 elements in a heap and we perform 100 deleteMin operations then we will get the elements in _____.

Options:

A. Random

B. Descending order

C. Unsorted

D. Ascending order

Copied: 1/6/2026, 4:59:44 PM