VU Quiz Collection

Total Questions: 10 from 10 Quiz(es)

Courses: CS606

Generated: 5/18/2026, 9:07:50 AM

Powered by Firewall Bypass VU Extension
Waseem Akram | wasii.dev | +1 (226) 798-2360

Quiz 1 - CS606 (Q1/10)

Question:

What happens when a parsing error occurs during non-recursive predictive parsing?

Options:

A. The input string is rejected as invalid.

B. The parser switches to recursive parsing mode.

C. The parsing process restarts from the beginning.

D. The parser automatically corrects the error.

Copied: 5/18/2026, 9:04:22 AM

Quiz 2 - CS606 (Q2/10)

Question:

The parsing completion criteria in non-recursive predictive parsing include:

Options:

A. Non-empty stack and consumed input tokens

B. Empty stack and remaining input tokens

C. Empty stack and consumed input tokens

D. Non-empty stack and remaining input tokens

Copied: 5/18/2026, 9:04:46 AM

Quiz 3 - CS606 (Q3/10)

Question:

The rule "S !' µ" says that the symbol S CAN NOT be rewritten as an empty st

Options:

A. False

B. True

Copied: 5/18/2026, 9:05:05 AM

Quiz 4 - CS606 (Q4/10)

Question:

The code "if (a < b)) c = a + b ;" containing an extra closing parenthesis would result in a/an _____ error.

Options:

A. Semantic

B. Behavior

C. Logical

D. Syntax

Copied: 5/18/2026, 9:05:24 AM

Quiz 5 - CS606 (Q5/10)

Question:

If S !' a, then FOLLOW (S) = ?

Options:

A. { S }

B. { $ }

C. { a }

D. { µ }

Copied: 5/18/2026, 9:05:41 AM

Quiz 6 - CS606 (Q6/10)

Question:

If S !' a T b and T !' c then FIRST (T) = ?

Options:

A. { a }

B. { µ }

C. { $ }

D. { c }

Copied: 5/18/2026, 9:05:56 AM

Quiz 7 - CS606 (Q7/10)

Question:

What is the resultant value of following expression?

Expression: 100 * (2 + 12) / 14 - 1

Options:

A. 100

B. 98

C. 101

D. 99

Copied: 5/18/2026, 9:06:14 AM

Quiz 8 - CS606 (Q8/10)

Question:

In C++, the symbol for "decrement" operator is _____.

Options:

A. ---

B. ----

C. --

D. -

Copied: 5/18/2026, 9:06:37 AM

Quiz 9 - CS606 (Q9/10)

Question:

In the context of recursive descent parser in C++, what does the condition "op == PLUS || op == MINUS" check in the isPresent() function?

Options:

A. It validates the syntax of the expression.

B. It verifies if the current operator is addition or subtraction.

C. It checks if the expression is valid.

D. It ensures the correctness of the token stream.

Copied: 5/18/2026, 9:07:11 AM

Quiz 10 - CS606 (Q10/10)

Question:

What is the purpose of the FIRST set in LL(1) parsing?

Options:

A. To determine the first terminal symbol in each production rule

B. To determine the first set of all non-terminals in the grammar

C. To determine the first set of all terminal symbols in the grammar

D. To determine the first non-terminal symbol in each production rule

Copied: 5/18/2026, 9:07:30 AM