VU Medical Zone

ZOO 504 Final Terms

CREATED BY AMAAN KHAN

1. Bones of Leopard cat are used in some traditional _____ medicine. **Asian**

2. Wild life is natural _____ with a great importance. **Renewable resources**

3. Reason of death identify on the basis of _____**Post mortem**

4. In brown bear sexual maturity is from _____ of age. **4.5-7 years**

5. Ayubia national park support _____ species of mammals **31**

6. Barking deer weighs _____**22-25kg**

7. Capra body length is _____ **52 inches**

8. Body color of jungle cat_____ **Sandy grey**

9. Hog deer protected in _____**Bangladesh**

10. The name of argoli is a_____ for sheep. **Mongolian word**

11. Sexes in koklass is _____**Dimorphic**

12. Egg of chukor hatched in 23 to _____ days. **25**

13. Wolly flying squirrel native to_____**Pakistan**

14. The deliberate movement of organisms from one site for _____in another. **Release**

15. Coat of panther is_____ **Tawny or light yellow**

16. _____fur patterned with markings is the perfect camouflage for their rocky habitat. **Thick**

17. Hazargangi chiltan park establish in_____**1978**

18. Largest park at Sindh_____ **Kirthar national park**

19. Pinecanes_____ **coniferous tree**

20. Criteria declared for wet land is_____ **9**

21. Conservation purpose of zoo_____ **fauna**

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

22. In zoo full time officer_____ **1**

23. Endemic species_____ **Gela pagos fauna**

24. Anti inflammatory drug_____ **Diclofenac**

25. In conservation Translocation deliberate movement provide site for_____ **Release**

26. Bones of leopard cat used_____ **Asian medicine**

27. Urial subspecies locally called_____ **Punjabi dunba**

28. Foxes are_____ **Omnivorous mammals**

29. Civelts are related to_____ **Cats**

30. _____ throated marten larger size. **yellow**

31. Kong fishers long term decline chemical and_____ **Biochemical**

32. Maintenance of hygienic condition by_____ **graveyards**

33. Master plane_____ **5 to 25 years**

34. Snow leopard_____ **thick fur**

35. Snow leopard wild_____ **6000**

36. Paulter coat ranges from tawny or light_____ **yellow**

37. In wild ass poaching for meal_____ **Medicinal purpose**

38. Musk deer refer any one of all_____ **Seven**

39. Indus dolphin navigation_____ **Echolocation system**

40. Hog deer fully protected in Bangladesh and_____ **India**

41. IUCN recognize_____ game reserve in Pakistan. **66**

42. Chashma and tonsha barrage dolphin sanctuary was declared open to the public_____ **in 1972**

43. _____ projects in more than 60 nations around the world that are intended to help protocol both wild life and the wild place in which live. **500**

44. Rosy periwinkle leaves extracted as_____ **Anticancer**

45. Elephant eat up to_____ of food per day. **450kg**

46. _____wild elephant preservation act_____ **1873**

47. The ssc is governed by a steering committee which is headed by the_____ chair. **Commission**

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

48. Schedule iii wild birds and animals protected throughout the_____ **year**

49. _____determine any wild life species found in any ever. **Habitat**

50. Indus dolphin reserve is natural wet land situated in the_____ **Sukkar**

51. Gir Forest National Park is a wildlife sanctuary in Gujarat, western India. It was established to protect_____ **Asiatic Lions**

VU Medical Zone effort by Amaan Khan

Subjective

2 Marks

Qno1. World most traded animals?

Ans: Indian Pangolins are considered to be the most traded wild animal in the world.

Qno2. How many species of Martens?

Two species common to Pakistan are

 Stone marten (Martesfoina)

The stone marten has a dense fur coat of rich liver chestnut hue

Distribution

Stone martens are found throughout mountain ranges of Baluchistan and Northern areas.

 Yellow throated marten (Martesflavigula)

The yellow throated marten is considerably larger in size than the stone marten. The whole of its chest, throat and lower jaw is yellowish in color. General body color is silvery, tail is longer; rhinarium is naked and black.

Distribution

Yellow throated marten is found in Chitral, Azad Kashmir and Margala hills.

Qno3. How many wildlife Sanctuaries in Pakistan?

In Pakistan presently there are 99 Wildlife Sanctuaries. IUCN recognized number of Wildlife Sanctuaries in Pakistan.

Qno4. Why animal trapped?

Trapping of Wild Animals

 Pets (cats etc.)

 Sold for Medical experimental studies (Monkeys, Rabbits etc.)

 For street shows, circuses (Bears, Parrots, Lions)

Qno5. What is animal enclosure?

Essential features regarding animal enclosures are:

• All animal enclosures in zoo shall be so designed as to fully ensure the safety of

i. Animals

ii. Caretakers

iii. Visitors

Qno6. Scientific name of black buck?

Antelope cervicapra.

Qno7. Aims of PAWS?

Pakistan Animal Welfare Society (PAWS)

Aims to create an equitable relationship between humans and animals in Pakistan.

Qno8. How can we educate people about wildlife protection?

Most people of any country are ignorant about the utility of wildlife. Hence, for the conservation of wildlife there is a great need of educating people.

To achieve this goal following methods can be adapted.

• Celebration of wild life week every year.

• Publicity through media and film shows.

• Holding conducted tours, essay competitions, lectures, seminars, etc.

• Setting up nature clubs in educational institutions.

• Publication of wildlife books and journals.

• Establishment of natural history museums etc.

Qno9. How herbicides and pesticides can affect endangered species?

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

Certain herbicides and pesticides are horrible pollutants that causing severe damage to the environment and animals dependent upon. To provide natural food to animal if spray are done to kill pest or un dew herbs it may cause problems to

endangered species as they may die.

Qno10. Explain Indian pangolin?

o English Name: Scaly Ant eater

o Scientific Name: Maniscrassicaudata

o National status: Vulnerable

o IUCN Red list Threat Status: Endangered

Pangolins are considered to be the most traded wild animal in the world

Qno11. short note on leopard cat?

 Scientific Name: Prionailurus bengalensis

 IUCN Red list Threat Status: Least concern

 Description

The leopard cat looks like a miniature, long-legged and more slender version of a leopard. Body markings are like leopard; head with stripes.

Qno12. How pollution effect wetlands?

Wetland degradation is a big and growing problem occurring due to pollution inputs.

The primary pollutants causing wetland degradation are

• Sediments

• Fertilizers

• Human sewage

• Animal waste

• Road salts

• Pesticides

• Heavy metals

Qno13. Two Wild sanctuaries of KPK?

Khyber Pakhtun Khwa (KPK)

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

 Manglot

 Argam Basti

Qno14. Define wetlands?

Wetlands are areas where water is the primary factor controlling the environment and the associated plant and animal life.

They occur where the water table is at or near the surface of the land, or where the land is covered by shallow water.

Qno15. Trading of animals?

Trading of wildlife and its products e.g. Bush meat, Ivory, hide, trophy, fur etc.

Qno16. Invasive species?

An invasive or alien species is established outside of its natural past or present distribution, whose introduction and/or spread threaten biological diversity.

Qno17. Habitat of chukor?

Habitat: Lives on barren rocky slopes with sparsely stunted grass and bushes. In winters, it comes down to an elevation of 1200-1500 m. Re ascends in summer to 2500 m.

Qno18. Define Territory?

It is basically the home of the wild animals, it's the particular area in which animals it defined by other animals or may within the same species to fight to protect that particular area that is called Territory.

Qno19. How birds and insects help to maintain ecosystem?

Insects and birds add to the economic gains through pollination of plants.

Maintaining the 'balance of Nature'. e.g. Carnivore-herbivore balances.

Qno20. What is Mintaka means?

Mintaka means: "Thousand goats.

Qno21. Onus proof?

Onus of Proof

• When in any proceedings taken under this Act.

Wild animal, trophy or meat shall be presumed to be the property of until the contrary is proved.

Qno22. Name largest national park of Pakistan?

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

Hingol National Park was established in 1988. It is now named as Dharune-Hingol National Park, formed by the emergence of two Parks.

Qno23. Scientific name of Wild Goat and Domestic Goat?

BLACK BUCK ……. Antilope cervicapra WILD GOAT…..Capra aegagrus.

Qno24. Two dams of Dams?

- Tarbela Dam
- Mangla Dam
- Hub dam

Qno25. Game reserve?

An area where regulated hunting & shooting is allowed.

"A game reserve is an area wherein controlled hunting and shooting is permitted on permit basis.

Qno26. Define Wildlife?

"Wildlife" refers to neither cultivated or domesticated nor tamed organisms. Organisms that grow or live wild in an area without being intervened by humans. Wild life is natural renewable resource with a great importance throughout world.

Qno27. Experimental Wild Animals?

Wild animals as Experimental Animals - Monkeys, Rabbits, Guinea-pigs, Rats etc.

Qno28. Threat to Indian Vultures?

Threats:

These vultures were being found dead and dying in Pakistan and throughout India. The anti-inflammatory drug diclofenac has been identified as the cause of mortality. Vultures are exposed to diclofenac and other NSAIDs through scavenging on the carcasses of largely cattle and buffalo that have been treated with the drugs prior to death and left for scavengers to consume. Hence likely contributory factors are

- Poisoning
- Pesticide use
- Conversion and disturbance of forested habitats within its range.

Qno29. Game reserve in Pakistan?

There are 99 Game reserves in Pakistan. IUCN recognized 66 Game/Hunting reserves in Pakistan.

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

3 Marks

Qno1. Urial and Subspecies description?

Distribution:

Found in Chitral& Northern areas. On mountains up to 3000 meters elevation

Qno2. Indian Spotted Eagle description?

Description:

A medium-sized eagle about 60 cm in length and has a wingspan of 150 cm with a short tail. Adults are essentially brown. The legs appear longer and thinner due to the tarsi being less thickly feathered. This species has a lighter coloration overall compared to its relatives with a darker iris that makes the eyes appear darker than the plumage. The young birds are giving a spotted appearance glossy brown. Tips of the head and neck feathers being creamy. The upper tail coverts are light brown with white giving a barred appearance. The median coverts have large creamy

spots. After about eighteen months the bird molts and becomes a darker shade and has less spots.

Qno3. Capra description?

Description:

Body length 52 inches, 4.4 feet have strong limbs terminating in broad hooves. Female and young male yellow brown to reddish grey. Male are beautiful with long horn, white hair in old age. Male have short beard, Female black

beards.

Qno4. Threats to Sand Dune Cat?

Threats:

Habitat degradation and loss are considered to be the major threats to the Sand Cat. Many areas are also more heavily frequented by humans, their domestic animals and Commensal (i.e. red fox, Vulpes.

- Arid ecosystems are being rapidly converted.
- Infrastructural development
- Human settlement and activity
- Degradation occur through livestock grazing
- They are also killed in retaliation for killing chickens or Houbara and Macqueen's bustard

VU Medical Zone effort by Amaan Khan

Qno5. Note on Capra hircus?

o Capra hircus:

Females are beardless but carry backward curving horns. Measure upto 15 cm and bear fine annulations towards their base. The younger males and females show a characteristic shape pattern with a dark stripe running from the corner of eye to the muzzle. Mature males are spectacularly beautiful and may have horns over one meter in length. In adults the hair coat is of reddish buff in color. The belly and the outside of lower limbs, beard and fore part of face varies from black to chestnut brown in color. The shoulder height. They are capable of surviving in very arid desert conditions. They inhabit mountain crests up to 3300 m.

 In males is 85 to 95 cm. In females 55 to 60 cm.

 The weight of adult Males up to 120 kg, Females 50 to 55 kg

Qno6. Note on brown bear?

 Scientific Name: Ursusarctos

 IUCN Red list Threat Status: Least concern

 Syn; Grizzly Bear

 Description:

Large animals, dark in color, long guard hair over the shoulder, characterized by distinctive humps on shoulders, long claws on the front paws. Sexual maturity: 4.5 to 7 years of age. Litter size ranges from one to four but two are common. Cubs remain with their mothers for at least two and half years. Female breed every three years.

 Feeding habit:

Chiefly vegetarian. Feed mostly on fruits, honey and ants. Occasionally kill sheep and goat.

Qno7. Note on Leopard cat?

 Scientific Name: Prionailurus bengalensis

 IUCN Red list Threat Status: Least concern

 Description

The leopard cat looks like a miniature, long-legged and more slender version of a leopard. Body markings are like leopard; head with stripes.

Its fur varies highly in color and markings according to the region. Generally spotted body fur coat

 In the tropics Fur is yellowish-brown with white under parts

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

 In the northern part of the species' range Grayish brown thick fur and are also larger and heavier than the ones in the south.

The size and shape of the black markings covering the body and limbs are also highly variable. The spots sometimes form lines along the neck and back. The irises are deep, golden brown to grey. Males are larger than females.

 Body length 54-60 cm

 Weight 3-4 kg.

 Longevity: up to 13 years

 Litter size: 2-3 cubs

Qno8. Hygiene and feeding zoo rules?

Maintenance of hygiene is important in every walk of life.

• Every zoo shall have ensured timely supply of wholesome and unadulterated food.

• The food must be in sufficient quantity to each animal according to the requirement of the individual animal, so that no animal remains undernourished.

• Every zoo shall have provide for a proper waste disposal system for treating both the solid and liquid wastes generated in the zoo.

• All leftover food items and animal excreta shall be removed from each enclosure regularly.

• Waste disposal should be done in a congenial manner to general cleanliness of the zoo.

• The zoo operators shall make available round the clock supply of potable water for drinking purposes in each enclosure.

Qno9. What is location of Astore sanctuary?

Location:

 Astore District

 Between Nanga Parbat

 Gilgit–Baltistan, Pakistan

Qno10. Mention number of animals in large and mini zoo?

 Large Zoo (More than 75 numbers)

 Mini Zoo (20 numbers)

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

Qno11. Indian Pangolin?

 English Name: Scaly Ant eater

 Scientific Name: Maniscra ssicaudata

 National status: Vulnerable

 IUCN Red list Threat Status: Endangered

Pangolins are considered to be the most traded wild animal in the world

 Description

The Indian Pangolin has relatively tiny head, Hump-backed body. Thick tapering tail almost equal in length to its body. They are completely covered with scales. Made of keratin which is getting harden as the creatures get older. The scales bear fine longitudinal striation on their surface. There is hardly any external ear. The muzzle tapers to a narrow, down-curving snout. The hind legs are stout and rather columnar with five blunt pinkish white toe nails.

Qno12. Threats to wild ass?

Created By Maria Page 9

Threats

 Illegal trade seems to happen primarily on a national level.

 Poaching for meat, hides and fat, is believed to have apparent medicinal properties.

 Overgrazing by livestock reduces food availability, and herders also reduce the availability of water at springs. The cutting down of nutritious shrubs and bushes exacerbates the problem.

 A series of drought years could have devastating effects on this species

 Habitat fragmentation is a particular concern in Mongolia as result of the increasingly dense network of infrastructure

Qno13. Location of safari park?

Safari park in Lahore Pakistan.

Qno14. Primary objective of national parks?

Primary objective

To protect natural biodiversity along with its underlying ecological structure.

Other objectives

• To manage the area in order to perpetuate, in as natural a state as possible.

• To maintain viable and ecologically functional populations.

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

• To contribute to local economies through tourism.

To manage visitor use for inspirational, educational recreational purposes

Qno15. Three rules for zoo?

Zoo Rules

Zoo is a facility in which animals are

• Housed within enclosures

• Displayed to the public

• They may also breed

• "Today, the zoo is on the list of inevitable field trips and vacation destinations."

Qno16. Threats to snow leopard?

Major threats to snow leopards

 Poaching

Snow leopards have long been killed for their Beautiful fur, Bones, Body parts, Traditional Asian Medicine.

 Conflict with communities

Retaliation for attacking herders' livestock. Decline in the leopard's natural prey is forcing them to rely more on livestock for food and increasing the risk of retaliatory killings. Due to hunting, competition from increasing livestock herds and habitat loss.

 Shrinking home: Snow leopards need vast areas to thrive. Expanding human and livestock populations are rapidly encroaching on their habitat. New roads and mines are also fragmenting their remaining range.

 Changing climate

All the threats will be exacerbated by the impact of climate change on the fragile mountain environment. Hence, putting the future of snow leopards at even greater risk.

 Lack of effective law enforcement.

Qno17. Feeding habits of common peafowl?

Feeding habit

Omnivorous:

 Grain and green crops to insects

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

 Small reptiles

 Mammals

 Berries

 Termite

 Grasshopper

 Ants and beetles.

 Roots in high fairly open trees in large number.

Qno18. What are conservation strategies for kingfisher ?

Conservation Actions Underway

 Bern Convention Appendix II.

 EU Birds Directive Annex I.

 There are no known current conservation measures for this species within its European range.

Conservation Actions proposed

 Preservation of rivers and streams must be mediated through industry, agriculture and water authorities

 Research to investigate the importance of individual threats and mitigation measures against all the factors.

Qno19. Note on barking deer?

 Muntjacs

 Muntia cusmuntja

 Cervusmoschatus

 Cervusmuntjak

 IUCN Red list Threat Status: Least concern

It gives calls similar to barking, usually upon sensing a predator. Hence the common name for all muntjacs of "barking deer

 Description:

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

It is a little dainty creature and weighs about 22-25 kg. Coloration varies from deep brown to yellowish with creamy or whitish markings. Only males have antlers. The upper canines of the male are elongated into tusks, which curve strongly outward from the lips. Females also develop small tusks in the upper jaw. Capable of inflicting sever injuries with these tusks, when defending themselves or their fawns. Two bony ridges are present in the front part of the

skull.

Qno20. Maintenance of Zoo?

 No zoo shall acquire any animal in violation of Wildlife Act.

 No zoo shall exhibit any animal that is seriously sick or injured.

 No zoo shall use any animal, other than the elephant in plains and yak in hilly areas for riding

purposes.

 Each zoo shall be closed to visitors at least once a week.

 Each zoo shall have a wall at least two meters high from the ground level.

Qno21. Name national Park?

o Ayub National Park

o Chinji National Park

o Hingol National Park

Qno22. Rules of Administrator of large zoo?

Large zoo

At least one full time curator having the sole responsibility of looking after the upkeep of animals and maintenance of the

animal enclosures. At least two full-time veterinarians.

Qno24. Note on rabies?

Rabies (Hydrophobia) : Bite Wound Disease

Host: Any mammal, usually carnivores; highest incidence is in skunks, foxes, bats, and raccoons.

Transmission: Bite wounds, infected saliva in cuts or skin abrasions, aerosol in bat caves.

Qno24. Characteristics of the male tragopan?

Medium sized pheasant. Sexes are highly dimorph. Male grey upper parts and reddish facial skin. Numerous white

VU Medical Zone effort by Amaan Khan

spots. Each spot bordered with black and deep crimson patches on the sides and back of the neck. The throat is bare with blue skin while the bare facial skin is red. They have a small black occipital crest.

- Weighs 1.8–2.2 kg (4.0–4.9 lb)
- Length from 55–60 cm (22–24 in)

5 Marks

Qno1. Indian Pangolin?

English Name: Scaly Ant eater

Scientific Name: Maniscrassicaudata

National status: Vulnerable

IUCN Red list Threat Status: Endangered

Pangolins are considered to be the most traded wild animal in the world

Description

The Indian Pangolin has Relatively tiny head, Hump-backed body. Thick tapering tail almost equal in length to its body. They are completely covered with scales. Made of keratin which is getting harden as the creatures get older. The scales bear fine longitudinal striation on their surface. There is hardly any external ear. The muzzle tapers to a narrow, down-curving snout. The hind legs are stout and rather columnar with five blunt pinkish white toe nails.

Habitat and Ecology

It occurs in various types of tropical forests as well as open land, grasslands. Degraded habitat, including in close proximity to villages. The species is thought to adapt well to modified habitats. Provided its ant and termite prey remains abundant. The animal is Solitary, Nocturnal, and Burrow-dwelling. During mating season, adult males and females share the same burrow. Females usually give birth to one young. Gestation period of 165 days. Longevity in the wild is unknown. In captivity it has been recorded up to 13 years 2 months. This species is arboreal in some habitats, and is a good climber, using its prehensile tail and claws to climb trees

Distribution

Native:

India, Nepal, Pakistan

Mangla, Potohar and Salt Range across Indus south to near Karachi and northward in the mountainous areas

VU Medical Zone effort by Amaan Khan

Up to Kallat

 Sri Lanka

 Possibly extinct:

 Bangladesh

Threats

Primarily threatened by Hunting, Poaching (for meat and scales), and Illegal international trade. Up to 100,000 pangolins are estimated to be hunted and sold every year its meat is consumed as a source of protein locally. The meat is considered a delicacy in China, Vietnam and other parts of south-east Asia. Scales are used in whole or powdered. form in the preparation of traditional medicines. An increase in the Agrarian economy Improved irrigation. The use of pesticides comprises additional threats to this species. Occasionally killed out of fear for having an odd shape

Qno2. Species conserved by SGP?

Small Grants Program (SGP)

• "Small support for long term impact".

SGP of WWF-Pakistan has been supporting grass root level organizations and researchers to strengthen efforts to

conserve threatened and endangered species and ecosystem. Under the program more than 450 projects have been successfully completed.

SGP has supported innovative conservation initiatives for priority species and ecosystem.

• Marine turtles

• Snow leopard

• Indus River dolphin

• Sharks

• Mangroves forests

• Indus river delta

• Coniferous forests.

Collaborative research programs should be initiated with neighboring countries with common ecosystem.

Qno3. Chashma and taunsa barrage river dolphin?

Chashma and Taunsa Barrage Dolphin Sanctuary was declared open to the public in 1972

Location:

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

• Mianwali District, Punjab-Pakistan

Features:

For a wide variety of waterfowls including threatened species, an important site for

 Breeding

 Staging

 Wintering

 Mid-winter waterfowl counts in recent years have regularly exceeded 20,000 birds

 Anatidae (ducks, geese, swans)

 The endangered Indus Dolphin occurs in the river both upstream and downstream of the barrage

Issues for consideration:

 Taunsa Barrage Wildlife Sanctuary is currently confronted with multiple issues

 Limited cultivation is practiced inside the sanctuary area

 Clearing off the natural vegetation

 Alteration of the natural ecosystem

 Degrading wildlife habitat

 Invasion of alien species

Created By Maria Page 14

 Hence, adverse environmental impacts.

Management Plan:

WWF-Pakistan has developed a sustainable management plan. Indus river dolphin conservation project.

Qno4. Urial and its sub species?

Urial& Sub Species

Prominent species in Pakistan

 Ovisammon (Marco polo sheep)

 Ovisorientalis (Urial)

Ovisorientalis

Urial is a wild sheep with long legs and relatively small horns, native to central Asia. Urial is represented by three

VU Medical Zone effort by Amaan Khan

sub species in Pakistan.

Ovisorientalis vignei Ladakh Urialor Shapu

Fur tends to be more grayish in winter and less red. The chest ruff is comparatively short with black hairs

predominating. The horns turn markedly inwards at their tips

Distribution:

Found in Chitral& Northern areas. On mountains upto 3000 meters elevation

Status: Endangered

Ovisorientalis blandfordi

Afghan or Baluchistan Urial. Luxuriantly developed neck ruff. The body fur is reddish. The rams have horns which often develop more than a complete arc. Tips of horn bending slightly outwards

Distribution:

Found in Sindh, Baluchistan and Southern hilly regions of KPK.

Status: Endangered

Ovisorientalis punjabiensis

Locally called as Punjabi Dumba. Tend to be smaller and stokier in build compared with the Afghan sub-species.

Mature rams develop a conspicuous saddle mark in the form of a vertical band of mixed black and white hairs. Horns are more massive at their base than the Afghan population. Horns never curve round in more than a complete arc.

Distribution:

Occurs in between the Indus and Jhelum rivers at elevations of 250 -1,500 m

- Salt range
- Kala Chitta
- Jhelum hills.

Status: Endangered

Threat:

The status of Punjab urial is susceptible to physical and emotional injury.

Reasons for Decline in numbers

- Poaching

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

 The capture of newborn lambs that are kept as pets

 Fragmentation of home ranges

 Competition with domestic livestock

Habitat disturbance and destruction associated with increasing agriculture, forestry and mining. The construction of

the M-2 Motorway between Islamabad and Lahore created a substantial barrier to seasonal migrations and to

dispersal.

Qno5. Wetland types?

Types of Wetlands: Five major wetland types are generally recognized.

i. Marine

ii. Estuarine

iii. Lacustrine

iv. Riverine

v. Palustrine

Marine: Coastal wetlands including coastal lagoons, rocky shores, and coral reefs.

Estuarine: Including deltas, tidal marshes, and mangrove swamps.

Lacustrine: Wetlands associated with lakes.

Riverine: Wetlands along rivers and streams.

Palustrine: Wetlands that lacks flowing water, “marshy”; marshes, swamps and bogs

Qno6. Note on malenocephalustragopan?

Facts:

Tragos= goat

Pan=Greek god

Tragopans are commonly called "horned pheasants" Having two brightly colored, fleshy horns on their heads. They can erect during courtship displays. There are five recognized species of tragopans.

 Western tragopan (Tragopanmelanocephalus)

 Satyr tragopan (Tragopansatyra)

 Temminck's (tragopan Tragopantemminckii)

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

 Blyth's tragopan (Tragopanblythii)

 Cabot's tragopan (Tragopancaboti)

1. Tragopanmelanocephalus

Syn: Western Tragopan, Black-headed Tragopan, Western Horned-pheasant

Description:

Medium sized pheasant. Sexes are highly dimorph. Male grey upper parts and reddish facial skin. Numerous white spots. Each spot bordered with black and deep crimson patches on the sides and back of the neck. The throat is bare with blue skin while the bare facial skin is red. They have a small black occipital crest.

 Weighs 1.8–2.2 kg (4.0–4.9 lb)

 Length from 55–60 cm (22–24 in)

Females have pale brownish-grey upper parts finely vermiculated. Spotted with black, and most of the feathers have black patches and central white streaks.

 Weigh 1.25–1.4 kg (2.8–3.1 lb).

 Length 48–50 cm (19–20 in).

 Monogamous

Feeding Habit

The diet primarily consists of leaves of trees and shrubs. Also includes roots, flowers, acorns, seeds, berries, grubs and insects. Tragopans are shy and wary birds quick to hide amongst the dense vegetation they inhabit if disturbed.

Distribution

Native: India, Pakistan

Found in western Himalayas, between 8000-12000 from hazara eastward to Garhwali- ladakh

IUCN Status: Vulnerable

Distribution in Pakistan

 Largely restricted to area between Jhelum and Kunhar rivers of Hazara district

 Forest of Kaghan valley, in Machiara National park (A.K)

 Pales valley in Cholistan district

Threats

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

Hunting and trapping for

 Its meat (especially in winter)

 Its decorative plumage

Conservation

CITES Appendix I

Qno7. Aesthetic Important of Wildlife?

It is the pleasure to enjoy the beauty of wildlife

• People enjoy seeing plants and animals in their natural habitats for recreation.

• They are a source of joy, wonder, and pleasure for many people.

• Wildlife tourism (ecotourism).

• Bird watching is now a growing part of wildlife tourism.

• Animals photographed for recreational purposes also have aesthetic value.

• Exotic game ranches

• Viewing non-native species in a “near-native” habitat.

• Visiting Safari parks/zoo as recreational activity

• Visiting hilly areas for recreational purpose

Qno8. Note on ramsars of Sindh

Sindh

• Keenjhar (Kalri) Lake

• Haleji Lake

• Drigh Lake

• Indus Dolphin reserve

• Jubho lagoon

• Nurri Lagoon

10 Marks

Qno1. Leopard Cat description?

Scientific Name: Prionailurus bengalensis

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

IUCN Red list Threat Status: Least concern

Description

The leopard cat looks like a miniature, long-legged and more slender version of a leopard. Body markings are like leopard; head with stripes.

Its fur varies highly in colour and markings according to the region. Generally spotted body fur coat

 In the tropics Fur is yellowish-brown with white under parts

 In the northern part of the species' range Grayish brown thick fur and are also larger and heavier than the ones in the south.

The size and shape of the black markings covering the body and limbs are also highly variable. The spots sometimes form lines along the neck and back. The irises are deep, golden brown to grey. Males are larger than females

 Body length 54-60 cm

 Weight 3-4 kg.

 Longevity: up to 13 years

 Litter size: 2-3 cubs

Habitat and Ecology

Leopard Cats can occur in a wide variety of habitats. Tropical rainforest, Temperate coniferous forest, Shrub forest and succession grasslands. The northern boundary of its range is limited by snow cover. Leopard Cat does not occur in deep snow. It is not found in the cold steppe grasslands, and generally does not occur in arid, treeless areas. The Leopard Cat is predominantly nocturnal and crepuscular. Some diurnal activity has been recorded.

Distribution

The leopard cat occurs throughout most of India, West into Pakistan and Afghanistan. Its range extends into the Himalayan foothills across most of China. North to the Korean peninsula and into the Russian Far East. It is found in most of Southeast Asia: Thailand, Vietnam and China. On the islands of Sumatra, Java, Borneo and Taiwan. On small islands off South Korea. The leopard cat is the only wild cat species which is native to Japan and the Philippines.

Threats

Leopard cat skins are commercially traded internationally for the fur trade, primarily coats. Skins are also used as

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan

decorations in some parts of its range. They are occasionally kept as pets. Sometimes taken from the wild. Sometimes from captive breeding. They have been interbred with domestic cats, particularly in the West, to make the popular Bengal breed. Their bones are used in some traditional Asian medicines

Conservation

Leopard Cat populations in Bangladesh, India and Thailand are listed on CITES Appendix I. All other populations are listed on Appendix II

VU Medical Zone effort by Amaan Khan

Created By Amaan Khan