Question # 10 of 10 (Start time: 07:21:44 PM, 08 June 2023)

In most marine invertebrates, the acrosomal reaction has ____ components?

Select the correct option

- 3
- 1
- 4
- 2

BY K.K 03100602

ZOO501 - Developmental Biology (Quiz No. 1)

Question # 9 of 10 (Start time: 07:20:43 PM, 06 June 2025)

The second part of the acrosomal reaction involves the extension of the acros

Select the correct option

- True
- False

BY K.K 03100602378


here to search

Question # 8 of 10 (Start time: 07:18:54 PM, 08 June 2023)

By undergoing the acrosomal reaction directly on the zona, the sperm is able to concentrate its proteolytic enzymes to lyse a hole in this envelope. Indeed zona pellucida are unable to penetrate it?

Select the correct option

- (●) True
- ( ) False




Question # 7 of 10 (Start time: 07:18:23 PM, 08 June 2023)

Using immunological techniques, _____ demonstrated that bindin is located specifically on the acrosomal process exactly where it should be for sperm-egg re

Select the correct option

- ○ Moy and coworker
- ○ Vacquier and co-workers
- ◉ Moy and Vacquier
- ○ None



Question # 6 of 10 (Start time: 07:18:38 PM, 08 June 2023)

The instructions for proteins made during early development are already packaged in the oocyte. It is estimated that the eggs of sea urchins contain about 50,000 to 10,0

Select the correct option

- mRNA
- None
- rRNA
- tRNA

Type here to search

Question # 5 of 10 (Start time: 07:18:05 PM, 08 June 2023)

In 1978, Miller demonstrated that the eggs of the _____ Orthopyxis caliculata not only secrete a chemotactic factor but also regu

Select the correct option

- ○ Arthropods
- ○ Profera
- ◉ Cnidarian
- ○ Molluscs

Question # 4 of 10 (Start time: 07:17:13 PM, 08 June 2023)

The set of physiological changes that allow the sperm to be competent to fertilize the egg is called capacitation. The requirem

Select the correct option

- False
- True

Question # 3 of 10 (Start time: 07:16:32 PM, 08 June 2023)

Miller found that when sperm were added to oocytes that had not yet completed their _____ meiotic division, there was no

Select the correct option

○	1
○	4
○	3
●	2

The shell is the egg's outer covering, accounting for about 9 to 12% of its tota weight depending on egg size. The shell is the egg's first line o approximately _____ tiny pores and is made almost entirely of calcium carbonate?

Select the correct option

- 170
- 17000
- 17
- 1700


Type here to search

Question # 1 of 10 (Start time: 07:15:22 PM, 08 June 2023)

The zona pellucida plays ____ major roles during fertilization?

Select the correct option

- ○ 3
- ○ 1
- ◉ 2
- ○ 4



For Paid Service Contact
0310-0602378