

***Cs-504 Important Mcq's
For Final Term !!
Solve By Vu-Topper RM!!***

وَتَعَزُّ مِنْ تَشَاءٍ وَتُذَلُّ مِنْ تَشَاءٍ



PROFESSIONAL ONLINE ACADEMY



**NOTHING IS
IMPOSSIBLE**

All Paid Services

- ❖ LMS Handling
- ❖ Important Notes
- ❖ Online Classes
- ❖ Projects
- ❖ Assignments
- ❖ Quiz
- ❖ GDB's

JOIN US NOW

For More Info
Contact us at:

Rizwan Manzoor

☎ **0322-4021365**

Question No:1

(Marks:1)

Vu-Topper RM

Comma is very dangerous because
Compiler does not recognize it
It creates linkage problem
Side effects

All of the above

Question No:2

(Marks:1)

Vu-Topper RM

A self-documenting code is that explains itself without need of
comments & extraneous documentation, like
Flow charts
UML diagram
PFS diagram

All

Question No:3

(Marks:1)

Vu-Topper RM

— & ——— r important short circuiting logical operators
AND,
OR,

Both

None

Question No:4

(Marks:1)

Vu-Topper RM

The number-----is the most abused symbol in programs written in C
or C++.

0

1

2

Question No:5

(Marks:1)

Vu-Topper RM

Variables should be initialized where they are ———and they should be
declared in the ———scope possible.

Select correct option:

defined and smallest

declared and medium

Declared and smallest

Question No:6

(Marks:1)

Vu-Topper RM

-----was the first pure Object-Oriented language in which observer pattern was used in implementing its Model View Controller pattern

Smalltalk

PASCAL

JAVA

C++

Question No:7

(Marks:1)

Vu-Topper RM

Names representing methods and functions should be---and written in mixed case starting with ---case.

Noun---lower

Verb and lower

Noun ---upper

Noun---upper

Question No:8

(Marks:1)

Vu-Topper RM

The size of -----plays a significant role in making the program easy or difficult to understand.

Function

object

data type

none of the above

Question No:9

(Marks:1)

Vu-Topper RM

In case of using unrelated operators in a single expression, _____ would be the best choice to prevent the logical errors.

Select correct option:

Comments

Indents

parenthesis

Short Cuts

Question No:10 (Marks:1)

Vu-Topper RM

Goto statements violate the idea of

Select correct option:

object-oriented code

Structured code

control structure

repetition structure

Question No:11 (Marks:1)

Vu-Topper RM

Code should not be:

Select correct option:

Commented

indented

cryptic

aligned

Question No:12 (Marks:1)

Vu-Topper RM

Complex expressions:

Make the code easy to modify

Make the code difficult to modify

Make the code easy to understand

Does not affect understandability

Question No:13 (Marks:1)

Vu-Topper RM

A self-documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____

Flowcharts

UML diagrams

Process-flow state diagrams

All of above

Question No:14 (Marks:1)

Vu-Topper RM

Global variables in C++ should always be referred to by using the

:: operator

: operator

Without an operator

None of the given

Question No:15

(Marks:1)

Vu-Topper RM

The expressions with logical operators can be evaluated only from-----

Select correct option:

Right to left

Left to right

Top to bottom

Bottom to top

Question No:16

(Marks:1)

Vu-Topper RM

Which indent size eliminates the chance of code lines splitting?

2

4

3

6

Question No:17

(Marks:1)

Vu-Topper RM

Using proper parenthesis normally makes the code

Select correct option:

easy to read

easy to understand

less ambiguous

All of the given options

Question No:18

(Marks:1)

Vu-Topper RM

In case of header files, construction is to avoid —— errors. The construction should appear in the top of the file (before the file header).

Compilation

run time

logical

All of the given

Question No:19

(Marks:1)

Vu-Topper RM

Which of the following is used for multi-level commenting?

// comment

/* Comment */

(Comment)

/ Comment/

Question No:20

(Marks:1)

Vu-Topper RM

Constant values used in the program are called_____.

Select correct option:

Real Numbers

Magic numbers

Constant Numbers

Positive Numbers

Question No:21

(Marks:1)

Vu-Topper RM

Charles Simonyi first discussed Hungarian Notation. He was of ____.

Microsoft

IBM

Dell

Cisco

Question No:22

(Marks:1)

Vu-Topper RM

In order to make a code more portable, instead of using vendor specific language extensions, use _____ as much as possible

STL

ANSI

ISO

CMMI

Question No:23

(Marks:1)

Vu-Topper RM

Some bit field members are stored: I) left to right II) right to left III) in circular array

only (I) is true

Only (II) is true

Both (I) and (II) are true

All of the options (I, II and III) are true

Question No:24

(Marks:1)

Vu-Topper RM

if (!(block < activeBlock)) is equivalent to:

if ((block < activeBlock))

if ((block == activeBlock))

if ((block >= activeBlock))

None of the given

Question No:25

(Marks:1)

Vu-Topper RM

Identifier names also play a significant role in enhancing the ----- of a program.

Writ ability

Readability

Reliability

All of given

Question No:26

(Marks:1)

Vu-Topper RM

"is" prefix should be used for----- variables and methods.

General

Boolean

Constant

None of given

Question No:27

(Marks:1)

Vu-Topper RM

It ensures that a class only has one instance and provides a global point of access to it.

Singleton Pattern

Observer Pattern

Real Pattern

None of the given

Question No:28

(Marks:1)

Vu-Topper RM

When a small set of functions (which use each other) is so overwhelmingly the bottleneck, there are two alternatives:

Use a better algorithm OR re-write the code

debug the code OR place assertions in code

remove the functions OR add more functions

changed programming language OR compiler at least

Question No:29

(Marks:1)

Vu-Topper RM

One of the main reasons to make functions is _____

Reliability

Reusability

Maintainability

Efficiency

Question No:30

(Marks:1)

Vu-Topper RM

Bit fields are a convenient way to express many difficult operations.

However, bit fields suffer from one problem

Lack of usability

Lack of security

Lack of performance

Lack of portability

Question No:31

(Marks:1)

Vu-Topper RM

which one is correct?

Double total=0.5;

Double total=.5;

Double total=.50;

All of the given

Question No:32

(Marks:1)

Vu-Topper RM

if (!(block < active Block)) is equivalent to:

if ((block >= active Block))

Question No:33

(Marks:1)

Vu-Topper RM

The form for (;) should be used for

Empty loop

Question No:34

(Marks:1)

Vu-Topper RM

The three basic principles that guide maintainability are: (a)clarity

(b)enhancement (c)flexibility (d)simplicity

abc

acd

cba

abd

Question No:35

(Marks:1)

Vu-Topper RM

Vertical partitioning is also known as.....

Balancing

Mutating

Parallelizing

Factoring

Question No:36

(Marks:1)

Vu-Topper RM

if a major rework is required to translate a program written for one environment to another, it means code is not or less _____

Secure

Bug Free

platform dependent

Portable

Question No:37

(Marks:1)

Vu-Topper RM

The C/C++ language has not specified whether _____ is arithmetic or logical.

Right shift >>

Right shift

&&

II

Question No:38

(Marks:1)

Vu-Topper RM

Identify the TRUE statement:

Portability effects security

Size of data types vary from one machine to other

Size of control structures vary from one machine to other

None of the given

Question No:39

(Marks:1)

Vu-Topper RM

In the classical thin-client architecture, the entire processing is carried-out by -----

Single server

multiple servers

multiple servers

None of the given

Question No:40

(Marks:1)

Vu-Topper RM

The C/C++ language does not define the alignment of items within

Structures

classes

unions

All of the given options

Question No:41

(Marks:1)

Vu-Topper RM

In the architecture trade-off analysis method the architectural style should be described using the

data flow view

module view

process view

Question No:42

(Marks:1)

Vu-Topper RM

In Client server model, the application is modeled as a set ofthat are provided by servers.

Requests

Protocols

Services

Requirements

Question No:43

(Marks:1)

Vu-Topper RM

Thin Client Model is one of the configurations ofModel.

Data-centered

Client Server

Layered

Reference

Question No:44

(Marks:1)

Vu-Topper RM

There arelayers in OSI reference model.

5

6

7

8

Question No:45

(Marks:1)

Vu-Topper RM

Which of the following is not a possible server in client server environment?

Database Server

Transaction Server

File Server

Time Server

Question No:46

(Marks:1)

Vu-Topper RM

The clients and servers, in a client server environment, are connected through _____.

Framework

Interface

Middleware

Groupware

Question No:47

(Marks:1)

Vu-Topper RM

Process view in Kuchen's 4+1 architectural view model captures ____.

Object model of the design

Concurrency and synchronization aspects of the design

Mapping(s) of the software onto the hardware and reflects its distributed aspect

Static organization of the software in its development environment

Question No:48

(Marks:1)

Vu-Topper RM

The key objective(s) of OOD process should achieve the following:

The class as far as possible should be Independent , but could be dependent on only a few classes.

Interaction between two classes should be explicit.

Class hierarchy should be built on specialization of higher class.

All of the given options

Question No:49

(Marks:1)

Vu-Topper RM

Maintainability and Portability issues are discussed in _____.

Functional View

Physical View

Code View

Logical View

Question No:50

(Marks:1)

Vu-Topper RM

Str = 0;// str is string Which rewritten from of above line of code is more in line with the self-documentation philosophy than the code above.

Str = false;

Str = NULL;

Str = '\0;

Str = 0.0;

Question No:51

(Marks:1)

Vu-Topper RM

Struct packed_struct {unsigned int f1:1;} pack; Here in “packed_struct”:

Value of f1 =1

Size of f1 = 1 bit

Value of f1 should not exceede 1

None of given options

Question No:52

(Marks:1)

Vu-Topper RM

In the switch statement, cases should always end with a -----statement.

Switch

Go

Break

Stop

Question No:53

(Marks:1)

Vu-Topper RM

If(!(block < activeBlock)) is equivalent to:

If ((block < activeBlock))

If ((block == activeBlock))

If ((block >= activeBlock))

None of the given

Question No:54

(Marks:1)

Vu-Topper RM

Bit fields allow the packing of data in a structure. Using Bit fields, we can:

Read 9-bit integers Page182

Avoid memory leakages

Avoid syntax errors

Question No:55

(Marks:1)

Vu-Topper RM

The order in which bytes of one word are stored is _____ dependent

Hardware

Software

Language

Syntax

Question No:56

(Marks:1)

Vu-Topper RM

In order to write a portable code which of the following guideline will be helpful:

Stick to the standards

Program in the mainstream

Size of data types

All of give options

Question No:57

(Marks:1)

Vu-Topper RM

`x = 0; // x is floating pt.` Which rewritten form of above line of code is more in line with the self-documentation philosophy than the code above.

`x = false`

`x = NULL`

`x = 0.0;`

`x = '\0'`

Question No:58

(Marks:1)

Vu-Topper RM

The use of comments should be minimized by making the code self-documenting by appropriate name choices and an explicit logical structure.

True

False

Question No:59

(Marks:1)

Vu-Topper RM

`x = (a + 2 > 3)? a : a-1 ; 2) if((a + 2)> 3) x = a; else x = a - 1;`

Statement (2) is more complex than (1)

Statement (2) is more complex than (1)

Both statements are very complex

None of the given options

Question No:60

(Marks:1)

Vu-Topper RM

80/20 rule states that:

you spend 80 percent of your time in 20 percent of the code

you spend 20 percent of your time in 80 percent of the code

We should try to optimized 80 percent or at least 20 percent of the code

None of the given options.

Question No:61

(Marks:1)

Vu-Topper RM

Be very careful when you use functions with side effects – functions that change the values of the _____

Objects

Classes

Structures

Variables

Question No:62

(Marks:1)

Vu-Topper RM

Comma (,) is very dangerous because

Compiler does not recognize this symbol

It creates linkage problem

It causes side effects

All of the given options

Question No:63

(Marks:1)

Vu-Topper RM

_____ cause major portability issues

Loops

Bugs in code

Sizes of data types

Conditional Structures

Question No:64

(Marks:1)

Vu-Topper RM

A test case involves:

Input/output specification plus a statement of the function under test

Steps to perform the function

Expected results that the software application produces

All of the given options

Question No:65

(Marks:1)

Vu-Topper RM

If an application fulfills its specifications but deviates from users expectations or their desired behavior. This means, software is verified but not -----

Select correct option:

Validated

Corrected

Checked

Traced

Question No:66

(Marks:1)

Vu-Topper RM

The raising of the imaginary error flag is simply called raising or _____ an error

Catching

Casting

Throwing

None of given options

Question No:67

(Marks:1)

Vu-Topper RM

struct packed_struct { unsigned int f1:1; } pack; Here in "packed_struct":

value of f1 = 1

size of f1 = 1 bit

value of f1 should not exceed 1

None of given options

Question No:68

(Marks:1)

Vu-Topper RM

The idea behind exception handling is to raise some error flag every time _____

The code compiles

The code links

Memory is allocated

Something goes wrong

Question No:69

(Marks:1)

Vu-Topper RM

A _____ is a variance from a desired product attribute.

Exception

Error

Mistake

Defect

Question No:70

(Marks:1)

Vu-Topper RM

Consider the following statement: int a,b=10; Which of the following is correct:

Select correct option:

variable "a" is initialized to 10

Variable "b" is initialized to 10

Both variables "a" and "b" are initialized to 10

Question No:71

(Marks:1)

Vu-Topper RM

Exception handling is a powerful technique that separates error-handling code from _____ code.

Normal

Faulty

Buggy

Complex

Question No:72

(Marks:1)

Vu-Topper RM

The complexity of a program may _____ if there are exceptional paths in it

Decrease

Increase

Remain same

All of given options

Question No:73

(Marks:1)

Vu-Topper RM

When an error is thrown the overall system (on the lookout for this error flag) responds by _____ the error.

Ignoring

Casting

Catching

All of the given options

Question No:74 (Marks:1)

Vu-Topper RM

Comments are not syntax checked

TRUE

FALSE

Question No:75 (Marks:1)

Vu-Topper RM

Modularity is a tool that can help us in increasing the size of individual functions, making them less readable.

True

False

Question No:76 (Marks:1)

Vu-Topper RM

Client Server model tries to data and processing.

Distribute

Merge

Clone

Proceed

Question No:77 (Marks:1)

Vu-Topper RM

Anti- Patterns is another concept that corresponds to common in analysis and design.

Mistake

Issues

Problems

All of the given

Question No:78 (Marks:1)

Vu-Topper RM

Three tier architecture contains layers.

Presentation

Application

Database

All of the above

Question No:79 (Marks:1)

Vu-Topper RM

Fat client model is one of the configurations of model.

Data-Centered

Layered

Client Server

Question No:80

(Marks:1)

Vu-Topper RM

Description of communicating objects and classes that are customized to solved a general problem in a particular context is called.

Design Pattern

System Patter

System Design

None of the Given

Question No:81

(Marks:1)

Vu-Topper RM

In the N-tier Architecture, the idea is to enhance scalability and by distributing both data and the application using multiple server machines.

Usability

Performance

Interpretability

None of the given

Question No:82

(Marks:1)

Vu-Topper RM

Dynamic process model shows the process of the system.

Components

Objects

Structure

Linkage

Question No:83

(Marks:1)

Vu-Topper RM

STL Stands for _____ .

Standard Template Library

Standard Type Link

Standard Tempo Line

None of the given

Question No:84

(Marks:1)

Vu-Topper RM

Patterns are devices that allow programs to share knowledge about their-----

Code

Design

Analysis

None of the given

Question No:85

(Marks:1)

Vu-Topper RM

N-tier architecture stems from the struggle to find a ———— between the fat-client architecture and the thin-client architecture.

Concurrency

Distribution point

Middle ground

Similarity

Question No:86

(Marks:1)

Vu-Topper RM

Vertical partitioning divides the architecture application from a making perspective.

Decision

Design

Conclusion

Move

Question No:87

(Marks:1)

Vu-Topper RM

Distributing the responsibilities to different subsystems so that we get a software system which is easy to maintain, is calledthe architecture.

Subtracting

Partitioning

Cloning

Balancing

Question No:88

(Marks:1)

Vu-Topper RM

The nominal case should be put in the if-part and the exception in the else-part of an if statement.

TURE

FALSE

Question No:89

(Marks:1)

Vu-Topper RM

The terms get/set must be used where an attribute is accessed.

Indirectly

Directly

Question No:90

(Marks:1)

Vu-Topper RM

A self-documented program/code contains the following attribute(s):

Size of each function

Choice of variable

Choice of variable

All of the given choices

Question No:91

(Marks:1)

Vu-Topper RM

which of the following statements are same in output: 1) $a = a >> 2$ 2) a

$= a / 4$ 3) $a = a * 2$.

(1) and (3) only

(2) and (3) only

(1) and (2) only

All produce the same result

Question No:92

(Marks:1)

Vu-Topper RM

_____ was the first pure Object Oriented language in which

observer pattern was used in implementing its Model.

View Controller pattern

Smalltalk

PASCAL

JAVA

C++

Question No:93

(Marks:1)

Vu-Topper RM

Which of the following shows a commented statement in C++.

Ans = first + second

// Ans = first + second

\\ Ans = first + second

/# Ans = first + second

Question No:94

(Marks:1)

Vu-Topper RM

The form for (;;) should be used for.

nested loop

empty loop

more than 1000 iterations

Question No:95

(Marks:1)

Vu-Topper RM

A function should not be larger in any case and should not exceed _____ in length .

Half page

One page

Two pages

Three Pages

Question No:96

(Marks:1)

Vu-Topper RM

—provides a unified interface to a set of interfaces in a sub-system.

Observer Pattern

Singleton Pattern

Façade Pattern

All of the above

Question No:97

(Marks:1)

Vu-Topper RM

Comments should NOT be indented relative to their position in the code.

TRUE

FALSE

Question No:98

(Marks:1)

Vu-Topper RM

In Client Server model, there application is modeled as a set so — that are provided by server.

Application

Protocol

Services

All of the above

Question No:99

(Marks:1)

Vu-Topper RM

Façade Pattern provides a unified interface to a set of interfaces in a sub-system.

True

False

Question No:100

(Marks:1)

Vu-Topper RM

Which of the is/are among ten things which the basis template of GOF design pattern includes.

Problem

Context

Forces

All of the above

Question No:101

(Marks:1)

Vu-Topper RM

Thin Client Model places a heavy processing load on.....

Only Server

Only Network

Both Server and Network

Neither server nor network

Question No:102

(Marks:1)

Vu-Topper RM

Zero install architecture does not need any installation on ____.

Server side

Client side

Client & Server Side (Not Sure)

None of the above

Question No:103

(Marks:1)

Vu-Topper RM

Data-Centered Architectural Style is also called

Repository model

Client Server model

Sub system model

Reference model

Question No:104

(Marks:1)

Vu-Topper RM

A tricky sequence of fall through code using switch statement with no Break statements used, causes more trouble than being helpful.

True

False

Question No:105

(Marks:1)

Vu-Topper RM

Which of the following is not part of software architecture?

Database

Data design

Program structure

Algorithm details

Question No:106

(Marks:1)

Vu-Topper RM

Defining the services of an object means

what it does?

what it knows?

who knows it?

whom it knows?

Question No:107

(Marks:1)

Vu-Topper RM

The focus of sequence diagrams is:

on static model of system

on object constraints

on object(and classes) and message exchanged among them.

Question No:108

(Marks:1)

Vu-Topper RM

The criteria used to assess the quality of an architectural design should be based on system.

accessibility and reliability

data and control

functionality

implementation details

Question No:109

(Marks:1)

Vu-Topper RM

An architectural style encompasses which of the following elements?

constraints

set of components

semantic models

All of the given

Question No:110

(Marks:1)

Vu-Topper RM

In sequence diagram, the solid lines depict:

Objects (or classes) 1

Messages being sent from one object to the other

Life-time of an object

None of the given option

Question No:111

(Marks:1)

Vu-Topper RM

A necessary supplement to transform or transaction mapping needed to create a complete architectural design is

entity relationship diagrams

the data dictionary

processing narratives for each module

test cases for each module

Question No:112

(Marks:1)

Vu-Topper RM

C++ header files should have the extension---- Source files can have the extension ----.c and .h

.cc and .h

.h and .cpp

All of the given

Question No:113

(Marks:1)

Vu-Topper RM

Which one of these is a correct short cut used by the programmer?

x*=a

x=*a

x*a=

=a*x

Question No:114

(Marks:1)

Vu-Topper RM

MVC stands for -----.

Model View Controller

Modern View Center

Model View Center

Modern View Controller

Question No:115

(Marks:1)

Vu-Topper RM

Data Centered Architectural Style is also called____

Repository model

Client Server model

Sub System model

Reference model

Question No:116

(Marks:1)

Vu-Topper RM

Which of the following is not a possible server in client server environment?

Database Server

Transaction Server

File Server

Time Server

Question No:117

(Marks:1)

Vu-Topper RM

In case of a file server, client request selected records from a__and the server transmits recorded to client over the network

Local memory

Network

Database

File

Question No:118

(Marks:1)

Vu-Topper RM

When an error is thrown the overall system (on the lookout for this error flag) responds by ____the error

Catching

t

Question No:119

(Marks:1)

Vu-Topper RM

The process that involves verification of product with respect to its written requirements is called _____ .

Testing

Question No:120

(Marks:1)

Vu-Topper RM

In order to write a p or table code which of the following guideline will not be helpful:

Using vendor specific language extensions

Question No:121

(Marks:1)

Vu-Topper RM

Testing individual components independent of other components is called:

Unit testing

Question No:122

(Marks:1)

Vu-Topper RM

Unit Testing will be done by

Developers

Question No:123

(Marks:1)

Vu-Topper RM

Exception handling provides

Error Handling mechanism

Free Of Cost All Study Helping Material Is Available.!

>>> Provide By Vu-Toper Team <<<

Contact On What's app #03224021365