VU Quiz Collection

Total Questions: 10 from 10 Quiz(es)

Courses: STA301

Generated: 1/8/2026, 6:02:28 PM

Powered by Firewall Bypass VU Extension
Waseem Akram | wasii.dev | +1 (226) 798-2360

Quiz 1 - STA301 (Q1/10)

Question:

For the Poisson distribution P(X = 1) = the mean value is:

Options:

A. 2

B. 3

C. 1

D. 0

Copied: 1/8/2026, 5:59:38 PM

Quiz 2 - STA301 (Q2/10)

Question:

The probability function of a random variable is defined as:

x	:	-1	-2	0	1	2
f(x):		k	2k	3k	4k	5k

Then k is equal to:

Options:

A. 1/15

B. 1/4

C. 2

D. 0

Copied: 1/8/2026, 5:59:53 PM

Quiz 3 - STA301 (Q3/10)

Question:

In a binomial experiment ,probability of success changes on:

Options:

A. 30th trial

B. 10th trial

C. Second trial

D. Each trial

Copied: 1/8/2026, 6:00:10 PM

Quiz 4 - STA301 (Q4/10)

Question:

A uniform distribution has the following shape:

Options:

A. Rectangular

B. Bi-modal

C. U-shaped

D. Bell-shaped

Copied: 1/8/2026, 6:00:26 PM

Quiz 5 - STA301 (Q5/10)

Question:

A random variable Y has the following probability distribution:

y:	-1	0	1	2
P(y):	3C	2C	0.4	0.1

Calculate the of 'C'

Options:

A. 0.10

B. 0.20

C. 0.25

D. 0.15

Copied: 1/8/2026, 6:00:39 PM

Quiz 6 - STA301 (Q6/10)

Question:

In hyper geometric distribution probability of success always:

Options:

A. is constant from trial to trial

B. sometimes varies and sometimes is constant

C. Varies from trial to trial

D. None of the above

Copied: 1/8/2026, 6:00:55 PM

Quiz 7 - STA301 (Q7/10)

Question:

In general sample variance is a/an .....estimator?

Options:

A. none of these

B. Consistent

C. Unbiased

D. Biased

Copied: 1/8/2026, 6:01:11 PM

Quiz 8 - STA301 (Q8/10)

Question:

The relative efficiency of T1 compared to T2 where:

Options:

A. both T1 and T2 are unbiased estimators

B. T1 is unbiased estimator

C. T2 is unbiased estimator

D. both T1 and T2 are biased estimators

Copied: 1/8/2026, 6:01:26 PM

Quiz 9 - STA301 (Q9/10)

Question:

Which property is true for the probability density function f(x)?

Options:

A. f(x) <= 0 for all x

B. f(x) < 0 for all x

C. f(x) > 0 for all x

D. f(x) >= 0 for all x

Copied: 1/8/2026, 6:01:54 PM

Quiz 10 - STA301 (Q10/10)

Question:

Throw two dice over and over until you roll a double six. Suppose X = the number of throws, then X is

Options:

A. Discrete variable

B. Continuous variable with defined range

C. Bivariate

D. Continuous variable without defined range

Copied: 1/8/2026, 6:02:10 PM