



CS-610 Computer Network Update MCQS For Final Term Solve By Vu Topper RM



85 To 100% Marks



وَتَعَزُّ مِنْ تَشَاءٍ وَتُدَلُّ مِنْ تَشَاءٍ



PROFESSIONAL ONLINE ACADEMY

We Offers

LMS Handling

Important Notes

Online Classes

Assignments

Quiz & GDB's

Projects

NOTHING
IS
IMPOSSIBLE


Join Us
Now

For More Info
Contact us at:

Rizwan Manzoor



0322-4021365



بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1

(Marks:1)

Vu-Topper RM

In the IP address _____ identifies the physical network to which the computer is attached.

- A. Mux
- B. Surffix
- C. Demux

D. PREFIX

Page 85

Question No:2

(Marks:1)

Vu-Topper RM

Dotted decimal notation is a syntactic form the IP software uses to express _____ binary values when interacting with humans.

- A. 8-bit
- B. 16-bit

C. 32-bit

Page 87

D. 64-bit

Question No:3

(Marks:1)

Vu-Topper RM

_____ is used for typical data applications (where the data rate may be unknown and bursty) and allows use of whatever bandwidth is available at a given time.

- A. Variable Bit Rate (VBR) service
- B. Constant Bit Rate (CBR) service

C. Available Bit Rate (ABR) service

Page 71

D. None of the given

برى صحبت سے تڻهائي بهتر هے اور تڻهائي سے نپڪ صحبت بهتر هے

For More Help Contact What's app 03224021365

Question No:4

(Marks:1)

Vu-Topper RM

ATM assigns each VC a identifier that is divided two parts to produce a hierarchy

A. 22-bit

B. 24-bit

Page 67

C. 26-bit

D. 28-bit

Question No:5

(Marks:1)

Vu-Topper RM

_____of TCP/IP layering model, corresponds to basic network hardware.

A. Internet Layer

B. Physical Layer

Page 84

C. Transport Layer

D. Network Interface Layer

Question No:6

(Marks:1)

Vu-Topper RM

_____places the boundary between the second and third octets.

A. Class A

B. Class B

Page 86

C. Class C

D. Class D

Question No:7

(Marks:1)

Vu-Topper RM

UDP and TCP are both_____layer protocols.

A. Network

B. Physical

C. Data link

D. Transport

Page 101

بري صحبت سے تڻهائي بهتر هے اور تڻهائي سے نيڪ صحبت بهتر هے

For More Help Contact What's app 03224021365

Question No:8

(Marks:1)

Vu-Topper RM

Connection-oriented service, Point-to-point, Complete reliability, Full-duplex communication, Stream interface, Reliable connection startup and Graceful connection shutdown are the services provided by.

A. IP

B. TCP

Page 123

C. Both

D. None of the given

Question No:9

(Marks:1)

Vu-Topper RM

_____measures distance in network hops, where each network between the source and destination counts as single hop.

A. RIP

Page 138

B. BGP

C. OSPF

D. None of the given

Question No:10

(Marks:1)

Vu-Topper RM

The term self-identifying is used for Classful IP addresses because the class of the address can be computed from the address

A. Itself

Page 87

B. Suffix

C. Mask

D. Prefix

برى صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:11

(Marks:1)

Vu-Topper RM

In which method of Address Resolution Protocol the protocol address independent of hardware address? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

- A. C
- B. D
- C. T, C

D. T, D

Page 97

Question No:12

(Marks:1)

Vu-Topper RM

In which method of Address Resolution Protocol the protocol address is determined by hardware address? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

- A. A
- B. B
- C. C
- D. D

Page 97

Question No:13

(Marks:1)

Vu-Topper RM

_____provide Application to application communication it also called end to end communication

- A. IP
- B. TP
- C. RIP
- D. None of the given

Page 119

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:14

(Marks:1)

Vu-Topper RM

Router detects datagram ----- than network

A. MTU

B. Larger

Page 108

C. Smaller

D. None of the given

Question No:15

(Marks:1)

Vu-Topper RM

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a.

A. Connectionless service paradigm

Page 112

B. Connection-oriented service paradigm

C. Both Connectionless and Connection-oriented service paradigm

D. None of the given

Question No:16

(Marks:1)

Vu-Topper RM

_____ places the boundary between the third and fourth octets.

A. Class A

B. Class B

C. Class C

Page 88

D. Class D

Question No:17

(Marks:1)

Vu-Topper RM

_____ identifies which application program on receiving computer should receive the data

A. Source port

B. Logical address

C. Destination Port

D. None of the given

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

A. C

Page 97

C. T

D. D, C

Vu-Topper RM

A. Hashing and Direct indexing Page 94

B Segmentation and Fragmentation

C. Queuing and Packetizing

D. Indexing and Framing

Vu-Topper RM

A. Physical Layer

B. Internet Layer

C. Network Interface Layer

D. Transport Layer

Page 84

Vu-Topper RM

A.2

Page 118

B. None

C.3

D. 1

پری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:22

(Marks:1)

Vu-Topper RM

In the IP address _____ identifies an individual computer on the network.

A. Prefix

B. Suffix

Page 85

C. Mux

D. Demux

Question No:23

(Marks:1)

Vu-Topper RM

Mapping between a protocol address and a hardware address is called _____.

A. Segmentation

B. Hashing

C. Fragmentation

D. Address Resolution

Page 93

Question No:24

(Marks:1)

Vu-Topper RM

Dotted decimal represents each octet in _____ and uses a dot to separate octets.

A. Octal

B. binary

C. Decimal

Page 87

D. hexadecimal

Question No:25

(Marks:1)

Vu-Topper RM

_____ is the rate at which data can be sent through the network

A. Throughput

Page 79

B. Propagation delay

C. Access delay

D. Switching delay

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:26

(Marks:1)

Vu-Topper RM

The protocol address of the next hop must be _____ to an equivalent hardware address before a packet can be sent.

- A. Encrypted
- B. Decrypted
- C. Translated**
- D. Segmented

Page 93

Question No:27

(Marks:1)

Vu-Topper RM

_____ masks your IP address.

- A. Firewall
- B. Antivirus
- C. VPN**
- D. Incognito mode

Google

Question No:28

(Marks:1)

Vu-Topper RM

A network with _____ jitter takes more time to deliver some packets than others.

- A. Zero
- B. High**
- C. Low
- D. Moderate

Page 80

Question No:29

(Marks:1)

Vu-Topper RM

VPNs connections are sometimes called _____.

- A. Tunnels**
- B. Open networking
- C. Routing
- D. Public network

Page 75

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:30

(Marks:1)

Vu-Topper RM

_____protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.

- A. Session
- B. Internet Layer
- C. Network interface layer**
- D. Internet Layer

Question No:31

(Marks:1)

Vu-Topper RM

Address Resolution Protocol is mostly used to bind a 32-bit IP address to a _____ Ethernet address.

- A 16-bit
- B 48-bit**
- C. 64-bit
- D. 84-BIT

Question No:32

(Marks:1)

Vu-Topper RM

_____message is sent in response to incoming datagrams with problems.

- A. TCP/IP
- B. IGMP
- C. ICMP**
- D. None of the given

Page 117

Question No:33

(Marks:1)

Vu-Topper RM

TCP/IP protocol suit defines the basic characteristics of network hardware.

- A. Physical Layer**
- B Data Link Layer
- C Internet Layer
- D Transport Layer

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

D. Address-binding

Vu-Topper RM

Google

D. IP identifier

Vu-Topper RM

D. Internet Layer

Vu-Topper RM

Google

پری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:38

(Marks:1)

Vu-Topper RM

TCP/IP defines the term to refer any computer system that connects to a network and runs applications for users.

A. Router

B. Switch

C. Host computer Google

D. Bridge

Question No:39

(Marks:1)

Vu-Topper RM

Computer networks are often called _____ because they use packet technology.

A. Ethernet

B. Switch network

C. Packet network

D. None of the given

Question No:40

(Marks:1)

Vu-Topper RM

A Bridge forwards or filters a frame by comparing the information in its address table to the frame's

A. Layer 2 source address

B. Layer 2 destination address

C. Layer 3 destination address

D. Source node's physical address

Question No:41

(Marks:1)

Vu-Topper RM

When an application _____ data, it makes a copy of the data available to all other computers on the network.

A. Unicasting

B. Multicasting

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

C. Broadcasting

D. None of the given

Question No:42

(Marks:1)

Vu-Topper RM

Connectionless service, Message-Oriented protocol, best effort delivery service, arbitrary interaction and operating system independent are the characteristics of

A. IP

B. TCP

C. UDP

Page 120

D. None of the given

Question No:43

(Marks:1)

Vu-Topper RM

_____ Serve Same purpose in Internet as frames on LAN

A. Packet

B. Virtual frames

C. Both

D. Virtual Packets

Page 101

Question No:44

(Marks:1)

Vu-Topper RM

Class A mask is 255.0.0.0 which is used for _____

A. Subnetting

Page 103

B. Unicasting

C. Multicasting

D. All of the given option

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:45

(Marks:1)

Vu-Topper RM

OSPF is based on.

A. Link state routing

Page 140

B. Path vector routing

C. Distance vector routing

D. Distance vector routing and Link state routing

Question No:46

(Marks:1)

Vu-Topper RM

_____performs local multicast and uses IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another

A. Core Based Trees (CBT)

B. Distance Vector Multicast Routing Protocol

Page 144

C. Protocol Independent Multicast_ Sparse Mode (PIM-SM)

D. Protocol Independent Multicast _ Dense Mode (PIM-DM)

Question No:47

(Marks:1)

Vu-Topper RM

_____can be used to propagate information about remote networks.

A. Static routing

B. Dynamic routing

Page 134

C. Address resolution

D. None of the given

Question No:48

(Marks:1)

Vu-Topper RM

_____protocol is designed to use within an organization.

A. OSPF

B. MOSPF

Page 139

C. MEOSPF

D. None of the given

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

A. None of the given

Page 132

D. Network Address and Protocol Translation

Vu-Topper RM

A. 30-bit

Page 140

C. 34-bit

D. 36-bit

Vu-Topper RM

A. IP

Page 128

C. UDP

D. None of the given

Vu-Topper RM

A. Door

Page 122

C. Retransmission

D. Acknowledgment

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:53

(Marks:1)

Vu-Topper RM

IGPs stand for.

- A. None of the given
- B. Internal Gateway Protocols
- C. Interior Gateway Protocols**
- D. Intermediate Gateway Protocols

Page 135

Question No:54

(Marks:1)

Vu-Topper RM

_____ protocol uses distance vector algorithm.

- A. IGP
- B. RIP**
- C. BGP
- D. None of the given

Page 139

Question No:55

(Marks:1)

Vu-Topper RM

_____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

- A. Flood-and -Prune**
- B. Core-Based Discovery
- C. Configuration-and -Tunneling
- D. None of the given

Page 143

Question No:56

(Marks:1)

Vu-Topper RM

Router that decrements TTL to sends ICMP time exceeded message, with router's address as source address

- A. 0**
- B. 1
- C. 2

Page 118

D. 3

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

(Marks:1)

Vu-Topper RM

TCP uses format for all messages.

A. Single

Page 128

B. Double

C. Multiple

D. None of the given

Question No:58

(Marks:1)

Vu-Topper RM

The maximum segment size of TCP flow control is.

A. 1000 octets

Page 126

B. 2000 octets

C. 3000 octets

D. 4000 octets

Question No:59

(Marks:1)

Vu-Topper RM

A popular use of _____ is TCP Splicing. It interconnects two independent TCP connections and performs segment rewriting.

A. NAT

B. NAPT

Page 131

C. Twice NAT

D. All of these

Question No:60

(Marks:1)

Vu-Topper RM

The goal of CSMA/CD is to avoid adding retransmissions to an already congested network.

A. Packet control

B. Congestion control

Page 128

C. Transmission control

پری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. None of the given

Question No:61

(Marks:1)

Vu-Topper RM

TCP is a _____ protocol.

A. Multi-Point

B. Point-to-Point

Page 123

C. Both

D. None of the given

Question No:62

(Marks:1)

Vu-Topper RM

Preliminary version of IP was called _____.

A. IP – Net Generation (IPng)

B. IP – New Generation (IPng)

C. None of the given

D. IP – Next Generation (IPng)

Page 110

Question No:63

(Marks:1)

Vu-Topper RM

Header contains all information needed to deliver datagram to the destination computer. But which one of the following is not included:

A. Rectifier

Page 102

B. Source address

C. Destination address

D. Other delivery information

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:64

(Marks:1)

Vu-Topper RM

Routers use _____ to forward datagrams along prearranged path.

A. Flow label **Page 111**

B. Traffic class

C. Destination address

D. None of the given

Question No:65

(Marks:1)

Vu-Topper RM

For _____, information about forwarding is stored in a routing table, which is initialized at system initialization and must be updated as network topology changes.

A. Security

B. Accuracy

C. Efficiency **Page 102**

D. Anomalies

Question No:66

(Marks:1)

Vu-Topper RM

_____ encapsulates IP datagram as data area in hardware frame.

A. Datalink Layer

B. Network Layer

C. None of the given

D. Network Interface Layer **Page 106**

Question No:67

(Marks:1)

Vu-Topper RM

MTU Stands for _____

A. Multicast transmission unit

B. Minimum transmission unit

C. None of the given

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

D. Maximum transmission unit Page 107

Question No:68

(Marks:1)

Vu-Topper RM

Routing refers to the of routing information

A. Propagation

Page 133

B. Transmission

C. Communication

D. None of the given

Question No:69

(Marks:1)

Vu-Topper RM

TTL stands for _____

A. Time to live

Page 105

B. Time to learn

C. Time to leave

D. None of the given

Question No:70

(Marks:1)

Vu-Topper RM

The Current version of IP-Version 4 is _____ old

A. 10 Year

B. 20 Year

Page 110

C. 25 Year

D. 30 Year

Question No:71

(Marks:1)

Vu-Topper RM

_____ Protocol provides error reporting mechanism.

A. ICMP Page 115

B. SNMP

C. IGMP

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

D. None of the given

Question No:72

(Marks:1)

Vu-Topper RM

Which one is NOT the function of ping program

A. Reachability

B. Traceability

Page 117

C. Both

D. None of the given

Question No:73

(Marks:1)

Vu-Topper RM

Inside a computer, each address mask is stored as a ____-bit value.

A. 32

Page 91

B. 16

C. 48

D. 64

Question No:74

(Marks:1)

Vu-Topper RM

_____ contains all information needed to deliver datagram to the destination.

A. Header

Page 102

B. Identifier

C. Data Area

D. None of the given

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:75

(Marks:1)

Vu-Topper RM

Every hardware technology specification includes the definition of the maximum size of the frame data area, which is called the _____ Transmission Unit.

- A. Least
- B. Frame
- C. Fragment

D. Maximum

Page 107

Question No:76

(Marks:1)

Vu-Topper RM

_____ shows senders preference for low latency, high Reliability.

- A. TYPE
- B. SERVICE TYPE**
- C. SERVICE PRIORITY
- D. None of the given

Page 105

Question No:77

(Marks:1)

Vu-Topper RM

The IP class scheme does not divide the _____ address space into equal size class and the classes do not contain the same number of networks.

- A. 8-bit
- B. 16-bit
- C. 32-bit**
- D. 64-bit

Page 88

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

A. One
B. Two
C. Four

Page 90

Vu-Topper RM

A. 1-65.536

B. 0-65.535

Page 105

D. None of the given

Vu-Topper RM

A. 8
B. 16
C. 32
D. 64



D. 64

Vu-Topper RM

A. 32-bit
B. 64-bit

Page 111

پری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. 182-bit

Question No:82

(Marks:1)

Vu-Topper RM

End to End delivery Service of IP datagram is _____

A. Connectionless

Page 101

B. Connection oriented

C. Both

D. None of the given

Question No:83

(Marks:1)

Vu-Topper RM

The Source can configure outgoing datagram's to avoid _____

A. Segmentation

B. Fragmentation

Page 118

C. Defragmentation

D. None of the given

Question No:84

(Marks:1)

Vu-Topper RM

_____ is a technique used to Limit datagram size to small MTU of any network.

A. Segmentation

B. Encapsulation

C. Fragmentation

Page 108

D. None of the given

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:85

(Marks:1)

Vu-Topper RM

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the protocol address using basic Boolean and _____ operations.

- A. XOR
- B. Shift
- C. XNOR

D. Arithmetic

Page 94

Question No:86

(Marks:1)

Vu-Topper RM

Due to revolutionalization of IP-V6 the speed has increased from _____

- A. 56kbps to 1gbps
- B. 512kbps to 1gbps
- C. 56kbps to 512kbps
- D. None of the given

Page 110

Question No:87

(Marks:1)

Vu-Topper RM

The time for acknowledgement to arrive depends on.

- A. Distance to destination
- B. Current traffic conditions

C. Both

Page 125

- D. None of the given

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:88

(Marks:1)

Vu-Topper RM

_____ is a type of address used for collection of computers with same prefix.

A. Unicast

B. Cluster

Page 114

C. Multicast

D. None of these

Question No:89

(Marks:1)

Vu-Topper RM

_____ field is used to identify a specific path through the network

A. FLOW LABEL

Page 111

B. TRAFFIC CLASS

C. Both

D. None of the given

Question No:90

(Marks:1)

Vu-Topper RM

Which protocol is used to test different tools.

A. ICMP

Page 117

B. IGMP

C. TCP/IP

D. None of the given

Question No:91

(Marks:1)

Vu-Topper RM

_____ layer Provides reliable delivery of datagram.

A. Network

Page 104

B. Transport

C. Data link

D. None of the given

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

A. 96 **Page 114**

- # Vu-Topper RM

B. MTU Page 113

- ## Vu-Topper RM

A. Source Page 113

- بری صحبت سے تٹھائی بہتر ہے اور تٹھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:95

(Marks:1)

Vu-Topper RM

One of the parameters, which motivated IP for change is address space. The _____ address space allows for over a million networks. But most networks are class C and too small for many organizations.

A. 16-bit

B. 32-bit

Page 110

C. 64-bit

D. 128-bit

Question No:96

(Marks:1)

Vu-Topper RM

The Network Layer Protocol ICMP stands for _____

A. Initial Control Message Protocol

B. Instant Control Message Protocol

C. Internet Control Message Protocol

Page 115

D. None of the given

Question No:97

(Marks:1)

Vu-Topper RM

IPv6 addresses are _____ bits.

A. 32

B. 64

C. 128

Page 111

D. 256

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

Page 375

D. None of the given

Vu-Topper RM

Page 103

D. IPV8

Vu-Topper RM

Page 117

D. None of the given

Vu-Topper RM

Page 114

D. None of the given

For More Help Contact What's app 03224021365

Question No:102

(Marks:1)

Vu-Topper RM

H.LEN shows the header length in units of ____ Bits

A. 30

B. 32 **Page 105**

C. 34

D. None of the given

Question No:103

(Marks:1)

Vu-Topper RM

IPV6 128 bits address includes network prefix and ____

A. Host Suffix **Page 114**

B. Host prefix

C. Source Prefix

D. None of the given

Question No:104

(Marks:1)

Vu-Topper RM

Address mask defines how many bits of address are in suffix?

True

False **Page 103**

Question No:105

(Marks:1)

Vu-Topper RM

Like most application programs, a client and server use a transport protocol to communicate.

True **Page 146**

False

بري صحبت سے تڻهائي بهتر ٻه اور تڻهائي سے نيڪ صحبت بهتر ٻه

For More Help Contact What's app 03224021365

Question No:106

(Marks:1)

Vu-Topper RM

A single networking technology is best for all needs

True

False

Page 81

Question No:107

(Marks:1)

Vu-Topper RM

Mapping between a protocol address and a hardware address is called Address Resolution.

True

Page 93

False

Question No:108

(Marks:1)

Vu-Topper RM

Although message exchange can be used to bind addresses, sending a request for each binding is hopelessly inefficient.

True

Page 99

False

Question No:109

(Marks:1)

Vu-Topper RM

A computer attached to a given network can only communicate with other computers attached to the same network. Is this a problem with multiple networks?

True

Page 81

False

Question No:110

(Marks:1)

Vu-Topper RM

The Header format of IPv6 is entirely different.

True

Page 111

False

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu-Topper RM

UDP offers application programs a Message-Oriented Interface, applications can depend on protocol to preserve data boundaries.

True Page 120

False

Vu-Topper RM

NEXT HEADER field in the base header defines type of header it appears at the end of fixed-size base header.

True Page 112

False

Vu-Topper RM

Address mask defines how many bits of address are in prefix.

True Page 103

False

Vu-Topper RM

Fragmentation when using ICMP for path MTU should be avoided.

True Page 118

False

Vu-Topper RM

ICMP message transport is acted upon by getting ICMP Encapsulated in IP.

True Page 117

False

پری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:116

(Marks:1)

Vu-Topper RM

HEADER LEN field gives size of extension header.

True

Page 112

False

Question No:117

(Marks:1)

Vu-Topper RM

Postfix defines how much of address used to identify network.

Ture

False

Page 103

Question No:118

(Marks:1)

Vu-Topper RM

The process of learning the path MTU is known as path MTU discovery.

True

Page 114

False

Question No:119

(Marks:1)

Vu-Topper RM

A is a special purpose system dedicated to the task of interconnecting networks

Bridge

Router

Page 82

Visit My YouTube Channel
For Subjective and More
Important Notes
Channel Name = #VuTopperRM

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365