“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

PAID VU LMS HANDLING by Mam Mehwish 03184148783

Past Papers for Mids./Finals are also Available

MTH101

MAM MEHWISH 03184148783

 The solution interval of the inequality 12<x+512 < x + 512<x+5 is:

- (−∞, 7) ✔
- (−∞, ∞)
- (5, 12]
- (−∞, 0)

 Which of the following is the solution of the equation |y|=3|y| = 3|y|=3:

- y=±3y = \pm 3y=±3 ✔
- y=−3y = -3y=−3
- y=3y = 3y=3
- Does not exist

 Which of the following describes the equation y=2y = 2y=2:

- A line parallel to y-axis
- A point (0, 2)
- A point (2, 0)
- A line parallel to x-axis ✔

 Using the midpoint formula, what are the coordinates of the midpoint between (-5,3) and (7, -1):

- (1, 1) ✔
- (2, -1)
- (4, 0)

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- (0, 0)

 In the xy-plane, both x and y are positive in:

- Third
- Fourth
- Second ✔

 If a<ba < ba<b, then on a coordinate line:

- aaa is to the left of bbb ✔
- aaa is to the right of bbb

 Consider the inequality: |z+2|>6|z + 2| > 6|z+2|>6. What is the solution for zzz:

- z<−8 or z>4z < -8 \text{ or } z > 4z<−8 or z>4 ✔
- z=0z = 0z=0
- z=6z = 6z=6
- None of these

 Is the graph of the equation 4y=3x4y = 3x4y=3x symmetric about the x-axis?

- No
- Yes ✔

 Which of the following is the equation of a circle centered at the origin and radius 1?

- x2+y2=1x^2 + y^2 = 1x2+y2=1 ✔
- x+y=1x + y = 1x+y=1
- x2+y2+1=0x^2 + y^2 + 1 = 0x2+y2+1=0
- None of these

 The domain of the function f(x)=tan⁡(z)f(x) = \tan(z)f(x)=tan(z) is:

- (−∞,∞)(-∞, ∞)(−∞,∞)
- None of these

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- R−{z∈R:z=π2+nπ,n∈Z}\mathbb{R} - \{ z \in \mathbb{R} : z = \frac{\pi}{2} + n\pi, n \in \mathbb{Z} \}R−{z∈R:z=2π+nπ,n∈Z} ✔
- (−∞,2]∪[2,∞)(-∞, 2] \cup [2, ∞)(−∞,2]∪[2,∞)

1. Let \(f(x) = x - 3 \) and \(g(x) = x^3 \), then \(f(g(x)) = ?

- \(x^3 - 2 \)
- \(x^3 - 3 \)
- \(3x^3 - 3 \)
- \(\mathbf{x^3 + 3} \) ✔

2. At each point of domain, the function __

- \(\mathbf{Is defined} \) ✔
- Is infinite

3. The limit of \(f(x) \) as \(x \) approaches 1 from the right is equal to \(L \) is represented by the notation

- \(\lim_{{x \to 1}} f(x) = L \)
- \(\lim_{{x \to 1}} f(x) = L \)
- \(\lim_{{x \to L}} f(x) = 1 \)
- \(\mathbf{\lim_{{x \to 1^+}} f(x) = L} \) ✔

4. Let \(f(x) = 2 \) and \(g(x) = x^2 + 1 \), then \((f - g)(x) = ?

- \(2 - x^2 \)
- \(1 + x^2 \)
- \(\mathbf{3 - x^2} \) ✔

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- \(1 - x^2 \)

5. The solution interval of the inequality \(-2y < -8\) is

- \((4, \infty) \)
- \((-, 4) \)
- \((-\infty, 0) \)
- \(\mathbf{(-\infty, 4)} \) ✔

6. What are the coordinates of the point where a graph intersects the x-axis?

- \(\mathbf{(x, 0)} \) ✔
- \((0, y) \)
- \((x, x) \)
- \((0, 0) \)

7. What is the absolute value of \(\sqrt{4} - \sqrt{16} \)?

- \(\mathbf{-2} \) ✔
- \(2 \)

8. The interval (a, b] is defined by

- \(\{z: a < z < b\} \)
- \(\{r: a < 2 < b\} \)
- \(\{z: a < 2 < b\} \)
- \(\mathbf{\{z: a < z \leq b\}} \) ✔

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

9. If a line has the slope $\frac{4}{7}$ and passes through the point (3, -2), what is the equation of the line in point-slope form?

- $y - 2 = \frac{4}{7}(x - 3)$
- $y - 2 = \frac{4}{7}(x + 3)$
- $\mathbf{y + 2 = \frac{4}{7}(x - 3)}$ ✔
- $y + 2 = \frac{4}{7}(x + 3)$

10. Which of the following represents the equation of a line parallel to the x-axis?

- $x = 0$
- $\mathbf{y = 1}$ ✔
- $x = 1$
- $x = -1$

□ At each point of domain, the function:

- **O Is defined** ✔
- **O Is infinite**

□ Which of the following is a solution of the equation: |y| = 3

- **O Does not exist** ✔

□ The distance between the points A(3,-1) and B(7,4) is:

- **O 3**
- **O 2**
- **O 4**
- **O 5** ✔

□ Which of the following is the y-intercept of the equation, 2x = -5y + 3?

- **O 2**

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- O 3/5
- O 3 ✔
- O -5

 An ordered pair corresponds to:

- O Infinite number of points
- O A point in each quadrant
- O Two points
- O A unique point ✔

 Let f(x) = x and g(x) = 1/x then which of the following is the domain of the function f + g?

- O R - {1}
- O R ✔
- O R - {2}
- O R - {0}

 If x is a non-negative number then:

- O z > 0 ✔
- O zr < 0

 If two lines have slope -3 and 1/3 respectively, then these two lines are:

- O Parallel to y-axis
- O Perpendicular to each other ✔
- O Parallel to x-axis
- O Parallel to each other

 Which of the following statements is true regarding the symmetry of the graph of y = 2x?

- O Symmetric about the x-axis.
- O Symmetric about the origin. ✔

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- O Symmetric about the y-axis.
- O Not symmetric.

 If a > b, then on a coordinate line:

- O a is to the right of b. ✔
- O a is to the left of b.

1. The midpoint of the points A(3,5) and B(1,3) is .....?

   (2,2)

   (1,1)

   (−1,−1)

   (2,4) ✔

2. If two lines have slope 3 and 1/3 respectively, then these two lines are:

   Parallel to xaxis

   Perpendicular to each other ✔

   Parallel to each other

   Parallel to yaxis

3. If |x — 3| = 8. What are the possible values of x?

   x=7

   x=5

   x=11 or x=5 ✔

   x=1l

4. Let f(x) = 3/x, which of the following is domain of f(x)?

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

(−∞, ∞)

(−∞, 0) U (0, ∞) ✔

(−∞, 0)

(0, ∞)

5. What is the slope of a line parallel to the line y=2x+4?

2 ✔

6. lim x→0 (sin x / x) =

1

Undefined

1 ✔

0

7. Which of the following is the midpoint of the line segment joining points (2, 1) and (2, 2)?

(4, 3)

(4, 3)

(0, 1/2) ✔

(2, 3/2)

8. What is the geometric interpretation of the equation $y = ax^2 + bx + c$?

Equation of a circle

Equation of a parabola ✔

Equation of a line

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

Equation of a hyperbola

9. According to the distance formula, what is the distance between the points (3, 5) and (4, 2)?

(1/2, 3/2)

(2, 6) ✔

10. Which of the following is the slope of the line given by xy = 0?

undefined ✔

1. If the integral of 'f(x)' from [1,2] = 5, and the integral of 'f(x)' from [3,2] = 4, then the integral of 'f(x)' from [1,3] is:

- 9 ☑
- O
- O

---

2. If 'n' goes from 1 to 4 and the summation of 'na' = Maxima of (eAx) in the interval [e,0], then the value of 'a' is:

- 10 ☑
- 10
- O
- O

---

3. The value of the definite integral of f(x) = |2x| from x = 1 to x = 0 is:

- 1 ☑
- O

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- O
- O

---

4. The indefinite integral of 'cos(x) sin(x)' is:

- cos(x) + sin(x) + c
- cos(x) + sin(x) + c ✔
- cos(x) sin(x) + c
- cos(x) sin(x) + c

---

5. The value of the definite integral of a function $f(x) = x^2$ taken from [7, 7] is 0:

- True ✔
- False

---

6. The antiderivative of $f(x) = x^2$ is:

- $(1/3)\ x^3 + c$ ✔
- x/2
- None of these
- x^4

---

7. The first fundamental theorem of calculus tells us how to evaluate the:

- Differential
- None of these
- Indefinite integral
- Definite integral ✔

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

8. For the area under the curve f(x) = x + 2 from x = 2 to x = 4 with midpoints approximations for n = 1, what will be the value of x_1?

- 25
- 3.5 ✅
- O
- O

---

9. By applying the mean value theorem to the function f(x) = ln(x) in the interval [1, e], the corresponding value of 'c' is:

- 0
- e ✅
- 1
- e^2

---

10. Subdivide the interval [a, b] into 4 equal subintervals, then the width of each subinterval is:

- (b a)/2
- (b a)/4 ✅
- (b 2a)/4
- (2b a)/4

** The range of the absolute function f(z) = |z| is**

- None of these
- O
- (—∞, 0) U (0, ∞)
- (0, ∞) ✅
- [0, ∞)

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

If a < b, then on a coordinate line

- a is to the left of b ✓
- a is to the right of b

Consider the equation $|2x^2 — 3| = 7$. What is the solution for x?

- x = 5
- x = 5 or x = 2
- x = 3
- x = 3 or x = 3 ✓

Which of the following is the distance between the points (2, 1) and (1, 1)?

- √13
- 1 ✓
- (1, 0)
- (0, 1)

What is the yintercept of the equation 2x = 5y + 3?

- 3/5 ✓
- 5/3
- 3
- 3

A graph of an equation is the collection of points on the xyplane that ... the equation.

- Does not satisfy.
- Satisfy ✓

Let two lines have slope a_1 and a_2 respectively. If $(a_1)(a_2) = 1$, then the two lines are

- Parallel to each other
- Parallel to xaxis

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- Parallel to yaxis
- Perpendicular to each other ☑

⍰ The solution interval of the inequality 12 < z + 5 is

- (∞, 7) ☑
- (—∞, ∞)
- [5, 12]
- (5, ∞)

Question 1: Evaluate: lim_{x→∞} (1 + 1/2x)^x

- Options:
  - e^2
  - e
  - √e
  - None of these
- Correct Answer: √e ✓

Question 2: Which of the following is the yintercept of the equation, 2x = 5y + 3?

- Options:
  - 3/5
  - 3
  - 5
  - 2
- Correct Answer: 3/5 ✓

Question 3: Which of the following is the equation of a circle centered at the origin with radius 1?

- Options:
  - x + y = 1

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- (x^2) + (y^2) = 1 ✓
- (x^2) (y^2) = 0
- (x^2) + 2x + 1 = 0

Which of the following is the distance between the points (1, 2) and (1, 3)?

- 0
- (0,1) ✓
- (2,5)

2. **Consider the inequality:** $x + 2| > 6$**. What is the solution for x?**
   - $x < -8$ ✓
   - $x > 4$
   - $x > -8$
   - $x < 4$
3. **Evaluate** $\lim_{x \to a} \left(\frac{x^n - a^n}{x^m - a^m}\right)$
   - $\frac{n}{m} a^{n-m}$
   - $\frac{m}{n} a^{n-m}$
   - $\frac{m}{n} a^{m-n}$ ✓
   - $\frac{n}{m} a^{m-n}$
4. **Let** $f(x) = x - 3$ **and** $g(x) = x^3$ **then** $(f + g)(x) = ?$
   - $x^3 + x - 3$ ✓
   - $x^3 + x + 3$
   - $x^3 - x - 3$
   - $x^3 - x + 3$
5. **Which of the following is a solution of the equation:** $|y - 3| = 7$**?**
   - $y = 7$ and $y = -7$
   - $y = 10$ and $y = -4$ ✓
   - Does not exist
6. **Which of the following is an example of a set?**

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

- Collection of time.
- Collection of temperature.
- Collection of planets in our solar system. ✓
- Collection of good students in a class.

7. **Which of the following statements is true regarding the symmetry of the graph of y=x?**
   - Symmetric about the yaxis.
   - Symmetric about the origin. ✓
   - Symmetric about the xaxis.
   - Not symmetric.
8. **Let** $f(x) = x - 3$ **and** $g(x) = x^3$ **then** $f(g(x)) = ?$
   - $-x^3 - 3$
   - $x^3 + 3$
   - $-x^3 + 3$
   - $x^3 - 3$ ✓
9. **If the graph of a function oscillates between 1 and 1 then its limit is**
   - a
   - Does not exist ✓
10. **0.121212 is an example of**
    - Rational numbers ✓
    - Irrational numbers
    - Integers
    - Natural numbers

MAM MEHWISH 03184148783

“LowCost LMS Handling Available”



Miss Mehwish: 03184148783

🔥🔥 **Paid Vu Lms Handling** 🔥🔥

♦ **1 GDB= Rs 100**

♦ **1 Quiz= Rs 200**

♦ **1 Assignment=Rs 250**

💎 **Agr complete handling krwatey hain 1 subject ki with all activities= Rs 500 (Half Semester)** 💎

LECTURES Play Service Available In Very Low Price. 📱

🏆🎉**80100% Marks Guaranteed** 🎉🏆

🔥 **Miss Mehwish: 03184148783**🔥

MAM MEHWISH 03184148783