CS507 Quiz 4 File by Tanveer Online Academy

_____ refer to the sudden increase in power supply.	Spikes
Which of the following is an expression of an intention to inflict pain, injury, evil or punishment, and an indication of impending danger or harm?	Threat
If a flow chart is becoming complex then which symbol you will use to reduce the number of flow lines?	Connector
Traversing of a record of every keystroke, often called	Keystroke Monitoring
Which of the following is a private enterprise owned communication network that uses internet protocols.	Intranet
Checking the validity of flowchart is	A good practice
Which of the following focuses on detecting potentially abnormal behavior in function of operating system or request made by application software?	Behavior blockers
The protection of information from unauthorized disclosure explains the concept of system and data _____.	Confidentiality
Inheritance can be defined in terms of _____	Is kind of
Which of the following software performs concurrent monitoring as the system is being used?	Active Monitors
In case of _____, the intruder might try to have unauthorized access to the system.	Logical

_____ helps user to establish identity	**Access control**
Which symbol in flow chart indicates the starting & ending of a process?	**Terminator**
Which statement describes the security program correctly?	**Periodic reviews to check safety**
A language mechanism for restricting access to some of the object's components is known as:	**Object Encapsulation**
Which of the following carry characteristics of specialization?	**Sub classes**
PIN is a secret shared between a user and a system that can be used to authenticate the user to the system. In this context, what does PIN stands for?	**Personal Identification Number**
_____ is a data model or diagram for high-level descriptions of conceptual data model.	**Entity Relationship Diagram**
Which of the following is not a name used for an intruder?	**Knacker**
A schematic representation of a sequence of operations as in a manufacturing process or computer program is called _____.	**Flowchart**
_____ means information hiding.	**Encapsulation**
Which of the following is a logical record of computer activities, usage, processing pertaining to an operating or application system or user activities?	**Audit Trial**
_____ is an example of Trojan horse.	**Logic Bomb**
Which one of the following is not classified as biometrics?	**Digital Password**

Which statement is INCORRECT about a BUG?	**It can never create a virus in the system.**
Which of the following is considered during OO Analysis?	**System behavior**
When voltage that is received does not stay stable is referred as:	**power fluctuation**
_____are the key people who will have to ensure that security is effective and smoothly operated	**IS security professionals**
Which of the following is an incorrect statement about Good Practices of Flowchart?	**Every flowchart must have a connector.**
Characteristics of object are called _____	**Attributes**
Qualification is an example of _____ attribute.	**Multi-valued**
Rectangle shape in the flow charts represents_____	**Process**
In ERD, each attribute has a _____ i.e. defined parameters or the range in which value of the attribute may fall.	**Value Set (domain)**
In Flowchart, one segment is connected with another segment using _____ symbol.	**Connector**
Which of the following is the science and art of transforming data into secret code for transmission over a public network?	**Cryptography**
The ability for different classes of objects to respond to identical messages is	**Polymorphism**
Damage caused to the software without physical presence is the outcome of _____ threat.	**Logical**

In drawing a proper flowchart, all necessary steps that are a part of process should be listed out in _____ order.	**Logical**
Temporal CSFs results from _____	**Internal organization needs and changes**
Determining classification levels along with maintaining accuracy and integrity of the data in the information system is the responsibility of _____.	**Data owners**
Different levels and types of ---------- may be required to address the risks to information	**Security**
A data flow diagram is _____representation of the data through an information system.	**Graphical**
Providing independent assurance to management regarding the appropriateness of the security objectives is the responsibility of _____.	**Information systems auditors**
According to "Booch", object has following three components	**State, Behavior, Identity**
Which of the following is an object that exists and is distinguishable from other objects?	**Entity**
In DFD, an entity represents _____.	**Sources of data received by the system or destinations of the**

	data produced by the system.
In Flowchart, Arrow is also called _____	**Flow line**
Which of the following controls over the transfer of data over networks?	**Communication Controls**
If data & information is protected against unauthorized modification then which property will hold true?	**Integrity**
A bad sector on the hard drive is an example of _____ threat.	**Logical**
Which of the following view gives a quick understanding of the business processes and flows?	**Diagrammatic**
Confidentiality of information system means	**data and information are disclosed only to those who have a right to know it**
In flow chart diagram circle represents:	**Connector**
What type of skills will be needed for logical intrusion?	**Complex & technical**
Which of the following refers to damage caused to the software and data without any physical damage to the computers?	**Logical Threat**
Rounded shaped symbol in the flow chart is called	**Connector**
Object orientation helps in increasing abstraction level to build _____	**Reusable software**
ERD shows a _____ relation between entities.	**Primary**

Which of the following is the study of automated methods for uniquely recognizing humans based upon one or more intrinsic physical or behavioral traits?	**Biometrics**
In DFD, Process represents_____.	**Activity**
Polymorphism can be defined in terms of _____	**Having many forms**
Which of the following is the process of converting data into codes (cryptograms)?	**Encryption**
While developing software object oriented analysis focuses on ____	**Modular approach**
_____ is usually identified by the phrase "is a kind of."	**Inheritance**
Which of the following is responsible for ensuring that appropriate security, consistent with the organization's security policy that is embedded in their information systems?	**Process Owners**
The purpose of data flow diagrams is to provide a --------- between users and systems developers	**Linking bridge**
Which of the following is not a security objective?	**Regularity**
Which of the following refers to the process of identifying attempts to penetrate a system and gain unauthorized access	**Intrusion Detection**
In structured analysis & design _____ is made according to some standard rules	**Documentation**
Which of the following is the primary method for keeping a computer secure from intruders and allows or blocks traffic into and out of a private network or the user's computer?	**Firewall**

A/an_____ is a set of entities of the same type that share the same properties.	**Entity Set**
The mechanism by which the more specific class in a generalization includes the attributes and operations of general class is called ___	**Inheritance**
The study of business problem domain used to recommend improvements and specify the business Requirements for the solution is called:	**System Analysis**
Incremental model combines the elements of _____ model with the philosophy of _____.	**Waterfall, Prototyping**
In _____, existing and new both systems run and output of both systems is used since functions performed are different.	**Phased change over**
Which of the following model can lead to scope creep due to user feedback after each phase?	**Iterative**
Early detection of problems in critical areas is only possible if system is	**Well Designed**
Apart from the value to cost ratio, modules are also selected on the basis of _____ requirements and needs.	**Customer**
In Incremental Model approach, _____ is the core product which usually addresses the basic requirements of the system.	**First increment**
Which of the following statement is INCORRECT about DFD?	**It should not have black holes.**

In which of the following model, working functionality (basic module) is produced earlier.	**Incremental Model**
Increments made at different intervals of time refer to the _____ development model.	**Incremental**
Which of the following is a problem solving technique that re-assembles a system's components back into a complete system?	**System design**
Which of the following is used to test the function of the new design before starting production of a product?	**Prototype**
Which of the following allows manufacturers to rapidly and inexpensively test the parts of the design which are most likely to have problems?	**Prototype**
Which of the following statement is correct about system analysis & design?	**We use ERD in Structured approach**
_____ phase involves converting design specifications into executable programs.	**Development**
Which of the following is an iterative approach to system development?	**Spiral Model**
Which of the following is the process of quickly putting together a working model in order to test various aspects of the design for gathering early user feedback?	**Prototyping**
Which of the following lifecycle models deals with the aspects of risk analysis and is a combination of iterative approach and classic waterfall model?	**Spiral Model**

Change over can be undertaken in following ways except _____.	**Pointed change over**
An association between entities is called _____	**Relationship**
In _____ model, the system is designed, implemented and tested in increments until the product is finished.	**Incremental**
Which of the following lifecycle models is good for large and complex projects?	**Spiral**
Risk impact assessment should focus on consequences affecting _____	**Business, technology, process**
Risks are rated by _____	**Probability and impact**
Data packets are routed across a network with the help of _____.	**Internet Protocol**
When a customer enters the card and the pin code in an Automatic Teller Machine (ATM), which of the following controls are exercised by the system to block unwanted or illegitimate access?	**Access Controls**
What would affect the impact's scope if a risk does occur?	**Risk scope**
Which of the following phase determines the adverse impact resulting from a successful threat exercise of vulnerability?	**Impact analysis**
_____ is a program which undertakes unauthorized activities but looks legitimate.	**Trojan horse**

The main focus of Object Oriented analysis is to study the _____ of objects.	**Collaboration**
An effective risk management strategy will need to address _____	**All**
_____ site backup is an appropriate choice for organizations if they can bear some downtime.	**Cold**
Effective Business continuity plans can not be executed without proper	**Control implementation**
Threat likelihood is determined to use in _____	**Impact analysis**
Incase of _____, an intruder fools a user into thinking they are interacting with the operating system.	**Spoofing**
Impact Analysis in control of threat does not depend on_____	**Vulnerability Analysis**
Which of the following is the act of secretly listening to the private conversation of others without their consent?	**Eavesdropping**
Threat likelihoods are determine to define	**Information security**
_____helps organization in gaining competitive advantage in the use of processes, effectiveness and efficiency.	**BPR**
Which of the following network attacks involves probing for network information?	**Passive attacks**
Which of the following can be used together with access controls to identify and provide information about users suspected of improper modification of data.	**Audit Trial**

The first step after threat attacks the system would be	**Threat analysis**
_____ site backup is an appropriate choice for organizations if fast recovery is critical.	**Hot**
Which of the following is NOT true about risk management?	**Process of logical intrusion**
Which of the following phase determines that a potential vulnerability could be exercised by a given threat source?	**Likelihood determination**
Risk Management does NOT include _____ phase.	**Understanding Business Process**
Management controls are also known as:	**Non-technical controls**
An intruder carry out unauthorized activity by impersonating a legitimate user of the system incase of _____.	**Masquerading**
Risk projection attempts to rate risk in two ways	**Likelihood and impact**
_____ is the most harmful type of virus	**Overwriting virus**
Which of the following is the process of measuring, or assessing risk and then developing strategies to manage the risk?	**Risk Management**
What could be the first step in any corporate risk strategy?	**Risk identification**
_____ allow users to use the facilities of an operating system without being subject to the normal controls.	**Trapdoors**
Automated tools can be used to	**Threat identification**

Which of the following is in fact the risk mitigation process?	**Control recommendations**
Threat identification can be verified using	**Threat impact analysis**
Internet is vulnerable to attacks because of its _____	**global access**
Controls can be technical and non-technical. Which of the following is an example of non-technical control?	**Management**
Internet protocol _____ provide evidence on the delivery of messages.	**does not**