CS507

Final Term Past Papers File by Tanveer Online Academy

(Subjective)





WhatsApp:
https://wa.me/923455828811

YouTube Channel:
https://www.youtube.com/c/TanveerOnlineAcademy

Facebook Page:
https://web.facebook.com/TanveerOnlineAcademyOfficial

Facebook Group:
https://web.facebook.com/groups/1111267279027720

Website:
https://tanveeronlineacademy.blogspot.com/

Email:
tanveeronlineacademy@gmail.com

Contact for Paid Services: https://wa.me/923455828811
LMS Handling, Thesis/Research Project, Teaching Practice

CS507

Final Term Past Papers File by Tanveer Online Academy

(Subjective)

Methods of integration?

- Connect Existing modules/system
- Use Supply Chain Management (SCM) Software
- Use ERP Software

Double ellipses and Dashed ellipses?

Double ellipses represent multivalued attributes

Dashed ellipses represent derived attribute.

Critical Success Factors (CSF)?

- Money factors: positive cash flow, revenue growth, and profit margins.
- Acquiring new customers and/or distributors
- Customer satisfaction – No. of complaints, after sales service
- Quality – Customer feedback on the product.

What are the main targets of computer for viruses?

Generally, viruses attack four parts of the computer.

- Executable program files
- The file-directory system, which tracks the location of all the computers files
- Boot and system areas, which are needed to start the computer
- Data files

Passive attack and it's types?

This class of network attacks involves probing for network information. These passive attacks can lead to actual active attacks or intrusions/penetrations into an organization's network.

Types of Passive attacks

• Network Analysis • Eavesdropping • Traffic Analysis

Identify the attack?

(Koi statement given ho gi us main sy ap name of attack btana hy)

• Passive Attacks • Active Attacks (In dono ko prh laina)

Identify the Intrusion?

(Koi statement given ho gi us main sy ap name of instrusion btana hy. Read Intrusion from handouts to identify)

Two Characteristics of M-Commerce?

Two main characteristics are driving the interest in m-commerce: mobility and reach ability.

Mobility implies that the Internet access travels with the customers.

Reachability means that people can be contacted at any time, which most people see as a convenience of modern life.

Identify the type of audit record?

There are typically two kinds of audit records:

(1) An event-oriented log ---- this usually contain records describing system events, application events, or user events. An audit trail should include sufficient information to establish what events occurred and who (or what) caused them.

(2) A record of every keystroke---- often called keystroke monitoring. Keystroke monitoring is the process used to view or record both the keystrokes entered by a computer user and the computer's

response during an interactive session. Keystroke monitoring is usually considered a special case of audit trails.

Explain IDS with four components?

Intrusion Detection Systems (IDS) Another element to securing networks is an intrusion detection system (IDS). IDS is used in complement to firewalls. An IDS works in conjunction with routers and firewalls by monitoring network usage anomalies. It protects a company's information systems resources from external as well as internal misuse.


Components of an IDS

An IDS comprise of following components:

- Sensors that are responsible for collecting data. The data can be in the form of network packets, log files, system call, traces, etc.
- Analyzers that receive input from sensors and determine intrusive activity
- An administrative console – it contains intrusion definitions applied by the analyzers.
- A user interface

Entity Relationship Diagram?

- An employee may be in more than one departments
- An employee may not be working on any project but a project must have at least one employee working on it



This is another form of ERD used to show the relations between various fields in files used to record specific data.

Write at least 5 Best Passwords Practices?

33.5 Best Password practices

- Keep the password secret – do not reveal it to anyone
- Do not write it down – if it is complex, people prefer to save it in their cell phone memory, or write on a piece of paper, both of these are not preferred practices.

© Copyright Virtual University of Pakistan

- Changing password regularly – Passwords should be associated with users not machines. Password generation program can also be used for this purpose.
- Be discreet – it is easy for the onlookers to see which keys are being used, care should be taken while entering the password.
- Do not use obvious password – best approach is to use a combination of letters, numbers, upper case and lower case. Change passes word immediately if you suspect that anyone else knows it.

Difference between scanner and active monitors.?

33.1 Scanners

They scan the operating system and application soft ware for any virus based on the viruses they contain. Every virus has a different bit pattern. These unique bit patterns act as an identity for the virus and are called signatures. These signatures are available in virus definitions. Every scanner contains in it certain virus definitions which in fact are signatures (bit patterns) for various kinds of virus. The scanner checks or scans the operating system and other application soft wares installed on the hard drives. While scanning, it checks the bit patterns in all software against the bit patterns contained in the virus definitions of the scanner. If they found similar, they are labeled as virus.

33.2 Active monitors

This software serves the concurrent monitoring as the system is being used. They act as a guard against viruses while the operating system is performing various functions e.g connected to internet, transferring data, etc. It blocks a virus to access the specific portions to which only the operating system has the authorized access. Active monitors can be problem some because they can not distinguish between a user request and a program or a virus request. As a result, users are asked to confirm actions, including formatting a disk or deleting a file or a set of files.

Forms of supply chain management?

Supply chain may exist in various forms depending on the need of the business:

1. Made to Store – Focuses on tracking customer demand in real time, so that the production process can restock the finished goods inventory.
2. Continuous Replenishment – focuses on constant replacement of inventory by working closely with suppliers. Applicable to environments with stable demand patterns.
3. Built to order – Focuses on careful management of component inventories and delivery of needed supplies along the supply chain. A solution to this potential inventory problem is to utilize many common components across several production lines and in several locations.

Question: What are the approaches of system analysis and design?

Answer:

System Analysis and Design can be approached through:

- **Structured Approach:** Focuses on step-by-step analysis using tools like flowcharts, DFDs.
- **Object-Oriented Approach:** Uses objects, classes, and inheritance to model the system.
- **Prototyping:** Involves building a prototype to refine system requirements.
- **Agile Approach:** Emphasizes iterative development with constant stakeholder feedback.

Question: What are the five features of an Intrusion Detection System (IDS)?

Answer:


Five common features of IDS include:


- **Monitoring:** Continuously monitors network or system activities.
- **Detection:** Identifies potential security breaches or threats.
- **Alerts:** Sends notifications when suspicious activities are detected.
- **Logging:** Records events for auditing and investigation.

- **Response:** Takes predefined actions (manual or automated) upon detection.

Question: Draw a flowchart to check if a student qualifies for MBA admission with marks more than 70%.

Answer:





Question: Draw the symbols of equality and inequality used in flowcharts.

Answer:

- **Equality (==):** Used in decision symbols (diamond) to compare two values, e.g., `Marks == 70`.
- **Inequality (!=):** Also used in decision symbols to check if values are not equal.

Flowcharts do not have separate symbols for these; they are written as conditions inside the **decision (diamond-shaped)** symbol.

Question: Draw the flowchart symbols for Terminator, Process, and Decision.

Answer:

- **Terminator (Start/End):**

  Symbol: **Oval**

  Use: Indicates the beginning or end of a flowchart.

- **Process:**

  Symbol: **Rectangle**

  Use: Represents a process or action to be performed.

- **Decision:**

  Symbol: **Diamond**

  Use: Represents a decision point with Yes/No or True/False outputs.

Question: Match the flowchart elements with their functions.

Answer:

(Example of matched pairs)

Flowchart Symbol	Function
Terminator	Start or End of flowchart
Rectangle	Process or calculation
Diamond	Decision/Condition check
Arrow	Flow of control

Question: What are the components of Supply Chain Management (SCM)?

Answer:

The five key components of SCM are:

1. **Planning** – Strategy for managing all resources.
2. **Sourcing** – Choosing suppliers for goods/services.
3. **Making** – Manufacturing or assembling products.
4. **Delivering** – Logistics of transporting goods.
5. **Returning** – Handling product returns and defects.

Question: Identify the types of changeover: Parallel, Phased, and Abrupt.

Answer:

- **Parallel Changeover:** Old and new systems run simultaneously for a time.
- **Phased Changeover:** Parts of the system are gradually replaced.
- **Abrupt (Direct) Changeover:** Old system is immediately replaced by the new one.

Question: What are the components of an object in Object-Oriented Design?

Answer:

An object consists of:

1. **Identity** – A unique name.
2. **State** – The current values of the object's attributes.
3. **Behavior** – The functions/methods it can perform.
4. **Class** – Blueprint for the object.

Question: Define prototyping and describe its phases with the help of a diagram.

Answer:


Definition:

Prototyping is an iterative software development model that builds a working model (prototype) to understand requirements.

Phases of Prototyping:

1. Requirements gathering.
2. Quick design.
3. Build prototype.
4. User evaluation.
5. Refinement.
6. Final product.

Diagram:



Question: How is a computer virus transmitted? Enlist any 5 sources.

Answer:

Viruses can enter a system through:

1. Infected email attachments.
2. Downloading files from untrusted websites.
3. Infected USB drives or CDs.
4. Malicious software installations.

5. Clicking unknown pop-up ads or links.

Question: What are the symbols used in flowcharts?

Answer:

- **Terminator (Start/End):** Oval shape.
- **Process:** Rectangle shape.
- **Decision:** Diamond shape.
- **Input/Output:** Parallelogram shape.
- **Arrow:** Indicates flow of control.

Question: Write the strengths and weaknesses of the Spiral Model in a table.

Answer:

Strengths	Weaknesses
Good for large and complex projects	Can be costly and time-consuming
Early risk management	Requires expert risk assessment
Emphasizes prototyping	Not suitable for small projects
Allows changes during development	Complex to manage and document

---

Question: What are the business models of E-commerce?

Answer:

- **B2B (Business-to-Business):** Transactions between businesses.
- **B2C (Business-to-Consumer):** Selling products directly to consumers.
- **C2C (Consumer-to-Consumer):** Individuals selling to other individuals (e.g., OLX).
- **C2B (Consumer-to-Business):** Individuals offering products/services to companies.

Question: What is the role of a person's physical appearance in security?

Answer:

Physical appearance is used in **biometric security systems** which include:

- Facial recognition
- Fingerprint scanning
- Retina/iris scanning

These features are used to uniquely identify and authenticate individuals.

Question: What are the symbols used in DFD (Data Flow Diagram)?

Answer:

- **Process:** Circle or rounded rectangle.
- **Data Flow:** Arrow.
- **Data Store:** Open-ended rectangle.
- **External Entity:** Square.

Question: Explain upstream, downstream, and internal data flows.

Answer:

- **Upstream:** Data moving from customers to business (e.g., orders).
- **Downstream:** Data moving from business to customers (e.g., invoices).
- **Internal:** Data flowing within departments inside the organization.

Question: What is the philosophy of a firewall and mention its two types?

Answer:

Philosophy:

A firewall protects a network by monitoring and controlling incoming and outgoing traffic based on predefined rules.

Two Types of Firewalls:

1. **Packet-filtering Firewall** – Filters data packets based on IP, ports, etc.
2. **Application-level Firewall** – Filters based on specific applications or protocols.

. Identify object, class, attributes, and methods with examples.

Answer:

- **Object:** A specific instance of a class (e.g., *employee_001*).
- **Class:** A blueprint or category (e.g., *Employee*).
- **Attributes:** Characteristics of a class (e.g., *name*, *age*, *salary*).

- **Methods:** Actions or functions related to the class (e.g., *calculateSalary()*, *updateRecord()*).

Question: Why do we invest income in a good organization? Give two reasons.

Answer:

1. To ensure **sustainable profit and growth** through stable operations.
2. To achieve **long-term value and trust**, minimizing risks and increasing returns.

Question: What are the three components of Structured Analysis and Design?

Answer:

1. **Process Modeling** – Using tools like DFDs.
2. **Data Modeling** – Using ER diagrams or data dictionaries.
3. **Behavior Modeling** – Describing the logic or flow of the system (e.g., decision tables).

Question: A clothing brand's marketing team applies strategies to attract customers. Identify CSF and KPI.

Answer:

- **CSF (Critical Success Factor):** Effective digital marketing strategy.

- **KPI (Key Performance Indicator):** Increase in customer engagement, sales conversion rate, or online traffic.

Question: What are three general advantages of branded companies?

Answer:

1. **High customer trust and loyalty.**
2. **Better market recognition.**
3. **Premium pricing and quality perception.**

Question: Name three types of IDS (Intrusion Detection Systems).

Answer:

1. **Network-based IDS (NIDS):** Monitors traffic on a network.
2. **Host-based IDS (HIDS):** Monitors activities on a specific device or system.
3. **Hybrid IDS:** Combines both network and host-based approaches.

Question: A scenario was given about risk management. Identify two benefits of risk management. Also, discuss three types of basic management.

Answer:

Benefits:

1. Minimizes potential threats to business.
2. Helps in proactive decision-making.

Three types of management:

1. **Strategic Management:** Long-term planning and direction.
2. **Tactical Management:** Mid-level decision-making for objectives.
3. **Operational Management:** Day-to-day task management and efficiency.

Question: Match the flowchart symbols with their functions.

Answer:

Symbol	Meaning
Terminator	Start/End
Process	Task or action
Decision	Yes/No condition
Connector	Continuation point
One-page document	Input/Output

Question: Match columns of Object, Class, Attribute, and Method with examples.

Term	Example
Object	Car_01
Class	Car
Attribute	color, model, engineSize
Method	startEngine(), stopCar()

Question: An organization wants to work through E-commerce. List five E-commerce models.

Answer:

1. **B2B (Business to Business)**
2. **B2C (Business to Consumer)**
3. **C2C (Consumer to Consumer)**
4. **C2B (Consumer to Business)**
5. **B2G (Business to Government)**

Question: What is Centralized Processing?

Answer:

Centralized processing refers to a computing environment where all processing is done at a central location using a central computer or server. Users access the system through terminals or thin clients.

Question: What are Business Strategies?

Answer:

Business strategies are long-term plans developed by organizations to achieve competitive advantage and reach their objectives. Examples include cost leadership, differentiation, and market segmentation strategies.

Question: What is the difference between System Design and System Analysis?

Answer:

- **System Analysis** involves understanding user requirements and identifying problems in the current system.
- **System Design** is the process of creating a blueprint or technical plan for implementing the solution identified during analysis.

Question: What are the advantages and disadvantages of Prototyping?

Advantages:

- Early detection of errors and feedback.
- Improved user involvement and satisfaction.
- Faster requirement clarification.

Disadvantages:

- May lead to incomplete analysis.

- Frequent changes may delay final product.
- Risk of poor design due to rapid development.

Question: What are the types of Changeover Methods?

Answer:

1. **Parallel Changeover:** Old and new systems run simultaneously.
2. **Direct (Abrupt) Changeover:** Old system is stopped immediately, and the new one is implemented.
3. **Phased Changeover:** New system is introduced in phases.
4. **Pilot Changeover:** New system is implemented in one part of the organization before full deployment.

Question: Definitions of Trojan horse and overwritten viruses were given. We had to identify the type.

Answer:

- **Trojan Horse:** A type of malware that appears legitimate but performs malicious activities in the background.
- **Overwritten Virus:** A virus that deletes the original code of a file and replaces it with malicious code, making recovery impossible.

Question: Identify and list three primary delivery models of E-Government.

Answer:

1. **Government to Citizen (G2C):** Services provided directly to citizens (e.g., tax filing, ID issuance).
2. **Government to Business (G2B):** Interaction between government and business sectors (e.g., license registration).
3. **Government to Government (G2G):** Data and services shared between different governmental departments.

Question: Three types of changeover were given. Write the name of each type in the table.

Answer:

- **Parallel Changeover:** Both old and new systems run together.
- **Direct Changeover:** The old system is immediately replaced by the new system.
- **Phased Changeover:** New system is implemented in stages.

Question: A clothing brand marketing team applies strategies to attract customers. Fashion shows are held in different cities. Identify the Critical Success Factor (CSF) strategy and also identify the Key Performance Indicator (KPI) to measure the outcome.

Answer:

- **Critical Success Factor (CSF):** Brand promotion through fashion events.
- **Key Performance Indicator (KPI):** Increase in customer engagement, number of event attendees, or boost in sales after the show.

Question: Students' registration records are to be saved in Excel sheets. Write the name and symbols used in this activity.

Answer:

- **Name of Activity:** Data Recording or Student Record Management.
- **Symbols Used (Flowchart):**
  - **Terminator:** Start/End of the process.
  - **Process Box:** Data entry in Excel.
  - **Document Symbol:** Represents the Excel file.
  - **Arrow:** Direction of data flow.

Question: How is a virus transmitted to computers? Write five types.

Answer:

Computer viruses can be transmitted through various sources. Common transmission methods include:

1. Infected email attachments
2. Removable media (e.g., USB drives, CDs)
3. Downloading from untrusted websites

4. Infected software installations
5. File sharing networks (e.g., P2P networks)

Question: Identify and name the symbols of Connector, Terminator, Process, Decision. ***(Matching Column format)***

Symbol	Meaning
Circle	Connector
Oval	Terminator (Start/End)
Rectangle	Process
Diamond	Decision

Question: Match the following: Polymorphism, Re-engineering, Class, Inheritance, Encapsulation

Term	Definition
Polymorphism	Ability of a function or method to behave differently based on the context
Re-engineering	Improving or modifying existing systems to meet new requirements
Class	A blueprint for creating objects in object-oriented programming
Inheritance	Mechanism to acquire properties from another class
Encapsulation	Wrapping data and functions into a single unit (class) and restricting access

---

Question: Suppose an organization wants to start a business. What kind of models will this organization use?

Answer:

In an online environment, the organization may choose among the following **e-commerce models**:

- **B2B (Business to Business)**
- **B2C (Business to Consumer)**
- **C2C (Consumer to Consumer)**
- **C2B (Consumer to Business)**
- **G2C (Government to Consumer)**

These models define the interaction pattern between sellers, buyers, and intermediaries online.

Question: In an online environment, describe centralized learning.

Answer:

Centralized learning refers to a structured digital learning setup where a central platform or server delivers educational content to learners. It involves:

- Central control over content and assessments
- Uniform access to learning materials
- Centralized tracking of student progress
- Common in Learning Management Systems (LMS)

Identify and enlist three primary delivery models of government e-commerce (e-Government).

Answer:

Three primary delivery models of government e-commerce (e-Government) are:

1. **G2G (Government to Government)** – Electronic sharing of data and services between different governmental departments.
2. **G2B (Government to Business)** – Government services provided to businesses such as licensing, taxation.
3. **G2C (Government to Citizen)** – Direct services to citizens like NADRA services, online passport renewal, etc.

Write two firewall philosophies which are commonly used by organizations.

Answer:

The two common firewall philosophies are:

1. **Deny All Except** – Denies all traffic by default and allows only explicitly permitted traffic.
2. **Allow All Except** – Allows all traffic by default and blocks only specified types or sources of traffic.

Statements were given about changeover types (abrupt, phased, parallel), match each with the correct changeover type.

Answer:

Here's the correct matching:

- **Abrupt Changeover**: The old system is stopped, and the new system is started immediately.
- **Phased Changeover**: The new system is introduced gradually in phases.
- **Parallel Changeover**: Both systems (old and new) run simultaneously for a time to ensure correctness.

Application events, user events, and keystrokes entered into a computer fall under which type of audit records?

Answer:

These fall under:

-> Audit Trail Records

These records are used to trace system activity and user interactions for security monitoring and troubleshooting.

Write three components of Object-Oriented Analysis and Design (OOAD) and give examples.

Answer:

The three components are:

1. **Class** – Blueprint for creating objects (e.g., `Student` class)

2. **Object** – Instance of a class (e.g., `Ali` is an object of `Student`)
3. **Method** – Function or behavior (e.g., `calculateMarks()` inside `Student` class)

Give at least two rules for drawing Data Flow Diagrams (DFDs).

Answer:

Two important rules of DFDs:

1. **Each process must have at least one input and one output.**
2. **Data stores must be connected to at least one process (cannot connect directly to another data store or external entity).**

Question: Describe the impact levels (High, Moderate).

Answer:

- **High Impact**: Causes severe disruption to business operations or total system failure, resulting in significant financial or reputational loss.
- **Moderate Impact**: Leads to partial system degradation or service interruptions, affecting productivity but recoverable with minimal long-term damage.

Question: What are the types of threats in Information Systems?

Answer:

Common types of threats include:

- **Virus and Malware**
- **Phishing Attacks**
- **Denial of Service (DoS)**
- **Unauthorized Access**
- **Data Theft and Social Engineering**

Question: What is biometric identification?

Answer:

Biometric identification uses unique biological characteristics for verifying identity.

Examples include:

- **Fingerprint recognition**
- **Iris or retina scan**
- **Facial recognition**

  It is widely used for secure access control systems.

Question: What does "resist change" mean in system development?

Answer:

"Resist change" refers to the unwillingness of users or employees to adapt to a new system or process. This may be due to:

- Fear of the unknown
- Comfort with the current system

- Lack of training or communication

Question: What is the Incremental Model in system development?

Answer:

The **Incremental Model** is a software development approach where the system is built in small, manageable parts (increments). Each increment adds functional features and is tested before moving to the next phase.

Question: What is the Spiral Model?

Answer:

The **Spiral Model** is a risk-driven process model that combines elements of both design and prototyping. It includes repeated iterations (spirals), each consisting of:

- Planning
- Risk analysis
- Development
- Evaluation

Question: What is CFC (Critical Success Factor)?

Answer:

CFC refers to **Critical Success Factors**, which are the key areas that must be effectively

managed to achieve business goals.

Example: High customer satisfaction in a service-based company.

Question: What is IDS (Intrusion Detection System)?

Answer:

IDS is a system that monitors network or system activities for malicious actions or policy violations. Types of IDS:

- **Network-based IDS**
- **Host-based IDS**

Question: What is E-commerce?

Answer:

E-commerce is the process of buying and selling products or services online. Types include:

- **B2B (Business to Business)**
- **B2C (Business to Consumer)**
- **C2C (Consumer to Consumer)**

Question: What are the types of computer viruses?

Answer:

Common types of computer viruses include:

- **File Infector Virus**
- **Macro Virus**
- **Trojan Horse**
- **Worm**
- **Polymorphic Virus**

1Question: Match the column (example activity):

Term	Description
Trojan Horse	Disguised as legitimate software
Spiral Model	Iterative + Risk assessment
IDS	Intrusion Detection
Flowchart Symbol	Represents logic or decisions

1Question: Flowchart symbols and their functions:

Symbol	Function
Terminator	Start or End of process
Process	Task or action to be performed
Decision	A Yes/No or condition check

Symbol	Function
Connector	Connects flow in different pages

Question: What are active attacks?

Answer:

Active attacks involve attempts to alter system resources or affect their operations. Examples:

- **Man-in-the-middle attacks**
- **Data modification**
- **Denial of Service (DoS)**

  Unlike passive attacks, they are detectable.

Question: Draw a flowchart to determine even or odd number.

Answer (Steps):

1. **Start**
2. **Input a number (N)**
3. **N % 2 == 0?**
   - Yes → "Even"
   - No → "Odd"
4. **End**

You may use standard flowchart symbols: Start/End, Input, Decision, Output.

Question: What are the methods of system integration?

Answer:

Methods of system integration include:

- **Point-to-point integration**: Directly connects subsystems.
- **Vertical integration**: Connects subsystems according to their functions.
- **Star integration**: Uses a central hub.
- **Horizontal integration (EAI)**: A common interface layer integrates systems.

Question: What are the functions of double ellipse and dashed ellipse in a Use Case Diagram?

Answer:

- **Double Ellipse**: Represents a **complex or abstract use case** that contains multiple detailed use cases.
- **Dashed Ellipse**: Indicates an **extension** or **inclusion** relationship in UML (Unified Modeling Language), showing a conditional or optional process.

Question: What are Critical Success Factors (CSFs)?

Answer:

Critical Success Factors are essential elements necessary for an organization to achieve its mission.

Examples:

- Customer satisfaction
- Timely delivery
- Quality product development

  CSFs help prioritize what must go right for success.

Question: What are the main targets of computer viruses?

Answer:

Viruses mainly target:

- **Operating systems**
- **Executable files (.exe, .bat)**
- **Email systems**
- **Document macros**
- **Boot sectors**

  The goal is to corrupt, steal, or destroy data or system performance.

Question: What are passive attacks and what are their types?

Answer:

Passive attacks are unauthorized attempts to access or monitor data without altering it. They are harder to detect.

Types include:

- **Eavesdropping (interception of data)**
- **Traffic analysis (monitoring patterns)**

They compromise confidentiality but not integrity or availability.

Question: What are the benefits and drawbacks of the Waterfall Model?

Answer:

Benefits:

- Easy to manage due to clear structure.
- Phases are processed and completed one at a time.
- Well-suited for smaller projects with well-defined requirements.

Drawbacks:

- Inflexible to changes during the development process.
- Poor model for long and ongoing projects.
- Client doesn't see the product until the end.

Question: What are types of control in Information Systems? Give examples of Input and Output control.

Answer:

Types of controls:

- **Input Control**: Ensures only correct, authorized, and accurate data enters the system.
  Example: Validating user ID and password.
- **Output Control**: Ensures output is accurate, complete, and distributed properly.
  Example: Printing reports only for authorized departments.
- **Processing Control**: Ensures data is correctly processed.
  Example: Checksums during calculation.
- **File Control**: Protects files from unauthorized access or loss.
  Example: Backup and recovery procedures.

Question: What are Critical Success Factors (CSFs)? *(Short Question)*

Answer:

CSFs are key areas where successful results will ensure competitive performance for the organization. They help in aligning strategy with operations.

Question: Explain the importance of Critical Success Factors (CSFs) in system development. *(Long Question)*

Answer:

Critical Success Factors (CSFs) are vital for identifying key areas that must be performed well to achieve mission objectives. In system development, CSFs help:

- Set project priorities and objectives.
- Identify potential risks early.
- Align project efforts with organizational goals.
- Evaluate system performance and user satisfaction.

They guide development teams toward areas that impact success the most.

TAMVEER ONLINE ACADEMY