Dangling pointer errors in Java reduce the language _____ .

Masters

CS508 Current Final Term Paper 2023

.....

Choices:

Efficiency

.....

Safety

solved by masters

.....

Robustness

.....

Security

The inference mechanism is based upon _____.

Masters

.....

Choices:

- Backtracking



.....

- Propositional logic

solved by masters

.....

- Forward chaining

.....

- Recursion

A class that cannot be inherited is _____ type of class.

Masters

Choices:

- Sealed

  solved by masters ✓

- Construct

- Static

- Gather

LISP was the first programming language that introduced the concept of _____.

Masters

.....

Choices:

- (●) Pointers

  .....

- ( ) Arrays

  .....

- ( ) Dynamic typing

  solved by masters ✓

  .....

- ( ) Trees

Number of dimensions and size in C# rectangular arrays, is separated by_____.

Masters

.....

Choices:

- Full stop (.)

.....

- Comma (,)

solved by masters

.....

- Colon (:)

.....

- Semi colon (;)

The head and tail of a list in PROLOG is separated by:

Masters

Choices:

- Colon (:)
- Semicolon (;)
- Vertical bar (|)

solved by masters



The head and tail of a list in PROLOG is separated by:

Masters

Choices:

- Colon (:)
- Semicolon (;)
- Vertical bar (|)

solved by masters

- Comma (,)

Each class in a Java program can have:

Masters

.....

Choices:

- Only one constructor function *solved by masters*

  .....

- Many constructor functions

  .....

- Maximum two constructor functions

  .....

- Five constructor functions

Which of the following method is used to implement **Runnable** interface in Java?

Masters

Choices:

- stop()
- run()

solved by masters



- runThread()
- stopThread()

_____ has a steep learning curve and suffers from lack of standardization.

Masters

Choices:

- C++
- SNOBOL
- PROLOG

  solved by masters

  
- Java

There is no concept of global variable and function in _____ .

Masters

Choices:

- Java

  solved by masters

  

- C++
- ADA
- Lisp

In PHP 'switch' structure, the _____ starts or implements an implicit loop.

Masters

.....

Choices:

- Break statement

  solved by masters

  .....

- For loop

  .....

- Continue statement

  .....

- Return statement

The document object model in JavaScript includes the features and issues of _____.

Masters

.....

Choices:

- Browser and HTML code

  solved by masters

  .....
- PHP and HTML code

  .....
- JavaScript and Browser code

  .....
- HTML and JavaScript code

HTML objects in JavaScript can be accessed through_____.

Masters

.....

Choices:

- Associated array

  .....

- Reference pointer method

  solved by masters

  .....

- Reference type

  .....

- Non-contiguous array

Value types in C# are inherited from _____.

Masters

Choices:

- Associated array
- Object

solved by masters

- Reference
- Structs

The concept of package in Java is similar to _____.

Masters

.....

Choices:

- Global Class in C++

  solved by masters

  .....
- Assembly in C#

  .....
- Global class in C#

  .....
- Assembly in C++

A variable in _____cannot be used unless and until it is not initialized.

Masters

.....

Choices:

- C#

  solved by masters

  .....

- C++

  .....

- ALGOL

  .....

- LISP

Masters

Consider the following JavaScript code:

```
var students=["Ali", "Aakash", "Taha", "Faiq"];
```

Based on the above code, what will be the output of following JavaScript statements?

1. `document.write(students[2]);`
2. `document.write("My name is " + students[0]);`
3. `document.write(students[1]+students[3]);`

Answer:

Following will be the output of the code statements.

1. Taha
2. My name is Ali
3. AakashFaiq

Which of the following programming language allows functions to be defined inside functions?

.....

Choices:

- C#

  .....

- C

  .....

- JAVA

  solved by masters

  .....

- PHP

In PHP, ***foreach*** statement works only on _____.

.....

Choices:

- Integers

  .....

- Conditionals

  .....

- Arrays

  solved by masters

  .....

- Pointers

Functions in LISP are written in _____notation.

Masters

Subscribes to Masters

.....

Choices:

- Postfix

  .....

- Prefix

  solved by masters

  .....

- Infix

  .....

- Sigma