| | | |
|---|---|---|
| Proude To Be Virtulian MOAAZ SIDDIQ | **CS411 Visual Programming**<br>**Solved MCQS**<br>**For Midterm Exam** | **June 05,2014** |
| **MC100401285** | *Moaaz.pk@gmail.com* *Mc100401285@gmail.com* | **PSMD01** |

https://www.facebook.com/groups/VUsolvedPapers/

**Question No: 1 ( Marks: 1 ) - Please choose one**
Event-based programming is also known as:

Service-oriented architecture (SOA)
**Event-driven Architecture (EDA) (Page 11)**
Service-driven Architecture (SDA)
Event-based Architecture (EBA)

**Question No: 2 (Marks: 1) - Please choose one**
Polymorphism works on the basis that child class should have_____feature/s of its parent class.

1. Only one
2. No
3. Few
**4. All**

**Question No: 3 ( Marks: 1 ) - Please choose one**
The base class will have the _____ functionality of all derived classes

**1. Common**
2. Specialized
3. Unique
4. Different

**Question No: 4 ( Marks: 1 ) - Please choose one**
Clean room design is also called_____

1. Clear Room Design
**2. Wall Technique Design (Page 13)**
3. Chinese Wall Technique
4. French Wall Technique

https://www.facebook.com/groups/VUsolvedPapers/



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 5 ( Marks: 1 ) - Please choose one**
Indexers are similar to properties, but are accessed via a/an_____rather than a property name.

**1. Index Argument** Click here 4 detail
2. Reference
3. Pointer
4. Integer Argument

**Question No: 6 ( Marks: 1 ) - Please choose one**
Types not defined in any namespace are said reside in the_____namespace.

1. Local
2. Static
3. Virtual
**4. Global** Click here 4 detail

**Question No: 7 ( Marks: 1 ) - Please choose one**
A compiled C# file is called

1. Complied File
2. Source File
**3. Assembly File (Page 41)**
4. EXE File

**Question No: 8 ( Marks: 1 ) - Please choose one**
Cool stands for_____.

1. Class Oriented Object Language
2. Consumer Oriented Object Language
3. C-like Object Oriented Language
**4. C++-like Object Oriented Language (Page 13)**

**Question No: 9 ( Marks: 1 ) - Please choose one**
The initial name for C# was_____.

1. COAL
2. COOP
3. COAP
**4. COOL (Page 13)**

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 10 ( Marks: 1 ) - Please choose one**
The Main method returns a non-zero value which indicates the_____.

1. Source of Program
**2. Error in Program** Click here 4 more detail
3. Termination of Program
4. Exception in Program

**Question No: 11 ( Marks: 1 ) - Please choose one**
Attributes add _____to year program.

1. Clearance
2. Errors
**3. Meta Data (Page 40)**
4. Ambiguity

**Question No: 12 ( Marks: 1 ) - Please choose one**
Wait for a single event is _____operation.

1. Waiting
2. Waste
3. Idle
**4. Blocking (Page 8)**

**Question No: 13 ( Marks: 1 ) - Please choose one**
To use kbhit() command, you need to include which header file in your program?

1. fstream.h
2. stdio.h
3. iostream.h
**4. conio.h** Click here 4 more detail

**Question No: 14 ( Marks: 1 ) - Please choose one**
Which of the following is built from request-response?

1. Event-processing Architecture (EDA)
2. Service-driven Architecture (SDA)
**3. Service-oriented Architecture (SOA) (Page 11)**
4. Event-bas Architecture (EBA)

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 15 ( Marks: 1 ) - Please choose one**
_____let any classes behave like an array.

1. Properties
2. Fields
**3. Indexers (Page 29)**
4. Finalizers

**Question No: 16 ( Marks: 1 ) - Please choose one**
All the members of interfaces are implicitly_____.

1. Private
2. Static
**3. Public (Page 34)**
4. Abstract

**Question No: 17 ( Marks: 1 ) - Please choose one**
_____methods do not have names.

1. Attribute
**2. Anonymous (Page 46)**
3. None of given
4. Non-Anonymous

**Question No: 18 ( Marks: 1 ) - Please choose one**
Derived Event is:

Introduced into an event processing system by an event consumer.
**Generated as a result of event that takes place inside an event processing system. (Page 11)**
Introduced into an event processing system by an event producer.
A set of associated events.

**Question No: 19 ( Marks: 1 ) - Please choose one**
Which of the following is an occurrence within a particular system or domain?

Object
**Event (Page 7)**
Result
Message

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 20 ( Marks: 1 ) - Please choose one**
_____ is an entity that receives events from the system.

Event Producer
**Event Consumer (Page 11)**
Event Channel
Event Generator

**Question No: 21 ( Marks: 1 ) - Please choose one**
Writing higher-level functions that call upon lower-level functions _____ a program.

Decode
Harder
Refactor
**Simplify**

**Question No: 22 ( Marks: 1 ) - Please choose one**
Which statement is True?

A "catch" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion.
A "finally" block executes only, when an exception is thrown and when the "try" block runs to completion.
A "finally" block may or may not executes whether or not an exception is thrown and whether or not the "try" block runs to completion.
**A "finally" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion. Click here 4 detail**

**Question No: 23 ( Marks: 1 ) - Please choose one**
Attributes of a program can be queried at run time through _____.

**Reflection (Page 41,** for more detail**)**
Value
Reference
Extension

**Question No: 24 ( Marks: 1 ) - Please choose one**
During the program execution, program can be stopped with the help of _____.

Attributes
Compiler
Exception Handling
**Breakpoints (Page 47)**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 25 ( Marks: 1 ) - Please choose one**
The _____, _____ and _____of applications that use events, either directly or indirectly is called event-based programming.

Model, Code, Operation
Analyze, Design, Operation
Code, Operation, Maintain
**Design, Coding, Operation (Page 8)**

**Question No: 26 ( Marks: 1 ) - Please choose one**
Clean room design is useful as a defense against _____.

Copyright
Trade secret infringement
**Copyright and trade secret infringement (Page 13)**
None of the given options

**Question No: 27 ( Marks: 1 ) - Please choose one**
The result of Exception can bring _____ in the program.

Reliability
Stability
**Inconsistency (Page 40)**
Consistency

**Question No: 28 ( Marks: 1 ) - Please choose one**
_____ method reads the whole document in memory.

**XmlDocument (Page 48)**
XmlLine
XPath
XmlReader

**Question No: 29 ( Marks: 1 ) - Please choose one**
The _____ in the namespace indicate a hierarchy of nested namespaces.

Arrows
Dots
Semicolon
**Brackets (Page 22)**

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 30 ( Marks: 1 ) - Please choose one**
If we run the program from within Visual Studio, the console window disappears quickly so we can use _____ to keep screen from going away.

**Console.ReadLine() (Page 15)**
Console.WriteLine()
Console.Title
Console.Clear

**Question No: 31 ( Marks: 1 ) - Please choose one**
Which of the following is an entity that introduces event into the system?

Event Channel
Event Stream
Event Consumer
**Event Producer (Page 11)**

**Question No: 32 ( Marks: 1 ) - Please choose one**
At the time an event is fired, the _____ methods will be invoked.

**Registered Click here 4 detail**
Public
Static
Unregistered

**Question No: 33 ( Marks: 1 ) - Please choose one**
The easiest way to declare an event is to put the event keyword in front of a _____ member.

Interface
**Delegate Click here 4 detail**
Class
Struct

**Question No: 34 ( Marks: 1 ) - Please choose one**
Which of the following does NOT include in event processing operations?

Deleting Events
Reading Events
**Terminating Events (Page 8)**
Transforming Events

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 35 ( Marks: 1 ) - Please choose one**
An event is a list of_____

constants
variable
pointers
**delgates**

**Question No: 36 ( Marks: 1 ) - Please choose one**
C# is a _____ and .NET is a _____.

Platform, Language
Package, Language
Language, Package
**Language platform (Page 13)**

**Question No: 37 ( Marks: 1 ) - Please choose one**
Anonymous methods _____ the code size.

Double
Expand
**Reduce (Page 46)**
Extend

**Question No: 38 ( Marks: 1 ) - Please choose one**
g++ is a command of _____.

Dev C++
**Unix based system**
Windows based system
None of the given options

**Question No: 39 ( Marks: 1 ) - Please choose one**
A class can inherit from _____class/classes.

Two
**Single Click here 4 detail**
Three
Multiple

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 40 ( Marks: 1 ) - Please choose one**
Which of the following events may or may not relate to an actual occurrence?

**Probabilistic Events (Page 7)**
Actual Events
Real Events
Expected Events

**Question No: 41 ( Marks: 1 ) - Please choose one**
Which of the following statements is TRUE about raw event?

**It is introduced into an event processing system by an event producer. (Page 11)**
It is generated as a result of event processing.
It is introduced into an event processing system by an event consumer.
It is a subscription mechanism for events.

**Question No: 42 ( Marks: 1 ) - Please choose one**
A method performs an action in a series of statements, called a _____.

Code Block
Method Block
Routine Block
**Statement Block Click here for detail**

**Question No: 43 ( Marks: 1 ) - Please choose one**
Graphical user interfaces and the event-driven model are not applied on which of the following?

Web Applications
**Console Applications**
Mobile applications
Desktop Applications

**Question No: 44 ( Marks: 1 ) - Please choose one**
The System.Console is a _____ which enables us to do Console Input and Output.

Structure
**Class (Page 14)**
Namespace
Library

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 45 ( Marks: 1 ) - Please choose one**
Events are based on the principle of _____.

Request
Response
Coupling
**Decoupling (Page 10)**

**Question No: 46 ( Marks: 1 ) - Please choose one**
In event-driven architecture (EDA), _____ sends event to _____.

Event Consumer, Event Producer
**Event Producer, Event Consumer (Page 10)**
Event Handler, Event Producer
Event Generator, Event Producer

**Question No: 47 ( Marks: 1 ) - Please choose one**
XML is a stricter version of _____.

Java
CSS
**HTML (Page 47)**
C#

**Question No: 48 ( Marks: 1 ) - Please choose one**
Extension methods _____ access the private data members of the class in which they are extended.

May
**Cannot** click here 4 more detail
May not
Can

**Question No: 49 ( Marks: 1 ) - Please choose one**
BAML is compressed representation of _____.

CAML:NS
**XAML (Page 71)**
XAML:NS
CAML

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 50 ( Marks: 1 ) - Please choose one**
In context of XAML child element rules, if the child is plain text and a type converter exists to transform the child into the parent type (and no properties are set on the parent element), treat the child as the input to the type converter and use the output as the _____.

**Parent object instance (Page 68)**
Interface object instance
none
Child object instance

**Question No: 51 ( Marks: 1 ) - Please choose one**
IsNumeric(string s) is a function of _____ class.

Math class
Program class
String class
**MyUtills class (Page 53)**

**Question No: 52 ( Marks: 1 ) - Please choose one**
XAML specification defines rules that map ".NET" namespaces, types, properties, and events into _____.
I) XML namespaces II) XML elements III) XML Attributes

(I) Only
(II) Only
**(I), (II) and (III) only (Page 63)**
(III) Only

**Question No: 53 ( Marks: 1 ) - Please choose one**
Visual Studio has a snippet called _____ that automatically expands into a definition of a dependency property, which makes defining one much faster than doing all the typing yourself!

**Propdp (Page 77)**
Property extension
Dpprop
Dependency property

**Question No: 54 ( Marks: 1 ) - Please choose one**
Suppose we want to restrict the user to don't decrease the height of a WPF element from a specific amount then which property will be used?

**MinHeight (Page 83)**
none
HeightMinimum
MinimumHeight



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 55 ( Marks: 1 ) - Please choose one**
WPF element in "DockPanel" has property "dock". There is/are _____ possible value(s) of "dock" property.

two
three
**four (Page 93)**
one

**Question No: 56 ( Marks: 1 ) - Please choose one**
WPF4 was released in

2012
**2010 Click here for detail**
2005
2003

**Question No: 57 ( Marks: 1 ) - Please choose one**
_____ allows to keep the user interface description and implementation separate.

GDI
**WPF (Page 61)**
Avalon
Altia

**Question No: 58 ( Marks: 1 ) - Please choose one**
When the data is passed from one place to another in chunks, this data is called _____.

Bits
Line
Byte
**Stream**

**Question No: 59 ( Marks: 1 ) - Please choose one**
We want the width of button should cover the whole width of StackPanel in WPF then what should be value of HorizontalAlignment property of button?

Parent
Whole
Fill
**Stretch (Page 97)**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 60 ( Marks: 1 ) - Please choose one**
Which of the following is/are not derived from “Control” class?

ListBox
StatusBar
**None of the given (Page 73)**

**Question No: 61 ( Marks: 1 ) - Please choose one**
If we want to move an object in the 2-D x-y coordinate system then which transform class will be used?

**Translate Transform (Page 89)**
Skew Transform
Skew Transform
Rotate Transform

**Question No: 62 ( Marks: 1 ) - Please choose one**
Dependency properties are represented by _____ .

**System.Windows.DependencyProperty (Page 77)**
System.Windows.Dependency.Property
System.Windows.Dependency
System.Windows.Property.Dependency

**Question No: 63 ( Marks: 1 ) - Please choose one**
System.Windows.Controls.Button b = new System.Windows.Controls.Button(); b.Content = "OK"; For the above code (written in C#) the corresponding XAML code will be:

**<Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Content="OK"/> (Page 63)**
<Button xmlns= “OK” Content="http://schemas.microsoft.com/winfx/2006/xaml/presentation "/>
<Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Event="OK"/>
<Button xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation" Call="OK"/>

**Question No: 64 ( Marks: 1 ) - Please choose one**
_____ is a base class similar to UIElement but for document-related pieces of content that don’t have rendering behavior on their own.

**ContentElement (Page 73)**
VisualElement
SystemElement
XAMLElement

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 65 ( Marks: 1 ) - Please choose one**
In context of XAML child element rules, if the parent supports a content property and the type of the child is compatible with that property, treat the child as its _____.

Super class
Sub class
**Value (Page 68)**
Interface

**Question No: 66 ( Marks: 1 ) - Please choose one**
Mapping to the WPF namespaces is _____ in-side the WPF assemblies.

Specified at compile time
**Hard-coded (Page 63)**
None of the given
Dynamically specified

**Question No: 67 ( Marks: 1 ) - Please choose one**
The _____ user interfaces, enabled by WPF, is getting a lot of attention.

Loutish
**Polished (Page 61)**
Coarse
Distracted

**Question No: 68 ( Marks: 1 ) - Please choose one**
The _____ method is used to read the whole file at once.

**ReadAllText("test.txt");** Click here for detail
ReadAll();
Read("test.txt");
ReadLine();

**Question No: 69 ( Marks: 1 ) - Please choose one**
With the help of WPF, an ugly looking application can be _____ by the designers.

Rearranged
Re-created
**Re-themed(Page 61)**
Rejected

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 70 ( Marks: 1 ) - Please choose one**
Additional XML namespaces (on the root or on children) must be _____ to be used on any identifiers from that namespace.

Given a common prefix
Qualified with “Pre” keyword
**Given a distinct prefix (Page 63)**
Qualified with “Ext” keyword

**Question No: 71 ( Marks: 1 ) - Please choose one**
Extension methods can only be defined in _____ class.

Dynamic class
Normal class
String class
**Static class** Click here for detail

**Question No: 72 ( Marks: 1 ) - Please choose one**
If we want to rotate an object clockwise about a specified point in a 2-D x-y coordinate system then which transform class will be used?

**None of given (Page 87)**
Translate Transform
Skew Transform
Scale Transform

**Question No: 73 ( Marks: 1 ) - Please choose one**
The code given below is equivalent to _____ . <SolidColorBrush>White</SolidColorBrush>

<WhiteBrush >MyWhiteBrush </ WhiteBrush>
None of the given options
**<SolidColorBrush Color="White"/> (Page 65)**
<Brush Style= “SolidWhite” >

**Question No: 74 ( Marks: 1 ) - Please choose one**
“FrameworkElement” is the base class that adds support for _____.

Some common mechanisms for Windows-based controls
Data binding
Styles
**All of the given options (Page 73)**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

**Question No: 75 ( Marks: 1 ) - Please choose one**
All elements of WPF have following property/properties.

Width
None of given options
**Height and Width**
Height

**Question No: 76 ( Marks: 1 ) - Please choose one**
If we exclude the mechanism of calling the objects through name then:

**Code will not compile**
Code will be difficult to debug
Code will have errors
Code will become design dependent

**Question No: 77 ( Marks: 1 ) - Please choose one**
If we want to place a component at top in "dockpanel" then which one is correct syntax?

PanelDock="Top"
Dock="Top"
**DockPanel.Dock="Top" (Page 93)**
DockPanel="Top"

**https://www.facebook.com/groups/VUsolvedPapers/**



Muhammad Moaaz Siddiq – MCS(4th)
Moaaz.pk@gmail.com
Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari