Question # 1 of 10 (Start time: 09:10:37 PM, 29 July 2021)

We use "GetDefaultView" method of _____ to get the default View.

Select the correct option

- ViewCollection
- CollectionViewSource

Capture Effects Tools Help
Duration 0:00:02 Audio Delete Pause Stop

Type here to search 9:51 PM 7/29/2021

Question # 2 of 10 (Start time: 09:12:03 PM, 29 July 2021)

Observe the following piece of code taken out from Main() function:

```
Thread myThread = new Thread (Go);
myThread.Strat();
myThread.Join();
```

What will be the effect of instruction myThread.Join()?

Select the correct option

- ● Main thread execution will be suspended till completion of myThread
- ○ myThread will be executed after Main thread is completed
- ○ Both Main thread and myThread can now share the data

Question # 3 of 10 (Start time: 09:13:31 PM, 29 July 2021)

_____ mode of binding is opposite to OneWay mode of binding.

Select the correct option

- OneWayToSource
- OneTime
- TwoWay

Question # 4 of 10 (Start time: 09:15:11 PM, 29 July 2021)

In _____ browser app, you change
"<TargetZone>Internet</TargetZone>" to
"<TargetZone>Custom</TargetZone>"

Select the correct option

- Partial-trust
- Full-reject
- Partial-reject

Correct Option = Full-Trust

Type here to search
9:52 PM
7/29/2021

Select the correct option

- Partial-trust
- Full-reject
- Partial-reject
- Full-trust

Question # 5 of 10 (Start time: 09:15:57 PM, 29 July 2021)

_____and _____ are the two important properties of Binding object.

Select the correct option

- (●) Source, Path
- ( ) BindTo, BindFrom
- ( ) Items, Selected

Type here to search 9:52 PM 7/29/2021

Question # 6 of 10 (Start time: 09:18:01 PM, 29 July 2021)

Which one of the following code segment is used to set the background of Canvas Panel?

Select the correct option

- </Canvas.Background> <Canvas.Background>
- <Canvas.Background> </Canvas.Background>
- </Canvas.BackGround> <Canvas.BackGround>

Question # 7 of 10 (Start time: 09:21:10 PM, 29 July 2021)

We can perform sorting through View by using an object of _____ class.

Select the correct option

- ViewOrder
- SortDescription
- SortOrder

Type here to search
9:53 PM
7/29/2021

Question # 8 of 10 (Start time: 09:22:56 PM, 29 July 2021) T

_____ is more than one thing happening at the same time.

Select the correct option

- Congruence
- Cohesion
- Concurrency

Type here to search 9:53 PM 7/29/2021

Question # 9 of 10 (Start time: 09:23:35 PM, 29 July 2021)

Which of the following is not a string format property throughout WPF?

Select the correct option

- ○ ItemStringFormat
- ○ StringFormat
- ● RowHeaderStringFormat

Question # 10 of 10 (Start time: 09:25:03 PM, 29 July 2021)

To plug in custom logic, you need to add a _____ to the element that will execute the command or any parent element.

Select the correct option

- CommandBinding
- RoutedUICommand

CS411: Quiz 1

Subscribe

Question # 1 of 10

SOLVED BY: WAQAR HUSSAIN

To plug in custom logic, you need to add a _____ to the element that will execute the command or any parent element.

Select the correct option

- RouteUICommand
- Execute Command
- HelpCanExecute
- CommandBinding

(Lecture No.24, Pg.120)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 2 of 10

SOLVED BY: WAQAR HUSSAIN

Multi touch events are categorized into _____ and _____.

Select the correct option

- Touchdown events, touchup events
- Advanced touch events, low-level manipulation events
- Basic touch events, higher-level manipulation events (Lecture No.22, Pg.113)
- Touch events, touchup events

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 3 of 10

SOLVED BY: WAQAR HUSSAIN

A class that implements the 'ICommand' and supports 'bubbling' just like a routed event is known as _____

Select the correct option

- CanExecuteChanged
- ExecutedCommand
- RoutedUICommand (Lecture No.24, Pg.120)
- CanExecute

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 4 of 10

SOLVED BY: WAQAR HUSSAIN

Threadpool creates or reduces real threads using a hillclimbing algo to _____

Select the correct option

- To maximize memory utilization
- To reduce the cost of thread creation
- To minimize CPU usage
- To maximize CUP usage

(Lecture No.33, Pg.159)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 5 of 10

SOLVED BY: WAQAR HUSSAIN

_____ is more than one thing happening at the same time.

Select the correct option

- Coherence
- Cohesion
- Concurrency (Lecture No.32, Pg.155)
- Congruence

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 6 of 10

SOLVED BY: WAQAR HUSSAIN

Frame has a _____ property used in enabling or disabling the bar (containing Back/Forward buttons).

Select the correct option

- ShowsNavigationUI
- BlocknavigationUI
- NavigationUIVisibility (Lecture No.26, Pg.128)
- NavigationUIBlock

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 7 of 10

SOLVED BY: WAQAR HUSSAIN

_____ provides the logic behind the “Back” and “Forward” buttons.

Select the correct option

- IFrame
- Navigation Window
- Hyperlink
- Journal

(Lecture No.26, Pg.128)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 8 of 10

SOLVED BY: WAQAR HUSSAIN

Manipulating events work if IsManipulationEnabled=?

Select the correct option

- Null
- False
- True (Lecture No.23, Pg.115)
- \r

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 9 of 10

SOLVED BY: WAQAR HUSSAIN

We can perform sorting through View by using an object of _____ class.

Select the correct option

- SortOrder
- ViewDescription
- SortDescription (Lecture No.30, Pg.145)
- ViewOrder

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 10 of 10

SOLVED BY: WAQAR HUSSAIN

Hierarchical data templates are used to display data in a _____ like structure.

Select the correct option

- Tree (Module No.30, Pg.149)
- Network
- List
- Graph

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 1 of 10

SOLVED BY: WAQAR HUSSAIN

Identify the pre-defined built in command(s):

Select the correct option

- Copy
- Cut
- Close
- All of the given options

(Lecture No.24, Pg.120)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 2 of 10

SOLVED BY: WAQAR HUSSAIN

Data binding between the source and the target is performed through an object of _____ class.

Select the correct option

- Content
- Binding (Lecture No.29, Pg.139)
- Connection
- String

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 3 of 10

SOLVED BY: WAQAR HUSSAIN

Which of the following operation cannot be performed by using a View?

Select the correct option

- Sorting
- Filtering
- Grouping
- Searching

(Lecture No.30, Pg.145)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 4 of 10

SOLVED BY: WAQAR HUSSAIN

An event that is raised whenever the value of "CanExecute" changes is known as _____

Select the correct option

- Command
- Execute
- CanExecuteChanged (Lecture No.24, Pg.120)
- CanExecute

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 5 of 10

SOLVED BY: WAQAR HUSSAIN

Using _____ requires more overhead than _____ because of the extra tracking.

Select the correct option

- StaticResource, DynamicResource
- PermanentResource, TemporaryResource
- TemporaryResource, PermanentResource
- DynamicResource, StaticResource

(Lecture No.28, Pg.136)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 6 of 10

SOLVED BY: WAQAR HUSSAIN

_____ is used to perform navigation.

Select the correct option

- Hypertexct markup language code
- Hyperlink (Lecture No.26, Pg.127)
- Internet protocol
- Session

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 7 of 10

SOLVED BY: WAQAR HUSSAIN

Hierarchical data templates are used to display data in a _____ like structure.

Select the correct option

- Tree (Lecture No.30, Pg.149)
- Network
- List
- Graph

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 8 of 10

SOLVED BY: WAQAR HUSSAIN

Which of the following is not a string format property throughout WPF?

Select the correct option

- ContentStringFormat
- RowHeaderStringFormat (Lecture No.29, Pg.142)
- ItemStringFormat
- StringFormat

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 9 of 10

SOLVED BY: WAQAR HUSSAIN

Data binding is about tying together arbitrary .NET _____.

Select the correct option

- Functions
- Properties
- Objects (Lecture No.29, Pg.139)
- Variables

For More Quiz Subscribe our Channel TALEEMI MARKAZ

CS411: Quiz 1

Subscribe

Question # 10 of 10

SOLVED BY: WAQAR HUSSAIN

_____ and _____ are the two Important properties of Binding object.

Select the correct option

- BindTo, BindFrom
- Source, Path (Lecture No.29, Pg.139)
- Items, Selected
- Start, Destination

For More Quiz Subscribe our Channel TALEEMI MARKAZ

Quiz 01 cs 411

1:.....provides the logic behind the “Back “and “forward “buttons.

Journal.

2 :In the context of data binding…….contains the current items to get it synchronized with data source.

List.

3: In case of integrating Navigation to>BAP,”ShownavigationUI”should be set to ……in order to bypass integration.

False

4: A window can spawn……number of additional windows by integrating a window class and calling show ( ).

Any.

5: Button and Textbox have ….knowledge of each other.

No Direct.

6……resource is replaced every time it changes.

Dynamic.

7…is used to perform navigation.

Hyperlink

8: To plug in custom logic you need to add a……..to the element that will execute the command or any parent element.

CommandBinding.

9Which of the following is not treated as resources.

None of the given (bitmap, font, string table).

10Multi touch events are categorized into ….and…..

Basic touch events, higher level manipulation events.

11A class that implements the ‘icommand’and supports ‘bubbling ‘just like a routed event is known as…..

RoutedUICommand

12: Threadpool creates or reduces real threads using hillclimbing algo to…..

To maximize CPU usage.

13:……is more than one thing happening at the same time.

Concurrency.

14: Frame has a ….property used in enabling or disabling the bar (containing back/forward button).

NavigationUIVisibility

15: Manipulating events work if is ManipulationEnabled?

True.

16: We can perform sorting through view by using an object of ……class.

SortDescription

17: Hierarchical data templates are used to display data in a….like structure.

Tree.

18: We use "GetDefaultview "method of…….to get default view.

CollectionViewSource.

19: Mode of binding in opposite to OneWay of binding?

OneWayToSource.

20…..and……are the two important properties of Binding objects.

Source, path

21: Which one the following code segment is used to set the background of Canvas Panel?

<Canvas Background></Canvas Background>

22: Which of the following is not string format property throughout WPF?

RowHeaderStringFormat.

23: Observe the following piece of code taken out from Main () function.

Thread my Thread=new Thread (Go);

MyThread.Strat ():

Main Thread execution will be suspended till completion of my Thread.

24: XBAPs are suited for relatively full featured application that?

Happen to hosted directly in a web browser.

25: By default, navigation window ……a bar along with top with Black/forward button while a frame ……..

Has, doesn't have.

26: Using …..Requires more overhead than ….because of extra tracking.

Dynamic Resource, Static Resource.

27: In multi touch events, when multiple fingers are touching simultaneously, these events get raised to each finger…

Independently.

28: XBAP stands for…….

XAML browser application.

29…….supports the creation of application that run directly in a web browser.

WPF

30: Which one the following can be used to set dependency property values?

Dynamic resources.

31: To remove data binding between the source and the target, we can use ….function.

Clear Binding.

32: In ……browser app, you change

"<TargetZone>Internet</TargetZone>"to

"<TargetZone>custom</TargetZone>"

Full trust

33: Identify the pre-defined built in command(s)

All of the given options (close, copy, cut)

34: Binding technique binds two properties together and keeps a….open.

Communication channel

35: Data binding between the source and target performed through an object ……class.

Binding

36: An event that is raised the value of CanExecute changes is known as……

CanExecuteChanged.

37: Which of the following method is used to get the location of touch?

gettouchpoint ()

Prepared by: M Umar Farooq

Question # 1 of 10 (Start time: 08:43:07 PM) Total Marks: 1
Which function is used to create cancel button event of dialog box _____.
Select correct option:
OnInitCancel()
OnClickCancel()
CancelClick()
OnCancel()

Question # 2 of 10 (Start time: 08:44:25 PM) Total Marks: 1
Consider the following C# code segment: button.Background = (Brush) new BrushConverter().ConvertFrom ("SystemColors.WindowBrush"); Which one of the following is equivalent XAML code?
Select correct option:
<Button Background= "SystemColors.WindowsBrush"/>
<Button Background= "SystemColor.WindowsBrush"/>
<Button Background= "SystemColor.WindowBrush"/>
<Button Background= "SystemColors.WindowBrush"/>

Question # 3 of 10 (Start time: 08:45:51 PM) Total Marks: 1
Multi touch events are categorized into _____ and _____.
Select correct option:
Touch events, touchup events
Touchdown events, touchup events
Advanced touch events, low-level manipulation events
Basic touch events, higher-level manipulation events

Question # 4 of 10 (Start time: 08:46:26 PM) Total Marks: 1
Which of the following components generates an input Event?
Select correct option:
Printer
Multi Touch
Plotter
Speaker

Question # 5 of 10 (Start time: 08:47:00 PM) Total Marks: 1
Using _____ requires more overhead than _____ because of the extra tracking.
Select correct option:
StaticResource, DynamicResource
DynamicResource, StaticResource
PermanentResource, TemporaryResource
TemporaryResource, PermanentResource

Question # 6 of 10 (Start time: 08:47:56 PM) Total Marks: 1
We use "UIElement" property ClipToBounds= "false" when _____.
Select correct option:
We want area child element don't cross the boundary of parent
None of given
We want area of child element is allowed to cross the boundary of parent
Parent area also increases on increasing of area of child element

AIRBORNE

Question # 7 of 10 (Start time: 08:49:22 PM) Total Marks: 1
The Java programming language has a specific class for creating splash screens, called _____.
Select correct option:
Java.awt.start
Java.lang.splash
Java.start.screen
Java.awt.SplashScreen

Question # 8 of 10 (Start time: 08:50:33 PM) Total Marks: 1
_____ is used to perform navigation.
Select correct option:
Session
Hyperlink
Hypertext markup language code
Internet protocol

Question # 9 of 10 (Start time: 08:51:28 PM) Total Marks: 1
Which of the following operation cannot be performed by using a View?
Select correct option:
Grouping
Filtering
Sorting
Searching

Question # 10 of 10 (Start time: 08:52:36 PM) Total Marks: 1
To design a complex Interface, which of the following technique is best to achieve the required results?
Select correct option:
Panels composed in three panels
Panels composed within panels
Panels composed in two panels
Panels composed in single panel

Question # 1 of 10 (Start time: 08:18:20 PM) Total Marks: 1
Which of the following is not a string format property throughout WPF?
Select correct option:
ContentStringFormat
ItemStringFormat
RowHeaderStringFormat
StringFormat

Question # 2 of 10 (Start time: 08:19:31 PM) Total Marks: 1
In multi touch events, a/an _____ id is assigned to each individual event.
Select correct option:
Device
Processor
CPU
Event

AIRBORNE

Question # 3 of 10 (Start time: 08:20:03 PM) Total Marks: 1
Commonly we have two types of custom command bindings named as _____.
Select correct option:
StartBindings and StopBindings
EventBindings and InstanceBindings
ButtonBindings and TextboxBindings
KeyBindings and MouseBindings

Question # 4 of 10 (Start time: 08:21:16 PM) Total Marks: 1
Which of the following is an example of tunnel key event?
Select correct option:
Key up
Preview key entered
Preview key down
Key down

Question # 5 of 10 (Start time: 08:22:32 PM) Total Marks: 1
In context of data binding, _____ contains the current item to get it synchronized with data source.
Select correct option:
String
Template
View
List

Question # 6 of 10 (Start time: 08:24:12 PM) Total Marks: 1
Multi touch events are categorized into _____ and _____.
Select correct option:
Touch events, touchup events
Touchdown events, touchup events
Advanced touch events, low-level manipulation events
Basic touch events, higher-level manipulation events

Question # 7 of 10 (Start time: 08:25:34 PM) Total Marks: 1
Which function is used to create cancel button event of dialog box _____.
Select correct option:
OnInitCancel()
OnClickCancel()
CancelClick()
OnCancel()

Question # 8 of 10 (Start time: 08:26:59 PM) Total Marks: 1
_____and _____ are the two important properties of Binding object.
Select correct option:
Start, Destination
Items, Selected
Source, Path
BindTo, BindFrom

AIRBORNE

Question # 9 of 10 (Start time: 08:28:29 PM) Total Marks: 1
Which one of the following panels is most powerful, versatile and customizable?
Select correct option:
Grid Panel
Canvas panel
Doc panel
Stack panel

Question # 10 of 10 (Start time: 08:29:03 PM) Total Marks: 1
An event that is raised whenever the value of "CanExecute" changes is known as _____.
Select correct option:
CanExecute
CanExecuteChanged
Command
Execute

Question # 10 of 10 (Start time: 09:46:15 PM) Total Marks: 1
In order to resize the row and column in Grid panel, _____ is used.
Select correct option:
Grid divider
Grid compiler
Grid converter
Grid splitter

Which of the following is an example of tunnel key event?
Select correct option:
Key up
Preview key entered
Preview key down
Key down

Question # 2 of 10 (Start time: 09:04:53 PM) Total Marks: 1
Data binding is about tying together arbitrary .NET _____.
Select correct option:
Objects
Functions
Properties
Variables

Question # 5 of 10 (Start time: 09:06:36 PM) Total Marks: 1
_____ supports the creation of applications that run directly in a web browser.
Select correct option:
WPF
C/C++
C#
HTML

AIRBORNE

Question # 6 of 10 (Start time: 09:07:13 PM) Total Marks: 1
Which of the following operation cannot be performed by using a View?
Select correct option:
Grouping
Filtering
Sorting
Searching

Question # 7 of 10 (Start time: 09:07:41 PM) Total Marks: 1
_____ is used to perform navigation.
Select correct option:
Session
Hyperlink
Hypertext markup language code
Internet protocol

In context of data binding, _____ contains the current item to get it synchronized with data source.
Select correct option:
String
Template
View
List

_____and _____ are the two important properties of Binding object.
Select correct option:
Start, Destination
Items, Selected
Source, Path
BindTo, BindFrom

Question # 8 of 10 (Start time: 09:08:10 PM) Total Marks: 1
To check that the user either pressed left Alt key or right Alt key, the _____ is used.
Select correct option:
IsKeyDown
IsDown
keyboardDevice.IsKeyDown
KeyStates.IsKeyDown

Question # 10 of 10 (Start time: 09:11:06 PM) Total Marks: 1
In _____ browser app, you change "<TargetZone>Internet</TargetZone>" to "<TargetZone>Custom</TargetZone>"
Select correct option:
Partial-trust
Full-reject
Partial-reject
Full-trust

AIRBORNE

Question # 1 of 10 (Start time: 09:13:52 PM) Total Marks: 1
_____ provides the logic behind the "Back" and "Forward" buttons.
Select correct option:
Hyperlink
Navigation Window
IFrame
Journal

Question # 7 of 10 (Start time: 10:08:33 PM) Total Marks: 1
In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger _____.
Select correct option:
Independently
Completely
Partially
Dependently

Question # 9 of 10 (Start time: 10:09:30 PM) Total Marks: 1
In a code segment, if the Visibility=”Collapsed” then which of the following events are not generated?
Select correct option:
Key down Events
Mouse Events
Routed Events
Keyboard Events

Question # 7 of 10 (Start time: 10:17:09 PM) Total Marks: 1
A Window can spawn _____ number of additional Windows by instantiating a Window-derived class and calling Show(...).
Select correct option:
Four
Any
Six
Five

Question # 3 of 10 (Start time: 10:22:29 PM) Total Marks: 1
Frame has a _____ property used in enabling or disabling the bar.
Select correct option:
ShowsNavigationUI
BlocknavigationUI
NavigationUIVisibility
NavigationUIBlock

Question # 4 of 10 (Start time: 10:23:10 PM) Total Marks: 1
If we insert some objects in a single cell in Grid panel, then these objects are placed on _____
Select correct option:
One on Top of the other
One after the other
One on Bottom of the other

AIRBORNE

One on Side of the other

Question # 6 of 10 (Start time: 10:24:01 PM) Total Marks: 1
A _____ receives keyboard events only if it has keyboard focus.
Select correct option:
Mouse
Keyboard Controls
Keyboard
UIElement

Question # 1 of 10 (Start time: 09:53:44 PM) Total Marks: 1
To remove data binding between the source and the target, we can use _____ function.
Select correct option:
ClearBinding
ResetBinding
StopBinding
RemoveBinding

Question # 2 of 10 (Start time: 09:54:31 PM) Total Marks: 1
A/An _____ screen is an image that appears while a game or program is loading
Select correct option:
Opening
Initial
Splash
Startup

Question # 3 of 10 (Start time: 09:54:52 PM) Total Marks: 1
We can perform sorting through View by using an object of _____ class.
Select correct option:
ViewOrder
ViewDescription
SortOrder
SortDescription

Question # 4 of 10 (Start time: 09:55:44 PM) Total Marks: 1
"Binding" technique binds two properties together and keeps a _____ open.
Select correct option:
Memory location
Selection
Choice
Communication channel

Which one of the following can be used to set dependency property values?
Select correct option:
Temporary resource
Permanent resource
Dynamic resource
Static resource

AIRBORNE

Question # 6 of 10 (Start time: 09:56:53 PM) Total Marks: 1
_____ is used to perform navigation.
Select correct option:
Session
Hyperlink
Hypertext markup language code
Internet protocol

Question # 7 of 10 (Start time: 09:57:13 PM) Total Marks: 1
Which one of the following is used, if we want to add a window resource in procedural code?
Select correct option:
Window.Resource.Add ();
<Widows.Resources></Widows.Resources>
Window.Resoruces.Add();
<Window.Resources></Window.Resources>

Question # 8 of 10 (Start time: 09:57:49 PM) Total Marks: 1
We use "GetDefaultView" method of _____ to get the default View.
Select correct option:
CollectionViewSource
DataSource
ViewDescription
ViewCollection

Question # 8 of 10 (Start time: 09:57:49 PM) Total Marks: 1
We use "GetDefaultView" method of _____ to get the default View.
Select correct option:
CollectionViewSource
DataSource
ViewDescription
ViewCollection

Question # 9 of 10 (Start time: 09:58:54 PM) Total Marks: 1
In case of HTML page navigation, you must use the _____ of "Navigate" that _____ a URI.
Select correct option:
Overload, rejects
IFrame, rejects
IFrame, accepts
Overload, accepts

Question # 10 of 10 (Start time: 10:00:08 PM) Total Marks: 1
The Java programming language has a specific class for creating splash screens, called _____.
Select correct option:
Java.awt.start
Java.lang.splash
Java.start.screen
Java.awt.SplashScreen

AIRBORNE

Question # 8 of 10 (Start time: 10:42:41 PM) Total Marks: 1
In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to _____ in order to bypass integration.
Select correct option:
False
True
Null
0

AIRBORNE

Virtual University	**CS411-Visual Programming** **BY ARSLAN ARSHAD (ZAIN NASAR)** **Solved MCQS** **From Midterm and Final term Papers and also from daily based quizzes(1 to 45 lectures)**	**FEB 21,2015**
BS110401050	**BS110401050@vu.edu.pk Arslan.arshad01@gmail.com**	**AKMP01**

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِيْمِ

In the Name of Allāh, the Most Gracious, the Most Merciful



CS411 QUIZ # 1
2014 and 2015
From (1 to 10) Lectures

Question # 1: A class can inherit from _____class/classes.

- Two
- **Single** **Click here for more detail**
- Three
- Multiple

Question # 2: During the program execution, program can be stopped with the help of _____.

- Attributes
- Compiler
- Exception Handling
- **Breakpoints** **Page#47**

Question # 3: Types not defined in any namespace are said reside in the _____ namespace.

- Local
- Static
- Virtual
- **Global** **Click here for more detail**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 4: Indexers are similar to properties, but are accessed via a/an _____ rather than a property name.

- **Index Argument** **Click here for more detail**
- Reference
- Pointer
- Integer Argument

Question # 5: At the time an event is fired, the _____ methods will be invoked.

- **Registered** **Click here for more detail**
- Public
- Static
- Unregistered

Question # 6: Which of the following does NOT include in event processing operations?

- Deleting Events
- Reading Events
- **Terminating Events** **Page # 8**
- Transforming Events

ہر چیز کی ایک پہچان ہوتی ہے اور عقلمند کی پہچان غوروفکر کرنا ہے اور غوروفکر کی پہچان خاموشی ہے

Question # 7: The result of Exception can bring _____ in the program.

- Reliability
- Stability
- **Inconsistency (Page # 40)**
- Consistency

Question # 8: Cool stands for_____.

- Class Oriented Object Language
- Consumer Oriented Object Language
- C-like Object Oriented Language
- **C++-like Object Oriented Language Page # 13**

Question # 9: Graphical user interfaces and the event-driven model is not applied on which of the following?

- Web Application
- **Console Application Page # 5**
- Mobile Application
- Desktop Application

Graphical user interfaces and the event-driven model as applied to desktop, web, and mobile applications.

Question # 10: The easiest way to declare an event is to put the event keyword in front of a _____ member.

- Interface
- **Delegate** **Click here for more detail**
- Class
- Struct

Question # 11: Which of the following does NOT include in event processing operations?

- Deleting Events
- Reading Events
- **Terminating Events** **Page # 8**
- Transforming Events

Event processing operations include reading, creating, transforming, and deleting events.

Question # 12: Events are based on the principle of _____.

- Request
- Response
- Coupling
- **Decoupling** **Page # 13**

Events are based on the principle of decoupling.

Question # 13: _____methods do not have names.

- Attribute
- **Anonymous Page # 53**
- None of given
- Non-Anonymous

Anonymous method is a method without a name.

Question # 14: _____ is an entity that receives events from the system.

- Event Producer
- **Event Consumer Page # 14**
- Event Channel
- Event Generator

EVENT CONSUMER: An event consumer is an entity at the edge of an event pro- cessing system that receives events from the system.

Question # 15: An event is a list of_____.

- constants
- variable
- pointers
- **Delegates**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 16: _____ is an occurrence within a particular system or domain.


- Function
- **Event Page # 10**
- Information
- Transaction

So what is an event. Its an occurrence within a particular system or domain.

Question # 17: Which of the following is an occurrence within a particular system or domain?

- Object
- **Event Page # 10**
- Result
- Message

So what is an event. Its an occurrence within a particular system or domain.




Question # 18: Which statement is true?

- A "catch" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion.
- A "finally" block executes only, when an exception is thrown and when the "try" block runs to completion.
- A "finally" block may or may not executes whether or not an exception is thrown and whether or not the "try" block runs to completion.
- **A "finally" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion.** **click here for more detail**

Question # 19: Clean room design is also called_____.

- Clear Room Design
- Wall Technique Design
- **Chinese Wall Technique Page # 17**
- French Wall Technique

Clean room design (also known as the Chinese wall technique)



Question # 20: Clean room design is useful as a defense against _____.

- Copyright
- Trade secret infringement
- **Copyright and trade secret infringement (Page # 17)**
- None of the given options

Clean room design is useful as a defense against copyright and trade secret infringement because it Relies on independent invention.

Question # 21: Which of the following is an entity that introduces event into the system?

- Event Channel
- Event Stream
- Event Consumer
- **Event Producer Page#14**

EVENT PRODUCER: An event producer is an entity at the edge of an event process- ing system that introduces events into the system.

Question # 22: Anonymous methods _____ the code size.

- Double
- Expand
- **Reduce Page#46**
- Extend

Anonymous methods result in much less code

Question # 23: Which of the following is built from request-response?

- Event-processing Architecture (EDA)
- Service-driven Architecture (SDA)
- **Service-oriented Architecture (SOA) Page # 13**
- Event-based Architecture (EBA)

Service-oriented architecture (SOA) is built from request-response.

Question # 24: The System.Console is a _____ which enables us to do Console Input and Output.

- Structure
- **Class (Page#14)**
- Namespace
- Library

Question # 25: _____ events may or may not relate to an actual occurrence.

- Observed Events
- Deducted Events
- **Probabilistic Events (Page#10)**
- None of the above

Probabilistic events may or may not relate to an actual occurrence e.g. a fraud detection event on a banking transaction.

Question # 26: Which of the following events may or may not relate to an actual occurrence?


- **Probabilistic Events (Page#10)**
- Actual Events
- Real Events
- Expected Events

Probabilistic events may or may not relate to an actual occurrence e.g. a fraud detection event on a banking transaction.

Question # 27: _____ events may or may not relate to an actual occurrence

- **Probabilistic page # 10**
- Event properties
- Layer
- Properties

Probabilistic events may or may not relate to an actual occurrence e.g. a fraud detection event on a banking transaction.



Question # 28: _____ method reads the whole document in memory.

- **XmlDocument Page # 48**
- XmlLine
- XPath
- XmlReader

There are two methods to read XML document. Using XmlDocument and XmlReader. **XmlDocuments reads entire document in memory**

Question # 29: Event-based programming is also known as:

- Service-oriented architecture (SOA)
- **Event-driven Architecture (EDA) Page # 13**
- Service-driven Architecture (SDA)
- Event-based Architecture (EBA)

Event-based programming, also called event-driven architecture (EDA)


Question # 30: Wait for a single event is _____operation.

- Waiting
- Waste
- Idle
- **Blocking Page # 10**

Wait for a single event is blocking operation.

Question # 31: The Main method returns a non-zero value which indicates the_____.

- Source of Program
- **Error in Program** **click here for more detail**
- Termination of Program
- Exception in Program



CS411 QUIZ # 2
2014 and 2015
From (11 to 21) Lectures

Question # 32: System.Windows.Controls.Button b = new System.Windows.Controls.Button(); b.Content = "OK"; For the above code (written in C#) the corresponding XAML code will be:

- **<Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Content="OK"/> Page # 71**
- <Button xmlns= “OK” Content="http://schemas.microsoft.com/winfx/2006/xaml/presentation "/>
- <Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Event="OK"/>
- <Button xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation" Call="OK"/>

Question # 33: If we want to move an object in the 2-D x-y coordinate system then which transform class will be used?

- **Translate Transform Page # 89**
- Skew Transform
- Skew Transform
- Rotate Transform

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 34: If we want to scale an object in the 2-D x-y coordinate system then which transform class will be used?

- Rotate Transform
- Matrix Transform
- **Translate Transform Page # 89**
- Skew Transform

Question # 35: Which of the following is/are not derived from "Control" class?

- ListBox
- StatusBar
- Both of above
- **None of the given (Page#73)**

Question # 36: Which of the following is/are not derived from "Control" class?

- ListBox
- StatusBar
- Both of above
- **None of the given (Page#73)**

جھوٹ انسان اور ایمان دونوں کا دشمن ہے

Question # 37: Which of the following is/are not derived from "Control" class?

- ListBox
- StatusBar
- **None of the given (Page#73)**
- Button

Question # 38: WPF4 was released in _____.

- 2012
- **2010** **Click here for detail**
- 2005
- 2003

Question # 39: Suppose we want to restrict the user to don't decrease the height of a WPF element from a specific amount then which property will be used?

- HeightMinimum
- MinimumHeight
- **MinHeight Page#83**
- None of the given


Question # 40: Which property will be used if we want to restrict the user to don't increase the width of a WPF element from a specific amount?

- **MaxWidth Page # 91**
- MaximumWidth
- WidthMaximum
- None of given options

Question # 41: XAML specification defines rules that map ".NET" namespaces, types, properties, and events into_____. I) XML namespaces II) XML elements III) XML Attributes

- Only
- Only
- **(I), (II) and (III) only Page # 71**
- Only

XAML specification defines rules that map .NET namespaces, types, properties, and events into XML namespaces, elements, and attributes. Lets see XAML and equivalent C#.



Question # 42: Dependency properties are represented by _____.

- **System.Windows.DependencyProperty (Page 77)**
- System.Windows.Dependency.Property
- System.Windows.Dependency
- System.Windows.Property.Dependency

Dependency properties are represented by System.Windows.DependencyProperty. By convention, public static and Property suffix are used.

Question # 43: Extension methods can only be defined in _____ class.

- Dynamic class
- Normal class
- String class
- **Static class** **click here for more detail**

Question # 44: Extension methods _____ access the private data members of the class in which they are extended.

- May
- **Cannot** **click here for more detail**
- May not
- Can

Question # 45: _____ allows to keep the user interface description and implementation separate.


- GDI
- **WPF (Page 69)**
- Avalon
- Altia

WPF allows to keep user interface description and implementation separate.

Question # 46: In context of XAML child element rules, if the child is plain text and a type converter exists to transform the child into the parent type (and no properties are set on the parent element), treat the child as the input to the type converter and use the output as the _____.

- **Parent object instance Page # 75**
- Interface object instance
- none
- Child object instance

If the child is plain text and a type converter exists to transform the child into the parent type (and no properties are set on the parent element), treat the child as the input to the type converter and use the output as the parent object instance.



Question # 47: We use "UIElement" property ClipToBounds= “True” when _____.

- We want area of child element is allowed to cross the boundary of parent
- Parent area also increases on increasing of area of child element
- None of given
- We want area child element don’t cross the boundary of parent

Question # 48: BAML is compressed representation of _____.

- CAML:NS
- **XAML Page # 77**
- XAML:NS
- CAML

BAML is binary application markup language. It just a compressed representation of XAML.

Question # 49: AML is compressed representation of _____.

- CAML:NS
- **XAML Page # 77**
- XAML:NS
- CAML

زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت بنو

Question # 50: If we exclude the mechanism of calling the objects through name then:

- **Code will not compile**
- Code will be difficult to debug
- Code will have errors
- Code will become design dependent

Question # 51: "viewbox" element use different types of stretching with the help of stretch property. There is/are _____ possible value(s) of stretch.

- 1
- 4
- 2
- 3

Question # 52: BAML stands for:

- binary application map language
- binary application markup linkage
- **binary application markup language** **Page # 77**
- binary application map linkage

BAML is binary application markup language.

Question # 53: Which is the right syntax to define an interface?

- **Interface imyinterface**
  {
  Void methodtoimplement(); Page # 40
  }

- Interface imyinterface
  {
  Void methodtoimplement
  }

- Interface imyinterface
  {
  Void implement();
  }

- Interface imyinterface
  {
  Void method();
  }
  Interfaces can also be inherited.

Question # 54: If we want to place a component at top in "dockpanel" then which one is correct syntax?

- PanelDock="Top"

- Dock="Top"

- **DockPanel.Dock="Top" Page # 101**

- DockPanel="Top

<Button DockPanel.Dock="Top" Background ="Red">1 (Top)</Button >

Question # 55: Dock panel allows easy docking of elements to an entire side.

- **True Page # 101**
- False

Dock panel allows easy docking of elements to an entire side. Dock attached property has left, right, top, bottom values

Question # 56: _____ processing operations include reading, creating, transforming, and deleting events.

- Observed Events
- **Common event (Page#10)**
- Deducted Events
- Probabilistic Events

Common event processing operations include reading, creating, transforming, and deleting events.

Question # 57: The _____ in the namespace indicate a hierarchy of nested namespaces.

- Arrows
- **Dots** **click here for more detail**
- Semicolon
- Brackets

The dots in the namespace indicate a hierarchy of nested namespaces.

Question # 58: The interface forces each component to expose specific _____ members that will be used in a certain way.

- **Public (Page# 40)**
- Private
- Both of above
- None of the given

The interface forces each component to expose specific public members that will be used in a certain way.

Question # 59: Static ctor exists to initialize class static members and called only _____.

- **Once (Page # 28)**
- Twice
- Anytime
- All of the given

Static ctor exists to initialize class static members. Its called only once.

Question # 60: Static ctor exists to initialize class static members and has many parameters.

- True
- **False (Page #28)**

Static ctor exists to initialize class static members. Its called only once.

Question # 61: Interfaces define a contract.

- **True Page # 40**
- False


Interfaces define a contract.

Question # 62: Additional XML namespaces (on the root or on children) must be _____ to be used on any identifiers from that namespace.

- Given a common prefix
- Qualified with "Pre" keyword
- **Given a distinct prefix Page # 71**
- Qualified with "Ext" keyword

Question # 63: We want the width of button should cover the whole width of StackPanel in WPF then what should be value of HorizontalAlignment property of button?

- Parent
- Whole
- Fill
- **Stretch (Page#97)**



Question # 64: The root object element in XAML must specify at least _____ XML namespace that is used to qualify itself and any child elements.

- **one (Page # 71)**
- two
- three
- five

The root object element in XAML must specify at least one XML namespace

Question # 65: In event-driven architecture (EDA), _____ sends event to _____.

- Event Consumer, Event Producer
- **Event Producer, Event Consumer (Page#13)**
- Event Handler, Event Producer
- Event Generator, Event Producer

Question # 66: Auto-implemented properties do not allow simplified syntax.

- True
- **False (Page # 35)**

Auto-implemented properties improve the common-case we saw. Here is the same example using auot-implemented properties. Properties have the same idea as getters and setters. They just allow simplified syntax.

ہر چیز کی ایک پہچان ہوتی ہے اور عقلمند کی پہچان غوروفکر کرنا ہے اور غوروفکر کی پہچان خاموشی ہے

Question # 67: The initial name for C# was _____.

- COAL
- COOP
- COAP
- **COOL (Page#17)**

Where do the name for C# comes from. The initial name was “Cool”, which stood for “C-like Object Oriented Language”.

Question # 68: Events may live _____ events like in event logs.

- Inside
- **Outside (Page # 13)**
- Both of above
- None of the given

Question # 69: If we run the program from within Visual Studio, the console window disappears quickly so we can use _____ to keep screen from going away.

- **Console.ReadLine() (Page#18)**
- Console.WriteLine()
- Console.Title
- Console.Clear

Question # 70: Types of class members in C# are _____ and _____.

- static, instance
- **instance, static (Page # 28)**
- public, private
- static, private

Question # 71: Mapping to the WPF namespaces is _____ in-side the WPF assemblies.

- Specified at compile time
- **Hard-coded (Page # 13)**
- None of the given
- Dynamically specified

Question # 72: Polymorphism needs the signatures to be the _____.

- Different
- **Same (Page # 29)**
- Alternative
- None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 73: The code given below is equivalent to _____.
<SolidColorBrush>White</SolidColorBrush>


- <WhiteBrush >MyWhiteBrush </ WhiteBrush>
- **<SolidColorBrush Color="White"/> (Page # 72)**
- <Brush Style= "SolidWhite" >
- None of the given options

Question # 74: An indexer enables your class to be treated like a/an _____.

- Class
- Function
- **Array (Page # 35)**
- Pointer

Question # 75: Reference types hold a reference to an object in memory.

- **True (Page # 38)**
- False



Question # 76: Attributes of a program can be queried at run time through _____.

- **Reflection** click here for more detail
- Value
- Reference
- Extension

Question # 77: Object variables are references to the _____ object not the object themselves.

- **Original (Page#24)**
- Alternative
- Primary
- None of the given

Question # 78: Console class can reside in multiple libraries.

- **True (Page # 27)**
- False

عقل مند اپنے عیب خود دیکھتا ہے اور بیوقوفوں کے عیب دنیا دیکھتی ہے

Question # 79: _____ is built from request-response and it moves away from monolithic applications.

- Event-driven architecture (EDA)
- **Service-oriented architecture (SOA) (Page # 13)**
- Both of above
- None of the given option

Question # 80: It is always possible to create an instance of a reference type.

- True
- **False (Page # 18)**

Question # 81: Visual Studio has a snippet called _____ that automatically expands into a definition of a dependency property, which makes defining one much faster than doing all the typing yourself!

- **Propdp (Page # 84)**
- Property extension
- Dpprop
- Dependency property

جو لوگوں کے سامنے فخر کرتا ہے وہ لوگوں کی نظروں سے گر جاتا ہے

Question # 82: CLI stands for:

- Common Language Interface
- Common Language Instruction
- **Common Language Infrastructure (Page # 18)**
- Common Language Iteration

Question # 83:_____ is said to be stateless if the way it processes one event does not influence the way it processes any subsequent events.

- Event Producer
- Raw Event
- **Event Processing (Page#14)**
- Event Stream

Question # 84: "FrameworkElement" is the base class that adds support for _____.

- Some common mechanisms for Windows-based controls
- Data binding
- Styles
- **All of the given options (Page#79)**

عقل مند آدمی اس وقت تک نہیں بولتا جب تک خاموشی نہیں ہو جاتی

Question # 85: _____ is basically array of arrays.

- Stack
- Pointer
- **Jagged (Page # 23)**
- Function

Question # 86: The using directive can be used to rename a long namespace in the current file.

- **True (Page#27)**
- False

Question # 87: Derived class is exactly the same as base.

- **True (Page # 29)**
- False

Question # 88: Cast back to base type to call a/an _____ method of base.

- Instance
- Base Class
- Derived Class
- **Overridden (Page # 29)**

خوبصورتی علم و ادب سے ہوتی ہے لباس و حسن سے نہیں

Question # 89: _____ invoke derived class methods through base class reference during run-time.

- Abstraction
- **Polymorphism (Page # 29)**
- Composition
- Association

Question # 90: _____ are inherited by classes which provide the real implementation.

- Functions
- Variables
- **Interfaces (Page # 40)**
- Objects

Question # 91: An object initializer is a syntax for initializing a struct without using a ctor.

- **True (Page # 39)**
- False

اپنی مرضی اور اللہ کی مرضی میں فرق کا نام غم ہے

Question # 92: Attributes add _____to year program.

- Clearance
- Errors
- **Meta Data (Page#47)**
- Ambiguity

Question # 93: Enum of one type may not be _____ assigned to an enum of another type.

- **Implicitly (Page#49)**
- Explicitly
- Both of above
- None of the given

Question # 94: Default value of first member is _____.

- **0 (Page#50)**
- 1
- 2
- 3

اللہ کا خوف سب سے بڑی دانائی ہے

Question # 95: Namespaces do not allow name reuse.

- True
- **False (Page # 27)**

Namespaces allow name reuse.

Question # 96: Indexers can take any number of _____.

- Arrays
- Variables
- **Parameters (Page # 36)**
- All of these

Question # 97: Derived Event is:

- Introduced into an event processing system by an event consumer.
- **Generated as a result of event that takes place inside an event processing system. (Page#11)**
- Introduced into an event processing system by an event producer.
- A set of associated events.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 98: _____ is a static class in the System namespace.

- **Console (Page # 18)**
- Pointer
- Variable
- Function

Question # 99: Value-types hold their value in _____where they are declared.

- Variable
- Reference
- **Memory (Page # 38)**
- Object

Question # 100: We can add constructors to a struct and can also overload the default ctor which initializes everything to default values.

- True
- **False (Page#39)**

Question # 101: An initializer list can be used to use an alternate constructor.

- **True (Page#28)**
- False

Question # 102: C# event is a class member that is _____ whenever the event it was designed for occurs (fires).

- **Activated (Page # 45)**
- Deactivated
- Transformed
- Associated

Question # 103: A single exception can be handled differently.

- **True (Page # 46)**
- False

Question # 104: WPF stands for:

- Windows Powerful Foundations
- Windows Presentation Formations
- **Windows Presentation Foundations (Page # 69)**
- Windows Presentation Functions

Question # 105: Attribute parameters can be either positional parameters or named parameters.

- **True (Page # 48)**
- False

تم اچھا کرو زمانہ تم کو برا سمجھے یہ اس سے بہتر ہے کہ تم برا کرو اور زمانہ تم کو اچھا سمجھے

Question # 106: Which of the following statements is TRUE about raw event?

- **It is introduced into an event processing system by an event producer. (Page # 14)**
- It is generated as a result of event processing.
- It is introduced into an event processing system by an event consumer.
- It is a subscription mechanism for events.

Question # 107: Attributes can be used at design time by application development tools.

- **True (Page # 47)**
- False

Question # 108: Windows Presentation Foundations (WPF) was publicly announced in _____.

- 2000
- 2001
- 2002
- **2003 (Page # 69)**

Question # 109: A delegate is a reference to a method.

- **True (Page # 43)**
- False

Question # 110: Syntax of struct and class are very _____.

- **Similar (Page # 38)**
- Different
- Large
- Small

Question # 111: Events and _____ work hand in hand.

- Parameters
- **Delegates (Page # 45)**
- Functions
- Data Members

Question # 112: C# is a _____ and .NET is a _____.

- Platform, Language
- Package, Language
- Language, Package
- **Language, platform (Page#17)**

C# design most directly reflects .NET (CLR) design but C# is a language and .NET is the platform.

Question # 113: Named parameters come before positional parameters.

- True
- **False (Page#43)**

Question # 114: Stathread is stand for:

- Single Threaded Attribute model
- **Single Threaded Apartment model (Page # 48)**
- Single Threaded Authorized model
- Single Threaded Assumed model

STAThread is a common attribute you will see later. It stands for Single Threaded Apartment model which is used for communicating with unmanaged COM.

Question # 115: Structs can not have destructors.

- **True (Page # 38)**
- False

Question # 116: Instances of value types do not have referential identity.

- **True (Page # 18)**
- False

Question # 117: The "this" pointer in methods refers to the _____ on which the method is called.

- Function
- Class
- **Object (Page # 25)**
- Pointer

Question # 118: The _____, _____ and _____of applications that use events, either directly or indirectly is called event-based programming.

- Model, Code, Operation
- Analyze, Design, Operation
- Code, Operation, Maintain
- **Design, Coding, Operation (Page # 10)**

Question # 119: Ctor return any values and it initializes class members.

- True
- **False (Page # 27)**

Question # 120: _____ processing is computing that performs operations on events.

- Transactional
- Functional
- **Event (Page # 10)**
- All of these

جو شخص ناکامیوں سے ڈر کر بھاگتا ہے کامیابی اُس سے ڈر کر بھاگتی ہے

Question # 121:_____ is an event that is introduced into an event processing system by an event producer.

- Event Producer
- Event Consumer
- **Raw Event (Page # 14)**
- Event Stream

Question # 122: Multiple _____ are conventionally stored in multiple files.

- Functions
- Values
- Variables
- **Classes (Page # 28)**

Question # 123: _____ are algorithms that operate on data.

- Variables
- Functions
- **Methods (Page # 43)**
- Classes

جھوٹ رزق کو کھا جاتا ہے

Question # 124: _____ are unique types that allow you to assign symbolic names to integral values.

- Structures
- **Enumerations (Page # 49)**
- Typedefs
- Unions

Question # 125: Attributes are generally applied _____ in front of type and type member declarations.

- Logically
- **Physically (Page # 48)**
- Both of above
- None of given

Question # 126: _____let any classes behave like an array.

- Properties
- Fields
- **Indexers (Page # 29)**
- Finalizers

Question # 127: Zero-based index is used in jagged arrays.

- **True (Page # 18)**
- False

Question # 128: _____event consumer is an entity at the edge of an event processing system that receives events from the system.

- Event Producer
- **Event Consumer (Page#14)**
- Event Stream
- None of the given

Question # 129: _____ are called by garbage collector.

- Constructors
- **Destructors (Page#28)**
- Both of above
- None of the given

Question # 130: Single Threaded Apartment model is used for communicating with unmanaged COM.

- **True (Page # 48)**
- False

Threaded Apartment model which is used for communicating with unmanaged COM

Question # 131: _____types have the notion of referential identity.

- Value
- **Reference (Page # 18)**
- Both of above
- None of the given

Question # 132: _____ can leave your program in an inconsistent state by not releasing resources or doing some other type of cleanup.

- Functions
- **Exception (Page # 47)**
- Abstraction
- All of these

Question # 133: Default underlying type of an enum is _____.

- **int (Page # 50)**
- short
- long
- all of these

خوبصورتی علم و ادب سے ہوتی ہے لباس و حسن سے نہیں

Question # 134: Anonymous method is a method without a name.

- **True (Page # 53)**
- False

Question # 135: There are _____ methods to read XML document.


- **Two (Page # 55)**
- Three
- Four
- Five

There are two methods to read XML document. Using XmlDocument and XmlReader.

Question # 136: "out" parameters which are not used for return values or the "params" argument for variable arguments.

- True
- **False (Page # 25)**

"out" parameters which are used for return values or the "params" argument for variable arguments.



Question # 137: _____ is a base class similar to UIElement but for document-related pieces of content that don't have rendering behavior on their own.

- **ContentElement (Page # 79)**
- VisualElement
- SystemElement
- XAMLElement

Question # 138: _____ have already happened whereas _____ are asking something to happen.

- Requests, Events
- **Events, Requests (Page # 13)**
- Functions, Events
- Requests, Functions

Question # 139: The common type system of C# has _____ types and _____ types.

- Reference, Value
- **Value, Reference (Page # 18)**
- Function, Data
- Data, Function

جو شخص ناکامیوں سے ڈر کر بھاگتا ہے کامیابی اُس سے ڈر کر بھاگتی ہے

Question # 140: _____ operations are completed before the next operation can be started.

- Asynchronous
- **Synchronous (Page # 10)**
- Both of the above
- None of the given option

Question # 141: IsNumeric(string s) is a function of _____ class.

- Math class
- Program class
- String class
- **MyUtills class (Page#53)**

Question # 142: _____ add declarative information to your programs.

- **Attributes (Page # 47)**
- Functions
- Exception
- Objects

خود کو تمھیں سے بڑھ کر کوئی اچھا مشورہ نہیں دے سکتا

Question # 143: A compiled C# file is called _____.

- Complied File
- Source File
- **Assembly File (Page # 41)**
- EXE File

Question # 144: To delcare an anonymous method, you just use keyword "_____".

- handler
- event
- **delegate (Page # 53)**
- none of the given

Question # 145: Obsoleteattribute causes a _____ warning to appear.

- **compile-time (Page # 47)**
- run-time
- anytime
- none of the given

ObsoleteAttribute causes a compile-time warning to appear. Such things would be difficult to accomplish with normal code.

دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکتہ چینی کرنا ہے

Question # 146: All the members of interfaces are implicitly_____.

- Private
- Static
- **Public (Page # 34)**
- Abstract

CS411-VISUAL PROGRAMMING Daily Based Quizzes And Midterm MCQ's

Question # 147: _____ decouple producers and consumers.

- Requests
- **Events (Page # 13)**
- Functions
- All of these

Question # 148: Markup extensions are invoked from _____ with explicit and consistent syntax.

- C#
- HTML
- **XAML (Page # 73)**
- None of the given

Question # 149: The base class will have the _____ functionality of all derived classes.

- **Common**
- Specialized
- Unique
- Different

Question # 150: There is no order requirement on named parameters.

- **True (Page # 49)**
- False

Question # 151: Any class, including the same class that the event is declared in, may register one of its methods with the _____.

- Delegate
- Function
- Class
- **Event (Page # 45)**

Question # 152: Using xmldocument, the order is required.

- True
- **False (Page # 55)**

Using XmlDocument is easier. No order is required.

Question # 153: When the data is passed from one place to another in chunks, this data is called _____.

- Bits
- Line
- Byte
- **Stream**

Question # 154: Overloaded operators must be static and must be declared in the class for which the operator is defined.

- **True (Page # 51)**
- False

Question # 155: A method performs an action in a series of statements, called a _____.

- Code Block
- Method Block
- Routine Block
- **Statement Block** **Click here for more detail**

A method performs an action in a series of statements, called a **statement block**

کسی انسان کی خوبی کو پہچانو اور اسے بیان کرو، لیکن اگر کسی کی خامی مل جائے تو یہاں تمہاری خوبی کا امتحان ہے۔
فرمان حضرت علیؓ

Question # 156: _____ contacts the service provider or the server.

- Event-driven
- **Service Requester (Page # 13)**
- Both of the above
- None of the given options

Question # 157: Polymorphism works on the basis that child class should have _____ feature/s of its parent class.

- Only one
- No
- Few
- **All**

Question # 158: A customer order can be represented as _____.

- Event
- Request
- **Event or Request Page # 13**
- All of the given

A customer order can be represented as an event or a request:

اپنی مرضی اور اللہ کی مرضی میں فرق کا نام غم ہے

Question # 159: XAML is a declarative programming language for creating and initializing objects.

- C#
- **XAML (Page# 70)**
- HTML
- All of these

Question # 160: _____ may contain events.

- Requests
- Service
- **Messages (Page # 13)**
- Applications

Question # 162: _____ reads entire document in memory.

- **Xmldocuments (Page # 55)**
- Xmlreader
- Both of above
- None of the given

جھوٹ انسان اور ایمان دونوں کا دشمن ہے

Question # 163: The _____ method is used to read the whole file at once.

- **ReadAllText("test.txt");** **Click here for more detail**
- ReadAll();
- Read("test.txt");
- ReadLine();

Question # 164: XML is a stricter version of _____.

- Java
- CSS
- **HTML (Page # 54)**
- C#

Question # 165: g++ is a command of _____.

- Dev C++
- **Unix based system** **Click here for more detail**
- Windows based system
- None of the given options

g++ compiler commands on a Unix-Based system

Question # 166: Writing higher-level functions that call upon lower-level functions _____ a program.

- Decode
- Harder
- **Simplify**
- Refactor

Question # 167: To use kbhit() command, you need to include which header file in your program?

- fstream.h
- stdio.h
- iostream.h
- **conio.h** **click here for more detail**

Question # 168: Every _____ is represented by an event-object.

- Information
- Entity
- Object
- **Event** **page # 10**

Question # 169: Wpf 3.5 released in_____.

- 2005
- 2006
- **2008** **click here for more detail**
- 2009

Question # 170: "Situation" is an event occurrence that requires a (n) _____.

- **Reaction** **page # 10**
- Class
- Object
- Action

Question # 171: Events can be _____.

- Specialized
- **All of the given options** **page # 15**
- Composed
- Generalized

عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ بے وقوف کہتا ہے کہ میں سب کچھ جانتا ہوں

Question # 172: A (n) _____is a subscription mechanism for events.

- Raw Event
- Event Stream
- Event Channel page 13
- Event Producer

Question # 173: The default constructor initializes the integers with _____ value.

- Empty
- NULL
- Zero (0)
- One (1)

Question # 174: Which statement is True about interfaces?

- An interface can contain only methods, variables, events, and indexers.
- An interface can contain only variables, properties, events, and indexers.
- An interface can contain only methods, properties, variables, and indexers.
- **An interface can contain only methods, properties, events, and indexers. Page # 40**

خود کو تمھیں سے بڑھ کر کوئی اچھا مشورہ نہیں دے سکتا

Question # 175: Not implementing some methods of the interface in the class is _____.

- **An error page # 40**
- Acceptable
- A warning
- An exception

Question # 176: _____ Method is used to move the file from one directory to another.

- **Move page # 63**
- Export
- Import
- None of given options

Question # 177: Unlike type converters, however, markup extensions are invoked from XAML with _____.

- Bridge assemblies
- Wrapper code
- **Explicit and consistent syntax page 73**
- None of the given options

Question # 178: An "object" element can have _____ type/s of children.

- Four
- **Three Page 73**
- Two
- One

Question # 179: Which of the following grabs the “OK” button by only knowing its name?

- Button okButton = (Button)window.GetName("okButton")
- Button okButton = (Button)window.getElementByName("okButton")
- **Button okButton = (Button)window.FindName("okButton") page # 76**
- Button okButton = (Button)window.GetButton("okButton")

Question # 180: The only _____ .Net language has an intrinsic understanding of dependency Properties.

- Vb.net
- C#
- J#
- **Xaml page # 83**

Question # 181: There is/are _____ type(s) of padding in WPF element.

- One
- Two
- **Three page #91**
- Four

Question # 182: If we require to set components in table (column and row) format, then which panel will be used?

- StackPanel
- **Grid page 104**
- TabPanel
- DockPanel

Question # 183: What is the default value of "RowSpan" property of "Dockpanel"?

- 3
- 2
- **1 page # 104**
- 0

Question # 184: What is the default value of "ColumnSpan" property of "Dockpanel"?

- 2
- **1 page # 104**
- 0
- 3

Question # 185: An "UIElement" receives mouse events only if "IsHitTestVisible" is _____.

- 0
- False
- **Null page # 121**
- True

Question # 186: A (n) _____ is a set of associated events.

- Event Consumer
- Event Producer
- **Event Stream Page # 14**
- Event Channel

Question # 187: Which of the following is not a feature of "C#"?

- **Operator overloading is not allowed. Page # 17**
- Multiple Inheritances is not supported but interfaces are supported.
- Enumeration members are scoped.
- Global variables or functions are not allowed.

Question # 188: "Console" is a/an _____ class in the "System" namespace.

- Virtual
- Input
- **Static page # 18**
- Dynamic

Question # 189: Identify the Correct statement?

- "Struct" can add methods like interfaces and can be called in exactly the same way.
- "Interfaces" can add methods like classes and can be called in exactly the same way.
- **"Struct" can add methods like classes and can be called in exactly the same way. Page # 39**
- "Struct" cannot add methods like classes and cannot call in exactly the same way.

Question # 190: There is/are _____ type/s of parameter/s for attributes.

- Four (4)
- **Three (3) page # 36**
- One (1)
- Two (2)

Question # 191: XML document is readable by _____.

- No one
- **Machine and Human both page # 54**
- Human only
- Machine only

Question # 192: Compiling XAML involves _____ step(s).

- **Three page 76**
- Two
- One
- Four

دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکتہ چینی کرنا ہے

Question # 193: One of the key goals of WPF and XAML is the separation of _____.

- **None of the given options page # 70**
- Events from event handlers
- Methods from properties
- Design elements from implementation

Question # 194: One of the ways to create an instance of a class is _____.

- **System array page # 18**
- Factory method
- Sequential heap
- XAML compiler

Question # 195: Which "transform" property can help us to flip the element from its center?

- ScaleY
- None of given options
- ScaleX
- **RenderTransformOrigin page # 126**

Question # 196: By convention "tunneling event" names are prefixed with _____ and just come_____ the bubbling event occurs.

- View, after
- View, before
- **Preview, before page # 117**
- Preview, after

Question # 197: Stylus can behave like a _____ but has _____resolution.

- Keyboard, lower
- Mouse, lower
- **Mouse, higher page #122**
- Keyboard, higher

Question # 198: Which one is the correct syntax for declaring attribute?

- **[Obsolete] page # 48**
- {Obsolete}
- (Obsolete)
- *Obsolete

Question # 199: The corresponding type converter class for “Brush” class will be _____.

- **BrushConverter page # 149**
- CastBrush
- BrushCast
- None of the given options

Question # 200: The elements in a/an _____ are always stored in a contiguous block of memory.

- Tree
- **Array**
- Variable
- Struct

Question # 201: The _____ statement iterates over each element in an "enumerable" object.

- **Foreach page # 191**
- Dowhile
- While
- For

ایماندار کو غصہ دیر سے آتا ہے اور جلدی دور ہو جاتا ہے

Question # 202: You can handle multiple exception types with multiple _____ clauses.

- Throw
- Finally
- Catch
- **Try**

Question # 203: A _____ block has access to an "Exception" object that contains information about the error.

- **Throw page 46**
- Catch
- Try
- Finally

Question # 204: Attributes are declared _____ the class/function.

- **Within**
- After
- Above
- Outside

Question # 205: Whenever an attribute value is enclosed in curly braces "{}", the XAML compiler/parser treats it as a/an _____ rather than a/an _____.

- Markup event, property
- Markup property, Event
- Literal string, Markup extension value
- **Markup extension value, literal string page # 73**

Question # 206: If we want that "Stretch" property of child element takes the available "height or width of parent" and shape of child element doesn't change, then we should write "Stretch = _____".

- 1
- **Fill page 109**
- UniformToFill
- Uniform

Question # 207: Which of the following is Not a routing strategy?

- Tunneling
- **Indirect page 117**
- Bubbling
- Direct

Question # 208: We are checking that whether an element is eligible for focus or not, which property will help us in this testing?

- Focus
- IsFocus
- IsFocusable
- **Focusable page 121**

Question # 209: A (n) _____ is a component of the structure of an event.

- **Event Attribute page 15**
- Event Request
- Event Response
- Event Architecture

Question # 210: In C#, comments are written using _____.

- # and */ /*
- **// and /* */ page18**
- # and /*
- // and */ /*

Question # 211: C# is most often used with some implementation of the _____.

- Compact Language Interface
- Control Language Infrastructure
- Control Language Interface
- **Common Language Infrastructure page # 18**

Question # 212: Directory is the class of _____.

- System.Collections.Generic
- System.Reflection
- System.Text
- System.IO

Question # 213: In Visual Studio 2012, expression blend is _____ WPF feature.

- 80%
- 100% Page # 69
- 90%
- 70%

WPF and expression blend is 100% WPF and is great for designing and prototyping WPF apps.

Question # 214: For which of the following, WPF does not provide any type converter?

- Color
- Point
- **None of the given options Page # 72**
- FontWeight

Question # 215: We have two buttons "b1" and "b2". If we want to place "b1" on "b2" then value of "ZIndex" of "b1" should be _____ the value of "ZIndex" of "b2".

- Less than
- Greater than
- Equal to
- **No need to give value of ZIndex of b1 page # 99**

Question # 216: Routed events are like _____ on top of .Net properties.

- Event properties
- Layer
- Properties
- **Dependency properties page # 116**

Question # 217: _____helps apps remain oblivious to the visual tree.

- Routed Events
- **Input Events page # 116**
- Output Events
- Obvious Events

Question # 218: _____where multiple GUI elements and many sources of events exist.

- **Visual programming page # 08**
- Event properties
- Control Language Interface
- Content property

Question # 219: Event-based programming, also called_____.

- **Event-driven architecture page # 10**
- Event properties
- Layer
- Output Events

Question # 220: Methods are _____that operate on data.

- **Algorithms page # 37**
- Variable
- Pointer
- Function

Question # 221: When your C# program is compiled, it creates a file called a/an_____, which is normally an executable or DLL library.

- C++
- **Assembly page # 41**
- Text
- BIOS

Question # 222: Attribute parameters can be either _____parameters or named parameters.

- Function
- Method
- Value
- **Positional page # 43**

Question # 223: Graphical user interfaces and the event-driven model are not applied on which of the following?

- Web Applications
- **Console Applications**
- Mobile applications
- Desktop Applications

Question # 224: WPF element in "DockPanel" has property "dock". There is/are _____ possible value(s) of "dock" property.

- two
- three
- **four (Page 93)**
- one

Question # 225: In context of XAML child element rules, if the parent supports a content property and the type of the child is compatible with that property, treat the child as its _____.

- Super class
- Sub class
- **Value (Page 68)**
- Interface

Question # 226: The _____ user interfaces, enabled by WPF, is getting a lot of attention.

- Loutish
- **Polished (Page 61)**
- Coarse
- Distracted

Question # 227: With the help of WPF, an ugly looking application can be _____ by the designers.

- Rearranged
- Re-created
- **Re-themed (Page 61)**
- Rejected

Question # 228: If we want to rotate an object clockwise about a specified point in a 2-D x-y coordinate system then which transform class will be used?

- **None of given (Page 87)**
- Translate Transform
- Skew Transform
- Scale Transform

Question # 229: All elements of WPF have following property/properties.

- Width
- None of given options
- **Height and Width**
- Height

CS411 QUIZ # 3

2014 and 2015

From (22 to 32) Lectures

Question # 230: Which function is used to create cancel button event of dialog box _____.

- OnInitCancel()
- OnClickCancel()
- CancelClick()
- **OnCancel()**

Question # 231: Consider the following C# code segment: button.Background = (Brush) new BrushConverter().ConvertFrom ("SystemColors.WindowBrush"); Which one of the following is equivalent XAML code?

- <Button Background= "SystemColors.WindowsBrush"/>
- <Button Background= "SystemColor.WindowsBrush"/>
- <Button Background= "SystemColor.WindowBrush"/>
- <Button Background= "SystemColors.WindowBrush"/>

Question # 232: Multi touch events are categorized into _____ and _____.

- Touch events, touchup events
- Touchdown events, touchup events
- Advanced touch events, low-level manipulation events
- Basic touch events, higher-level manipulation events

Question # 233: Which of the following components generates an input Event?

- Printer
- Multi Touch
- Plotter
- Speaker

Question # 234: Using _____ requires more overhead than _____ because of the extra tracking.

- StaticResource, DynamicResource
- DynamicResource, StaticResource
- PermanentResource, TemporaryResource
- TemporaryResource, PermanentResource

Question # 235: We use "UIElement" property ClipToBounds= “false” when _____.

- We want area child element don’t cross the boundary of parent
- None of given
- We want area of child element is allowed to cross the boundary of parent
- Parent area also increases on increasing of area of child element

Question # 236: The Java programming language has a specific class for creating splash screens, called _____.

- Java.awt.start
- Java.lang.splash
- Java.start.screen
- Java.awt.SplashScreen

Question # 237: _____ is used to perform navigation.

- Session
- Hyperlink
- Hypertext markup language code
- Internet protocol

Question # 238: Which of the following operation cannot be performed by using a View?

- Grouping
- Filtering
- Sorting
- Searching

Question # 239: To design a complex Interface, which of the following technique is best to achieve the required results?

- Panels composed in three panels
- Panels composed within panels
- Panels composed in two panels
- Panels composed in single panel

Question # 240: Which of the following is not a string format property throughout WPF?

- ContentStringFormat
- ItemStringFormat
- RowHeaderStringFormat
- StringFormat

Question # 241: In multi touch events, a/an _____ id is assigned to each individual event.

- Device
- Processor
- CPU
- Event

Question # 242: Commonly we have two types of custom command bindings named as _____.

- StartBindings and StopBindings
- EventBindings and InstanceBindings
- ButtonBindings and TextboxBindings
- KeyBindings and MouseBindings

Question # 243: Which of the following is an example of tunnel key event?

- Key up
- Preview key entered
- Preview key down
- Key down

Question # 244: In context of data binding, _____ contains the current item to get it synchronized with data Source.

- String
- Template
- View
- List

Question # 245: Multi touch events are categorized into _____ and _____.

- Touch events, touchup events
- Touchdown events, touchup events
- Advanced touch events, low-level manipulation events
- Basic touch events, higher-level manipulation events

Question # 246: _____and _____ are the two important properties of Binding object.

- Start, Destination
- Items, Selected
- Source, Path
- BindTo, BindFrom

Question # 247: Which one of the following panels is most powerful, versatile and customizable?

- Grid Panel
- Canvas panel
- Doc panel
- Stack panel

Question # 248: An event that is raised whenever the value of "CanExecute" changes is known as _____.

- CanExecute
- CanExecuteChanged
- Command
- Execute

Question # 249: In order to resize the row and column in Grid panel, _____ is used.

- Grid divider
- Grid compiler
- Grid converter
- Grid splitter

Question # 250: Data binding is about tying together arbitrary .NET _____.

- Objects
- Functions
- Properties
- Variables

Question # 251: _____ supports the creation of applications that run directly in a web browser.

- WPF
- C/C++
- C#
- HTML

Question#252: Which of the following operation cannot be performed by using a View?

- Grouping
- Filtering
- Sorting
- Searching

Question # 253: To check that the user either pressed left Alt key or right Alt key, the _____ is used.

- IsKeyDown
- IsDown
- keyboardDevice.IsKeyDown
- KeyStates.IsKeyDown

Question # 254: In _____ browser app, you change"<TargetZone>Internet</TargetZone>" to "<TargetZone>Custom</TargetZone>"

- Partial-trust
- Full-reject
- Partial-reject
- Full-trust

Question # 255: _____ provides the logic behind the "Back" and "Forward" buttons.

- Hyperlink
- Navigation Window
- IFrame
- Journal

Question # 256: In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger _____.

- Independently
- Completely
- Partially
- Dependently

Question # 257: In a code segment, if the Visibility=”Collapsed” then which of the following events are not generated?

- Key down Events
- Mouse Events
- Routed Events
- Keyboard Events

Question # 258: A Window can spawn _____ number of additional Windows by instantiating a Window-derived Class and calling Show (...).

- Four
- Any
- Six
- Five

Question # 259: Frame has a _____ property used in enabling or disabling the bar.

- ShowsNavigationUI
- BlocknavigationUI
- NavigationUIVisibility
- NavigationUIBlock

Question # 260: If we insert some objects in a single cell in Grid panel, then these objects are placed on _____

- One on Top of the other
- One after the other
- One on Bottom of the other
- One on Side of the other

Question # 261: A _____ receives keyboard events only if it has keyboard focus.

- Mouse
- Keyboard Controls
- Keyboard
- UIElement

Question # 262: To remove data binding between the source and the target, we can use _____ function.

- ClearBinding
- ResetBinding
- StopBinding
- RemoveBinding

Question # 263: A/An _____ screen is an image that appears while a game or program is loading

- Opening
- Initial
- Splash
- Startup

Question # 264: We can perform sorting through View by using an object of _____ class.

- ViewOrder
- ViewDescription
- SortOrder
- SortDescription

Question # 265: "Binding" technique binds two properties together and keeps a _____ open.

- Memory location
- Selection
- Choice
- Communication channel

Question # 266: Which one of the following can be used to set dependency property values?

- Temporary resource
- Permanent resource
- Dynamic resource
- Static resource

Question # 267: Which one of the following is used, if we want to add a window resource in procedural code?

- Window.Resource.Add ();
- <Widows.Resources></Widows.Resources>
- Window.Resoruces.Add();
- <Window.Resources></Window.Resources>

Question # 268: We use "GetDefaultView" method of _____ to get the default View.

- CollectionViewSource
- DataSource
- ViewDescription
- ViewCollection

Question # 269: In case of HTML page navigation, you must use the _____ of "Navigate" that _____ a URI.

- Overload, rejects
- IFrame, rejects
- IFrame, accepts
- Overload, accepts

Question # 270: The Java programming language has a specific class for creating splash screens, called _____.

- Java.awt.start
- Java.lang.splash
- Java.start.screen
- Java.awt.SplashScreen

Question # 271: In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to _____ in order to bypass integration.

- False
- True
- Null
- 0

Question # 272: Which of the followings are keyboard events?

- Key entered, key exist
- Key strike, key release
- Key pressed, key released
- Key down, key up

Question # 273: To plug custom logic, you need to add a _____ to the element that will execute the command or any parent element.

- Execute command
- Helpcanexecute
- CommandBinding
- RoutedUlCommand

Question # 274: A class that implements the 'lCommand' and supports 'bubbling' just like a routed event is known as _____.

- RoutedUlCommand
- Canexecute
- Executed command
- CanexecuteChanged

CS411 QUIZ # 4
2014 and 2015
From (32 to 42) Lectures

Question # 275: Which of the following is not true about task completion source?

- Provide exception handling facility
- Support result return facility
- Provide Continuation facility
- **it is executable thing PG # 175**

Question # 276: HTML is called _____ layer.

- Physical
- Presentation
- Behavioral
- **Structural PG # 195**

HTML: structural layer and CSS: presentation layer and JS: behavioral layer.

Question # 277: "JavaScript" _____is available in web browser.

- **Interpreter** **Click here for more Detail**
- Compiler
- Linker
- Conjunction

JavaScript is an interpreted language, not a compiled language

Question # 278: The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding _____ method returns "void" or a type "TResult".

- Callback
- Return
- **Synchronous** **Click here for more Detail**
- Asynchronous

The TAP method returns either a System.Threading.Tasks.Task or a System.Threading.Tasks.Task<TResult>, based on whether the corresponding synchronous method returns void or a type TResult.

دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکتہ چینی کرنا ہے

Question # 279: Which of the following C# Method reports a progress change?

- Finalize
- **OnReport** **Click here for more Detail**
- GetType
- GetHashCode

OnReport Reports a progress change.

Question # 280: Threadpool is used to _____.

- To make easy the process of thread creation
- To make easy debugging process
- **To save time of thread creation** **PG# 174**
- To avoid complexity

Question # 281: Which of the following is not a part of "cancellation" task?

- **The calling thread does forcibly end the task** **Click here for more Detail**
- Notice and respond to the cancellation request in your user delegate
- Pass a cancellation token to your user delegate and optionally to the task instance
- Create and start a cancelable task

1. Create and start a cancelable task.
2. Pass a cancellation token to your user delegate and optionally to the task instance.
3. Notice and respond to the cancellation request in your user delegate.
4. Optionally notice on the calling thread that the task was canceled

Question # 282: DOM is a _____ representation of data.

- **Tree**
- Graphical
- Object
- None of the given

Question: DOM is a graphical or tree representation of data? Still confuse?

Instructor's Reply on MDB: No, It is not graphical and not a tree representation of any module. It is a logical representation of API or any library. In simple words, it is a way to call a library into your programming. For example you called a print function so this function has its own structure with different type of parameters and calling it. You should follow that structure for the utilization of this function. Same like the case the implementation of Document object model it has a structure that you should follow i.e. table tag should be used in html tag.

Question # 283: which of the following Object creates a cancellation token?

- OperationCanceledtoken
- OperationCanceled
- CancellationToken
- **CancellationTokenSource PG#186**

Question # 284: which of the following is not a "JQuery" filter?

- Even
- Odd
- Has
- **Write PG#201**

Question # 285: Which of the following "Event" property is used to show the "distance (in pixels)" of the mouse pointer from the left edge of the browser window?

- pageY
- **pageX** **PG # 205**
- ScreenX
- ScreenY

Event property	Description
pageX	The distance (in pixels) of the mouse pointer from the left edge of the browser window.

Question # 286: "async" and _____ keywords in C# are the heart of asynchronous programing.

- Return
- **Await** **Click here for more Detail**
- Wait
- String

The Async and Await keywords in Visual Basic and the async and await keywords in C# are the heart of async programming.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 287: _____ Mode of binding is opposite to OneWay mode of binding.

- **OneWay To source PG#165**
- TwoWay
- One Time
- Two Time

Question # 288: _____Can add/remove/change "CSS" properties based on input or mouse clicks.

- J#
- JQuery
- HTML
- **None of the given option PG#196**

JS can add/remove/change CSS properties based on input or mouse clicks.

Question # 289: "JavaScript" is _____ scripting Language.

- Interpreter
- Browser
- Server
- **Client**

Question # 290: _____ solves “JavaScript” complexity and browser incompatibilities.

- Jhtml
- RQuery
- **JQuery PG#195**
- J#

Question # 291: _____ is more than one thing happening at the same time.

- Cohesion
- Congruence
- Coherence
- **Concurrency PG#169**



Question # 292: Which of the following "Event "properties is used with "key press event" to determine the numeric code for the key that was pressed? .

- Page X
- **Which PG#205**
- Shift Key
- Target

pageX	The distance (in pixels) of the mouse pointer from the left edge of the browser window.
shiftKey	Is *true* if the shift key is down when the event occurs.
which	Use with the keypress event to determine the numeric code for the key that was pressed (see tip, next).
target	The object that was the "target" of the event—for example, for a *click()* event, the element that was clicked.



Question # 293: Which of the following is correct way to temporarily stop execution of a thread object named as “myThread” for 500 milisec?

- myThread.Sleep(0.50);
- myThread.Stop(0.05);
- **myThread.Sleep(500);**
- myThread.Stop(500);

Question # 294: HTML is a _____ helper function.

- RQuery
- Browser
- **jQuery PG#201**
- JS

Question # 295: Which of the following server(s) support “AJAX”?

- Both SMTP and HTTP
- **HTTP**
- www
- SMTP

جو شخص یہ چاہے کہ اس کی زندگی کامیابی سے بسر ہو وہ اپنے باپ
کے بعد اس کے دوستوں سے نیک سلوک کرے۔!!!

حضرت عمر فاروقؓ

Question # 296: Why we use "Alloc" message?

- To create a class
- **To create an instance**
- To extend functions
- To inherent methods

Question # 297: Objective – c introduces _____ messaging in c?

- **Smalltalk style PG# 217**
- Short session
- Group
- New Style

Question # 298: Threadpool create and reduce real threads using hillclimbing algo to _____.

- **To maximize CPU usage Pg#174**
- To reduce the cost of thread creation
- To maximize memory utilization
- To minimize CPU usage

threadpool creates or reduces real
threads using a hillclimbing algo to maximize cpu usage and reduce slicing.

Question # 299: Which of the following is not handled by the “Task Parallel Library (TPL)”?

- Partitioning of the work
- **Progress report handling** **Click here for more detail**
- Scheduling of threads
- Scales the degree of concurrency

The TPL scales the degree of concurrency dynamically to most efficiently use all the processors that are available. In addition, the TPL handles the partitioning of the work, the scheduling of threads on the ThreadPool.

Question # 300: "Callback" method is used to _____ the operation.

- **Terminate**
- Pause
- Invoke
- Revoke



Question # 301: Objective-C introduces _____ messaging in C.

- **Smalltalk style Page # 217**
- Short sessions
- Group
- New style

Question # 302: While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____ programming.

- Multithreading programming
- Synchronous programming
- Parallel programming
- **Asynchronous programming** **Click here for more detail**

You can avoid performance bottlenecks and enhance the overall responsiveness of your application by using **asynchronous programming.** However, traditional techniques for writing asynchronous applications can be complicated, making them difficult to write, debug, and maintain.


بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 303: _____ are high order functions that compose, combine, or otherwise modify functions in useful and interesting ways.

- **Combinators**
- None of the given
- Separators
- Modifiers

Question # 304: Which of these are defined as the model object?

- UILabel *questionField;
- NSMutableArray *questions@field;
- **NSMutableArray *questions;**
- Question= 0;



Question # 305: Which of the following "Event" property is used to show the "distance (in pixels)" of the mouse pointer from top edge of the Monitor?

- **ScreenY PG#205**
- pageX
- pageY
- ScreenX

screenY	The distance (in pixels) of the mouse pointer from the top edge of the monitor.

Question # 306: What is "nil" like?

- **Null Page # 217**
- zero
- terminate
- move to new line

nil is like null.

سنہری حروف

اپنی سوچ کو پانی کے قطروں سے بھی زیادہ شفاف رکھو
کیوں کہ جس طرح قطروں سے دریا بنتا ہے
اسی طرح سوچوں سے ایمان بنتا ہے۔۔

(حضرت علیؓ)

Question # 307: Which of the following "Event" property is used to show the "distance (in pixels)" of the mouse pointer from top edge of the browser window?

- **pageY Page # 205**
- pageX
- screenX
- screenY

pageY	The distance (in pixels) of the mouse pointer from the top edge of the browser window.

Question # 308: Observe the following piece of code taken out from Main() function: Thread myThread = new Thread (Go); myThread.Strat(); myThread.Join(); What will be the effect of instruction myThread.Join()?

- Execution of myThread will be joined with existing running threads
- myThread will be executed after Main thread is completed
- Main thread execution will be suspended till completion of myThread
- Both Main thread and myThread can now share the data

Question # 309: What message is used to send to destroy the object?

- stop
- delete
- free
- release

Question # 310: What is NSMutableArray?

- Object
- **Class Reference Page # 217**
- Method
- Group

Question # 311: AJAX stands for _____.

- Abstract JSON and XML
- Asynchronous JavaScript and XHtml
- **Asynchronous JavaScript and XML** **Click here for more detail**
- Abstract Java and XML Library

Question # 312: What is the purpose of the following "JQuery" code? $(‘#navbar a’)

- Find all the element whose name is navbar and then find a descendent a
- Find all the element whose name is navbar and then find a ancestor a
- **Find all the element whose ID is navbar and then find a descendent a**
- Find all the element whose ID is navbar and then find a ancestor a

Question # 313: The pairing of labels and arguments is an important feature of _____.

- C++
- Scripts
- **Objective-C page # 217**
- PHP

جو شخص یہ چاہے کہ اس کی زندگی کامیابی سے بسر ہو وہ اپنے باپ
کے بعد اس کے دوستوں سے نیک سلوک کرے۔!!!

حضرت عمر فاروقؓ

Question # 314: Web servers receive request and responds as _____.


- Html only
- Plan Text only
- JSON only
- **Html, plan text and JSON Page #211**

web server: receives request and responds as HTML, plain text, XML, JSON. or application server for more complicated tasks. need web server for ajax examples.

Question # 315: Which of the following class supports data parallelism in "Task Parallel Library"?

- System.Threading.Tasks
- System.Task.Parallel
- **System.threading.Task.Parallel** **Click here for more detail**
- System.Task.Threading.Parallel

Task Parallel Library (TPL) supports data parallelism through the System.Threading.Tasks.Parallel class.




Question # 316: Which of the following "Event" property is used to show the "distance (in pixels)" of the mouse pointer from left edge of the Monitor?

- pageX
- pageY
- ScreenY
- **ScreenX PG# 205**

screenX	The distance (in pixels) of the mouse pointer from the left edge of the monitor.

Question # 317: which of the following response show internal server error?

- 404
- **500** **Click here for more detail**
- 200
- 304



Question # 318: which of the following response show file not found error?

- **404** **Click here for more detail**
- 500
- 200
- 304

Question # 319: Interact with web page layout

- Java script
- **HTML**
- XML
- DOM

Question # 320: which of the following technologies is not used in AJAX?

- DOM
- DHTML
- **Flash** **Click here for more detail**
- Css

Ajax doesn't use flash technology. Technologies used by ajax: JavaScript Loosely typed scripting language JavaScript function is called when an event in a page occurs Glue for the whole AJAX operation DOM API for accessing and manipulating structured documents Represents the structure of XML and HTML documents CSS Allows for a clear separation of the presentation style from the content and may be changed programmatically by JavaScript XMLHttpRequest JavaScript object that performs asynchrous interaction with the server

Question # 321: In Xaml browser application, how much isolated memory we can use?

- 256kb
- 128
- **512**
- 1024

IMPORTANT EVENT PROPERTY AND DESCRIPTIONS:

Event property	Description
pageX	The distance (in pixels) of the mouse pointer from the left edge of the browser window.
pageY	The distance (in pixels) of the mouse pointer from the top edge of the browser window.
screenX	The distance (in pixels) of the mouse pointer from the left edge of the monitor.
screenY	The distance (in pixels) of the mouse pointer from the top edge of the monitor.
shiftKey	Is *true* if the shift key is down when the event occurs.
which	Use with the keypress event to determine the numeric code for the key that was pressed (see tip, next).
target	The object that was the "target" of the event—for example, for a *click()* event, the element that was clicked.
data	A jQuery object used with the *bind()* function to pass data to an event handling function (see page 177).

Note: If you found any mistake in Mcqz please mail at above mentioned email address. And tell me your answer with references.

Join our Facebook Group

CS101 - Introduction to Computing VU
Group for All subjects





please pray for me
and I will pray for you too



THE END

Campus (AKMP01)

ARSLAN ARSHAD
Arslan.arshad01@gmail.com