Professional Online Academy Vu Topper RM

CS411-Visual Programming
Update MCQ'S Final Term
By Vu Topper RM

Virtual University

Follow Us on YouTube:
@vutopperrm

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

Rizwan Manzoor
Vu Topper RM



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

Hierarchical data templates are used to display data in a _____ like structure.

A. Tree

B. Network

C. Graph

D. List

Question No:2 **(Marks:1)** **Vu-Topper RM**

Observe the following piece of code taken out from Main() function:

Thread myThread = new Thread (Go);

myThread.Strat();

myThread.Join();

What will be the effect of instruction myThread.Join()?

A. myThread will be executed after Main thread is completed

B. Main thread execution will be suspended till completion of myThread

C. Both Main thread and myThread can now share the data

D. Execution of myThread will be joined with existing running threads

Question No:3 **(Marks:1)** **Vu-Topper RM**

Data binding between the source and the target is performed through an object of _____ class.

A. Content

B. String

C. Binding

D. Connection

Question No:4 **(Marks:1)** **Vu-Topper RM**

We use "UIElement" property ClipToBounds= “true” when _____.

A. We want area child element don’t cross the boundary of parent

B. Parent area also increases on increasing of area of child element

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

VuTopperRM

C. Parent area also decreases on decreasing the area of child element
D. We want area of child element is allowed to cross the boundary of parent

Question No:5 **(Marks:1)** **Vu-Topper RM**
Handlers in C# for routed events have a _____ parameter
A. System.Handlers
B. System.Object
C. System.Windows
D. System.Form.Windows

Question No:6 **(Marks:1)** **Vu-Topper RM**
Stylus can behave same as _____ but has higher resolution.
A. Mouse **Page 113**
B. Joystick
C. Keyboard
D. Touchpad

Question No:7 **(Marks:1)** **Vu-Topper RM**
Dockpanel uses _____ property while docking elements in different orientations.
A. Attached
B. Resolution Independency
C. Rich composition
D. Property Value Inheritance

Question No:8 **(Marks:1)** **Vu-Topper RM**
Which one of the following code segment is used to set the background of Canvas Panel?
A. </Canvas.Background> <Canvas.Background>
B. <Canvas.BackGround> </Canvas.BackGround>
C. <Canvas.Background> </Canvas.Background>
D. </Canvas.BackGround> <Canvas.BackGround>

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:9 **(Marks:1)** **Vu-Topper RM**

Default value of Grid.Row is _____

A. 0

B. 1

C. 2

D. 3

Question No:10 **(Marks:1)** **Vu-Topper RM**

Dock panel is used in _____ interface.

A. Top level

B. Left level

C. Right level

D. Bottom level

Question No:11 **(Marks:1)** **Vu-Topper RM**

In Dockpanel, _____ attribute doesn't fill the remaining space at the end.

A. Lastchildfill=nill;

B. Lastfill=true;

C. Lastchildfill=true;

D. Lastchildfill=false;

Question No:12 **(Marks:1)** **Vu-Topper RM**

Which of the following device is sensitive to pressure?

A. Stylus

B. Printer

C. Mouse

D. Keyboard

Question No:13 **(Marks:1)** **Vu-Topper RM**

In grid, elements are arranged in multicolumn and multirow like a _____ in HTML.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. List
B. Column
C. Paragraph
D. Table

Question No:14 **(Marks:1)** **Vu-Topper RM**
In WPF, clipping is done before _____
A. Layout Transform
B. Skew Transform
C. Matrix Transform
D. Render Transform

Question No:15 **(Marks:1)** **Vu-Topper RM**
UI element focusable value is _____ by default.
A. True
B. False
C. Zero
D. Nil

Question No:16 **(Marks:1)** **Vu-Topper RM**
By convention _____ event names are prefixed with Preview.
A. Tunnelling
B. Bubbling
C. Direct
D. None of the given

Question No:17 **(Marks:1)** **Vu-Topper RM**
"Viewbox" element uses different types of stretching with the help of stretch property. There is/are _____ possible value(s) of stretch property.
A. 4

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. 2
C. 3
D. 1

Question No:18 **(Marks:1)** **Vu-Topper RM**
DockPanel.Dock is the _____ in which child element describe its dock position in dock panel.
A. Grid Property
B. Attach Property
C. Button Property
D. Text Property

Question No:19 **(Marks:1)** **Vu-Topper RM**
Attached event will be raised by the _____ element while tunneling.
A. Header
B. Parent
C. Child
D. Both 1 & 2

Question No:20 **(Marks:1)** **Vu-Topper RM**
When parent element space is not enough for the content of child element,this type of situation arises due to _____
A. Short memory
B. Content Overflow
C. Indexing
D. Grid

Question No:21 **(Marks:1)** **Vu-Topper RM**
Identify the pre-defined built in command(s):
A. StackPanel
B. ProgressBar
C. Close

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. DockPanel

Question No:22 **(Marks:1)** **Vu-Topper RM**

If we want to place a component at top in "dockpanel" then which one is correct syntax?

A. Dock="Top"

B. PanelDock="Top"

C. DockPanel="Top"

D. DockPanel.Dock="Top" **Page 93**

Question No:23 **(Marks:1)** **Vu-Topper RM**

_____ allow attaching a handler for an event that is defined in an element other than the one adding the handler.

A. Tunneling

B. Bubbling

C. Routed Event

D. Attached Event

Question No:24 **(Marks:1)** **Vu-Topper RM**

A _____ is like events in Windows forms which are raised by the element in which the event is originated.

A. Channeling

B. Tunneling

C. Bubbling

D. Direct Event

Question No:25 **(Marks:1)** **Vu-Topper RM**

In multitouch, each finger has its own _____ identified by separate id.

A. Touch

B. Touchpad

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Touch event
D. Touchdevice

Question No:26 **(Marks:1)** **Vu-Topper RM**
Superset of canvas is _____.
A. Dock panel
B. Wrap panel
C. Stack Panel
D. Grid

Question No:27 **(Marks:1)** **Vu-Topper RM**
In WPF, _____ library is used for scrolling.
A. System.Windows.Contols.Scroll
B. System.Media.ScrollViewer
C. System.Windows.Controls.Viewer
D. System.Windows.Contols.ScrollViewer

Question No:28 **(Marks:1)** **Vu-Topper RM**
While working with grids in WPF, which attribute is used to see grid lines on screen?
A. Showgrids
B. Showgrid
C. ShowGridLine
D. ShowGridLines

Question No:29 **(Marks:1)** **Vu-Topper RM**
Multitouch events are available on _____
A. Windows XP
B. Windows 7 or later
C. Windows 95
D. Windows 99

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:30 **(Marks:1)** **Vu-Topper RM**

In Bubbling, event moves from _____

A. Bottom to Top

B. Left to Right

C. Right to Left

D. Top to Bottom

Question No:31 **(Marks:1)** **Vu-Topper RM**

Which type of panel is used when we have to customize the builtin controls in wpf?

A. Grid

B. Wrap

C. Stack

D. Primitive

Question No:32 **(Marks:1)** **Vu-Topper RM**

Identify the correct option:

A. Commands in WPF are created by implementing the IComponentConnector interface.

B. Commands are a more abstract and loosely coupled version of events

C. A control that supports an event does not support a command

D. A control that supports a command does not support an event

Question No:33 **(Marks:1)** **Vu-Topper RM**

For a Horizontal grid splitter, ____ has to be specified.

A. Size

B. Hight

C. Width

D. Alignment

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:34 **(Marks:1)** **Vu-Topper RM**
Visibility attribute will be set to _____to hide a particular panel in WPF.
A. Invisible
B. Hide
C. Collapsed
D. Resizable

Question No:35 **(Marks:1)** **Vu-Topper RM**
In WPF, _____ control will allow you to visually group a set of controls together.
A. Group
B. GroupBox
C. Box_Group
D. Boxed_group

Question No:36 **(Marks:1)** **Vu-Topper RM**
_____ is the subclass of grid used to freeze some rows and columns of grid.
A. Grid Panel
B. Wrap Grid
C. Selective Panel
D. Selective Scrolling Grid

Question No:37 **(Marks:1)** **Vu-Topper RM**
Which one of the following is NOT a routed event?
A. Bubbling
B. Tunneling
C. Channeling
D. Direct

Question No:38 **(Marks:1)** **Vu-Topper RM**
Attached event will be raised by the _____ element while bubbling.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

A. Child

B. Both 1 & 2

C. Header

D. Parent

Question No:39 **(Marks:1)** **Vu-Topper RM**

_____ Function registers routed event.

A. RegisteredRoutedEvent();

B. Registerroutedevent();

C. RegistersRoute();

D. RegisterroutedEve();

Question No:40 **(Marks:1)** **Vu-Topper RM**

In tunneling, event move from _____.

A. Top to Down

B. Right to Left

C. Diagonally

D. Left to Right

Question No:41 **(Marks:1)** **Vu-Topper RM**

To create rollover effect, the preferred way is to use _____ with IsMouseOver property

A. Trigger

B. Element

C. Bubbling

D. Tunneling

Question No:42 **(Marks:1)** **Vu-Topper RM**

Grid act as a stack panel if it has _____

A. 1 row and autosize column

B. Multiple rows and single column

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. 1 column and autosize rows
D. Single row & multiple columns

Question No:43 (Marks:1) Vu-Topper RM
Dock panel is a _____ of stack panel.
A. Union
B. Subset
C. Superset
D. Intersection

Question No:44 (Marks:1) Vu-Topper RM
In _____ browser app, you change
"<TargetZone>Internet</TargetZone>" to
"<TargetZone>Custom</TargetZone>"
A. Full-trust Page 132
B. Full-reject
C. Partial-trust
D. Partial-reject

Question No:45 (Marks:1) Vu-Topper RM
In WPF, _____ resource is reapplied every time it changes
A. Static
B. Abstract
C. Dynamic
D. permanent

Question No:46 (Marks:1) Vu-Topper RM
_____ is used to perform navigation.
A. Session
B. Hyperlink Page 127
C. Internet protocol
D. Hypertext markup language code

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:47 **(Marks:1)** **Vu-Topper RM**

If you want to navigate to an HTML page, you must use the _____ of "Navigate" that _____ a URI.

A. IFrame, rejects
B. IFrame, accepts
C. Overload, rejects
D. Overload, accepts

Question No:48 **(Marks:1)** **Vu-Topper RM**

In WPF, using _____ requires more overhead than _____ because of the extra tracking.

A. StaticResource, DynamicResource
B. DynamicResource, StaticResource **Page 137**
C. TemporaryResource, PermanentResource
D. PermanentResource, TemporaryResource

Question No:49 **(Marks:1)** **Vu-Topper RM**

An event that is raised whenever the value of "CanExecute" changes is known as _____.

A. Execute
B. Command
C. CanExecute
D. CanExecuteChanged

Question No:50 **(Marks:1)** **Vu-Topper RM**

In multi touch events, a/an _____ id is assigned to each individual event.

A. Cpu
B. Event
C. Device
D. Processor

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:51 **(Marks:1)** **Vu-Topper RM**

In C# WPF, we can perform sorting through View by using an object of _____ class.

A. SortOrder
B. ViewOrder
C. ViewDescription
D. SortDescription **Page 158**

Question No:52 **(Marks:1)** **Vu-Topper RM**

In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger _____.

A. Partially
B. Completely
C. Dependently
D. Independently

Question No:53 **(Marks:1)** **Vu-Topper RM**

Manipulation events work if IsManipulationEnabled=?

A. True
B. \r
C. Null
D. False

Question No:54 **(Marks:1)** **Vu-Topper RM**

Which one of the following is used, if we want to add a window resource in procedural code?

A. Window.Resource.Add ();
B. Window.Resources.Add();
C. <Widows.Resources></Widows.Resources>
D. <Window.Resources></Window.Resources> **Page 136**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:55 **(Marks:1)** **Vu-Topper RM**

"Binding" technique binds two properties together and keeps a _____ open.

A. Choice
B. Selection
C. Memory location
D. Communication channel **Page 140**

Question No:56 **(Marks:1)** **Vu-Topper RM**

Button and Texbox have _____ Knowledge of each other.

A. Direct
B. Partial
C. No Direct **Page 122**
D. Important

Question No:57 **(Marks:1)** **Vu-Topper RM**

Using _____, system can support customized setup user interfaces, such as showing an end user license agreement (EULA).

A. ClickOnce
B. Windows API
C. Windows Installer
D. license agreement (EULA)

Question No:58 **(Marks:1)** **Vu-Topper RM**

Which of the following method is used to get the location of touch?

A. getTouch();
B. getTouchDown();
C. getTouchpoint();
D. getTocuhLocation();

Question No:59 **(Marks:1)** **Vu-Topper RM**

Frame has a _____ property used in enabling or disabling the bar (containing Back/Forward buttons).

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. NavigationUIBlock
B. BlocknavigationUI
C. ShowsNavigationUI
D. NavigationUIVisibility Page 129

Question No:60 (Marks:1) Vu-Topper RM
In C# WPF, we use "GetDefaultView" method of _____ to get the default View.
A. DataSource
B. ViewCollection
C. ViewDescription
D. CollectionViewSource Page 146

Question No:61 (Marks:1) Vu-Topper RM
XBAPs are suited for relatively full-featured applications that:
A. Run on Desktop
B. Require Android Studio
C. Require .Net framework
D. Happen to be hosted directly in a web browser

Question No:62 (Marks:1) Vu-Topper RM
"JavaScript" is _____ Side Scripting Language.
A. Client
B. Server
C. Browser
D. Interpreter

Question No:63 (Marks:1) Vu-Topper RM
_____ can add/remove/change "CSS" properties based on input or mouse clicks.
A. J#
B. HTML
C. J query

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. None of these option **Page 180**

Question No:64 **(Marks:1)** **Vu-Topper RM**

"Callback" method is used to _____ the operation.

A. Invoke

B. Pause

C. Revoke

D. Terminate

Question No:65 **(Marks:1)** **Vu-Topper RM**

_____ mode of binding is opposite to OneWay mode of binding.

A. One way to source **Page 153**

B. One time

C. Two time

D. Two way

Question No:66 **(Marks:1)** **Vu-Topper RM**

While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____ programming.

A. Parallel programming

B. Synchronous programming

C. Multithreading programming

D. Asynchronous programming

Question No:67 **(Marks:1)** **Vu-Topper RM**

DOM is a _____ representation of data.

A. Tree

B. Object

C. Graphical

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:68 **(Marks:1)** **Vu-Topper RM**
Threadpool creates or reduces real threads using a hillclimbing algo to _____.
A. To minimize CPU usage
B. To maximize CUP usage **Page 159**
C. To maximize memory utilization
D. To reduce the cost of thread creation

Question No:69 **(Marks:1)** **Vu-Topper RM**
Which of the following is not true about task completion source?
A. It is an executable thing **Page 175**
B. Support result return facility
C. Provide continuation facility
D. Provide exception handling facility

Question No:70 **(Marks:1)** **Vu-Topper RM**
_____ solves "JavaScript" complexity and browser incompatibilities
A. J #
B. Jhdml
C. Jquery **Page 179**
D. R query

Question No:71 **(Marks:1)** **Vu-Topper RM**
Threadpool is used to _____.
A. To avoid complexity
B. To save time of thread creation **Page 160**
C. To make easy debugging process
D. To make easy the process of thread creation

Question No:72 **(Marks:1)** **Vu-Topper RM**
Which of the following object creates a cancellation token?
A. Cancellation token
B. Operation cancelled

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Operation cancel token
D. Cancellation token source **Page 172**

Question No:73 **(Marks:1)** **Vu-Topper RM**
Which of the following is not handled by the "Task Parallel Library (TPL)"?
A. Scheduling of threads
B. Partitioning of the work
C. Scales degree of concern
D. Progress report handling

Question No:74 **(Marks:1)** **Vu-Topper RM**
"async" and _____ keywords in C# are the heart of asynchronous programming.
A. Wait
B. Await
C. Return
D. Stream

Question No:75 **(Marks:1)** **Vu-Topper RM**
Which of the following class supports data parallelism in "Task Parallel Library"?
A. System.Task.Parallel
B. System.Threading.Tasks
C. System.Task.Threading.Parallel
D. System.threading.Task.Parallel

Question No:76 **(Marks:1)** **Vu-Topper RM**
"JavaScript" _____is available in web browser.
A. Linker
B. Compiler
C. Interpreter
D. Conjunction

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:77 **(Marks:1)** **Vu-Topper RM**
HTML is called _____ layer.
A. Physical
B. Structural **Page 195**
C. Behavioral
D. Presentation

Question No:78 **(Marks:1)** **Vu-Topper RM**
_____ is more than one thing happening at the same time.
A. Cohesion
B. Coherence
C. Congruence
D. Concurrency **Page 156**

Question No:79 **(Marks:1)** **Vu-Topper RM**
_____ are high order functions that compose, combine, or otherwise modify functions in useful and interesting ways.
A. Modifiers
B. Constants
C. Separators
D. Combinators

Question No:80 **(Marks:1)** **Vu-Topper RM**
Which of the following is correct way to temporarily stop execution of a thread object named as "myThread" for 500 milisec?
A. My thread .stop(500);
B. My thread .sleep (0.05);
C. My thread. stop (0.05);
D. My thread. sleep (500);

Question No:81 **(Marks:1)** **Vu-Topper RM**
Which of the following is not a "JQuery" filter?
A. Has

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Odd
C. Even
D. Write **Page 184**

Question No:82 **(Marks:1)** **Vu-Topper RM**
The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding _____ method returns "void" or a type "TResult".
A. Return
B. Callback
C. Synchronous
D. Asynchronous

Question No:83 **(Marks:1)** **Vu-Topper RM**
Which of the following is not a part of "cancellation" task?
A. Create and start a cancellable task
B. The calling thread does forcibly end the task
C. Notice and respond to the cancellation request in your user delegate
D. Pass cancellation token to your user delegate and option to task instance

Question No:0_1 **(Marks:1)** **Vu-Topper RM**
In c # WPF we can perform certain through view by using an object of _____ class.
A. Sort order
B. View order
C. View description
D. Sort description

Question No:84 **(Marks:1)** **Vu-Topper RM**
Which of the following is NOT true about threads?
Data cannot be share among the threads.
A program can have more than one thread

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Threads are useful to handle simultaneous requests.
Each thread can proceed independently of other threads.

Question No:85 **(Marks:1)** **Vu-Topper RM**

Which of the following is correct way to start execution of a thread object named as myThread?

myThread.Go();
myThread.Begin();
myThread.Start(); **Page 156**
myThread.initialize ();

Question No:86 **(Marks:1)** **Vu-Topper RM**

The best way to implement simple threading in Windows Forms programs is to use the class.

Windowsform
None of the given
Simplethreadworker
BackgroundWorker

Question No:87 **(Marks:1)** **Vu-Topper RM**

A child Window is just like any other top-level window: but it automaticallygets closed when the parent is closed and minimized when the parent is minimized. Such aWindow is sometimes called a.

Super Window
Modeless dialog **Page 124**
Sibling Window
Inherited Window

Question No:88 **(Marks:1)** **Vu-Topper RM**

In .Net, a task that does not return a value is represented by the _____.

System.Threarding.Tasks.
None of the given option

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

System.Threading.Tasks.Task
System.Threading.Tasks.Task<TResult>

Question No:89 **(Marks:1)** **Vu-Topper RM**

In TAP, progress is handled through an_interface, which ispassed to the asynchronous method a parameter.

Progress<T>
Aprogress (T)
IProgress (T)
Progress<T> (Action<T>)

Question No:90 **(Marks:1)** **Vu-Topper RM**

In navigation Windows, the frames are more like a/an__.

.Net frame
Java frame
Image frame
HTML frame **Page 128**

Question No:91 **(Marks:1)** **Vu-Topper RM**

_____keeps the navigation history in navigation based applications.

frame
journal
web page
Web browser

Question No:92 **(Marks:1)** **Vu-Topper RM**

URI stands for:

Universal Resource Identifier
Uniform Resource Identifier
Uniform Resource Identification
Universal Resource Identification

Question No:93 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

In Objective-C, which of the following statements can be used to display something in the "answer" field?

[setTextanswer];

[answerField:answer];

[setText answeranswerField]

[answerFieldsetText:answer]; **Page 208**

Question No:94 **(Marks:1)** **Vu-Topper RM**

If we assign an NSString to a possession for its possessionName, and then werelease the string, it will be____.

Allocated

Decreased

Destroyed

Instance created

Question No:95 **(Marks:1)** **Vu-Topper RM**

Which of the following is used to set the view to default?

Ib **Page 217**

Redraw

Clear all

Ns coder

Question No:96 **(Marks:1)** **Vu-Topper RM**

In context of data binding, when we want to apply both sorting and groupingtogether then the rule is that__.

None of the given option

Grouping will be applied before sorting

Both shall be applied different properties

Sorting will be applied before Grouping **Page 150**

Question No:97 **(Marks:1)** **Vu-Topper RM**

What is the word ─Color in given below code? UIColor" (^) (Line*,int anotherArg)

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Block Variable **Page 222**

Name of Variable

Return Type of Block

Notation to specify that it is a block

Question No:98 **(Marks:1)** **Vu-Topper RM**

_____helps us in provisioning ease of access to data source for data binding.

Source

Interfaces

Data Organizer

Data Provider

Question No:99 **(Marks:1)** **Vu-Topper RM**

What is the purpose of given below code?
[self.viewaddSubview:imageView];

To set the image

To create the image View

Add the image to this View controllers **Page 226**

To make sure that image is not scaled incorrectly

Question No:100 **(Marks:1)** **Vu-Topper RM**

What is the purpose of given below code? NSArray *folders NSSearchPathForDirectoriesInDomains(NSDocumentDirectory, NSUserDomaianIask, YES);

Create the folder

Get the first folder

Add the image to first folder

Get the document folder(s) **Page 226**

Question No:101 **(Marks:1)** **Vu-Topper RM**

Which JQuery object is used with bind() function to pass data to an event handling function?

Jobj

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Data **Page 187**
Bind
Target

Question No:102 **(Marks:1)** **Vu-Topper RM**
Which of the following technologies is not used in AJAX?
Css
Dom
Flash
Dhtml

Question No:103 **(Marks:1)** **Vu-Topper RM**
Which function is used to create cancel button event of dialog box _____.
OnCancel()
CancelClick()
OnInitCancel()
OnClickCancel()

Question No:104 **(Marks:1)** **Vu-Topper RM**
Consider the following C# code segment: button.Background = (Brush) new BrushConverter().ConvertFrom (—SystemColors.WindowBrush‖);
Which one of the following isequivalent XAML code?
<Button Background= —SystemColor.WindowBrush‖/>
<Button Background= —SystemColor.WindowsBrush‖/>
<Button Background= —SystemColors.WindowsBrush‖/>
<Button Background= "SystemColors.WindowBrush"/>
Page 132

Question No:105 **(Marks:1)** **Vu-Topper RM**
Which of the following components generates an input Event?
Plotter
Printer

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Speaker
Multi Touch ok

Question No:106 (Marks:1) Vu-Topper RM

We use "UIElement" property ClipToBounds= “false” when _____.

None of the given option
We want area child element don‘t cross the boundary of parent
Parent area also increases on increasing of area of child element
We want area of child element is allowed to cross the boundary of parent Page 97 ok

Question No:107 (Marks:1) Vu-Topper RM

To design a complex Interface, which of the following technique is best toachieve the required results?

Panels composed in two panels
Panels composed in single panel
Panels composed in three panels
Panels composed within panels ok

Question No:108 (Marks:1) Vu-Topper RM

Commonly we have two types of custom command bindings named as _____.

StartBindings and StopBindings
KeyBindings and MouseBindings Page 122
EventBindings and InstanceBindings
ButtonBindings and TextboxBindings

Question No:109 (Marks:1) Vu-Topper RM

Which of the following is an example of tunnel key event?

Key up
Key down
Preview key down

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Vu Topper RM

Preview key entered

Question No:110 (Marks:1) Vu-Topper RM

Which one of the following panels is most powerful, versatile and customizable?

Doc panel
Stack panel
Grid Panel Page 92
Canvas panel

Question No:111 (Marks:1) Vu-Topper RM

In order to resize the row and column in Grid panel, _____ is used.

Grid divider
Grid splitter Page 95 ok
Grid compiler
Grid converter

Question No:112 (Marks:1) Vu-Topper RM

Data binding is about tying together arbitrary .NET____.

Object Page 140
Variables
Functions
Properties

Question No:113 (Marks:1) Vu-Topper RM

_____supports the creation of applications that run directly in a web browser.

C#
WPE
HTML
C/C++

Question No:114 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

To check that the user either pressed left Alt key or right Alt key, the _____ is used.

IsDown

IsKeyDown

KeyStates.IsKeyDown

keyboardDevice.IsKeyDown Page 113 ok

Question No:115 (Marks:1) Vu-Topper RM

_____ provides the logic behind the "Back" and "Forward" buttons.

Jframe

Hyperlink

Journal Page 138 ok

Navigation Window

Question No:116 (Marks:1) Vu-Topper RM

In a code segment, if the Visibility=‖Collapsed‖ then which of the following events are not generated?

Routed Events

Mouse Events Page 113

Keyboard Events

Key down Events

Question No:117 (Marks:1) Vu-Topper RM

If we insert some objects in a single cell in Grid panel, then these objects are placed on _____ .

One after the other

One on Side of the other

One on Top of the other ok

One on Bottom of the other

Question No:118 (Marks:1) Vu-Topper RM

A _____ receives keyboard events only if it has keyboard focus.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Mouse
Keyboard
UIElement **ok**
Keyboard Controls

Question No:119 **(Marks:1)** **Vu-Topper RM**
In case of HTML page navigation, you must use the of "Navigate" that a URI.
IFrame, rejects
IFrame, accepts
Overload, rejects
Overload, accepts

Question No:120 **(Marks:1)** **Vu-Topper RM**
The Java programming language has a specific class for creating splash screens, called .
Java.awt.start
Java.lang.splash
Java.start.screen
Java.awt.SplashScreen

Question No:121 **(Marks:1)** **Vu-Topper RM**
Which of the followings are keyboard events?
Key down, key up **Page 113** **ok**
Key entered, key exist
Key strike, key release
Key pressed, key released

Question No:122 **(Marks:1)** **Vu-Topper RM**
To plug custom logic, you need to add a____to the element thatwill execute the command or any parent element.
Helpcanexecute
CommandBinding
Execute command

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

RoutedUlCommand

Question No:123 **(Marks:1)** **Vu-Topper RM**

Which of the following –Event| property is used to show the –distance (in pixels)| of the mouse pointer from the left edge of the browser window?

Page x **Page 187**

Page y

Screen x

Screen y

Question No:124 **(Marks:1)** **Vu-Topper RM**

Which of the following –Event –properties is used with –key press event| to determine the numeric code for the key that was pressed?

Page x

Which **Page 187**

Target

Shift Key

Question No:125 **(Marks:1)** **Vu-Topper RM**

HTML is a helper function.

JS

JQuery **Page 184**

RQuery

Browser

Question No:126 **(Marks:1)** **Vu-Topper RM**

Which of the following server(s) support –AJAX|?

HTTP

SMTP

WWW

Both SMTP and HTTP

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:127 **(Marks:1)** **Vu-Topper RM**

Why we use ―Alloc‖ message?

To create a class

To create an instance

To extend functions

To inherent methods

Question No:128 **(Marks:1)** **Vu-Topper RM**

Objective – c introduces___messaging in c?

Group

New Style

Short session

Smalltalk style **Page 97**

Question No:129 **(Marks:1)** **Vu-Topper RM**

Threadpool create and reduce real threads using hillclimbing algo to _____.

To minimize CPU usage

To maximize CPU usage **Page 60**

To maximize memory utilization

To reduce the cost of thread creation

Question No:130 **(Marks:1)** **Vu-Topper RM**

Which of these are defined as the model object?

Question= 0;

UILabel *questionField;

NSMutableArray *questions; **Page 205**

NSMutableArray *questions@field;

Question No:131 **(Marks:1)** **Vu-Topper RM**

Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from top edge of the Monitor?

Page x

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Page y
Screen x
Screen y **Page 187**

Question No:132 **(Marks:1)** **Vu-Topper RM**
What is ―nil‖ like?
Null **Page 197**
Zero
Terminate
Move to new line

Question No:133 **(Marks:1)** **Vu-Topper RM**
Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from top edge of the browser window?
Page x
Page y **Page 187**
Screen x
Screen y

Question No:134 **(Marks:1)** **Vu-Topper RM**
What message is used to send to destroy the object?
Stop
Free
Delete
Release

Question No:135 **(Marks:1)** **Vu-Topper RM**
What is NSMutableArray?
Object
Group
Method
Class Reference

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:136 **(Marks:1)** **Vu-Topper RM**

AJAX stands for_____.

Abstract JSON and XML

Abstract Java and XML Library

Asynchronous JavaScript and XHtml

Asynchronous JavaScript and XML

Question No:137 **(Marks:1)** **Vu-Topper RM**

The pairing of labels and arguments is an important feature of_____.

C++

PHP

Scripts

Objective-C **Page 197**

Question No:138 **(Marks:1)** **Vu-Topper RM**

Which one of the following can be used to set dependency property values?

Static Resource

Dynamic resource **Page 137**

Permanent resource

Temporary resource

Question No:139 **(Marks:1)** **Vu-Topper RM**

In context of data binding, _____ contains the current item to get it synchronized with data source.

List

View

String

Template

Question No:140 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a string format property throughout WPF?

String format

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Items drink format
Content string format
Row header string format

Question No:141 (Marks:1) Vu-Topper RM
By default, Navigation Window _____ a bar along with the top with Back/Forward buttons while a frame _____.
Has ,has
Both does't have
Doesn't have ,has
Has, does't have ok

Question No:142 (Marks:1) Vu-Topper RM
To plug in custom logic, you need to add a _____ to the element that will execute the command or any parent element.
Routed command
Help can execute
Execute command
Command binding ok

Question No:143 (Marks:1) Vu-Topper RM
In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to _____ in order to bypass integration.
0
True
Null
False ok

Question No:144 (Marks:1) Vu-Topper RM
In C# WPF, _____and _____ are the two important properties of Binding object.
Source, path
Items, selected

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopperRM

Start, destination
Bind to, bind rom

Question No:145 (Marks:1) Vu-Topper RM

What is the purpose of the following "jQuery "code?$(# navbar a')

Find all the element whose ID is navbar and the find a ansector a
Find all the element whose name is navbar and find a descendant a
Find all the element whose name is navbar and then find a an sector a
Find all the element whose ID is navber and then find a descendant a

Question No:146 (Marks:1) Vu-Topper RM

Web servers receive request and responds as_.

JSON only
Html only
Plan Text only
Html, plain text and JSON Page 192

Question No:147 (Marks:1) Vu-Topper RM

A/An _____ screen is an image that appears while a game or program is loading

Initial
Splash
Startup
Opening

Question No:148 (Marks:1) Vu-Topper RM

XBAP stands for:

None of given option
Active x browser application
XAML browser application
Extensive browser application

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:149 **(Marks:1)** **Vu-Topper RM**

To remove data binding between the source and the target, we can use _____ function.

Reset binding

Clear binding **Page 151**

Remove binding

Stop the binding

Question No:150 **(Marks:1)** **Vu-Topper RM**

Which of the following operation cannot be performed by using a view?

Sorting

Filtering

Grouping

Searching **Page 146**

Question No:151 **(Marks:1)** **Vu-Topper RM**

Which of the following C# Method reports a progress change?

Get type

Finalize

On report

Get hash code

Question No:152 **(Marks:1)** **Vu-Topper RM**

Multi touch events are categorized into _____ and _____.

Touch events, touch up events

Touch down events, touch up events

Advance touch events, low -level manipulation events

Basic touch events, higher- level manipulation events **Page 144 ok**

Question No:153 **(Marks:1)** **Vu-Topper RM**

Thread pool is used to_____.

To avoid complexity

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

To make easy debugging process
To save time of thread creation
To make easy the process of thread creation

Question No:154 **(Marks:1)** **Vu-Topper RM**
Interact with web page layout
XML
DOM
HTML
Java script

Question No:155 **(Marks:1)** **Vu-Topper RM**
Which of the following class sports data parallelism in" task parallel library"?
System. task .parallel
System. threading .tasks
System. task .threading. parallel
System. threading. Task. parallel

Question No:156 **(Marks:1)** **Vu-Topper RM**
A Window can spawn _____ number of additional Windows by instantiating a Window-derived class and calling Show(...).
Any **Page 124** **ok**
Six
Five
Four

Question No:157 **(Marks:1)** **Vu-Topper RM**
"Editable Grid" is an example of _____ mode of binding in context of data binding.
One time
Two ways
Two time

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

One way

Question No:158 (Marks:1) Vu-Topper RM

A class that implements the 'ICommand' and supports 'bubbling' just like a routed event is known as _____.

Can execute

Executed command

Can execute changed

Routed ul command Page 121 ok

Question No:159 (Marks:1) Vu-Topper RM

In WPF C#, which of the following operation cannot be performed by using a View?

Sorting

Filtering

Searching

Grouping

Question No:160 (Marks:1) Vu-Topper RM

In Xaml browser application, how much isolated memory we can use?

128 kb

256 kb

512 kb Page 132

1024 kb

Question No:161 (Marks:1) Vu-Topper RM

Which property will be used if we want to restrict the user to don‟t increase thewidth of a WPF element from a specific amount?

Maxwidth Page 81

WidthMaximum

MaximumWidth

None of given options

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:162 **(Marks:1)** **Vu-Topper RM**

Which one is the correct syntax for declaring attribute?

*Obsolete

{Obsolete}

(Obsolete)

[Obsolete] **Page 42**

Question No:163 **(Marks:1)** **Vu-Topper RM**

In C#, comments are written using .

and /*

and */ /*

// and */ /*

// and //** **Page 14**

Question No:164 **(Marks:1)** **Vu-Topper RM**

_____is an event that is introduced into an event processing system by an event producer.

Raw event **Page 11**

Event Stream

Event Producer

Event Consumer

Question No:165 **(Marks:1)** **Vu-Topper RM**

Whenever an attribute value is enclosed in curly braces "{}", the XAML compiler/parser treats it as a/an_____rather than a/an .

Markup event, property

Markup property, Event

Literal string, Markup extension value

Markup extension value, Literal string **Page 65**

Question No:166 **(Marks:1)** **Vu-Topper RM**

CSS is called_____layer.

Physical

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Structural
Behavioral
Presentation **Page 179**

Question No:167 **(Marks:1)** **Vu-Topper RM**
Shift key is true if the shift key is _____when the event occurs.
Up
Down **Page 187**
Move
None of the given

Question No:168 **(Marks:1)** **Vu-Topper RM**
Which of the following response show internal server error?
200
300
400
500

Question No:169 **(Marks:1)** **Vu-Topper RM**
The original name of JavaScript was__.
wireScript
JavaScript
LiveScript **Page 179**
None of the given

Question No:170 **(Marks:1)** **Vu-Topper RM**
One of the ways to create an instance of a class is_.
XAML compiler
System array **Page 14**
Factory method
Sequential heap

Question No:171 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Which "transform" property can help us to flip the element from its center?

ScaleX

ScaleY

None of the given

Render transform origin **Page 85**

Question No:172 **(Marks:1)** **Vu-Topper RM**

If we want that "Stretch" property of child element takes the available "heightor width of Parent" and shape of child elements doesn‘t change, then we should write —Stretch=_‖.

1

Fill **Page 100**

Uniform

Uniform to fill

Question No:173 **(Marks:1)** **Vu-Topper RM**

When a button makes itself disabled, then the value of "Focusable" property is

_____?

Null

True

False

None of the given

Question No:174 **(Marks:1)** **Vu-Topper RM**

ManipulationCompleted gets raised after____ is raised for all fingers.

Touch up **Page 116**

TouchMove

TouchRight

TouchDown

Question No:175 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Vu Topper RM

CSS is a__language__.

Formatting **Page 180**

Structuring

Object Oriented

None of the given

Question No:176 **(Marks:1)** **Vu-Topper RM**

JavaScript code is written inside file having extension__.

JS

JVS

JSC

Javasript

Question No:177 **(Marks:1)** **Vu-Topper RM**

Which of the following is TRUE about Object data providers?

None of the given

This is useful for binding XML data

This is useful for binding objects which are designed for binding

This is useful for binding objects which are not designed for binding **Page 151**

Question No:178 **(Marks:1)** **Vu-Topper RM**

Which of the following is TRUE about IsAsync in context of data binding?

This is used to create data source object in foreground

This is used to access the property of an object in foreground

This is used to create data source object in background

This is used to access the property of an object in background

Question No:179 **(Marks:1)** **Vu-Topper RM**

Refresh" is a predefined building command classified as:

Media command

Editing command

Application command

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Navigation command Page 121

Question No:180 (Marks:1) Vu-Topper RM

JS (JavaScript) is called layer.

Physical

Structural

Behavioral

Presentation Page 179

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365