Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you CS411 quiz 3 2023 Important &100% Correct Finalterm MCQs Verified By Handouts. Must Prepare Before Finalterm Exams.

If you found mistake then let us know.

You can contact us on WhatsApp https://wa.me/+923421718143

Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/

For more educational stuff keep visiting

Learning4 Help By Waqas Qureshi 03421718143

Subscribe to my Channel:

https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q

VIRTUAL UNIVERSITY OF PAKISTAN

SERVICES:

- Assignments
- Quizzes
- GDBs
- LMS Handling
- Projects Making
- projects preparation
- online Tuition

We always do our best in serving our students and give them satisfied impressions.

LEARN4 HELP




CALL US NOW!

0342-1718143

www.learning4help.com


Learning4 Help By Waqas Qureshi 03421718143



Frame has a _____ property used in enabling or disabling the bar (containing Back/Forward buttons).

Select the correct option


- BlocknavigationUI
- NavigationUIBlock
- NavigationUIVisibility
- ShowsNavigationUI



Which of the following class supports data parallelism in "Task Parallel Library"?

Select the correct option

- System.Threading.Tasks
- System.threading.Task.Parallel
- System.Task.Threading.Parallel
- System.Task.Parallel




Question # 1 of 15 (Start time: 03:27:57 AM, 29 January 2023) **Total Marks:** 1

Identify the correct option:

Select the correct option

Reload Math Equations

- (●) Commands are a more abstract and loosely coupled version of events
- ( ) A control that supports a command does not support an event
- ( ) A control that supports an event does not support a command
- ( ) Commands in WPF are created by implementing the IComponentConnector interface.




Data binding between the source and the target is performed through an object of _____ class.

Select the correct option

- ( ) String
- (◉) Binding
- ( ) Content
- ( ) Connection

Learning4 Help By Waqas Qureshi 03421718143



A Window can spawn _____ number of additional Windows by instantiating a Window-derived class and calling Show(...).

Select the correct option


- Six
- Four
- Any
- Five

Which one of the following can be used to set dependency property values?


Select the correct option

- Permanent resource
- Temporary resource
- Dynamic resource
- Static resource


Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143



Which of the following C# Method reports a progress change?

Select the correct option

- OnReport
- GetHashCode
- Finalize
- GetType

Which one of the following is used, if we want to add a window resource in procedural code?


Select the correct option

Reload Math Equations

- <Window.Resources></Window.Resources>
- <Widows.Resources></Widows.Resources>
- Window.Resource.Add ();
- Window.Resources.Add();

Click to Save Answer & Move to Next Question


Learning4 Help By Waqas Qureshi 03421718143



Which of the following is not a part of "cancellation" task?

Select the correct option

- Create and start a cancelable task
- The calling thread does forcibly end the task
- Notice and respond to the cancellation request in your user delegate
- Pass a cancellation token to your user delegate and optionally to the task instance



CS411 - Visual Programming (Quiz No 3) **Quiz Start Time: 02:58 AM, 29 January 2023**


Question # 14 of 15 (Start time: 03:06:50 AM, 29 January 2023) **Total Marks:** 1

Data binding between the source and the target is performed through an object of _____ class.


Select the correct option

- Binding
- String
- Connection


Learning4 Help By Waqas Qureshi 03421718143




Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143




Learning4 Help By Waqas Qureshi 03421718143



Using _____, system can support customized setup user interfaces, such as showing an end user license agreement (EULA).

Select the correct option

- ClickOnce
- Windows Installer
- Windows API
- license agreement (EULA)




Threadpool is used to _____.

Select the correct option

- To save time of thread creation
- To make easy debugging process
- To avoid complexity
- To make easy the process of thread creation


Learning4 Help By Waqas Qureshi 03421718143



In multi touch events, a/an _____ id is assigned to each individual event.

Select the correct option

- Event
- Processor
- CPU
- Device



BC160402899: Zulquarnain Ali

Time Left 71 sec(s)

CS411 - Visual Programming (Quiz No 3)

Quiz Start Time: 02:58 AM, 29 January 2023


Question # 1 of 15 (Start time: 02:58:16 AM, 29 January 2023) **Total Marks:**

"Binding" technique binds two properties together and keeps a _____ open.

Select the correct option

- Communication channel
- Choice


Learning4 Help By Waqas Qureshi 03421718143



Which of the following is not true about task completion source?

Select the correct option

- Provide exception handling facility
- Support result return facility
- It is an executable thing
- Provide Continuation facility



CS411 - Visual Programming (Quiz No 3) **Quiz Start Time: 02:48 AM, 29 January 2023**


Question # 14 of 15 (Start time: 02:56:08 AM, 29 January 2023) **Total Marks:** 1

Which of the following is not handled by the "Task Parallel Library (TPL)"?

Select the correct option

- Scales the degree of concurrency
- Progress report handling
- Scheduling of threads


Learning4 Help By Waqas Qureshi 03421718143



_____ provides the logic behind the "Back" and "Forward" buttons.

Select the correct option

- Navigation Window
- Journal
- Hyperlink
- IFrame




The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding _____ method returns "void" or a type "TResult".

Select the correct option

- Callback
- Synchronous
- Asynchronous
- Return

Learning4 Help By Waqas Qureshi 03421718143




CS411 - Visual Programming (Quiz No 3) Quiz Start Time: 02:48 AM, 29 January 2023

Question # 11 of 15 (Start time: 02:54:42 AM, 29 January 2023) **Total Marks:** 1

In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger _____.

Select the correct option

- (●) Independently
- ( ) Completely
- ( ) Partially



CS411 - Visual Programming (Quiz No 3) Quiz Start Time: 02:48 AM, 29 January 2023

Question # 10 of 15 (Start time: 02:54:18 AM, 29 January 2023) **Total Marks:** 1


In WPF, _____ resource is reapplied every time it changes

Select the correct option

Reload Math Equations

- (●) Dynamic
- ( ) Abstract
- ( ) permanent
- ( ) Static


Learning4 Help By Waqas Qureshi 03421718143



Using _____, system can support customized setup user interfaces, such as showing an end user license agreement (EULA).

Select the correct option

- Windows API
- ClickOnce
- license agreement (EULA)
- Windows Installer



CS411 - Visual Programming (Quiz No 3) **Quiz Start Time: 02:48 AM, 29 January 2023**


Question # 8 of 15 (Start time: 02:51:50 AM, 29 January 2023) **Total Marks:** 1


In multi touch events, a/an _____ id is assigned to each individual event.

Select the correct option


- Event
- CPU
- Processor

Learning4 Help By Waqas Qureshi 03421718143






Learning4 Help By Waqas Qureshi 03421718143



Multi touch events are categorized into _____ and _____.

Select the correct option

- Touch events, touchup events
- Basic touch events, higher-level manipulation events
- Touchdown events, touchup events
- Advanced touch events, low-level manipulation events




Question # 4 of 15 (Start time: 02:49:38 AM, 29 January 2023) **Total Marks:** 1

Which one of the following can be used to set dependency property values?

Select the correct option

- Permanent resource
- Dynamic resource
- Temporary resource

Learning4 Help By Waqas Qureshi 03421718143




Question # 3 of 15 (Start time: 02:49:06 AM, 29 January 2023) **Total Marks:** 1

Hierarchical data templates are used to display data in a _____ like structure.

Select the correct option

- List
- Graph
- Tree



Question # 2 of 15 (Start time: 02:48:29 AM, 29 January 2023) **Total Marks:** 1

In WPF C#, which of the following operation cannot be performed by using a View?

Select the correct option

Reload Math Equations

- Grouping
- Filtering
- Sorting
- Searching

Learning4 Help By Waqas Qureshi 03421718143

myThread.Join();

What will be the effect of instruction myThread.Join()?

Select the correct option

Reload Math Equations

- Both Main thread and myThread can now share the data
- Execution of myThread will be joined with existing running threads
- Main thread execution will be suspended till completion of myThread
- (●) myThread will be executed after Main thread is completed


Click to Save Answer & Move to Next Question

In _____ browser app, you change "<TargetZone>Internet</TargetZone>" to "<TargetZone>Custom</TargetZone>"

Select the correct option

- Partial-trust
- Full-reject
- (●) Full-trust
- Partial-reject

Learning4 Help By Waqas Qureshi 03421718143



Which of the following method is used to get the location of touch?

Select the correct option


- getTouch();
- getTouchpoint();
- getTouchDown();
- getTocuhLocation();

Data binding between the source and the target is performed through an object of _____ class.

Select the correct option

- Content
- String
- Connection
- Binding


Learning4 Help By Waqas Qureshi 03421718143



_____ supports the creation of applications that run directly in a web browser.

Select the correct option

- Logic Behind
- C/C++
- WPF
- Partial Class



Question # 10 of 15 (Start time: 02:26:02 AM, 29 January 2023) **Total Marks:** 1

"Callback" method is used to _____ the operation.


Select the correct option

- Pause
- Revoke
- Terminate

Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143




Question # 7 of 15 (Start time: 02:24:21 AM, 29 January 2023) **Total Marks:** 1

Button and Texbox have _____ Knowledge of each other.

Select the correct option

- ○ Direct
- ○ Partial
- ◉ No Direct




In context of data binding, _____ contains the current item to get it synchronized with data source.

Select the correct option

- ○ Template
- ○ View
- ◉ List
- String

Learning4 Help By Waqas Qureshi 03421718143




CS411 - Visual Programming (Quiz No 3) Quiz Start Time: 02:19 AM, 29 January 2023

Question # 5 of 15 (Start time: 02:22:29 AM, 29 January 2023) Total Marks: 1

In multi touch events, a/an _____ id is assigned to each individual event.

Select the correct option

- (•) Event
- ( ) Device
- ( ) CPU




By default, Navigation Window _____ a bar along with the top with Back/Forward buttons while a frame _____.

Select the correct option

- ( ) Both doesn't have
- (•) Has, doesn't have
- ( ) Has, has
- ( ) Doesn't have, has

Learning4 Help By Waqas Qureshi 03421718143



The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding _____ method returns "void" or a type "TResult".

Select the correct option


- (●) Synchronous
- ( ) Return
- ( ) Callback
- ( ) Asynchronous


While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____ programming.

Select the correct option


- ( ) Parallel programming
- (●) Asynchronous programming
- ( ) Synchronous programming
- ( ) Multithreading programming

Learning4 Help By Waqas Qureshi 03421718143






Learning4 Help By Waqas Qureshi 03421718143




Learning4 Help By Waqas Qureshi 03421718143



To remove data binding between the source and the target, we can use _____ function.

Select the correct option

- ResetBinding
- StopBinding
- RemoveBinding
- ClearBinding




Which of the following is not handled by the "Task Parallel Library (TPL)"?

Select the correct option

- Scheduling of threads
- Progress report handling
- Partitioning of the work
- Scales the degree of concurrency

Learning4 Help By Waqas Qureshi 03421718143




In C# WPF, we use "GetDefaultView" method of _____ to get the default View.

Select the correct option

Reload Math Equations

- ViewDescription
- CollectionViewSource
- DataSource
- ViewCollection

Click to Save Answer & Move to Next Question




A/An _____ screen is an image that appears while a game or program is loading

Select the correct option

- Startup
- Splash
- Initial
- Opening

Learning4 Help By Waqas Qureshi 03421718143




Question # 4 of 10 (Start time: 07:47:14 PM, 14 July 2023) **Total Marks:** 1

In C# WPF, we use "GetDefaultView" method of _____ to get the default View.

Select the correct option

Reload Math Equations

- (•) CollectionViewSource
- ( ) DataSource
- ( ) ViewDescription
- ( ) ViewCollection





Multi touch events are categorized into _____ and _____.

Select the correct option

- (•) Basic touch events, higher-level manipulation events
- ( ) Touch events, touchup events
- ( ) Advanced touch events, low-level manipulation events
- ( ) Touchdown events, touchup events

Learning4 Help By Waqas Qureshi 03421710143






Learning4 Help By Waqas Qureshi 03421710143

Question # 1 of 10 (Start time: 06:40:09 PM, 14 July 2023) Total Marks: 1


"Binding" technique binds two properties together and keeps a _____ open.

Select the correct option

- Selection
- Communication channel
- Choice




Learning4 Hello By Waqas Qureshi 03421718143



Frame has a _____ property used in enabling or disabling the bar (containing Back/Forward buttons).

Select the correct option

- NavigationUIBlock
- BlocknavigationUI
- ShowsNavigationUI
- NavigationUIVisibility




Question # 3 of 10 (Start time: 07:29:35 PM, 14 July 2023)


Which one of the following can be used to set dependency property values?

Select the correct option


- Dynamic resource
- Temporary resource
- Permanent resource
- Static resource


Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143






Learning4 Help By Waqas Qureshi 03421710143






Learning4 Help By Waqas Qureshi 03421710143



To remove data binding between the source and the target, we can use _____ function.

Select the correct option

- RemoveBinding
- StopBinding
- ClearBinding
- ResetBinding




Question # 9 of 10 (Start time: 07:09:11 PM, 14 July 2023) Total Marks: 1


Manipulation events work if IsManipulationEnabled=?

Select the correct option


- \r
- False
- Null
- True


Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421710143







Learning4 Help By Waqas Qureshi 03421716143






Learning4 Help By Waqas Qureshi 03421710143





Learning4 Help By Waqas Qureshi 03421710143



Learning4 Help By Waqas Qureshi 03421718143
Learning4help.com