



Assessment Quiz

Post-Assessment

Question # 1 of 5

T

The _____ splits out the digital signal and analog signal from the local loop.

Select the correct option

Reload

- | | |
|----------------------------------|-------|
| ☐ | ARP |
| ☐ | SMTP |
| ☐ | DLCI |
| ☒ | DSLAM |

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment**Question # 2 of 5**

T

The digital DSL signal uses frequencies _____.

Select the correct option

Reload



lesser than 200 Hz



equal to 100 Hz



higher than 4000 Hz



lesser than 100 Hz

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 3 of 5

Time Left: 66 sec(s)

_____ is an alternative technology for sending and receiving data to and from an ISP, using the same old phone line, but running at much faster speeds.

Select the correct option

Reload Math Equations

☐	CRC
☒	DSL
☐	ARP
☐	FCS

Click to Save Answer & Move to Next Question

**Post-Assessment**

Question # 4 of 5

Time L

DSLAM stands for _____.

Select the correct option

Reload Math

- | | |
|----------------------------------|---|
| ☐ | Digital Subscriber Line Analog Multiport |
| ☐ | Digital Subscriber Line Alternate Mixer |
| ☐ | Digital Subscriber Line Amplitude Modulator |
| ☒ | Digital Subscriber Line Access Multiplexer |

Click to Save Answer & Move to Next Qu

**Post-Assessment**

Question # 5 of 5

Time L

CO connects the local loop wiring to a device called _____.

Select the correct option

Reload Math

☒	DSLAM
☐	DLCI
☐	FCS
☐	CRC

Click to Save Answer & Move to Next Qu



Post-Assessment

Question # 1 of 5

Time Left: 78 sec(s)

_____ is a form of high-speed connection that uses a cable television infrastructure to provide access to end users.

Select the correct option

Reload Math Equations

☐	Bluetooth
☒	Cable Internet
☐	WPAN link
☐	PAN link

Click to Save Answer & Move to Next Question

**Post-Assessment**

Question # 2 of 5

Time Left: 80 sec

A residence obtains cable Internet access from the same company that provides its _____.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|------------------|
| ☐ | domain name |
| ☐ | web hosting |
| ☐ | MAC address |
| ☒ | cable television |

Click to Save Answer & Move to Next Question

**Post-Assessment**

Question # 3 of 5

Time Left: 85 sec

In a cable network _____ is used in which different channels are transmitted in different frequency bands.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|---------------------------------|
| ☐ | phase division multiplexing |
| ☐ | amplitude division multiplexing |
| ☒ | frequency division multiplexing |
| ☐ | voltage division multiplexing |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 4 of 5

Time Left: 72 sec(s)

Fiber optics connects the cable head end to neighborhood-level junctions, from which traditional coaxial cable is then used to reach individual houses. This is called _____.

Select the correct option

Reload Math Equations

☐	DNS
☐	CRC
☒	HFC
☐	ARP

Click to Save Answer & Move to Next Question



Question # 5 of 5

HFC stands for _____.

Select the correct option



Huge Fiber Cost



High Field Cost



Hybrid Fiber Coax



Hyper File Channel

Click to Save Answer & Move



Post-Assessment

Question # 1 of 5

Kerberos is a computer-network _____ protocol.

Select the correct option

- | | |
|----------------------------------|----------------|
| ☐ | application |
| ☒ | authentication |
| ☐ | routing |
| ☐ | switching |

[Click to See Answer](#)



Post-Assessment

Question # 2 of 5

Time Left: 6

_____ features can record individual attempts, generate reports, and notify personnel if too many invalid attempts happen in a short time frame.

Select the correct option

[Reload Math Equ](#)

- | | |
|----------------------------------|---------------|
| ☐ | Encapsulation |
| ☒ | Accounting |
| ☐ | Encryption |
| ☐ | Fragmentation |

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 3 of 5

_____ refers to the process of figuring out what a particular user is allowed to do.

Select the correct option

Reload



Encryption



Fragmentation



Authorization



Encapsulation

Click to Save Answer & Move to



Post-Assessment

Question # 4 of 5

Username, password can be listed on a server called _____ server.

Select the correct option



- | | |
|----------------------------------|----------------|
| ☐ | application |
| ☐ | accounting |
| ☐ | ARP |
| ☒ | authentication |

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 5 of 5

Kerberos protocol runs between application and _____ servers.

Select the correct option



authorization



accounting



ARP



authentication

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 1 of 5

In networking, PAP stands for _____.

Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☐ | Process Authentication Protocol |
| ☐ | Password Advisory Process |
| ☒ | Password Authentication Protocol |
| ☐ | Primary Activity Protocol |

[Click to Save Answer](#)



Post-Assessment

Question # 1 of 5

In networking, CHAP stands for _____.

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | Centralize Host Access Protocol |
| ☒ | Challenge Handshake Authentication Protocol |
| ☐ | Cross Host Alternate Protocol |
| ☐ | Cost Handling Active Protocol |

Click to Save Answer

**Question # 2 of 5**

TACACS+ is a popular proprietary _____.

Select the correct option

☒	protocol
☐	web server
☐	DNS server
☐	hardware

[Click to S](#)

**Question # 4 of 5**

PPP is a _____ layer protocol.

Select the correct option

☒	data link
☐	physical
☐	application
☐	session

[Click to S](#)



Post-Assessment

Question # 5 of 5

RADIUS is a _____.

Select the correct option

- | | |
|----------------------------------|-----------------------|
| ☐ | authentication server |
| ☐ | web server |
| ☐ | application server |
| ☒ | protocol |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 1 of 5

To decrypt the data, you need a secret password called a(n) _____.

Select the correct option

- | | |
|----------------------------------|----------------|
| ☐ | plain text |
| ☐ | parity bit |
| ☒ | encryption key |
| ☐ | redundant bit |

[Click to Save Answer &](#)



Assessment Quiz

Post-Assessment**Question # 2 of 5****Time**

A VPN device inside the corporate network is called a VPN _____, which decrypts the received packets .

Select the correct option

Reload Mat

- | | |
|----------------------------------|--------------|
| ☐ | multiplexer |
| ☐ | splitter |
| ☐ | repeater |
| ☒ | concentrator |

[Click to Save Answer & Move to Next Q](#)



Assessment Quiz

Post-Assessment

Question # 3 of 5

VPNs create a _____ network, but they do so logically, or virtually.

Select the correct option

- | | |
|----------------------------------|------------------|
| ☒ | private |
| ☐ | limited public |
| ☐ | unlimited public |
| ☐ | local area |

[Click to Save Answer](#)



Post-Assessment

Question # 4 of 5

VPN stands for _____.

Select the correct option

☒	Virtual Private Network
☐	Vertical Private Network
☐	Visual Private Network
☐	Virtual Public Network





Post-Assessment

Question # 5 of 5

The internet is a _____ network.

Select the correct option

☐	small
☒	public
☐	private
☐	local area





Assessment Quiz

Post-Assessment

Question # 1 of 4

_____ is the amount of data which moves across a network during any given time.

Select the correct option



Network traffic



Network Frequency



Network Amplitude



Network Phase

Click to Save Answer & Move



Assessment Quiz

Post-Assessment**Question # 4 of 4**

_____ is a company that provides web access to both businesses and consumers.

Select the correct option

PDU



ISP



FCS



CRC

Click to Save Answer & Move

**Question # 1 of 4**

A computer of a network can be directly connected with _____.

Select the correct option

- | | |
|----------------------------------|------------------------------------|
| ☐ | Computer of another network |
| ☒ | Mail server of same network |
| ☐ | Internal server of another network |
| ☐ | Mail server of another network |

[Click to Save Answer &](#)



Post Assessment

Question # 1 of 5

Ti

A network engineer configures the firewall with a _____ that tells it what's legal and what isn't.

Select the correct option

Reload



set of repeaters



set of exceptions



set of rules



set of viruses

Click to Save Answer & Move to Ne



Question # 2 of 5

IDS stands for _____.

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☒ | Intrusion Detection System |
| ☐ | Induced Duration System |
| ☐ | Incoming Dormant System |
| ☐ | Irregular Duration System |

[Click to Save Answer &](#)



Question # 3 of 5

_____ firewall product is called a PIX firewall.

Select the correct option



- | | |
|----------------------------------|---------|
| ☐ | DMZ's |
| ☐ | UDP's |
| ☒ | Cisco's |
| ☐ | TCP's |

[Click to Save Answer & Move to Next Question](#)

**Post-Assessment**

Question # 4 of 5

Time Left: 67 sec(s)

As a _____ watches the traffic entering the network, it knows the nature of the traffic that is allowed to flow through it.

Select the correct option[Reload Math Equations](#)

- | | |
|----------------------------------|----------|
| ☐ | repeater |
| ☐ | packet |
| ☐ | browser |
| ☒ | firewall |

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 5 of 5

DMZ stands for _____.

Select the correct option



- | | |
|----------------------------------|---------------------|
| ☐ | Demobilization Zone |
| ☒ | Demilitarized Zone |
| ☐ | Demonstration Zone |
| ☐ | Demonetization Zone |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 5

Which of the following is not a Wireshark's Feature?

Select the correct option



Save packet data captured



Regenerate viruses in a packet



Capture live packet data



Filter packets on many criteria

Click to Save Answer & Move



Post-Assessment

Question # 2 of 5

_____ is a command-line network protocol analyzer.

Select the correct option

- | | |
|----------------------------------|--------|
| ☐ | IPv6 |
| ☒ | TShark |
| ☐ | IPv4 |
| ☐ | CMD |

Click to Save



Post-Assessment

Question # 3 of 5

_____ is a network packet analyzer.

Select the correct option



IEEE



Wireshark



IETF



IANA

[Click to Save](#)



Assessment Quiz

Post-Assessment**Question # 4 of 5**

With _____ installed you would be able to capture live network traffic.

Select the correct option

☒	WinPcap
☐	IETF Client
☐	IEEE Client
☐	Email Client

[Click to Save](#)



Assessment Quiz

Post-Assessment**Question # 5 of 5**

Wireshark is available for _____.

Select the correct option

- | | |
|----------------------------------|------------------|
| ☐ | Windows Only |
| ☒ | UNIX and Windows |
| ☐ | IOS only |
| ☐ | UNIX only |

[Click to Save](#)



Post-Assessment

Question # 1 of 5

TCP connection refusals may be due to a _____.

Select the correct option



opened port



high bandwidth



closed port



parity bit

Click to Save Ans



Post-Assessment

Question # 2 of 5

Time

Large delay between the server ACK to a client request and the response data is a possible symptom of

Select the correct option

Reload

- | | |
|----------------------------------|----------------------------|
| ☐ | Traffic eavesdropping |
| ☒ | Slow Application at Server |
| ☐ | Fast Application at Server |
| ☐ | High bandwidth |

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 4 of 5

Which of the following is not a common Network problem?

Select the correct option

☐	Slow Load of Remote Content
☐	Slow Application at Server
☐	TCP Connection Refused by Server
☒	Fast Application Server

Click to Save Answer &



Post-Assessment

Question # 5 of 5

Ideally, hosts would not even attempt to communicate with _____.

Select the correct option

☐	servers
☐	shared resources
☐	other hosts
☒	firewalled resources

[Click to Save Answer &](#)



Post-Assessment

Question # 1 of 5

Client's SYN followed by Reset (RST)/ACK is a possible symptom of _____.

Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☐ | Traffic eavesdropping |
| ☐ | Fast Application at Server |
| ☒ | TCP Connection Refused by Server |
| ☐ | High bandwidth |

Click to Save Answer



Post-Assessment

Question # 1 of 5

In HTTP communications, response codes 300-399 are the possible symptoms for _____.

Select the correct option



traffic eavesdropping



fast application server



high bandwidth



content redirection

Click to Save Answer & Move



Post-Assessment

Question # 2 of 5

Retransmission is a possible symptom of _____.

Select the correct option



traffic eavesdropping



high bandwidth



fast application server



server application fault

Click to Save Answer & Move to Next Question



Formative Quiz

Post-Assessment

Question # 3 of 5

Time Left

Unusually high TCP delay before a Window Update and resumption of data flow is a possible symptom of _____.

Select the correct option

[Reload Math Engine](#)

- | | |
|----------------------------------|-------------------------|
| ☒ | TCP receive buffer full |
| ☐ | high bandwidth |
| ☐ | fast application server |
| ☐ | traffic eavesdropping |

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 4 of 5

When advertised TCP receive buffer value drops to _____, data transfer will stop.

Select the correct option



- | | |
|----------------------------------|------|
| ☒ | zero |
| ☐ | 1000 |
| ☐ | 2000 |
| ☐ | 3000 |

Click to Save Answer & Move



Post-Assessment

Question # 5 of 5

High TCP delay for no apparent reason is a possible symptom of _____.

Select the correct option

- | | |
|----------------------------------|-------------------------|
| ☐ | fast application server |
| ☒ | TCP send buffer full |
| ☐ | traffic eavesdropping |
| ☐ | high bandwidth |

Click to Save Answer



Post-Assessment

Question # 1 of 5

Low Signal Strength value is a possible symptom of _____.

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | high bandwidth |
| ☒ | weak signal (WLAN) |
| ☐ | strong signal (WLAN) |
| ☐ | fast server |

Click to Save Answer

**Question # 2 of 5**

Fast Retransmission is a possible symptom of _____.

Select the correct option

☒	packet loss
☐	high bandwidth
☐	strong signal
☐	fast server

[Click to Save](#)



Assessment Quiz

Post-Assessment

Question # 3 of 5

_____ occur when a packet is routed back onto a network over and over again.

Select the correct option

- | | |
|----------------------------------|---------------|
| ☐ | Multiplexing |
| ☐ | Broadcasting |
| ☒ | Routing loops |
| ☐ | Fragmentation |

[Click to Save Answer &](#)



Assessment Quiz

Post-Assessment

Question # 4 of 5

Time Left: 55 sec(s)

_____ is a situation when traffic flowing from Host A to Host B flows along a different path than the traffic flowing from Host B to Host A.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|--------------------|
| ☐ | Multiplexing |
| ☒ | Asymmetric Routing |
| ☐ | Fragmentation |
| ☐ | Encryption |

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 5 of 5

ACKed segment that was not captured is a possible symptom of _____.

Select the correct option



high bandwidth



Asymmetric Routing



strong signal



fast server

Click to Save Answer



Post-Assessment

Question # 1 of 4

200ms delay before ACK packets is a possible symptom of _____.

Select the correct option



Delayed ACK



high bandwidth



strong signals



fast server

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 2 of 4

Time Left: 31 sec(s)

TCP peers and UDP-based applications may detect sudden queue delays and think packets have been lost. This may be caused by _____.

Select the correct option

Reload Math Equations



an overloaded router



fast server



high bandwidth



strong signals

Click to Save Answer & Move to Next Question

**Post-Assessment**

Question # 3 of 4

Time Left

Decrease in throughput followed by equal increase in throughput is a possible symptom of _____.

Select the correct option

Reload Math E



high bandwidth



fast server



strong signals



Queued Packets

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 4 of 4

Time Left: 70 seconds

Large delays between the outbound SYN and the inbound SYN/ACK of a TCP handshake is a possible symptom of _____.

Select the correct option

[Reload Math Equation](#)

fast server



strong signals



high bandwidth



Lousy Routing Path

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 1 of 5

Time

Unusual internal targets is a possible symptom of _____.

Select the correct option

Reload

- | | |
|----------------------------------|--------------------------------|
| ☐ | traffic eavesdropping |
| ☐ | fast server |
| ☐ | strong signals |
| ☒ | virus/malware on network hosts |

Click to Save Answer & Move to Next



Post-Assessment

Question # 2 of 5

Time

ICMP Type 5 packets with either Code 0 or Code 1 indicate that _____ is taking place.

Select the correct option

Reload

- | | |
|----------------------------------|-------------------|
| ☐ | broadcasting |
| ☐ | eavesdropping |
| ☒ | route redirection |
| ☐ | throttling |

Click to Save Answer & Move to Next



Post-Assessment

Question # 4 of 5

High rate of identical packets is a possible symptom of _____.

Select the correct option



Relo

- | | |
|----------------------------------|----------------|
| ☐ | high bandwidth |
| ☐ | strong signals |
| ☒ | switch Loop |
| ☐ | fast server |

Click to Save Answer & Move to



Post-Assessment

Question # 5 of 5

High rate of packets addressed to a multicast address is a possible symptom of _____.

Select the correct option



Relo

- | | |
|----------------------------------|-------------------------------|
| ☐ | fast server |
| ☒ | broadcast or multicast storms |
| ☐ | high bandwidth |
| ☐ | strong signals |

Click to Save Answer & Move to

**Question # 2 of 5**

The client sends traffic to the wrong target is a possible symptom of _____.

Select the correct option

- | | |
|----------------------------------|-------------------------|
| ☐ | fast application |
| ☐ | traffic eavesdropping |
| ☐ | weak signals |
| ☒ | client misconfiguration |

[Click to Save Answer &](#)

**Question # 3 of 5**

Large delay in the application response time value is a possible symptom of _____.

Select the correct option

- | | |
|----------------------------------|-----------------------|
| ☒ | slow application |
| ☐ | fast server |
| ☐ | strong signals |
| ☐ | traffic eavesdropping |

[Click to Save Answer &](#)



Assessment Quiz

Post-Assessment

Question # 4 of 5

Time Left: 69 sec(

_____ is used to increase the advertised TCP receive buffer size past the 65,535-byte limit caused by the 2-byte Window Size field.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------------|
| ☒ | Window Scaling |
| ☐ | Encryption |
| ☐ | Encapsulation |
| ☐ | Multiplexing |

[Click to Save Answer & Move to Next Question](#)

**Post-Assessment**

Question # 5 of 5

Time L

No SACK Option in the TCP header of a SYN packet is a possible symptom of _____.

Select the correct option

Reload Math



weak signals



no support for selective ACK



high bandwidth



traffic eavesdropping

[Click to Save Answer & Move to Next Question](#)



Question # 1 of 3

To capture and analyze packet flows one analysis process tip is _____.

Select the correct option

Relo



do not show any traffic in the view



remove unrelated traffic from view



show only unrelated traffic in the view



add unrelated traffic in the view

Click to Save Answer & Move to

**Post-Assessment**

Question # 2 of 3

Time Left: 37 sec

To Capture and Analyze Packet Flows a capture tool tip is, prefer using a _____ or dedicated capture device.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------|
| ☐ | compiler |
| ☐ | repeater |
| ☒ | tap |
| ☐ | amplifier |

Click to Save Answer & Move to Next Question



Question # 3 of 3

If size of trace files becomes larger than _____, Wireshark becomes too slow.

Select the correct option



☐	1 MB
☐	10 KB
☒	100 MB
☐	5 MB

Click to Save Answer & Move to

**Question # 1 of 5**

Captured traffic is saved in a _____ file.

Select the correct option

- | | |
|----------------------------------|---------|
| ☐ | corrupt |
| ☐ | audio |
| ☐ | video |
| ☒ | trace |

[Click to Save Answer](#)



Post-Assessment

Question # 2 of 5

Time Left: 50 sec

While verifying trace file integrity and basic communications we have to verify resolution process completion such as -----

Select the correct option

Reload Math Equations

☐

CRC

☒

DNS/ARP

☐

checksum

☐

parity

Click to Save Answer & Move to Next Question

**Question # 4 of 5**

To Focus on Complaining User's Traffic we have to _____.

Select the correct option

- | | |
|----------------------------------|------------------------------|
| ☒ | filter out unrelated traffic |
| ☐ | add unrelated traffic |
| ☐ | filter out related traffic |
| ☐ | show no traffic |

[Click to Save Answer](#)

**Question # 5 of 5**

To detect and prioritize delays, sort and identify _____.

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☒ | high delta times |
| ☐ | Low denial of service time |
| ☐ | Traffic eavesdropping time |
| ☐ | high bandwidth time |

[Click to Save Answer](#)

**Question # 1 of 5**

To detect and prioritize delays, measure path latency using delta times in _____.

Select the correct option

- | | |
|----------------------------------|---------------|
| ☐ | ARP request |
| ☒ | TCP handshake |
| ☐ | IP address |
| ☐ | DNS response |

[Click to Save Answer](#)

**Question # 2 of 4**

The profile you are working in is shown in the right side column of the _____.

Select the correct option

☐	Title bar
☒	Status Bar
☐	Main menu
☐	Main toolbar

[Click to Save Answer](#)

**Question # 3 of 4**

Until you create a new profile, you are working in Wireshark's _____ profile.

Select the correct option

☐	Cloud User
☐	Premium Client
☒	Default
☐	Advance User

[Click to Save Answer](#)

**Question # 4 of 4**

You can create profiles to _____ Wireshark.

Select the correct option

☐	export
☒	customize
☐	compress
☐	uninstall

[Click to](#)

**Question # 1 of 4**

Which of the following statement is true about Wireshark?

Select the correct option

You can not create any profile



You can create separate profiles



You can create only a single profile



You can create only two profiles





Assessment Quiz

Post-Assessment**Question # 1 of 5**

In Wireshark, the _____ displays all the packets in the current capture file.

Select the correct option

Status Bar



Main toolbar



Title bar



packet list pane

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 4 of 5

Time Left: 65 sec(

In Wireshark, by default, the _____ contains: No. (number), Time, Source, Destination, Protocol, Length, and Info columns.

Select the correct option

Reload Math Equations



Title bar



Packet List pane



Status Bar



Main toolbar

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 5

In packet list pane, _____ column shows the address where this packet is going to.

Select the correct option

☒	destination
☐	protocol
☐	source
☐	length

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question # 2 of 5

Time

In packet list pane, _____ column shows the address where this packet is coming from.

Select the correct option

Reload Ma

- | | |
|----------------------------------|-------------|
| ☒ | source |
| ☐ | destination |
| ☐ | length |
| ☐ | protocol |

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 3 of 5

Time

In packet list pane, _____ column shows the protocol name in a short (perhaps abbreviated) version.

Select the correct option

Reload

- | | |
|----------------------------------|------------------------|
| ☐ | abbr protocol name |
| ☐ | protocol short version |
| ☐ | protocol short name |
| ☒ | protocol |

Click to Save Answer & Move to Next Q

**Question # 1 of 3**

Packets are _____ at the moment they are captured.

Select the correct option

- | | |
|----------------------------------|------------------|
| ☐ | inverted |
| ☐ | deleted |
| ☐ | not time stamped |
| ☒ | time stamped |

[Click to Save](#)

**Question # 2 of 3**

tr-australia.pcapng is name of a _____.

Select the correct option

- | | |
|----------------------------------|------------|
| ☐ | command |
| ☐ | route |
| ☐ | protocol |
| ☒ | trace file |

[Click to Save](#)



Post-Assessment

Question # 3 of 3

Time Left: 66

The timestamp presentation format and the precision in the packet list can be chosen using the _____ menu in Wireshark.

Select the correct option

Reload Math Equa

☒	View
☐	Tools
☐	Analyze
☐	Go

Click to Save Answer & Move to Next Question

**Question # 1 of 5**

In Wireshark, save the traffic from an interesting conversation to a separate _____.

Select the correct option

☐	Parity file
☐	CRC file
☒	trace file
☐	checksum file

[Click to Save Answer & Move to Next Question](#)

**Question # 2 of 5**

In Wireshark, click the _____ button to remove your display filter.

Select the correct option

☒	Clear
☐	Cancel
☐	Reset
☐	Close

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 4 of 5

Time Left: 66 sec(s)

When you capture traffic at the server or inside the network infrastructure, your _____ may contain conversations between many hosts on the network.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------------|
| ☒ | trace file |
| ☐ | Parity file |
| ☐ | checksum file |
| ☐ | CRC file |

[Click to Save Answer & Move to Next Question](#)

**Question # 1 of 5**

In Wireshark, avoiding unrelated traffic and potential distractions makes analysis _____.

Select the correct option

- | | |
|----------------------------------|------------|
| ☐ | difficult |
| ☒ | easier |
| ☐ | impossible |
| ☐ | inaccurate |

[Click to Save Answer &](#)

**Post-Assessment****Question # 4 of 5**

After applying the filter, _____ indicates that how many packets match the filter.

Select the correct option

Reload

☒	Status Bar
☐	Title Bar
☐	Main toolbar
☐	Menu Bar

[Click to Save Answer & Move to](#)



Post-Assessment

Question # 1 of 3

Time Left

Enter `ip.addr==192.168.1.119` in the _____ and click Apply. This filters all traffic to and from 192.168.1.119.

Select the correct option

Reload Math E

- | | |
|----------------------------------|---------------------|
| ☐ | title bar |
| ☐ | main menu |
| ☒ | display filter area |
| ☐ | status bar |

Click to Save Answer & Move to Next Que

**Post-Assessment****Question # 2 of 3****Time Left**

In Wireshark while looking at the FTP data transfer, expand FTP section in the _____ to see port no.

Select the correct option

Reload Math E



Status Bar



Packet Details pane



Main Menu



Title Bar

Click to Save Answer & Move to Next Question

**Post-Assessment****Question # 3 of 3**

In Wireshark, you can filter based on the application name, or the _____ in use.

Select the correct option

- | | |
|----------------------------------|---------------|
| ☒ | port number |
| ☐ | email address |
| ☐ | phone number |
| ☐ | NIC number |

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 3 of 4

The display filter _____ can be used to view all HTTP client request packets.

Select the correct option

- | | |
|----------------------------------|-----------------------|
| ☒ | http.request.method |
| ☐ | http.initiate.request |
| ☐ | request.http.begin |
| ☐ | request.http.initiate |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 4 of 4

Time Left: 55 sec(s)

_____ would display all HTTP requests to or from 10.1.1.1. If 10.1.1.1 is a client, you would only see HTTP requests sent from this host.

Select the correct option

Reload Math Equations

☐

ip.addr==10.1.1.1 && http.request.process

☐

Addr.ip==10.1.1.1 && http.request.object

☒

ip.addr==10.1.1.1 && http.request.method

☐

ip.addr==10.1.1.1 || http.request.process

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 4

A _____ can stop a TCP peer from transmitting data.

Select the correct option

- | | |
|----------------------------------|-------------------------|
| ☐ | Strong Signal |
| ☐ | High bandwidth |
| ☐ | large Window Size value |
| ☒ | low Window Size value |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 3 of 4

Time Left: 67 sec

Every TCP packet sent by a host contains that host's available receive buffer space in the _____ field.

Select the correct option

[Reload Math Equation](#)☐

Buffer Duration

☐

Window Content

☒

Window Size

☐

Window Buffer

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 4 of 4

When the advertised buffer space becomes equal to zero, the host _____ more data.

Select the correct option

Reload



transfers



accepts



cannot accept



broadcasts

Click to Save Answer & Move to



Post-Assessment

Question # 2 of 4

If _____ is in use, Window Size field value is multiplied by a scaling factor.

Select the correct option



Window Scaling



Broadcasting



Multi-casting



Address resolution

Click to Save Answer & Move to Next Question

**Question # 3 of 5**

In Wireshark, to remove ARP from view, use _____.

Select the correct option

- | | |
|----------------------------------|------|
| ☒ | !arp |
| ☐ | =arp |
| ☐ | ^arp |
| ☐ | &arp |

[Click to Save](#)