Tanveer Abbas
M.sc math +B.ed

Cs507 current paper

1 Change Over 3 m

This phase comprises of those activities undertaken to replace the new system in operation from the

existing system. Following ways of change over can be undertaken

• Abrupt change over – stop the existing system abruptly to shift over to new one

• Phased change over – Both are run but output of both the systems is used since functions

performed are different.

• Parallel change over – Both systems are run simultaneously for a period of time and output of

either of the systems is used. Functions performed by both are same.

2 Prototyping 3m

"Prototyping is the process of quickly putting together a working model in order to test various aspects of
the design to gather early user feedback."
The working model made during this process is called "Prototype" .

Step

Define User Requirement
Design/Develop Prototype
Implement Prototype
Use Prototype
Build actual system

3 Advantages of Prototype 5m

• Prototypes may be easily changed or even discarded.
• Prototyping may improve communication between and among developers and customers
• Users may be more satisfied with systems developed using prototyping.
• A prototype may provide the proof of concept necessary to attract funding.
• Early visibility of the prototype may help management assess progress.
• Prototypes may demonstrate progress at an early stage of development

4 Object Oriented Analysis and Design (OOAD) 3m

The concept of object oriented analysis and design focuses on problems in terms of classes and objects.
This concept combines aspects of both entity relationship diagram and data flow diagrams. The object
oriented analysis and design tool has been devised to support the object oriented languages, for example
C++ and Java.

5 Types of Threats 3m

• **Physical threat** – This refers to the damage caused to the physical infrastructure of the information
systems, e.g.
• Fire
• Water
• Energy Variations
• Structural damage
• Pollution
• Intrusion
• **Logical** – This refers to damage caused to the software and data without physical presence.
• Viruses and worms
• Logical intrusion

6 Sources of Transmissions table me pocha jye ga 5 m

Virus or worms are transmitted easily from the internet by downloading files to computers web
browsers. Other methods of infection occur from files received though online services, computer
bulletin board systems, local area networks. Viruses can be placed in various programs, for instance
1. **Free Software – software downloaded from the net**
2. Pirated software – cheaper than original versions
3. Games software – wide appeal and high chances
4. Email attachments – quick to spread
5. Portable hard and flash drives – employees take disks home and may work on their own
personal PC, which have not been cleaned or have suitable anti-viruses installed on them.

7 A Trojan horse 3m

A Trojan horse is a malicious program that is disguised as or embedded within legitimate software.
They may look useful or interesting (or at the very least harmless) to an unsuspecting user, but are
actually harmful when executed. Examples are

- **Logic bomb** – Trojan horses are triggered on certain event, e.g. when disc clean up reaches a
certain level of percentage
- **Time bomb** – Trojan horse is triggered on a certain date.

8 Active monitors 3m colum matching me hoga

This software serves the concurrent monitoring as the system is being used. They act as a guard
against viruses while the operating system is performing various functions e.g connected to
internet, transferring data, etc. It blocks a virus to access the specific portions to which only the
operating system has the authorized access.

Implementation of controls is a critical security feature of information systems. They block and
detect various forms of intrusion and protect various components of the entire information
systems, are these telecommunication lines or computer software's and hard wares.
1. **Access Controls** – Controlling who can access the system.
2. **Input Controls** – Controls over how the data is input to the system.
3. **Communication Controls** – Controls over the transfer of data between LAN, WAN or
internet.
4. **Processing Controls** – controlling the processing of data
5. **Database Controls** – Securing the most important asset of the organization
6. **Output controls** – controlling the privacy of the data.

9 Types of recovery Strategies 3

Disaster recovery must meet two requirements. First, The minimum application and application data
requirements. Second, the time frame in the application and applications data requirements must be made
available. Following are the various recovery strategies.
1. Cold Site
2. Hot Site
3. Warm Site
4. Reciprocal agreement
5. Third Party arrangements

10 Firewall Security Systems 2 philosophy 3m

Deny-all philosophy -- which means that access to a given recourses will be denied unless
a user can provide a specific business reason or need for access to the information resource.
• **Accept All Philosophy** -- under which everyone is allowed access unless someone can provide a reason for denying access.

11 The most prevalent of E-Commerce models can be classified as 3

Business to Consumer (B2C)
2. Business to Business (B2B),
3. Business to Employee (B2E),
4. Consumer to Consumer (C2C) and
5. E-Government
• Government to Citizens/Customers (G2C)
• Government to Business (G2B)

• Government to Government (G2G

12 E Government 3m

E-Government / electronic government / digital government, or online government. The terms
refer to government's use of information and communication technology (ICT) to exchange
information and services with citizens, businesses, and other arms of government. E-Government
may be applied by legislature, judiciary, or administration, in order to improve internal efficiency,
the delivery of public services, or processes of democratic governance.

13 **The primary delivery**
models are

1. Government-to-Citizen or Government-to-Customer (G2C)
2. Government-to-Business (G2B) and

3. Government-to-Government (G2G)

14 Components of Supply Chain 3

The concept of supply chain can be divided into three major parts.

- Upstream supply chain segment – includes the organization's first-tier suppliers (manufacturers and assemblers). The major activities are purchasing and shipping.
- Internal supply chain segment – includes all the processes to transform inputs to outputs.
- Downstream supply chain segment – includes distributing, delivering to customer and final
consumption of the product.

15 Why people resist change? 5m


Fear of the unknown—mostly the reaction is "God knows what's going to happen!".

- **Lack of good information** – involvement from the lower levels is not taken by the management and they are not fully aware of the future happenings.
- **Fear for loss of security** – Mostly changes lead to down sizing which is termed mostly by
organizations as right sizing.
- **No reason to change** – no reason sounds convincing to people to accept a change.
- **Fear for the loss of power** – Mostly changes make organizational structures more horizontal, flexible resulting into delegation of authority and handing over powers to lower levels.
- **Lack of resources**
- **Bad timing** – Employees sometimes are approached with a proposal of change when they
are already feeling.
- **Habit** – people with closed mind are not innovative to learn new things and this may prove to be a major hurdle in bringing in change

16 Flow chart symbol 5m

	**Connectors** If the flowchart becomes complex, it is better to use connector symbols to reduce the number of flow lines. Avoid the intersection of flow lines if you want to make it more effective and better way of communication.
	**Predefined Process** This represents a named process consisting of one or more operations or program steps specified elsewhere


	**Single Document**
	**Off-Page Connector** Use to connect remote flowchart portion on different pages. One flow line enters or exits.  
	**Input / Output** Used whenever data is into the flowchart or displayed from the flowchart. A single flow line enters and a single line exits.




Good Practices

Like every other methodology, flow charts also have a set of recommended practices for flow charts:

- In drawing a proper flowchart, all necessary steps that are a part of process should be listed out in logical order.
- The flowchart should be clear, neat and easy to follow. There should not be any room for ambiguity in understanding the flowchart.
- It is useful to test the validity of the flowchart.







17 Entity symbol 5m


They have less jargon, allowing user understanding and reviewing.

Data flow diagrams facilitate users to understand how the system operate. DFD's also help developers to better understand the system which helps in avoiding delays in proper designing, development, etc. of projects.

Following are the symbols of used in the making of flow charts.








18 Strength and weakness of spiral model 5m

- **Strengths:**
- Good for large and complex projects
- Customer Evaluation allows for any changes deemed necessary, or would allow for new technological advances to be used
- Allows customer and developer to determine and to react to risks at each evolutionary level
- Direct consideration of risks at all levels greatly reduces problems
- **Weaknesses:**
- Difficult to convince some customers that the evolutionary approach is controllable
- Needs considerable risk assessment
- If a risk is not discovered, problems will surely occur.

19 Rules for DFD's 5 m

The DFD as an analytical tool follows certain rules. These rules help in achieving the level of standardization.

- There should be no black holes, gray holes, miracles.
- Do not leave things unlabeled
- the DFD should not include data flows that are unassociated with the process.



T

What are Components of supply chain management only name

Sure, here are some components of supply chain management:


1. Procurement
2. Inventory Management
3. Logistics
4. Distribution
5. Supplier Relationship Management
6. Demand Planning
7. Forecasting
8. Warehousing
9. Production Planning
10. Customer Relationship Manageme

different cities. Identify the critical success factor strategy and also identify the key performance indicator to the measure the outcome.explain ans in easy and short wording



The critical success factor strategy is holding fashion shows in different cities to attract customers. The key performance indicator to measure the outcome could be the increase in brand awareness and engagement among the target audience after each fashion show.





Default (GPT-3.5)

T

Students' registration records are to be saved in excel sheets. Write the name and symbols used in this activity.ans in short form

Activity: Students' Registration Records in Excel Sheets

Name: Data Entry & Storage

Symbols: Excel icon, Save icon