

CS611 final term file,

Created by Saher:

"In the labyrinth of code, where logic dances and algorithms whisper secrets, Saher's brilliance shines like a thousand constellations." ✨

Feel free to use it, and best of luck with your CS611 journey! 🚀

The _____ involves project planning and execution of plans, management of software development teams, project documentation and project monitoring.

Project development

Project Management

Requirements management

Project Maintenance

Planning for development activities requires _____.

Estimation

Thinking

Skills

The _____ is usually worked out in terms of man-hours.

Skills

Motivation

Estimation

Reasoning

_____ is prerequisite to the project planning.

Peoples

Motivation

Software engineers

Estimation

Planning for development activities requires _____.

Motivation

Estimation

Thinking

Skills

The purpose of _____ the project is to ensure the project is moving ahead as per the plan.

Tracking

Estimation

Planning

Managing

schedule Performance Index (SPI) is used to determine _____ and it is expressed as the ratio of earned value and planned value.

Project schedule

Project performance

Project cost

Project plan

Project _____ is performed to determine the project health.

Planning

Audit

Controlling

Estimation

he _____ is responsible to provide relevant data for Audit.

User

Customer

Software engineer

Project manager

Project _____ is performed to determine the project health.

Audit

Controlling

Estimation

Planning

The _____ is responsible to provide relevant data for Audit.

User

Customer

Project manager

Software engineer

Project _____ is performed to determine the project health.

Controlling

Estimation

Planning

Audit

Project _____ is performed to determine the project health

Controlling

Audit

Estimation

Planning

The _____ is responsible to provide relevant data for Audit.

User

Software engineer

Customer

Project manager

A requirement can be defined as a _____ of the system.

Vision

Understanding

Name

Feature

Requirement engineering is a _____ activity.

Maintenance

Communication

Technical

Development

Ideally, there should be a _____ budget for requirement gathering and documentation.

20%

40%

10%

30%

Faulty or missing requirements are the biggest reason behind the project _____.

Completion

Failure

Success

Ending

Schedule Performance Index (SPI) is used to determine _____ and it is expressed as the ratio of earned value and planned value

Project plan

Project schedule

Project cost

Project performance

The _____ is responsible to provide relevant data for Audit

Customer

Software engineer

User

Project manager

Faulty or missing requirements are the biggest reason behind the project _____.

Completion

Success

Failure

Ending

Ideally, there should be a _____ budget for requirement gathering and documentation.

40%

10%

30%

20%

Faulty or missing requirements are the biggest reason behind the project _____

Completion

Ending

Failure

Success

Requirement engineering is a _____ activity.

Development

Technical

Communication

Maintenance

Faulty or missing requirements are the biggest reason behind the project _____

Ending

Failure

Success

Completion

The requirement should be _____ and it should add value to the project.

Complex

Easy

Logical

Difficult

The requirement should capture the client _____.

Behaviour

Feelings

Expectations

Emotions

Software Requirements should not be based on _____.

Guess work

Proof

Facts

Reality

the basic rule for requirements completeness is that we should never proceed on the basis of _____ and without the approval of all the Stakeholders.

Assumptions

Certainty

Facts

Proof

The criteria for requirements completeness is broken when you _____.

Ask more questions from client

Ask less questions from client

Arrange meetings and ask directly from client

Formally collect requirements

The decision of a particular requirement being feasible or not is recommended to be made by the _____.

Clients

Project manager along with the clients

Project manager and developer(s)

Project Manager alone

Software requirements are supposed to be?

Inconsistent

Open Ended

Close Ended

Partial

incomplete software requirements will result in a _____ software product.

Fault

Quality

Productive

Secure

_____ in requirements is the key for being understandable to all the stakeholders.

Incompleteness

Inconsistency

Non-Feasibility

Completeness

By _____ of requirements, the system would not be able to function properly as per the need of the client.

Neglecting the "Necessary" attribute

Ensuring the "Necessary" attribute

Ensuring the "Feasible" attribute

Neglecting Security

Software Requirements are supposed to be understandable to _____.

All the Stakeholders

Project Manager

Specific Stakeholders

Developers only

Necessary attribute of the requirements comes from the _____ and the need behind developing the software solution.

Business goals

Quantitative goals

Short-term goals

Long-term goals

software requirements should not be _____.

inConsistent

Open Ended

Close Ended

Complete

A/An _____ in software requirements is the root cause of all the failures.

Proof

Assumption

Fact

Certainty

With the help of "Necessary" attribute of requirements the main concern should be on what is expected by the _____ from the market point of view.

Designer

Client

Architect

Developer

Software requirements are supposed to be? complete

Close Ended

Inconsistent

Open Ended

Partial

those Requirements which cannot be tested are termed as _____ requirements.

Not Verifiable

Necessary

Verifiable

Not Necessary

Relating to traceability of requirements the term _____ helps to determine where a specific requirement is getting used.

Forward integration

Backward integration

Reverse integration

Bottom up integration

Suppose we have a specific requirement which has been linked rightly to the use case, design and its implementation, but somehow we have missed to write its use cases, will be considered as _____.

Traceable

Feasible

Non Traceable

Correct

A resource who is spending time on implementing a feature having no discussion in the SRS document will most likely result in _____.

Scope Creep

Scope Coverage

Feasibility

Coherence

in requirements specification document, there should be a linkage each requirement with its source, is concerned with _____ of requirements.

Coherence

Performance

Completeness

Traceability

Those Requirements which cannot be tested are termed as _____ requirements.

Not Necessary

Necessary

Verifiable

Not Verifiable

The criteria for a requirement to be verifiable is that each requirement should be expressed _____.

With Uncertainty

Vaguely

Ambiguously

Unambiguously

Consider a developer who is working on a feature which he thinks is very interesting and will attract the client's attention, but its requirements are non-traceable, will most likely result in _____.

Failure to meet the deadline

Get more value

Attract Client's attention

More profitable project.

_____ is helpful to determine the reasons in scenarios where the intended project fails to be delivered on time.

Select the correct optionReload Math Equations

Feasibility analysis

Formal analysis

Root cause analysis

Technical analysis

_____ helps to identify the origination of a specific feature as part of software requirements.

Select the correct optionReload Math Equations

Forward integration

Backward integration

System integration

Opposite integration

A team is formed whose task is to determine what went wrong with the project that has caused its failure, is termed as _____.

Select the correct optionReload Math Equations

Formal analysis

Technical analysis

Root cause analysis

Feasibility analysis

_____ are concerned about what the system should do and how will it behave in a specific environment.

Select the correct optionReload Math Equations

Non-functional Requirements

Domain Requirements

Functional Requirements

Business Requirements

_____ are helpful in capturing Functional requirements for a system.

Select the correct optionReload Math Equations

Actors

Sequencing

Use Cases

Entities

_____ consists of a list of actions or event steps that are helpful in defining the interactions between systems in achieving a goal.

Select the correct optionReload Math Equations

Sequence

Entities

Actors

Use Case

Doctor, Patient, Administrator etc. are the types of _____ in a use case scenario.

Select the correct optionReload Math Equations

Actor

Developers

Events

Conditions

_____ are responsible for establishing a connection among different phases of a SDLC i.e. design and development phases.

Select the correct optionReload Math Equations

Entities

Instances

Use cases

Layers

We can ensure the requirements to be Traceable, with the help of _____ in a use case scenario.

Select the correct optionReload Math Equations

Use Case ID

Post-condition

Alternative paths

Pre-condition

_____ consists of a list of actions or event steps that are helpful in defining the interactions between systems in achieving a goal.

Select the correct optionReload Math Equations

Sequence

Use Case

Entities

Actors

_____ are helpful in capturing Functional requirements for a system.

Select the correct optionReload Math Equations

Use Cases

Sequencing

Actors

Entities

New requirements at the stage of releasing first demo-able version of the software product are incorporated using _____.

Select the correct optionReload Math Equations

Change request template

Use case template

Release template

Test case template

_____ must be performed before incorporating any new requirement and its result should be communicated to the clients in order to avoid any ambiguity.

Select the correct optionReload Math Equations

Impact analysis

Feasibility analysis

Fault analysis

Earned Value analysis

A _____ can be defined as a distribution of final version of the software product made available to the customers.

Select the correct optionReload Math Equations

Release

Build

Package

Unit

product development is achieved via Release when a working product is delivered to the _____.

Select the correct optionReload Math Equations

Manager

Testing Team

Customer

Development and Testing team

_____ are provided by the sales or business development team.

Select the correct optionReload Math Equations

Features

Backlogs

Designs

Environment variables

_____ for each release are provided by the technical team.

Select the correct optionReload Math Equations

Backlogs

Features

Designs

Environment variables

_____ are discussed and finalized between Sales and Technical Team.

Select the correct optionReload Math Equations

Environment variables

Designs

Features

Backlogs

_____ is another name of controlling a software build throughout different stages.

Select the correct optionReload Math Equations

Build management

Feature management

Release management

Project management

A _____ can be defined as a distribution of final version of the software product made available to the customers.

Select the correct optionReload Math Equations

Package

Build

Release

Unit

execution of the agreed features of the release for intended customers.

Select the correct optionReload Math Equations

Release management

Feature management

Build management

Project management

The purpose of _____ to make sure that the developed product is meeting the requirements of the customer and all the features are working as planned.

Select the correct optionReload Math Equations

Software development

Software architecture

Deployment

Software quality assurance

A requirement can be defined as a _____ of the system.

Select the correct optionReload Math Equations

Name

Featur

Vision

Understanding

The requirement should be _____ and it should add value to the project.

Select the correct optionReload Math Equations

Easy

Complex

Difficult

Logical

Quality Assurance (QA) must be involved since the _____ of the project.

Select the correct optionReload Math Equations

Initial stages

Testing stage

Specific/ Critical stages only

Final stages

An incorrect step in computer program is known as _____.

Select the correct optionReload Math Equations

Issue

Fault

Presentation error

Routine defect

_____ will review all the requirements and write test cases against all the use cases.

Select the correct optionReload Math Equations

Project Manager

Development team

Requirements Team

Quality Assurance (QA) resources

Software quality assurance is considered to be a/an _____ process.

Select the correct optionReload Math Equations

Halted

Ongoing

Unnecessarily Costly

Extra time consuming

_____ ensures that the built software product fully address the documented and agreed upon requirements.

Select the correct optionReload Math Equations

Requirement creep

Requirement deviation

Requirement elicitation

Requirement verification

_____ is considered to be the internal customer of the product.

Select the correct optionReload Math Equations

Software Quality Assurance (SQA) team

Designing team

Requirements team

Development team

_____ Requirements often lead to financial loss, clientage loss and alike.

Select the correct optionReload Math Equations

Realistic

Unreal

Rational

Large

The purpose of _____ to make sure that the developed product is meeting the requirements of the customer and all the features are working as planned.

Select the correct optionReload Math Equations

Deployment

Software architecture

Software development

Software quality assurance

Quality Assurance (QA) must be involved since the _____ of the project.

Select the correct optionReload Math Equations

Initial stages

Testing stage

Final stages

Specific/ Critical stages only

The purpose of _____ to make sure that the developed product is meeting the requirements of the customer and all the features are working as planned.

Select the correct optionReload Math Equations

Software development

Software architecture

Software quality assurance

Deployment

_____ Requirements often lead to financial loss, clientage loss and alike.

Select the correct optionReload Math Equations

Unreal

Rational

Realistic

Large

_____ Areas of the product should be defects free, whereas we can bear some defects in the _____ area.

Select the correct optionReload Math Equations

Low priority, High priority

Low priority, Low priority

High priority, High priority

High priority, Low priority

The purpose of Quality Assurance (QA) is to reduce the defects to minimum to ensure _____.

Select the correct optionReload Math Equations

Maximum disruption

Minimum disruption

Increased interruption

Intermediate disruption

Software quality assurance is an ongoing process and it's a part of _____ in a Software Development Life Cycle model.

Select the correct optionReload Math Equations

Every stage

Specific stages

Development stage only

Testing stage only

_____ is considered to be the internal customer of the product.

Select the correct optionReload Math Equations

Software Quality Assurance (SQA) team

Requirements team

Designing team

Development team

Defect Prevention, defect detection and _____ are the three categories of defects.

Incorrect

_____ is the process of addressing root causes of defects to stop their future occurrence.

Defect Detection

Defect Containment

Defect Detection and Containment

Defect Prevention

“Error Source Removal” term is related to _____.

Defect Detection

Defect Containment

Defect Prevention

Defect Detection and Containment

_____ is a process to identify and remove defects as early and as many as possible through various approaches.

Defect Prevention

Defect Detection and Containment

Defect Detection

Defect Containment

In _____ the task is to measure the amount of defects that any QA team was able to find as a portion of total defects.

Defect Detection

The defects which are known only to the developers and they do not want to let the client know about them are termed as _____.

Select the correct option
Reload Math Equations

D. Syntax related Defects

B. Post-release Defects

Dormant Defects

Logic based Defects

_____ is a process to identify and remove defects as early and as many as possible through various approaches.

Select the correct option
Reload Math Equations

Defect Detection

Defect Detection and Containment

Defect Containment

Defect Prevention

In _____ the task is to measure the amount of defects that any QA team was able to find as a portion of total defects.

Select the correct option
Reload Math Equations

Defect Containment

Defect Prevention

Defect Detection

Defect Detection and Containment

_____ is a process to identify and remove defects as early and as many as possible through various approaches.

Select the correct option
Reload Math Equations

Defect Detection and Containment

Defect Containment

Defect Prevention

Defect Detection

A feature/functionality asked by the client and the company claimed falsely that it is working, now fixing certain issues at run time can be termed as a _____.

Select the correct option
Reload Math Equations

Compile time fix

Hot fix

Late fix

Cost fix

_____ are normally triggered in low priority areas where the concentration of Quality Assurance (QA) activities is low.

Select the correct option
Reload Math Equations

Active defects

Inactive defects

Post-release

Pre-release

_____ usually occur in low priority areas of the software flow unlike the commonly or mostly used cases of the software flow by the clients.

Select the correct optionReload Math Equations

Dormant Defects

Syntax Defects

Post-release Defects

Run Time Defects

_____ defects appear in production or at customer site.

Select the correct optionReload Math Equations

Post-release

Pre-release

Logical

Active

Post-release defects have _____ of fixing mainly due to multiple installations of the product.

Select the correct optionReload Math Equations

Higher cost

Lower cost

Fixed cost

Zero cost

_____ are defined as 'Dormant Defects' which have the potential to create problems for the users and customers.

Select the correct optionReload Math Equations

Post-release

Logical defects

Pre-release defects

Active defects

_____ is a way to reduce the number of defects and the cost to fix them.

Select the correct optionReload Math Equations

Defect prevention

Defect Detection

Defect Tracking

Defect Logging

The software engineers must be aware of the _____.

Select the correct optionReload Math Equations

Historical trends

Latest trends

Coding method

Management

and demotivation among the team members.

Select the correct optionReload Math Equations

Highest domain

Lowest domain

Highest testing

Lowest testing

_____ is a way to reduce the number of defects and the cost to fix them.

Select the correct optionReload Math Equations

Defect prevention

Defect Logging

Defect Detection

Defect Tracking

_____ knowledge is important for understanding requirements.

Select the correct optionReload Math Equations

Testing

Coding and Designing

Domain specific

Technology specific

_____ is the only constant in a software development environment.

Select the correct optionReload Math Equations

People

Change

Domain

Technology

_____ specific knowledge may lead to ambiguity, confusion, and demotivation among the team members.

Select the correct optionReload Math Equations

Highest domain

Lowest domain

Highest testing

Lowest testing

_____ knowledge is important for understanding requirements.

Select the correct optionReload Math Equations

Domain specific

Technology specific

Coding and Designing

Testing

Which of the following is not the cause of defects in a software project?

Select the correct optionReload Math Equations

Lack of Expertise in Phases of Life Cycle Models

Absence of Process Knowledge

Deficiency of knowledge about Product integration

Knowledge of requirements management

If a developer writes code which is out of scope may result the in-scope features to be _____.

Select the correct optionReload Math Equations

Polished

Delayed

Enhanced

Regulated

Awareness about implementation details of a process is very critical for_____.

Select the correct optionReload Math Equations

Defect enhancement

Defect prevention

Deployment

Testing

Process knowledge at team and individual level is vital to _____defects.

Select the correct optionReload Math Equations

Expand

Detect

Prevent

Contain

The defect prevention technique helps in reducing the number of defects but it _____product.

Select the correct optionReload Math Equations

Guarantees 100% defect free

Depends upon

Is independent of

Doesn't guarantee 100% defect free

Vigorous defect reduction process is followed to _____.

Select the correct optionReload Math Equations

Update defects

Insert defects

Install defects

Remove defects

Click to Save Answer & Move to Next Question

hich of the following is a commonly used Quality Assurance (QA) activity?

Select the correct optionReload Math Equations

Inspection

Designing

Unit testing

Integration testing

Which of the following is a commonly used Quality Assurance (QA) activity?

Select the correct optionReload Math Equations

Inspection

Unit testing

Integration testing

Designing

Inspections are conducted to provide _____ of different artifacts to provide another view/perspective.

Select the correct optionReload Math Equations

Technical view

Walkthrough

Management view

Design view

_____ is generally conducted to identify smells at any phase of the Software Development Life Cycle (SDLC).

Select the correct optionReload Math Equations

Integration testing

Unit testing

Inspection

Designing

Inspections are conducted to provide _____ of different artifacts to provide another view/perspective.

Select the correct optionReload Math Equations

Walkthrough

Technical view

Management view

Design view

Question # 2 of 8

Time Left: 84 sec(s)

The defect prevention technique helps in reducing the number of defects but it _____product.

Select the correct optionReload Math Equations

Depends upon

Is independent of

Doesn't guarantee 100% defect free

Guarantees 100% defect free

Which of the following is a commonly used Quality Assurance (QA) activity?

Select the correct optionReload Math Equations

Inspection

Unit testing

Integration testing

Designing

_____ can be defined as a core Quality Assurance (QA) activity with the aim of identifying faulty areas within the product.

Select the correct optionReload Math Equations

Integration

Planning

Deployment

Testing

Vigorous defect reduction process is followed to _____.

Select the correct optionReload Math Equations

Remove defects

Insert defects

Update defects

Install defects

With modern fault detection and prevention tools and frameworks in high impact applications, it is _____ to test exhaustively all the conditions within a software product.

Select the correct optionReload Math Equations

Impossible

Neutral

Possible

More likely

In high impact applications the stakes of failure are _____.

Select the correct optionReload Math Equations

Very high

Unavailable

Medium level

Very low

Which of the following is a commonly used Quality Assurance (QA) activity?

Select the correct optionReload Math Equations

Unit testing

Integration testing

Designing

Inspection

Faults are not identified, hence not fixed, which is a/an _____ to defect prevention.

Select the correct optionReload Math Equations

Equal

Enhancement

Contradiction

Accessible

If there is a fault in one version, then _____ the faultless version is switched from multiple versions of same specifications running in parallel.

Select the correct optionReload Math Equations

Abstractly

Statically

Dynamically

Locally

Damage control through _____ is achieved to ensure minimal global damage.

Select the correct optionReload Math Equations

Shortest route

Longest route

Escape route

Boundary route

With modern fault detection and prevention tools and frameworks in high impact applications, it is _____ to test exhaustively all the conditions within a software product.

Select the correct optionReload Math Equations

More likely

Neutral

Possible

Impossible

Even though with the usage of vigorous defect prevention and reduction strategies and activities, existence of defects is _____.

Select the correct optionReload Math Equations

Avoidable

Still possible

Impossible

Unlikely to occur

Vigorous defect reduction process is followed to _____.

Select the correct optionReload Math Equations

Install defects

Update defects

Insert defects

Remove defects

The defect prevention technique helps in reducing the number of defects but it _____ product.

Select the correct optionReload Math Equations

Guarantees 100% defect free

Doesn't guarantee 100% defect free

Depends upon

Is independent of

After a defect is identified by the Quality Assurance team during testing/QA activities, this defect is then sent to the _____ to fixation.

Select the correct optionReload Math Equations

Deployment team

Development team

Designing team

Requirement team

_____ is a process that maintains the record of all the reported defects till the testing department close it.

Select the correct optionReload Math Equations

Defect removal efficiency

Defect prevention

Defect resolution

Defect detection

Different statuses like In-Progress, Fixed, Not a Fix, Pending, Not Reproducible and Closed are normally assigned to _____.

Select the correct optionReload Math Equations

Track defect

Delete defect

Visualize defect

Release defect

Software products used in medical, transportation or nuclear industry, the risks associated with defects are_____.

Select the correct optionReload Math Equations

Medium level

Moderate

Very low

Very high

A defect that is fixed by the development team is forwarded to the _____ for validation.

Select the correct optionReload Math Equations

Designing team

Requirement team

Deployment team

Quality Assurance team

All the reported defects are to be fixed, re-verified and formally closed by the _____.

Select the correct optionReload Math Equations

Designing team

Deployment team

Requirement team

Quality Assurance team

_____ is a process that maintains the record of all the reported defects till the testing department close it.

Select the correct optionReload Math Equations

Defect detection

Defect prevention

Defect resolution

Defect removal efficiency

A defect that is fixed by the development team is forwarded to the _____ for validation.

Quality Assurance team

Designing team

Requirement team

Deployment team

Different statuses like In-Progress, Fixed, Not a Fix, Pending, Not Reproducible and Closed are normally assigned to _____.

Select the correct optionReload Math Equations

Release defect

Visualize defect

Delete defect

Track defect

After a defect is identified by the Quality Assurance team during testing/QA activities, this defect is then sent to the _____ to fixation.

Select the correct optionReload Math Equations

Designing team

Deployment team

Requirement team

Development team

_____ consists of all the necessary steps to be carried out from defect identification or reporting to defect resolution.

Select the correct optionReload Math Equations

Defect lifecycle

Software lifecycle

Defect removal efficiency

Software process

All the reported defects are to be fixed, re-verified and formally closed by the _____.

Select the correct optionReload Math Equations

Quality Assurance team

Requirement team

Deployment team

Designing team

In _____ step Quality Assurance (QA) team tests the application or the product to identify, discover and report all the defects.

Select the correct optionReload Math Equations

Defect Evaluation

Defect Quarantine

Defect Logging

Defect Deletion

A _____ is established containing all the defects identified in the testing phase.

Select the correct optionReload Math Equations

Defect lifecycle

Defect tracking

Defect log

Defect Register

Which of the following is a methodology used to monitor and control the discovered and reported defects through different stages of defect resolution?

Select the correct optionReload Math Equations

Defect Logging

Defect Detection

Defect Tracking

Defect Prevention

The use of _____ helps us to ensure that tacking is being done properly.

Select the correct optionReload Math Equations

Design

Bookmarks

Templates

Use cases

Which of the following is the first step in defect resolution?

Select the correct optionReload Math Equations

Defect Logging

Defect Deletion

Defect Detection

Defect Evaluation

Certain parameters like defect ID, priority and severity level, current defect status and others, are included in a _____.

Select the correct optionReload Math Equations

Defect log

Defect Register

Defect tracking

Defect lifecycle

_____ ensures that all the necessary details about defects are provided to the _____ in order to fix the defects.

Select the correct optionReload Math Equations

Defects log, Development team

Defects log, Project manager

Defects register, Project manager

Defects register, Development team

Defects are being monitored and controlled throughout different stages of _____.

Select the correct optionReload Math Equations

Defect Prevention

Defect resolution

Defect Logging

Defect Detection

The defects which are known only to the developers and they do not want to let the client know about them are termed as _____.

Select the correct optionReload Math Equations

Syntax related Defects

Dormant Defects

Post-release Defects

Logic based Defects

Defects are being monitored and controlled throughout different stages of _____.

Select the correct optionReload Math Equations

Defect resolution

Defect Detection

Defect Prevention

Defect Logging

Service level agreements (SLA) are signed by stakeholders in order to provide _____.

Select the correct optionReload Math Equations

Post-testing support

Post-deployment support

Pre-testing support

Pre-deployment support

Defect resolution in a product based scenario is a/an _____ activity.

Select the correct optionReload Math Equations

Extra

Unimportant

Ongoing

Fixed

he customer support team represents _____ among the different levels used for software support to customers.

Select the correct optionReload Math Equations

Level 2

Level 4

Level 3

Level 1

The process of _____ is used to assess the reliability, stability and the market value of the product.

Select the correct optionReload Math Equations

Product functionality

Product evaluation

Product testing

Product deployment

Development team represents _____ of the different levels used for software support to customers.

Select the correct optionReload Math Equations

Level 4

Level 3

Level 2

Level 1

Which of the following defect is more critical and costly in nature?

Select the correct optionReload Math Equations

Defects related to early stages

Testing related defects

Post-deployment defects

Pre-deployment defects

Service level agreements (SLA) are signed by stakeholders in order to provide _____.

Select the correct optionReload Math Equations

Post-deployment support

Pre-deployment support

Pre-testing support

Post-testing support

The quality assurance team represents _____ among the different levels used for software support to customers.

Select the correct optionReload Math Equations

Level 3

Level 2

Level 1

Level 4

Defect resolution in a product based scenario is a/an _____ activity.

Select the correct option

Ongoing

Fixed

Extra

Unimportant

Product evaluation deals with the assessment of the _____ of the software product according to the specified procedures.

Final version

Initial version

High version

Low version

Development team represents _____ of the different levels used for software support to customers.

Level 3

Level 2

Level 4

Level 1

_____ is a tool that helps in keeping logs and tracking details of the defects.

Mantis

Apache Spark

Power Point

Apache Hadoop

_____ is usually used to log and track defects in a software product.

MS Excel sheet

Word document

Microsoft outlook

Power Point

In _____ step Quality Assurance (QA) team tests the application or the product to identify, discover and report all the defects.

Defect Deletion

Defect Quarantine

Defect Logging

Defect Evaluation

Mantis Bug Tracker is a well-known open source web-based_____.

Bug tracking system

Bug generating system

Bug amplification system

Bug tracking system

Mantis for Defect Handling makes collaboration among team members and other stakeholders is _____.

Easier but slower

Complicated but faster

Complicated and slower

Easier and faster

The full form of MatisBT is _____.

Mantis Binary Ticketing

Mantis Binary Tracker

Mantis Bug Ticketing

Mantis Bug Tracker

Mantis Bug Tracker is a/an _____ web-based bug tracking system.

Paid

Pirated

Closed-source

Open source

Mantis Bug Tracker is built on PHP and supports _____ on the server side.

Windows but not Linux

Linux and Windows

Linux but not Windows

Neither Linux nor Windows

The full form of MatisBT is _____.

Mantis Bug Ticketing

Mantis Binary Ticketing

Mantis Bug Tracker

Mantis Binary Tracker

As a (n) _____, we can add new resources or team members in Mantis

Tester

Developer

Analyst

Administrator

_____ is a methodology to track the discovered and reported defects.

Defect tracking

Software testing

Defect logging

Requirements analysis

The _____ lifecycle begins with the discovery of the flaw.

Information

Software Development

Data

Defect

In which process, it has to be checked that a software product is giving the desired outcomes and satisfying all the requirements and business needs?

Requirement gathering

Software testing

Design and implementation

Deployment

Software testing can provide a (n) _____ and objective view of the quality of the product.

Abstract

Imaginary

Concrete

Theoretical

Testing can reveal the risks, if any, associated with the _____ of the product.

Cost estimation

Implementation

Deployment

Objectives

Which statement is true regarding software testing?

To find out just the business requirements

To find out the defects but ignoring the bugs because these are not important

To find out defects and bugs

To find out the total cost of the product

The most natural method of _____ is to dry-run the software in a controlled or simulated environment.

Requirement gathering

Implementation

Testing

Deployment

Which statement is true regarding an artifact?

The word "artifact" means a document or some visualization.

The word "artifact" means to remove the bugs from the software product.

The word "artifact" means a QA engineer and his passion to test the code.

The word “artifact” means a developer and his effort to write a code.

In context of testing, which one is an artifact?

Code

Use case

Developer

QA engineer

In which step, the objective is to set the goals for testing?

Deployment

Test execution

Test planning and preparation

Analysis and follow-up

In which step, we execute and implement the testing strategy and measure the behavior of the product?

Deployment

Test execution

Analysis and follow-up

Test planning and preparation

_____ stage includes analysis of results to determine if a failure has been observed, and if so, corrective actions are taken and monitored to ensure removal and reproduction of defects.

Analysis and follow-up

Deployment

Test planning and preparation

Test execution

functional testing is usually called as _____.

Unit testing

Structural testing

Integration testing

Abstract level testing

Which type of testing is more concerned about verifying that the software and all of its functions are performed in total conformance with the software requirements?

Integration testing

Structural testing

Functional testing

Unit testing

Programming and coding is not a matter of question in _____.

Structural testing

Integration testing

Unit testing

The purpose of _____ is to test the different programming structures and data structures used in the program

Structural testing

Integration testing

Unit testing

Functional testing

Functional testing

_____ verifies that the internal units of the software product like programming/code structure, blocks, data structure and all relevant interconnections are implemented correctly.

Unit testing

Integration testing

Functional testing

Structural testing

Structural testing is total opposite of the _____.

Regression testing

Functional testing

Integration testing

Unit testing

Structural testing is also called as _____ from code view point.

Concrete testing

Abstract level testing

Black box testing

Functional testing

White box testing

_____ is an ad-hoc running and execution of the software system to observe any difference between expected and actual performance.

Functional testing

Structural testing

White box testing

Black box testing

_____ is usually achieved by performing white box testing.

White box testing

Artifact level testing

Structural testing

Functional testing

_____ describes the functionality and features of the product with sample input and expected output data.

Good characteristics

Use case diagram

Specification checklist

Hardware price

In case of gap or variance from the desired results of a software system, _____ is used to eliminate the possibility of hardware failure causing the difference.

Functional

Black box testing

Structural

White box testing

Smoke Tests are most _____ level of testing that aims at ensuring that the most important functions work.

Abstract

Actual

Artifact

Concrete

_____ and black box testing are two terms used interchangeably.

Functional testing

White box testing

Structural testing

Artifact level testing

_____ describes the functionality and features of the product with sample input and expected output data.

Good characteristics

Specification checklis

Use case diagram

Hardware price

In case of gap or variance from the desired results of a software system, _____ is used to eliminate the possibility of hardware failure causing the difference.

Black box testing

Functional

White box testing

Structural

Structural testing is achieved by performing _____.

Sanity testing

Functional testing

White box testing

Artifact level testing

required extensive knowledge of code and flow of code.

Black box testing

White box testing

Functional testing

Sanity testing

_____ covers branch level testing (if-else, loops, switch) and Path level testing (all possible paths).

Artifact Level Testing

Sanity Testing

Black box testing

White box testing

Statement level testing

_____ is performed by the developer himself as it required extensive knowledge of code and flow of code.

Functional testing

Sanity testing

White box testing

Black box testing

_____ ensures maximum coverage of code

Artifact level testing

Path level testing

Statement level testing

Branch level testing

stages of software development are identified and corrected.

Artifact level testing

Defect logging

Reviews

White box testing

Reviews in the context of _____ are time saving activity and need no formal planning or resource utilization.

Analysis

Testing

Deployment

Implementation

_____ is a static testing method.

Review

Friend function

Implementation

Black box testing

Due to _____, the mistakes overlooked in the early stages of software development are identified and corrected.

Artifact level testing

Defect logging

Reviews

White box testing

Reviews include code and design walkthrough and it is usually done by more experienced technical people who are not the author of the _____.

Usage scenarios

Test cases

Design document

Code

_____ is the most formal type of static testing.

Artifact level testing

Inspection

Implementation

Black box testing

Inspection is a type of _____.

Design document

Review

Usage scenario

Test case

All inspections activities are well documented and all the defects identified in this stage are logged in _____ sheet.

Defect logging

Test cases

Design document

Usage scenario

activities and tasks to be performed before the test and during the test.

Reviews

Inspections

Usage Scenarios

Test Checklist