Zoology Legends

ZOO201

Current Final TERM Spring 2023

Effort by a Student

Subscribe to our YouTube Channel

https://www.youtube.com/channel/UCU9pcfHIAq8FgR7JFwpipdQ?sub_confirmation=1

Join our WhatsApp Group

https://chat.whatsapp.com/Fshf9SiUXXuI9J5NbJzdNP

Zoology Legends

MCQS Spring 2023

→ Each kind of insect in an individual colony is called worker.

→ Bipinnaria larva is present in star fish.

→ The approximately eight thousand species of parasitic flatworms in the class *Trematoda* are collectively called flukes.

→ Organisms that transmit an infectious agent are called vectors.

→ Locomotion in sea cucumber is through tubefeet.

→ Star fish not contain brain.

→ In a-meiotic parthenogenesis eggs are diploid.

→ Not the characteristic of a theory is always true.

→ Harshest zone is intertidal zone.

→ Two layers in diploblastic organisms are ectoderm and endoderm.

→ Sponges are said to be evolutionary dead end.

→ Sea urchin belongs to Echinoids.

→ Scientific name of beef tapeworm is *Taeniarynchus saginatus*.

→ Class gastropoda contain 35000 living species.

→ Sea cucumber lives in oceans.

→ Arrow worms belong to Chaetognaths.

→ Phylum of sea cucumber is Ehinodermata.

Zoology Legends

→ Sea urchin test contain spines.

→ Missing in the nervous system of star fish is brain.

→ A queen releases pheromones that control sexual maturity.

→ Diameter of sea diaseases is less than 1cm.

→ Sea cucumbers have no true brain.

→ Entoprocts live in marine habitat.

→ Entoprocts contain 100 species.

→ Sea lilies and feather stars belong to class crinoidea.

→ Conical shaped chewing apparatus projecting from mouth is Aristotle's lanterns.

→ Sea urchins' skeleton is called test.

→ The larva of ophiuroidea is ophiopluteus.

→ Pincher -like structure in class asteroidea are pedicellariae.

→ The gradual metamorphosis in insects is called hemimetabolous metamorphosis.

→ Ocelli consist of 500-1000 receptor cells beneath a single cuticular lens.

→ Members of class diplopoda are called millipedes.

→ Incomplete metamorphorsis contain 3 larval stages.

→ The class malacostraca are among the species-rich classes in nature.

→ Malphighian tubules are blind tubules that connect to the gut near the union of mid gut and hind gut.

→ Subphylum Trilobotomorpha are dominant from Cambian to Carniferous period.

→ Coxial glands are paired, thin walled, spherical sacs bathed in the blood of body sinuses.

→ A statocyst is a pit like invagination of the exoskeleton that contains setae and a group of cemented sand grains called statolith.

→ The labium is the lower sensory lip.

ZOOLOGY
LEGENDS

Zoology Legends

Repeated Questions Spring 2023

1) What is dermal light sense?

These are the responses to illumination of the body surfaces of animals due to stimulation of diffusely distributed photoreceptors.

2) What is difference between circulatory system of insects and other arthropods?

The circulatory system of arthropods is open with a dorsal heart, arteries and hemocoel containing hemolymph(blood).

The main function of insect blood, hemolymph, is that of transport and it bathes the insects' body organs.

3) Is sea urchin an invertebrate? If yes ten to which phylum it belongs?

Yes sea urchin is an invertebrate. It belongs to phylum Echinodermata.

4) What is meant by book lungs?

A book lung is a type of respiratory organ used for atmospheric gases exchange that is found in most arachnids such as scorpions e.t.c. Stacks of alternating air pockets and tissue filled with hemolymph give them an appearance similar to “Folded book”.

5) What is determinate cleavage with one example?

It results in developmental fate of cells being set early in the embryo development. It is mostly present in deutrosomes.

6) Name the four stages of complete life cycle of metamorphosis?

The four stages of complete metamorphosis are; egg, larva, pupa and adult.

7) Into how many parts insects’ body is divided? Write the name.

The insects’ body is divided into three main parts. Head, thorax and abdomen.

8) Is star fish has stomachs? If yes write their name.

Yes, a star fish have two stomachs; cardiac stomach and pyloric stomach. Cardiac stomach performs external digestion while pyloric stomach performs internal digestion.

9) Write three advantages of exoskeleton?

It provides a stronger outer layer that act as an armor against predators and environmental hazards.

It serves as protective water barrier and imparts advantage related to structure and mobility.

One of the most important function of exoskelton is to prevent land dewelling species from drying out.

10) Differentiate between ectotherm and endotherm.

Ectotherm:- Ectotherm is an organism in which internal physiological sources of heat are of relatively small or quite negligible importance in controlling body temperature.

Endotherm:- Endotherms rely largely, even, predominantly on heat from internal metabolic processes.

11) What is the nervous system of star fish?

They do not have brain. Nervous system looks like a ring with 5 antenna. Amine-containing neurons are involved in tube-feet coordination.

12) What is difference between vertebrates and invertebrates?

Vertebrates: - A vertebrate is an animal with backbone. About 2% of all animals are vertebrates that include fishes, amphibians, reptiles, birds and mammals.

Invertebrates: - An invertebrate is an animal without backbone. About 98% of all animals are invertebrates which belong to phylum cnidarians, nematodes, mollusks, annelids and echinoderms.

Long questions

1) Write a note on insects' pollination.

They carry or move the pollen grains from the anther of one flower to the receptive part of the carpel or pistil (stigma) of another.

Pollinator decline: - Loss of pollinators, also known as Pollinator decline has been noticed in recent years. - These caused a disturbance in early plant regeneration processes. - Pollination by animals' aids in the genetic variability and diversity within plants. - Loss of pollinators is especially devastating because there are so many plant species rely on them.

2) Differentiate between arthropods and annelids.

Annelids: - Annelids body is segmented. They possess hydrostatic skeleton. They do not have fused appendages except of polycheates. They are mostly parasites. They possess coelom.

Arthropods: - Arthropods have metameric segments. They show tagmatization. They possess exoskeleton. They have fused appendage. Some arthropods are herbivores some are scavengers and few are parasites. They have reduced coelom.

3) Write a note on skeletal system of sea urchin.

Skeleton of Sea Urchins: - Test is the name of a sea urchin skeleton. They have no shells. They possess five rows of ambulacral plates and five inter-ambulacral plates. The socket to which the spines are attached is ball and socket joints.

The primary spines are long and secondary spines are short. Some spines contain venom dangerous to swimmers.

4) Write the mating behavior in insects.

Mating behavior: Mating behavior is typically viewed as comprising all events from pair formation through courtship to the final breakup of the mating pair.

Locating and recognizing mates: - Chemical attractants ,humming sound ,Courtship ritual.

Mating: The internal fertilization by insertion of the male intromittent organ into the female genital tract for deposition of sperm is the usual method of copulation.

Zoology Legends

5) What is the role of pedicellariae in sea urchin?

Role of Pedicillariae in Sea Urchins :-

Small wrenched- or claw-shaped appendages with movable jaws are called valves. – They have four main forms: tridactylous, ophicephalous, triphyllous and globiferous. They also have intradermal ossicles.

These ossicles are grooved or hollow to inject venom. They have an effector organ with neuropils and sensory receptors. It provides protection against sedimental particles.

Effort By a Student

ZOOLOGY
LEGENDS

Zoology Legends



Muhammad Zaman

03044756496

Remember me in you Precious Prayer

Jazak Allah