BT302 IMMUNOLOGY M.C.Q.S MEGA FILE

ALL DATA FROM QUIZES + GRAND QUIZES

GROUP: BIOTECH BRAINY BUNCH

ADMINS: MEHWISH MUGHAL & BELLA

CONTACT: mehwishshabirhussain07@gmail.com

Midterm Portion

1. Pain, heat, redness, swelling & loss of tissue functions are… **Signs of inflammation**
2. Diabetes Mellitus is… **non-infectious disease**
3. Migration of phagocytes across the capillary wall … **Diapedesis**
4. For alternate pathway for complement activation … **no need of Antibody**
5. Lymph nodes, spleen and payer's patches are. **Secondary lymphoid organs**
6. By lymphocytes migration chances of successful antigen encounter may … **increase**
7. Hapten is… **substance that is non-immunogenic but can react with products of specific immune response**
8. Very young and old individuals have… **diminished immune response**
9. B-cells are activated directly without the help of T-cells for antibodies production in … **T-independent antigens**
10. Fab and fc are two fragments of … **antibodies**
11. Second most common serum antibody… **IGA**
12. Humans can make **10^7-10^8** different Ab molecules
13. T-cells maturation in… **Thymus**
14. Complement system have … **complement proteins**

15. Complement proteins are activated by pathways … **3**

16. Mostly IgA is present in secretions … **saliva, tears, mucus & colostrum's**

17. Particulate form of Ag … **Agglutination reactions**

18. Particulate nature of antigen causes the reaction of antibody to form visible clumps … **Agglutination**

19. Ag & Ab reaction which can be detected on the basis of substrate utilization by enzyme … **ELISA**

20. Recombination involves rearrangement of DNA in somatic cells… **Somatic recombination**

21. Lymphoid linkage progenitor cells give rise to ------- **B- lymphocytes, T- Lymphocytes, natural Killer, All of the given**
22. Following route of administration of vaccine is considered as appropriate in term of optimum immune system response. **Intravenous**
23. Secretory immune response molecules are ineffective against ------ **Intracellular Pathogens**
24. Sugar- antigens have the ability to activate ----- of T –cells polyclonally **25%**
25. Staphylococcal entertoxin is an example of ------ type of antigen. **super antigen**
26. Factors that influence the immunogenicity of an immunogenic include all of the following except. **Size of immunogen**
27. Which of the following is incorrect for T- independent antigen? **Require T- cells**
28. One of this form of nucleic acid is considered as good immunogen. **dsDNA**
29. A substance that reacts with the products of specific immune response is known as ------- **Antigen**
30. Mycobacterium tuberculosis is an intracellular bacterium reside in vesicular site of the cell and it activates -------- **Helper T- cells**
31. During the regulation of VDJ recombination, Recombination occurs after the removal of introns between ---- in case of Light chain. **V, D & J**
32. RSS are the sequences which are flanked between the V, D and J ------- **Exons**
33. Class switching of immunoglobulin occurs from lgM to -------- **lgG**
34. SCID is caused by the deficiency of enzymes ------- **REC-1**
35. There are all true for somatic hyper mutation except ------- **Increase the immunoglobin** variety
36. Antibody formation process is well controlled mechanisms with following characteristics except. ---------- **Ability to cross react**
37. Major class of antibody produced during primary antibody response is ------- **lgM**
38. ----- Enzyme is used during ELISA. Horseradish peroxidase
39. Cytidine deamine is present in -------- **B cells**

DO NOT COPY

40. These all are true for primary antibody response against t- cells dependent antigen except ---------- **Antibodies may persist for days, months or even years due to memory response.**
41. Class switch recombination occurs due to the activity of ------- **Complement proteins**
42. The kinetics of immunogen clearance consists of ---------- Phases. **4**
43. The primary and secondary antibody response are same in case of -------- **T- dependent antigens**
44. Unknown antibody can be determined by using --------- ELISA. **Direct**
45. There are --------- variable genes for lambda light chain of antibody. **30**
46. There are around 300 variable genes for ------ Chain of antibody. **Kappa light chain**
47. SCID stands for ------ **Severe combined immunodeficiency**
48. Major class of antibody which is produced during secondary antibody response is ------- **lgG**
49. The gene for ------ chain is located on chromosome 14. **Heavy chain**
50. The substrate of horseradish peroxidase is --------- **H2O2**
51. BCR can recognize soluble antigens in following forms except -------- **Viruses**
52. AIDS stands for ------- **Acquired immune deficiency syndrome**
53. Domains are the folded regions in immunoglobulin molecules which contains an ------ **Intra- chain disulfide bond**
54. ---------- Immunodiffussion is used for the quantitative analysis of complex mixture of antigen. **Double**
55. Activation included cytidine deaminase play essential role in the deamination of --------- **DNA**
56. These all are true for lgE immunoglobulin except-------- **Responsible for virus killing**
57. Peyer patches are secondary lymphoid which are present ---------- **Inside the GIT**
58. ------- Commonly called skin peeling, is the shedding of the outermost membrane or layer of a tissue, such as the skin. **Desquamation**
59. Infectious diseases that spread from person to person are said to be ------ **Contagious**
60. All are true for adaptive immune system except ---------- **Readily available**
61. SCID is caused by the deficiency of enzyme ------ **RAG-1 7 RAG-2**
62. Affinity is the strength of binding between ----- antigenic determinant and antibody site. **Single**
63. Antigen binding groove of Class 1 MHC can accommodate the peptides consisting of ------ amino acids. **8-10**
64. Classical complementary pathway is also known as ----- pathway. **Antibody dependent**
65. A ----- Is a membrane bound cell organelle that contains digestive enzymes? **Lysosomes**
66. During the equilibrium phase of immunogen clearance after primary injection. **Rapid diffusion of antigens**

DO NOT COPY

67. These all factors influence the antigen and antibody reaction except -------- **Chemical composition**.
68. These all are principles for clonal section of lymphocytes except ------ **Selection of lymphocytes bearing receptors against self- molecules**
69. These all are true for intracellular pathogens except ------- **B- lymphocytes paly role in cell mediated immunity**
70. Flushing actions of tear and saliva are the ---- of innate immunes system. **Mechanical factor**
71. Particulate nature of antigen causes the ----- reaction when react with corresponding antibody. **Agglutination**
72. MHC 11 molecules contain highly conserved ------ regions for binding to CD4 receptors. **α2 & β2**
73. Which of the following cells play role in tumor surveillance? Natural Killer (NK) Cells
74. The gene for lambda light chain of antibody is located on chromosome number ------- **22**
75. Beta lysine is a protein of ------ Which has antimicrobial activity. **Coagulation system**
76. Lysozyme is an enzyme present in tears and saliva which degrade the cell wall of ------- bacteria
77. Resistance of body against infectious diseases is called ----- **Immunity**
78. First antibody which is produced by virgin B- cells after the interaction with an antigen is ---- **lgM**
79. Particulate nature of antigen causes the ----- reaction when react with corresponding antibody. **Agglutination**
80. Neutrophils are also known as -------- **Polymorph nuclear leucocytes**
81. Precipitation reaction is also called ------ reaction. **Agglutinin**
82. Eosinophil's contain granule which are effective against ------ **parasitic infection**
83. Antigen binding Groove of Class 11 MHC can accommodate the peptides consisting of ----- **13-25**
84. ------- Commonly called skin peeling. Is the shedding of the outermost membrane or layer of a tissue, such as the skin? **Squamation**
85. From following statements, this is incorrect for monoclonal antibody. **Obtain in serum with antibodies having different affinities.**
86. In hapten- carrier conjugate, carrier molecule is ------ in nature. **Immunogenic**
87. All of the following are true for non- infectious diseases EXCEPT that they are **Transmissible**
88. These all are true for secondary lymphoid organs EXCEPT ------ **Involve in innate immune response**
89. During complement fixation test, lysis of RBCs indicates a ----- Complement fixation test. **Negative**
90. Which of the following comes under mechanical factors regarding anatomical barriers? **Skin, Epithelium membrane, Desquamation, All of the given**

DO NOT COPY

91. MHC 1 molecules are expressed on the surfaces of ------- **Nucleated cells**
92. Cytidine deaminase is present in -------- **B cells**
93. There are ------- subclasses of lgG immunoglobulin's depending upon DISULPHIDE BONDS AND LENGTH OF HINGE REGION. **4**
94. In lymphoma, B cells express ------- molecules in high amount. **CD4**
95. RSS are the sequences which are flanked between the V, D and J ------- **exons**
96. Class switch recombination occurs due to the activity of ---------- **cytokine**
97. Complement proteins are activated by _____ **classical pathway, alternate pathway lectin pathway, all of the above**
98. These all are the signs of inflammation EXCEPT **Edema**
99. In, every hour ------- of lymphocytes recirculate between blood and secondary lymphoid organ. **1-2%**
100. Applications of ELISA include detection of these all EXCEPT ------ **Salmonella sp.**
101. Antibodies fragments are generally produced by the action of ---- enzyme. **papain**
102. --------- are the proteins that bind with iron and derive bacteria from iron. **Lactoferrin and transferrin**
103. These all statements are true for innate immune system EXCEPT ------- **There is a lag time between exposure and maximal response**
104. Avidity in influenced by the ------ of both antigen and antibody. **Valency**
105. Lymphocytes return to blood from lymph nodes via ------- **Blood circulation**
106. Halide ions are produced during oxygen dependent killing by the action of enzyme ------- -- **Superoxide dismutase**
107. Antibodies are composed for four polypeptide chains, that is ------- **2 heavy chains and 2 light chains**
108. Activation induced cytosine deaminase play essential role in the deamination of ------- **DNA**
109. During equilibrium phase of immunogen clearance after primary injection------ **rapid diffusion of antigens**
110. T- Dependent antigens contain ------ type of epitopes with few copies. **Same**
111. Crystalizable fragment of immunoglobulin contains two heavy chains with ------- **CH2 & CH3 domains**

Final term Portion

1. After the DNA sequences cut out and before they joined, ----- adds some nucleotides to the free ends of the DNAs. **Terminal Transferees**
2. ---------- Directly kill cells infected with a virus or some other intracellular pathogen. **Effector cytotoxic T cells**
3. Peptide backbone that binds to invariant pockets formed by conserved amino acids that line ------ peptide binding groove. **All class 11 MHC**
4. -------- Filers out older RBCs. **Spleen**

DO NOT COPY

5. ------- rejected faster than other tissue organ kidney or heart. **Skin graft**
6. IgM or cold agglutins- active at **4°C**
7. ----- is not accessible to the immune system. **Ag**
8. Myasthenia gravis is caused by auto antibody against ------- receptor antigen. **Muscle antigen & acetylcholine**
9. In 1885, the French microbiologist Louis Pasteur and Emile Roux developed the first vaccine against ------ **rabies**
10. The first such recombinant antigen vaccine approved for human use is the hepatitis **B vaccine.**
11. Immune complexes accumulate in man tissues and cause ---------- **inflammation and damage or affect many organs or the whole body.**
12. Some vaccines contain killed, but previously -----, micro-organisms that have been destroyed with chemicals, heat, radioactivity and antibiotics. **Virulent**
13. An ----- is a pharmacological or immunological agent that modifies the effect of other agents, such as a drug or vaccine. **Adjuvant**
14. Transplantation is an act of transferring ----- from one site to another. **Cells, tissues or organ**
15. -------- Which could be induced by prior blood transfusions, multiple pregnancies, prior transplantation, or xenografts. **Hyper acute rejection**
16. Risk is that some individuals may have an **allergic reaction** to the vaccine.
17. RB which overcomes the hurdle of **G1 to S hurdles.**
18. Approximately 30% of all human tumors contain mutated version of------- **RAS gene**.
19. Chronic rejection is characterized by ------ with loss of graft function over a prolonged period **Fibrosis and vascular abnormalities**
20. Hypersensitivity also known as **Intolerance**
21. Abnormal response against the otherwise harmless environment stimulus. **Allergy**
22. Allergy causing agents, **Food, pollen and animal dander**
23. Autoimmune disorders, **abnormal response against self-tissues**.
24. Hypersensitivity based on ---- **Two factors**
25. How many types of hypersensitivity ----- **four types (Type 1, type 11, type 111 and type 1V)**
26. Type 1 hypersensitivity also known as **Immediate or Anaphylactic reactions**
27. Reaction of type 1 hypersensitivity. **Usually 15-30 min, sometimes 10-12 hours**
28. Involve various tissues **Skin, eyes, nose, lungs, GIT**
29. Type 1 hypersensitivity is mediated by **IgE**
30. Which primary cells are involved in type 1, **Basophils', mast cells**
31. Sensitization of mast cells with IgE via which receptor. **FCR receptors**
32. ECF-A (Tetra peptides) **It attracts eosinophil's and neutrophils**
33. Diagnosis of type 1 **by skin + measurements f total IgE levels**

DO NOT COPY

34. Type 11 hypersensitivity is also known as ---- **Cytotoxic hypersensitivity**
35. Type 11 is -------- specific. **Tissue**
36. Example of exogenous antigen. **Hemolytic anemia, Granule cytopenia and thrombocytopenia**
37. Reaction time of type 11 is **Minutes to hours**
38. Example of endogenous antigens. **Erythroblastosis fantails**
39. Erythroblastosis fantails are also known as ------ **Hemolytic disease of Newton**
40. Autoantibodies against the glomerulus basement membrane, **Good pasture's syndrome**
41. Autoantibodies against the thyroid, **Hashimoto's thyroiditis**
42. Type 111 hypersensitivity also known as , **Complex hypersensitivity**
43. Time required for type 111 **3-10 hours**
44. SLE is known as **System lupus erythematous**
45. Antibodies involved in type 111, **Mostly IgG and IgM**
46. Type 1V hypersensitivity also known as **Cell mediated hypersensitivity**
47. Time required for type !V is **48-72 hours**
48. Cytotoxic T cells cause direct damage to target cells. **CD4**
49. Major form of change in antigenic structure results in new strains of microbe is called ------ **antigenic shift**
50. These all are anti- inflammatory cytokines EXCEPT ------- **IL-12**
51. Vesicular pathogens are presented in combination with class 1 MHC to ------- **T helper cells**
52. Th2 cells upon activation secrete cytokines like Il-4 and IL-5 which activate -------- **B-cells**
53. During Myeloperoxidase dependent intracellular killing of microbes ------ are formed which are bactericidal. **Halide ions**
54. Upon CTL degranulation, polyperforin channels are developed in the presence of ------- **calcium**
55. These all are true for immune evasion EXCEPT ------ **Humeral immunity cannot be evaded only**
56. NK cells cannot kill normal cells due to normal expression of ------ **Class 1 MHC**
57. Th1 cells release cytokine like IFNy upon activation which is inhibitory for ------- **Th2 cells**
58. Chemotaxsis is the movement of circulating ----- to the site of infection. **Phagocytes**
59. Pro- inflammatory cytokines are involved in ------- of inflammatory process. **Up regulation**
60. Cytokine ----- is involved in the class switching of antibody to lgE. **IL-4**
61. Vesicular pathogens are presented in combination with class 1 MHC to -------- **T helper cells**
62. The mechanism of immune evasion by Listeria monocytogenes is ------ **Disruption of phagosome membrane**

DO NOT COPY

63. These all are true for inflammation EXCEPT-------- **Components of adaptive immune system**
64. Lymphokine activated cells are specific for the killing of ---- cells. **Tumor**
65. These all are true for immune evasion EXCEPT ------ **maximize the ability of organisms to develop infection**
66. During the myeloperoxidase dependent intracellular killing of microbes ------ **Hydrogen peroxide**
67. These all are true for inflammation EXCEPT ---- **Expressed in myeloid cells**

Separate Whatsapp Groups for Girls and Boys

Special Internship Group with Senior Guideline

Zero Percentage Irrelevant Chatting in study groups

Follow this Link for Joining Study Group:

https://chat.whatsapp.com/D2yLdI6LFFpJuS2EKWYmbE

Remember Us in Your Prayers

DO NOT COPY