MIC-501T UPDATED

OBBJECTIVES FINALTERM- 100%

MICROBIOLOGY

BY SULMAN ALI GUJJAR

0341-7547044

OBJECTIVES

- High salt concentration used by obligate halophiles_____ **30%**
- Plasmid is an extra chromosomal circular **DNA fragment**
- Citric acid: **Aspergillus niger**
- **Virusoids:** Contain circular ssRNA, need helper viruses for replication and encapsidation; also called **satellite viruses**
- Hypersensitivity l Mast cells degranulate and secretes mediators of inflammation. involves **IgE antibodies**
- in persistent infections-------viruses replicate slowly
- Lactoferrin is iron containg protein present in------- **milk**
- Quinolone and rifampian are antibodies That inhibit---------- **Dna replication**
- ziehl Nelson method----------**acid fast staining**
- The spores formed by rounding and enlargement with in a hypheal segment ---------- **chlaymidioconidia**
- Extreme halophiles require high salt concentration ____**30**%
- Fungi get CO2 from__ **Organic Matter**
- Corticosteroid is use in____ **Hypersensitivity-III**
- Fungi get CO2 from__ **Organic Matter**
- Study of fungi____ **Mycology**
- Kuru in humans IS caused by _ **Prions**
- Hypersensitivity 3rd answer **Glomerulonephritis** tha
- Aik figure hypersensitivity type 1 ki hy
- Innate immunity
- **Robert Koch • 1876**: Bacillus anthracis established as a cause of anthrax, first proof
- the golden age of microbiology **1857-1914**
- Isoniazids ka kuch pocha hwa tah
- When virus enter in body whci type of molecule is produced (histamine**,cytokines** anitibody, ye option thy)
- Quinolone and rifampian are **antibodies**
- ziehl Nelson method
- in persistent infections viruses replicate slowly
- Mycobiont is? **Fungi**
- Elisa is used for**? antigen and antibody**
- which does not belong to elisa? **probe**
- persistent infection? **virus replicate but slowly**
- Fungi get co2 from? **organic molecules**
- fungi is stained using? **lactophenol cotton blue**
- wrong statement about viriods? **ds dna**
- Immune system complex? **Hypersensitivity III**

- quinilone and rifampin inhibit? **Dna replication**
- IgE involved? **Hypersensitivity I**
- key Principe of clonal theory?
- Joseph lister used as hand sanitizer?**phenol**
- Vitamic C is obtained from **Aspergillus niger**
- Agar is obtained from **seaweed**.
- Superbug: Bacteria resistant to many **antibiotics**
- body of alage **is thallus**
- collection of hyphae is called **mycelium**
- shape of rabies virus is **helical**
- kuru disease in human is caused by **prions**
- fungi can be cultured by....**agar**
- case reporting in **epidemiology**
- local infection example **boil**
- bursa of fibrsis is present in **birds**
- Following diseases is associated with hypersensitivity type III..... **systematics Iupsus erythematosus**
- zeil nelson method is used for staining... **Acid fast staining**
- which of the following normaly present in lamph nodes..... .**Aggregation of B& T cell**
- aggregation of B&T cells B) Macrophages C) Dendritic cells.....
- wrong statement regarding flagella staining from the following....
- Quinolones and Rifampin are antibiotics that inhibit..... **protein function**
- which disease can be treated by isoniazid**.... tuberculosis**
- macrophages and neatrophils are part of .... **Imune system**
- which of the following is not lymphocytes are caused by... **Monocytes**
- Lactoferrin iron protein is present in.... **milk**
- kuru disease in human caused by ... **Prions**
- example of rabies virus .... **helicle virus**
- Irish potato blight is caused by .... **Phytophthora Infectant**
- which of the following is mycobiont------ **Fungi**
- which of the following is unicellular form of fungi---------- **yeast**
- Blotting paper made up of .... **cotton or linen fiber**
- filter can be remov microbes size Greater than 0.3 micrometer... **HEPA filter**
- Nuclear genome of yeast consists of **16 chromosomes**
- Virosoid does not contain **ssDNA**
- In glycolysis 1 glucose produce **2 pyritic acid**
- Rabies--------**Helical virus**
- Direct count method _____ **Membrane Filter**
- Which is not belong to _ **ELISA _Probe**
- In Persistent infection _**Viruses Replicate Slowly**
- Fungi get CO2 from _ **Organic Matter**
- Sight of entry through which microorganisms gain access into body _ **mucosal membrane**
- Kuru in humans IS caused by _ **Prions**
- blood transfusion reaction is the example of _**Hypersensitivity-II**
- **Convalescent period**: patient returns to normal
- Thickness of the capsule depends upon the **culture conditions**
- Hypersensitivity l Mast cells degranulate and secretes mediators of inflammation. involves **IgE antibodies.**
- which are used for indirect microbial count except... **membrane filter techniques**
- Gram negative appears on stain _____**Colorless**
- Standard condition for hot air oven_____**170*C For 2hours**
- Tetracycline ---------- broad spectrum. _____ **Wide**
- PCR is the------ methods for the identification of microbes_____ **Molecular**
- Asexual spores are formed by _____**Mitosis**
- Mycobiont is_____ **Fungi**
- Which is not belong to ELISA _____**Probe**
- Study of fungi_____ **Mycology**
- Fungi get CO2 from____ **Organic Matter**
- Patient returns to normal IN_____ **Convalescent Period**

- Which is not belong to innate immunity. _____ **Specific**
- Infectious circular RNA of plants_____ **Viroid**
- Algae produced ----O2_____**80%**
- Kuru in humans IS caused by_____ **Prions**
- Endospores are stain with _____**Malachite Green**
- blood transfusion reaction is the example of _____ **Hypersensitivity-II**
- Corticosteroid is use in_____ **Hypersensitivity-III**
- Spectrum of Drugs _____**Tetracycline**
- Metronidazole is used for _____ **Giardiasis, Amebiasis, Trichomoniasis (All)**
- High salt concentration used by obligate halophiles_____ **30%**
- Bacteriophage is _____**Virus Infecting Bacteria**
- Proteins are separated by_____ **Gel Electrophoresis**
- Structural support is provided by _____**Core Polysaccharides**
- Halogens Iodine and chlorine Inhibit protein_____ **Function**
- Food in refrigerator is spoiled by_____ **Psychograph**
- Type-II hypersensitivity -----is involved? _____ **IgG or IgM**
- 10% tannic acid is used as----during flagella staining _____**Mordant**
- Which is not lymphocyte ___ **Monocytes**
- Which do not grow in the presence of 02 _____**Obligate Anaerobes**
- The process in hot air sterilization is_____ **Oxidation**
- Viruses may have envelope outside _____**Virion**
- Sight of entry through which micro-organism gain access to the body __ **Mucous Membrane**
- Lactoferrin is iron containing protein present in_____ **Milk**
- The Bursa is an epithelial and lymphoid organ that is found only in_____ **birds**
- Mast cells degranulate and secretes mediators of inflammation. _____ **Histamine, Leukotrienes, PG 1**
- Western blotting is used for_____ **proteins**
- Who is first to publish the extensive and accurate observations of microbes?
- _____ **Antony van Leeuwenhoek**
- Asexual spores are formed by _____ **mitosis**
- _____ is the Collection of hyphae _____ **mycelium**
- Not true for virusoids _____ **ds Circular DNA**
- Refrigerator temperature remains below _____ **15-40oC**
- Zygospore is _____ stage in reproductive cycle of fungi _____ **7**
- Bacteria Division in 3 planes is _____ **Sarcinae**
- Interferon used against _____ **viruses**
- Rod bacteria discovered by _____ **Robert Koch**
- Primary immune response produces mainly___ ___ **Antibodies.**
- Penicillin attack _____ **Cell Wall**
- Composting of organic matter is a useful activity of _____ bacteria_____ **thermophile**
- Example of Facultative Anaerobes _____ **E. coli**
- Radial immunodiffusion is a type of _____ **precipitation**
- IgM is present in _____ **blood**
- Each B cell has _____ antibody molecules against one epitope only _____ **unique 116.**
- Ziehl Nielsen method _____ **Acid fast staining.**
- Mycobacterium is _____ bacteria _____ **gram positive**
- Lichens shows _____ relationship _____ **Symbiotic**
- Study of diseases _____ **pathology**
- Interaction of microbiota with the host leads to a relationship called _____ **symbiosis**
- Peripheral proteins_____ **loosely connected and soluble in water**
- Studying microbes is _____ **microbiology**
- _____ spores formed by rounding and enlargement within a hyphal segment _____ **Chlamydioconidia**
- The study of where and when diseases occur and how they are transmitted in a population_____ **Epidemiology**
- After _____, enough targets DNA accumulate which could be detected by electrophoresis _____ **30 cycles**
- _____ earth O2 produced by planktonic algae_____ **80%**

- A glycolysis one molecules of pyruvic acid are formed from one molecule of glucose _____ **2**
- Amphotericin B belongs to which category _____ **Polyenes**
- Fungi cultured on ___ medium __ **general purpose**
- Most of ATP is generated in the _____ stage ____ **last**
- Thiobacillus use ____ as sole source of carbon ____ **CO2**
- OD stands for _____ **optical density**
- Generation time Can be calculated from the _____ of growth ___ **exponential phase**
- Ivanowsky discovered Viral pathogens _____ **Tobacco mosaic virus**
- Three Domain System is based on ____ **ribosomal differences**
- _____ needed for DNA and RNA synthesis and ATP ___ **Nitrogen and phosphorus**
- Primary immune response produces mainly___ ___ **Antibodies.**
- responsible for Irish potato blight_____ **Phytophthora Infectants**
- Virus replicates _____**Slowly**
- Rabies virus is the example of_____ **Helical Viruses**
- Quinolones and Rifampin are antibodies that inhibit _____**DNA Replication**
- Resolution of microscope is_____ **0.2um**
- Unicellular fungi IS _____**Yeast**
- The made of action of chemicals to control micro-organism 1s the. _____**Phenol and Phenolic**
- Staining of fungi done by_____ **Lactophenol Cotton Blue**
- Bacteriophage is a _____**Virus**
- The study of the evolutionary history of organism's_____ **Systematics/Phylogeny**
- Vaccine of small pox_____ **Edward Jenner**
- Fab region in antibody stands for ____ **Fragment antigen binding region.**
- ____ filter remove microbes of size >0.3 micrometer _____ **HEPA**
- Monitoring diseases in a population_____ **Epidemiology**
- Virusoids has no_ _____ **ssDNA**
- Persistent infection _____**Viruses Replicate Slowly**
- Algal body is _____ **Thallus**
- The made of action of chemicals to control micro-organism 1s the. _____**Phenol and Phenolic**
- Fungi get CO2 from____ **Organic Matter**
- Sight of entry through which microorganism enter body. _____**Portals of Entry**
- ------tannic acid is produced in mordant_____**10%**
- Each B cell has unique antibody molecules against ---epitope only _____ **One**
- Metronidazole is used for _____ **Giardiasis, Amebiasis, Trichomoniasis (All)**
- Penicillin attack _____ **Cell Wall**
- _____ is used for tapeworm and fluke infections ____ **Praziquantel**
- 4th generation antibiotic ____ **Cefixime**
- which statement is correct for innate immune system ____ **Have no memory?**
- Peripheral proteins_____ **Loosely Connected and Soluble in Water**
- Extreme halophiles require high salt concentration _____**30%**
- pH of mold is _____ **5 – 6**
- If bacterium has no flagella called _____ **Atrichous 78.** Optimum temp of hyperthermophiles _____ **80 0C**
- Light microscope resolving power is ____ **0.2 µm.**
- _____ is used as illumination source in Fluorescent Microscopy _____ **both (Fluorescent Microscopy)**
- Tetracyclines used _____ **Against chlamydia and rickettsia's and Animal feed additives**
- Direct transfer of P to ADP _____ **Substrate level phosphorylation**
- Obligate Aerobes name _____ **Mycobacterium tuberculosis**
- Also called volutin _____ **Metachromatic Granules**
- Studying microbes _____ **microbiology**
- Antibodies have 2heavy and ----light chain_____**2**
- Asepsis_____ **Absence of Significant Contamination**
- Cell wall is absent in_____ **Mycoplasma**
- Consistently present but with low incidence_____ **Endemic**
- Streptomycin Changes shape of RNA subunit _____ **30S**

- ATP form in ___ step of glycolysis _____ **oxidative phosphorylation 92.** _____ are Cold loving bacteria _____ **Psychrophiles**
- Bacteria are negatively charged at _____ **pH 7.**
- _____ is used to identify filamentous fungi _____ **Morphology**
- _____ inhibits Protein Synthesis_____ **(Chloramphenicol, Erythromycin, Tetracyclines, Streptomycin)**
- F means _____**Fertility Factor**
- Most of ATP is generated in the last stage: ------**Electron Transport Chain**
- Besides water, is the most important requirement for microbial growth _____**Carbon**