ZOO201
Lecture 250 to 271
MCQs
Efforts by @Muhammad Ahmad Prince & Koh e Noor

1. The digestive tract forms a U-shaped gut in the **calyx.**
2. There is no larval stage or metamorphosis in **Chaetognaths.**
3. Sea cucumbers can evert tubules of the respiratory tree, called **Cuverian tubules.**
4. A **pheromone** that the queen releases controls the honeybee caste system
5. The body of an insect is divided into three tagmata: **head, thorax, and abdomen**.
6. An **insect growth regulator (IGR)** is a substance (chemical) that inhibits the life cycle of an insect.
7. Grasshopper tympanal organs can detect sounds in the range of **1,000 to 50,000 cps.**
8. The human ear can detect sounds between **20 and 20,000 cps**.
9. **Thermoregulation** is a requirement for flying insects.
10. Arrow worms are active **predators.**
11. Arrow worms are active **swimmers**.
12. Most Chaetognaths are planktonic, **0.5 to 12 cm** in length,
13. Entoprocts have a small body cavity that most zoologists consider a **pseudocoelom.**
14. Most entoprocts are **microscopic.**
15. Cycliophores can reproduce asexually by producing a larva stage, called the **Pandora** that is released and settles on the same host.
16. In Cycliophores **Protonephridia** are used in excretion.
17. The asexual feeding stage of symbion is about **0.3 mm** tall.

18. The body wall contains gland cells that eventually secrete the **chitinous tube.**
19. The **gonads** are in the coelom.
20. A flap of tissue called the **epistome** covers the mouth.
21. The Phoronids consist of about a dozen marine species divided between two genera: **Phoronis and Phoronopsis.**
22. **Statoblasts** are asexually produced and accumulate in the **metacoel.**
23. A statoblast is a hard, resistant capsule containing a mass of **germinative cells.**
24. Some freshwater ectoprocts produce a dormant stage called a **statoblast.**
25. In others, simple gonads produce both sperm and eggs in the same **autozooid**.
26. Each colony can contain about **2 million zooids.**
27. Most ectoprocts are **monoecious**.
28. Echinoids are **dioecious.**
29. Sea cucumbers are **dioecious.**
30. Ectoprocts grow by **budding**
31. All species are aquatic (both freshwater and marine) and less than **1.5 mm** in length.
32. Brachiopods are commonly called **lampshells** because they resemble **ancient Roman oil lamps.**
33. An anus always open outside of the **lophophore.**
34. **Metamorphosis** occurs after larvae attach to the substrate.
35. The unattached end of a sea lily is called the **crown.**
36. Sea lilies attach permanently to their substrate by a **stalk**.
37. Members of the class **Crinoidea** include the **sea lilies and the feather stars.**
38. Sea cucumbers have **no true brain.**
39. Most sea cucumbers ingest particulate organic matter using their **tentacles.**
40. The class Holothuroidea has approximately **1,500 species**, whose members are commonly called **sea cucumbers**.
41. A chewing apparatus, **called Aristotle's lantern**, can be projected from the mouth.

Remember me in your prayers

Regards @Muhammad Ahmad Prince Koh e Noor