


Prepared & Composed by Muhammad Habib

Contact At: 0307 8576495

The key to success is to focus our conscious mind on things we desire not things we fear.

uestion # 1 of 5 (Start time: 04:32:28 PM, 02 March 2022)

In Turbellarins, the chief nitrogenous waste that diffuses out into surrounding water is the:

elect the correct option

- c. Uric acid
- b. Urea
- a. Ammonia
- Urea and ammonia

Question # 2 of 5 (Start time: 03:10:21 PM, 02 March 2022)

In frog, toad, and salamander an important water and ion reservoir is:

Select the correct option

- c. Cloaca
- a. Urinary bladder
- b. Rectum
- d. Body cavity

Question # 1 of 5 (Start time: 03:08:54 PM, 02 March 2022)

Functional embryonic kidney of many vertebrates and also adult fishes and amphib

Select the correct option

- c. Metanephros
- d.Opisthnephros
- b. Mesonephros
- a. Pronephros

ZOO302:Quiz 3

Question # 4 of 5 (Start time: 02:59:33 PM, 02 March 2022)

Which compound stabilizes proteins and activates enzyme?

Select the correct option

- ○ c. Urea
- ○ a. Ammonia
- ○ d. Uric acid
- ○ b. Trimethylamine oxide

ZOO302:Quiz 3

Question # 3 of 5 (Start time: 02:58:23 PM, 02 March 2022)

Primary function of flame-cell systems is to eliminate excess_____?

Select the correct option

- ○ Water
- ○ Urea
- ○ Nitrogen
- ○ Ammonium

Question # 2 of 5 (Start time: 02:57:10 PM, 02 March 2022)

The excretory organs in some crustaceans (crayfish, crabs) are _____because of their location near the antenna and their green color?

Select the correct option

Reload

- Metanephridia
- Nephridia
- Antennal glands or green glands
- Gills

Click to Save Answer & Move to Next Q

Question # 1 of 5 (Start time: 02:55:43 PM, 02 March 2022)

The renal medulla consists of cone-shaped tissue masses called

Select the correct option

○	a. Renal pelvis
○	c. Renal hilum
○	b. Renal pyramid
○	d. Renal papilla

Question # 4 of 5 (Start time: 02:52:47 PM, 02 March 2022)

To reduce water loss, sharks use two organic molecules to raise the osmotic pressure to a level equal to or higher than that of the seawater

Select the correct option

Reloa

- Uric acid and TMO
- a. Urea and trimethylamine oxide (TMO)
- b. NH_3 and TMO
- c. Urea and Uric acid

Click to Save Answer & Move to Next

Question # 3 of 5 (Start time: 02:51:12 PM, 02 March 2022)

Which compound stabilizes proteins and activates enzyme?

Select the correct option

○	d. Uric acid
○	b. Trimethylamine oxide
○	c. Urea
○	a. Ammonia

ZOO302:Quiz 3

Question # 2 of 5 (Start time: 02:50:36 PM, 02 March 2022)

The structural and functional unit of human kidney is:

Select the correct option

○	d. Glomerulus
○	c. Nephron
○	b. Henle's Loop
○	a. Renal Pyramid

ZOO302:Quiz 3

Question # 5 of 5 (Start time: 02:43:43 PM, 02 March 2022)

Among arachnids (spiders, scorpions, ticks, mites) _____are glands for collecting and excreting urine?

Select the correct option

- Green gland
- malphigian tubes
- Nephridia
- Coxal glands

uestion # 4 of 5 (Start time: 02:42:58 PM, 02 March 2022)

The muscular tubes which take the urine from the kidneys to the bladder are:

elect the correct option

- c. Urethra
- a. Urinary bladders
- d. Pelvis
- b. Ureters

Question # 2 of 5 (Start time: 02:40:19 PM, 02 March 2022)

The excretory system of _____includes protonephridia in larval stages and metanephridia in adults?

Select the correct option

- ○ Nematodes
- ○ Molluscs
- ● Annelida
- ○ Arthropoda

Question # 1 of 5 (Start time: 02:39:07 PM, 02 March 2022) Total M

Instead of actively pumping ions out of their bodies through the kidneys, which animals have a rectal gland that secretes a highly concentrated salt (NaCl solution.

Select the correct option

Reload Math Equ

- d. Reptiles
- a. Fishes
- c. Sharks
- b. Amphibians

Click to Save Answer & Move to Next Question

Question # 2 of 5 (Start time: 02:12:01 PM, 02 March 2022)

Primary function of flame-cell systems is to eliminate excess____

Select the correct option

- Urea
- Water
- Ammonium
- Nitrogen

ZOO302:Quiz 3

Question # 5 of 5 (Start time: 02:25:44 PM, 02 March 2022)

In most reptiles, birds, and mammals, the primary regulatory organs for controlling the osmotic balance of the body fluids

Select the correct option

- ○ c. Lungs
- ○ d. Skin
- ○ a. Urinary bladder
- ○ b. Kidneys

ZOO302:Quiz 3

Question # 4 of 5 (Start time: 02:24:14 PM, 02 March 2022)

Functional embryonic kidney of many vertebrates and also adult fishes and amphibians

Select the correct option

- b. Mesonephros
- c. Metanephros
- d.Opisthnephros
- a. Pronephros

Type here to search

BC200204207: SABAHAT

ZOO302:Quiz 3

Question # 3 of 5 (Start time: 02:22:58 PM, 02 March 2022)

In Turbellarins, the chief nitrogenous waste that diffuses out into surrounding water is the:

Select the correct option

- b. Urea
- Urea and ammonia
- c. Uric acid
- a. Ammonia

ZOO302:Quiz 3

Question # 1 of 5 (Start time: 02:21:55 PM, 02 March 2022)

Insects have an excretory system made up of the gut and _____attached to the gut?

Select the correct option

- ○ Gills
- ● Malpighian tubules
- ○ Green Gland
- ○ Nephridia

Type here to search

Quiz List | Quiz

quiz.vu.edu.pk/QuizQuestion.aspx?ver=24821b0f-250a-4577-b310-4bdc03c88e

BC200204207: SABAHAT

ZOO302:Quiz 3

Question # 2 of 5 (Start time: 02:22:21 PM, 02 March 2022)

A specialized sub-cellular structure involved in osmoregulation is called:

d. Both a and b

Select the correct option

○	a. Food vacuole
●	b. Contractile vacuole
○	Vacuole
○	c. Radiating canals

Type here to search

Excretion in Sharks

- To reduce water loss, they use two organic molecules—urea and trimethylamine oxide (TMO)—in their body fluids to raise the osmotic pressure to a level equal to or higher than that of the seawater.
- Urea denatures proteins and inhibits enzymes, where asTMO stabilizes proteins and activates enzymes.

Excretion in Amphibians

- The urinary bladder of a frog, toad, or salamander is an important water and ion reservoir.
- For example, when the environment becomes dry, the bladder enlarges for storing more urine.

Excretory System in Crutaceans

- The excretory organs of freshwater species are more involved with the reabsorption of ions and elimination of water than with the discharge of nitrogenous wastes.
- The excretory organs in some crustaceans (crayfish, crabs) are antennal glands or green glands because of their location near the antenna and their green color.

solved their osmotic problem in ways different from the bony fishes.

- **Instead** of actively pumping ions out of their bodies through the kidneys, they have a rectal gland that secretes a highly concentrated salt (NaCl) solution.

Excretion in Sharks

Excretion in Teleost Fishes

- **Most teleost fishes** have mesonephric kidneys.
- Since the body fluids of freshwater fishes are hyper-osmotic relative to freshwater, water tends to enter the fishes, causing excessive hydration or bloating.

Excretory System in Archnids

- Among arachnids (spiders, scorpions, ticks, mites) Coxal glands are glands for collecting and excreting urine.
- They are present on one to several pairs of appendages near the proximal joint (coxa) of the leg.

Excretory System in Turbellarian


- Fluid filters into the flame cells from the surrounding interstitial fluid, and beating cilia propel the fluid through the excretory canals and out of the body through the excretory pores.
- Primary function of flame-cell systems is to eliminate excess water.
- Nitrogenous waste (NH_3) is also removed along with water.

Excretory System in Turbellarian

Excretion in Reptiles, Birds and Mammals

- In most reptiles, birds, and mammals, the kidneys can remove far more water than can those in amphibians, and the kidneys are the primary regulatory organs for controlling the osmotic balance of the body fluids.

Vertebrate Kidney Variations (Mesonephros)



- The mesonephros is the functional embryonic kidney of many vertebrates and also adult fishes and amphibians.
- It is structurally similar to the nonsegmented opisthonephric (advanced mesonephric) kidney of most nonamniote vertebrates, such as sharks.

Excretory System in Insects

- Insects have an excretory system made up of the gut and Malpighian tubules attached to the gut.
- Excretion involves the active transport of potassium ions into the tubules from the surrounding hemolymph and the osmotic movement of water that follows.

Excretion in Sharks

- To reduce water loss, they use two organic molecules—urea and trimethylamine oxide (TMO)—in their body fluids to raise the osmotic pressure to a level equal to or higher than that of the seawater.
- Urea denatures proteins and inhibits enzymes, where asTMO stabilizes proteins and activates enzymes.

Excretory System in Annelida

- Each tubule leads to an enlarged bladder that empties to the outside of the body through an opening called the nephridiopore.
- The excretory system of molluscs includes protonephridia in larval stages and metanephridia in adults.

END

Description

********Group Rules********

1- This is family group.
2- Everyone is respectful.
3- No abuse no hurting speech.
4- Once you send messages ,then they have not to delete again. If someone do this he or she will be face some music soon.
5- No one is allowd to go in other person inbox without his/her permission.
6- links are not allowed without admin's permission.
7- This group is not for lovers.
8- Don't break rules.Be cooperative.
Thanks.
https://drive.google.com/folderview?id=1NWywJoFOnfe9sTpjxLMbmBa-qZH4MoM

Contractile vacuoles

- **The contractile vacuole** is a specialized type of vacuole that regulates the quantity of water inside a cell.
- A contractile vacuole is a sub-cellular structure involved in osmoregulation.
- The contractile vacuole, as its name suggests, expels water out of the cell by contracting.

Contractile Vacuoles

excretory pores.

- Primary function of flame-cell systems is to eliminate excess water.
- Nitrogenous waste (NH_3) is also removed along with water.