VU MEDICAL ZONE

ZOO 506 Midterm M.C.Q Solved

1. The arthropod body is composed of different_____ **Segments**

2. Main_____ groups are present in Arthropods. **5**

3. The_____ generally has the segmented body group into two sections. **Diplopoda**

4. The inner surface forming _____of the mouth is often called the epipharynx. **Roof**

5. Second ganglion in nerve lie or below the_____ organ. **Esophagus**

6. The pathogens carried into insect body is_____ transmission. **Physical**

7. Pesticides control is suitable only of_____ **Pests**

8. Only_____ entomologist imparts the secondary parasites. **Trained**

9. Average loss of crop due to insect damage is about_____ %. **10**

10. Natural breeding method is the type of_____ control. **Biological**

11. Bug worm is example of_____ **Lepidoptera**

12. In some flies the larvae shrinks within its larval skin and transforms, this skin is now called_____ **Puparium**

13. The introduction of parasite is_____ **Artificial Control**

14. The destruction of weeds in_____ of insects. **Reduction**

15. Cotton aphid belong to order_____ **Homoptera**

16. Adult tripe causes silvery shine on the undersurface of_____ **Leaves**

17. Micromus igorotus is a_____ **Predator**

18. Brown plant hopper transmits _____disease in rice. **Virus**

19. Adult rice-ear are_____ in color ear. **Yellow**

20. Egg of the shoot borer changes to larvae within_____ days. **5-7**

21. Pinkworm damages the_____ flower. **Rosette**

22. Shellac is a_____ product. **Commercial**

23. Destruction of insectivore is_____ fact. **Third**

24. IPM require_____ planning. **Advanced**

VU Medical Zone Effort by Amaan Khan

VU MEDICAL ZONE

25. The king of fiber_____ **Cotton (Gossypium spp)**

26. Dusky cotton bug make the seed_____ **Discolored and shrunken**

27. _____carry the insect to long distance. **Wipds**

28. The insects control is of type_____ **2**

29. The timmimg or harvesting are important in _____ **Practice**

30. Length of to-borer larvae_____ mm. **30-35**

31. Thysanoptera has mouth_____ **Rasping**

32. Potato leaf hopper _____ plant sap. **Suck**

33. Mouth of neuropteran_____ **Downward**

34. Coal tar is a _____ **Repellent**

35. How many types of Artificial control of insects? **6**

36. Often some of the bug; body segments are fused with the head to form a crustacean_____ **Cephalothorax**

37. The wings are _____outgrowths from the body. **Chitinous**

38. _____ temperature is not effective for killing of insects. **Low**

39. _____ attacks canes. **Grasshopper**

40. _____ is a insects borne disease. **All**

41. Bollworm makes_____ on boll. **Bore hole/hole**

42. Growing conditions for the insects is optimize_____ control. **Cultural**

43. Introduction of a foreign pest is a _____ **Cultural**

44. The _____ extend from to body. **Elementary canal**

45. Those Organisms which lay egg hatching later is called_____ **Oviparous**

46. In the _____the young insect on escaping from the egg, though resembling its parent. **Hemimetabola or Paurometabola**

47. Electrical window screens are available for _____insects. **Electrocuting**

48. Adult rice ear are_____ in color. **Yellow**

49. Natural Breeding method is a _____type of control. **Biological/Cultural**

50. Bug worm is an example of _____ **Lepidoptera**

VU Medical Zone Effort by Amaan Khan

EFFORT BY AMAAN KHAN

51. In some flies the larva shrinks within its larval skin and transforms, this skin, now called a_____ **Puparium**

52. Shellac is a_____ product. **Commercial**

53. The_____ are land animals breathing by air tubes opening on the sides of the body. **Diplopoda**

54. In the _____the segments of the body are grouped in three distinct sections. **Hexapoda**

55. In _____ mouth parts, being the more primitive and simple. **Biting**

56. The ingrowth from the mouth is usually called the_____ **Fore intestine**

57. An enlarged portion of the vas deferens is often present, for the temporary storage of the sperms, and is termed the_____ **Seminal vesicle**

58. At one place on the surface is a minute opening or group of openings through the shell, called the___ **Micropyle**

59. The feeding periods between the molts (or ecdyses) are called_____ **Instal's**

60. The arrangement and number of the chief veins and their branches are of importance in identifying____ **Insects**

61. The nymphs of the _____appear not to have attracted sufficient attention to receive any special common names. **Hemimetabola**

VU Medical Zone Effort by Amaan Khan

VU MEDICAL ZONE

Subjective

2 Marks

Qno1: Define Ovoviviparous.

Those having eggs that remain in the body of the parent for a time after hatching are termed **ovoviviparous.**

Qno2: What is meant by contact insecticides?

It was formerly supposed that certain materials called contact insecticides, which kill insects by contact with their bodies. It is caused death by entering the spiracles and closing them up, thus producing suffocation.

Qno3: What is seminal receptcal?

A side pouch called seminal receptacle is connected with the vagina is for the storage of the sperms which fertilize the eggs.

Qno4: Write down the scientific name of early shoot borer.

Trichogramma chilonis is the scientific name of early shoot borer.

Qno5: Define Arthopods.

The largest group of all, however, is the Arthropoda. Its members found in the seas, in fresh water, on land or even flying freely. A group with remarkable differences of structure and it is so abundant that all the other animals taken together are less than one-sixth as many as the arthropods.

Qno6: What is Biological Control?

Manipulation of biological organism to control pests by:

1- Release of predators/parasites/disease of an insect or weed

2- Can be time consuming, expensive and difficult

Qno7: Write down the Order of termites.

Blattodea is the Order of termites.

Qno8: What is the appearance of adult rice-ear?

The adult of Leptocorisa oratorius is green, light brown or mixed yellow in color.

Qno9: Write down the economically importance of insects.

1. Of the many thousands of insect species known to man some affect him and his property only slightly; some are beneficial; others are injurious in various degrees.

EFFORT BY AMAAN KHAN

VU Medical Zone Effort by Amaan Khan

VU MEDICAL ZONE

2. Only rough estimates can be made of the monetary losses and gains by insect activities and even these are made with difficulty.

3. It probably would be safer to give them in bushels, tons, etc., because the relative values of different crops and products change from year to year.

Qno10: Why Fuzz is used?

It is used in production of mattresses, surgical cotton, photographic film and paper.

3 marks

Qno1: Write the names of types of head of insects.

There are three types of heads in insects:

1. Hypognathous 2. Prognathous 3. Opithognathous

Qno2: Different types of exoskeleton of molloucsa.

The possession of a bilaterally symmetrical body consisting of a series of segments, an exoskeleton of chitin and the presence of jointed legs.

The first and last of these begin to grow inward from the surface of the body after that surface has begun the formation of its chitinous exoskeleton.

Qno3: Describe the breathing of insects.

1. Respiration in insects is accomplished by a method which is nearly unique

2. The oxygen needed, instead of being, drawn into lungs and there being taken up by the blood and carried to 'the parts of the body

3. Where it is needed, as in man, is carried directly to those parts by a system of air tubes which open along the sides of the body

Qno4: What is sanitary control?

Methods to avoid introducing a pest into a field by

1- Cleaning field equipment

2- Planting certified seed

3- Quarantines

Qno5: What are attractant?

EFFORT BY AMAAN KHAN

VU Medical Zone Effort by Amaan Khan

VU MEDICAL ZONE

Sometimes called attrahents are materials used to lure insects to traps and poisoned baits. The use of geraniol in Japanese beetle traps, sugar sirups for ant baits, and fermenting sirup solutions for trapping various moths are good examples.

Qno6: Write down the advantage of weeds destruction in cultural control?

The destruction of weeds and brush along fences is of advantage in the reduction of insects.

But it results in the elimination of nesting and hiding places for insectivorous and game birds.

5 marks

Qno1: Explain Digestive system of insects.

- The alimentary canal extends from the mouth through about the center of the body to the anus at the hinder end
- In those insects whose food is most concentrated
- It is in its simplest form
- The necessity for a greater digestive and absorptive surface has resulted in an increase of its length
- And the accommodation of this within the body by the production of loops and coils
- The mid intestine forms the stomach of the adult insect
- The fore intestine forms those parts of the alimentary canal from the mouth of the stomach
- The hind intestine those from the stomach to the anus
- Thus the fore intestine, by differences of structure, may sometimes consist of
- Mouth cavity
- Esophagus
- Crop
- Proventriculus

The stomach may develop side pouches or gastric caeca

- And the hind intestine is often separable by differences of structure into an
- Ileum,
- Colon

VU Medical Zone Effort by Amaan Khan

EFFORT BY AMAAN KHAN

 Rectum

Qno2: Explain Positions Head of insects and its types.

The heads of different insects very much in form in the location of the mouth. In some cases this is on the underside; in others it is practically on the front.

Hypo-gnathous head perpendicular to longitudinal body axis for example Locust.

Pro- gnathous head extended to longitudinal body axis for example Weevils.

Opitho- gnathous head bent underneath thorax during rest for example Aphids.

Qno3: Describe Metamorphosis.

In some of the simpler inflects, a few changes and growth only are needed to make them mature. These are therefore usually grouped together as the Ametabala, or insects having practically no metamorphosis. The remaining insects, from this standpoint, form two groups:

Hemimetabola, or Paurometabola: Those which on hatching generally show some resemblance to the adults and reach maturity by a series of gradual changes.

Holometabola: And those which on hatching are totally unlike the adults and become adults by a somewhat different process.

Growth, however, is restricted because the insect is enclosed by a cuticula which, while elastic, to some extent, at least at its thiner places, has its limitations in this regard. Thus the insect is unable to reach its adult size within its cuticula, and aυ process called molting takes place. This is begun by a pouring out of fluid by the outside layer of living cells, the hypodermis, between it and the cuticula, separating the two Next a spilt appears somewhere in the cuticula usually along the back andυ the insect crawls out of its skin, i.e., molts.

VU Medical Zone Effort by Amaan Khan

VU MEDICAL ZONE

VU Medical Zone Effort by Amaan Khan

EFFORT BY AMAAN KHAN