ZOO506 - Applied Entomology and Pest Management

MIDTERM MEGA GRAND QUIZ FILE

LION ZOOLOGIST GROUP FOR 2ND SEMESTER

1. Scorpions, spiders, mites and ticks are the members of the group of arthrapods.
   Arachnids
   Diplopoda
   Chilopoda
   Crustacea
2. Crustaceans breathe through
   Air tube
   Book lungs
   Gills and body surface
   Lungs
3. Which one of them is NOT the member of phylum Mollusca?
   Snails
   Clams
   Fresh water mussel
   Sea urchin
4. In insects system is concemed with the nerve supply of the alimentary canal tracheae.
   Parasympathetic nerve
   Sympathetic nerve
   Autonomic nerve
   None of these
5. Members of the undergo gradual and usually incomplete metamorphosis.
   Paurometabola
   Holometabola
   Ametabola
   All of the above
6. is a minute opening or group of openings through the shell
   Micrapyle
   Reticulations
   chorion
   none
7. Testes are present in the front .....part of the abdomen.
   upper
   Lower
8. The young in the Hemimetabole are called
   Nymphs
   Instars

Naiads
Pupa

9. The feeding periads between the malts (or ecdyses) are called
   Nymphs
   Larvae
   instars
   None
10. Presence of jointed legs is the characteristic of
    Hook worm
    Earth worm
    Arthropod
    Amphibian
11. In insects there are .....legs attached to the thorax
    4
    6
    8
    10
12. Which of the following organism has Book lung as respiratory organ?
    Lobster
    Millipedes.
    Centipedes
    Scorpion
13. Each ganglion is connected by one or two transverse bundles of nerve fibers which are called
    Flame cells
    Commissures
    Connectives
    Nerve cord
14. The..... is the ventral portion of a segment of an arthropod.
    Pleuron
    Stemum
    Tergum
    None of these
15. A sort of pad or cushion found between the pair of claws is called?
    Empodium
    Coxa
    Tibia
    Puvvillus
16. Insects have ..... pair/pairs of wings.
    one
    two
    three
    four
17. The tracheae are lined by .....connected with that of the surface of the body.
    Cartilage
    Chitin
    Myofibrils
    Microfilament

18. Insects having practically no metamorphosis are the member of the group……..
    Paurometabola
    Holometabola
    Ametabola
    All of the above
19. Nodus and..... are parts of insects wings
    pronotum
    pterostigma
    stigma
    ptero
20. ……. have a flatter body while.....are more rounded.
    Centipedes, millipedes
    Millipedes, Centipedes
21. Class Diplopoda include…….
    Beach flea
    Bug
    Centipede
    Millipede
22. Larvae of beetles are usually called
    Caterpillars
    Maggots
    grubs
    Borers
23. Oviduct extends downward and back- ward around the side of the…..
    Kidneys
    Lungs
    Trachea
    Alimentary canal
24. The number of ocelli in insects is……..
    1-3
    1-4
    1-5
    1-6
25. When the body segments are fused with the head they form……..
    Thorax
    Cephalothorex
    Abdomen
    Trunk
26. Below the esophagus is a second ganglion, called the……
    Sub esophageal ganglion
    Thoracic ganglion
    abdominal ganglion
    none of these
27. Insects have ..... types of eye.
    Two
    Three
    Four
    None

LOGO GROUP OF ZOOLOGISTS ADMIN SIR ARSLAN AND MUHAMMAD RAMZAN

28. The stomach may develop side pouches called
    Colon
    Crop
    Gastric caeca
    none of these
29. The tubes in testis unite to form 4 single tube, the…….
    Seminal receptacle
    Ejaculatory duct
    Vas deferens
    Accessory gland
30. In centipedes, each segment bears ..... pair/pairs of legs.
    Two
    Three
    Only one
    None of these
31. Thread or silk is spun backward and forward and around the body until it sometimes forms a complete outer covering called?
    Tegument
    Cell wall
    Cocoon
    None
32. Insects have only.....system of blood vessels.
    Incomplete
    Complete
    Partial
    Pulmonary
33. In ..... the front leg on each side is modified to serve as a poison claw.
    Arachnids
    chilopoda
    Crustacea
    Hexapoda
34. Sow bug is the member of class……
    Diplopoda
    Hexapoda
    Crustacea
    Chilopoda
35. Which of the following is the part of hind intestine?
    Rectum
    Crop
    Gastric caeca
    Gizzard
36. In insects heart is present in the ..... part.
    Head
    Thorax
    Abdomen
    None of these
37. The .....are the areas of membrane between veins
    chambers

cells
points
spaces

38. Heads with the mouth beneath are called
subgnathous.
prognathous
hindgnathous
hypognathous

39. Insects have ..... pair/pairs of wings.
One
Two
Three
Four

40. Imaginal buds are the part of ..... insects.
Hemimetabola
Ametabola
Holometabola
All

41. Which of the following is NOT a distinctive feature of the arthropods?
segmented body
radial symmetry
bilateral symmetry
jointed legs

42. The young in the Hemimetabols are called
Nymphs
Instars
Naiads
Pupa

43. Insects which undergo complete metamorphosis are called
Paurometabolous
Holometabolous
Hemimetabolous
Ametabolous

44. Which of the following is NOT a distinctive feature of the arthropods?
segmented body
radial symmetry
bilateral symmetry
jointed legs

45. The front margin of the wing is called
Cubits
costa
Radiate
Median

46. The..... is modified ovipositor, which is attached to poison glands.
Ropadeum
Cerci
Stinger
none of these

LOVE YOU ALL ZOOLOGISTS ADMIN SIR ARSLAN AND MUHAMMAD RAMZAN

47. In .....insect hatches from the egg practically in an adult condition.
    Hemimetabola
    Ametabola
    Holometabola
    All
48. Adult insects…….have to .....segments.
    3-11
    3 - 15
    7 - 15
    9 – 15
49. The .....are the areas of membrane between veins.
    chambers
    cells
    points
    spaces
50. In many cases, sexual organs not having become fully developed such insects are termed….
    Queen
    Neuters
    Juvenile
    All of the above
51. When the insect escapes from the cocoon skin it is now called a
    Larvae
    Pupa
    Instars
    Nymph
52. In insects Cuticle is present outside the……..
    Epidermis
    Hypodermis
    Dermis
    Endodermis
53. There are ..... segments in the abdomen of the adult insect.
    1-11
    3-11
    3-15
    7-15
54. In some insects who changed their habit to make holes for egg laying, the ovipasitor being a….
    tail
    cerci
    wings
    sting
55. Behind each mandible at the side of the mouth is the
    Maxilla
    Maxillary
    Labrum
    None of these
56. The cuticle of the insects is largely made up of…

Cellulose
peptidoglycan
Chitin
None of these

57. At the front end of the heart finds itself in a tube without chambers or valves, called
Spiracle
Trachea
Aorta
Ventricle

58. Which of the following insect has prognathous head?
Locust
Weevil
Aphids
None of these

59. Small diplopods are found boring into potatoes and sometimes wrongly called
Hookworm
Earthworm
Wireworm
Tapeworm

60. The…. extends from the mouth to the anus at the hinder end.
Excretory canal
Alimentary canal
Respiratory canal
None of these

61. In insects Antenna are present in.....region.
Abdomen
Thorax
Head
None of these

62. Crustaceans breathe through…….
Lungs
Baok lungs
Gills and body surface
Air tube

63. The tubes in testis unite to fom a single tube, the
Seminal receptacle
Ejaculatory duct
Vas deferens
Accessory gland

64. In some insects. eggs remain in the body of the parent for a time after hatching are termed
Viviparous
Ovoviviparous
Oviparous
All of the above

65. Scorpions, spiders ,Mites and ticks are the members of the group ..... of arthropods.
Arachnids
Diplopod

Chiropody
Crustacean

66. Which type of skeleton is found in arthropod?
Appendicular skeleton
Hydro skeleton
Endoskeleton
Exoskeleton

67. Oviduct extends downward and back-ward around the side of the…..
Kidneys
Lungs
Trachea
Alimentary canal

68. In nervous system the cell bodies of neurons gathered together in clusters which are called
Nerves
Fibers
Ganglia
None of these

69. The first abdominal segment is called the median segment or
Mandible
Ropadeum
Epiharynx
Hypophrynx

70. Below the esophagus is a second ganglion. called the
Thoracic ganglion
Sub esophagealganglion
Abdominal ganglion
None of these

71. The..... is the ventral portion of a segment of an arthropod.
Tergum
Pleuron
Sternum
None of these

72. Near the base of the labium on its inner side there is a tongue like structure covered by bristles or hairs called
Maxillary palpus
Maxilla
Hypopharynx
Epipharynx

73. In some insects, eggs remain in the body of the parent for a time after hatching are termed Viviparous
Ovoviviparous
Oviparous
All of the above

74. Insects have .....symmetry.
Radial
Spiral
Bilateral

None of these

75. Insects have……. pair/pairs of antennae on their head.
    One
    Two
    Three
    None of these
76. In centipedes, each segment bears…… pair/pairs of legs.
    Two
    Three
    Only one
    None of these
77. The ..... is usually small and may not be visible on all sides of the leg
    Tarsus
    Trochanter
    Tibia
    Coax
78. Which of the following is NOT the function of cerci?
    Serves as organ of smell
    Serves organs of copulation
    Used as organ of touch
    Used to store eggs
79. The sclerites on both sides of the segments present mainly in thoracic region are called
    Tergum
    Pleuron
    Sternum
    None of these
80. The stomach may develop side pouches called
    Colon
    Crop
    Gastric caeca
    None of these
81. Nodes and..... are parts of insects' wings.
    pronotum:
    pterostigma
    stigma
    ptero
82. Each ganglion is connected by longitudinal tract of nerve fibers called
    Nerve cord
    Commissures
    Connectives
    Flame cells
83. The nervous system of insects is located along the.....line of the body.
    Stream
    Middle
    Lateral
    None of these
84. The ingrowth from the anus is called
    Small intestine

Fore intestine
Hind intestine
Large intestine

85. In…… insect hatches from the egg practically in an adult condition.
Hemimetabola
Ametabola
Holometabola
All

86. Shell gland also opens into
Ovipositor
Seminal receptacle
Ovary
None of these

87. When the body segments are fused with the head they form
Thorax
Cephalothorax
Abdomen
Trunk

88. The walls of Malpighian tubes consist of a single layer of cells surrounding a central channel which at one end open into the
Stomach
Fore gut
Hind intestine
Rectum

89. In the female insect the eggs are produced in a pair of….. located in the upper front part of the abdomen
infaldings
pouches
tubes
Ovaries

90. The …..are slight grooves or scratches on the surface forming the movable joints.
In folding
Sutures
Places
Joints

91. The..... is a tube-like organ at the end of the abdomen and is used for the laying of eggs.
Ropadeum
Cerci
Stinger
Ovipositor

92. In adult insects ,number of segments in thorax region is
1
3
7
11

93. Shedding of cubicula to let the organism grow is called
Regeneration

Metamorphosis
Molting
None of these

94..... are very rarely present on the abdomen in adult insects but are often found in the earlier stages.
Wings
Segments
Legs
None of these

95. System of blood vessels coming to an end in ..... Region.
Head
Thorax
Abdomen
None of these

96. When the insect escapes from the cocoon skin it is now called a
Larvae
Pupa
Instars
Nymph

97. Members of the ..... undergo gradual and usually incomplete metamorphosis.
Paurometabola
Holometabola
Ametabola
All of the above

98. The group of insects that supply nourishment to the…. before its birth are termed viviparous
Embryo
Eggs
Young
Fetus

99. In insects, certain amount of poison can be eliminated from the body by the
Malpighian tubes
Anus
Stomach
Liver

100. Which of the following insect has Opithognathous head?
Locust
Weevil
Aphids
None of these

101. The ..... forms the stomach of the adult insect.
Mid intestine
Small intestine
Fore intestine
Hind intestine

102. In female insects, ovaries are located in the upper front part of the
Abdomen
Thorax

Tail region
None of these

103. The sclerites on both sides of the segments present mainly in thoracic region are called
Tergum
Pleuron
Sternum
None of these

104. In some flies the larva shrinks within its larval skin and transforms, this skin is called..... functioning like a cocoon.
Tegument
Puparium
Cell
Earthen chamber

105. Total number of segments in the insects embryo is
11
12
15
21

106. Which of the following is the part of hind intestine?
Rectum
Crop
Gastric caeca
Gizzard

107. In .....Heads, labrum is present above the mouth opening.
Prognathous
Opithognathous
Hypognathous
None of these

108..... is the Respiratory structure in Insects.
Air tubes
Book lungs
Gills
Lungs

109. The compound eyes are also called .....Eyes.
Simple
Camera
Faceted
Ocelli

110. Which of the following part of the mouth is concerned with the sense of smell?
Maxillary palpus
Maxilla
Epipharynx
Hypopharynx

111. Salt and ..... are transported into the lumen of Malpighian tubule from hem lymph.
Carbon dioxide
Uric acid
Oxygen

None of these

112. A pair of jaws present behind the labrum is called
Maxilla
Maxillary palpus
Mandible
None of these

113. The hind intestine is divided into different parts which are..... Colon and
Rectum
Mouth
Gut
ileum
Anus

114..... generally lie in the front of the thorax and open into the mouth.
Colon
Esophagus
Salivary gland
Gastric caeca

115. The tip of the wing is called
Apex
Costa
Radiate
axis

116. The hinder lip is called
Maxilla
Maxillary palpus
Labium
Labrum

117. The mandibles and ..... move sideways
Maxillae
Labrum
Labial
Thorax

118. In Millipedes, each segment..... bears pair/pairs of legs.
Two
Three
Four
None of these

119. In some flies the larva shrinks within its larval skin and transforms, this skin is called……functioning like a cocoon
Tegument
Puparium
cell
Earthen chamber

120. The segments of the body of Arachnids are grouped into ..... sections.
Three
One

Five
Two

121. Larvae of flies are usually called
Caterpillars
Maggots
Grubs
Borers

122. Which type of skeleton is found in arthropod?
Appendicular skeleton
Hydro skeleton
Endoskeleton
Exoskeleton

123. Which part of leg is quite long, more slender than the femur and often provided with downwardly projecting spines?
Tarsus
Trochanter
Tibia
Coax

124. In nervous system the cell bodies of neurons gathered together in clusters which are called
Nerves
Fibers
Ganglia
None of these

125. There are …… segments in the abdomen of the adult insect.
1-11
3-11
3-15
7-15

126. In the egg the energy for development is provided by the……
Chorine
Yolk
Cytoplasm
All of the above

127. Usually insects have…… pairs of wings.
2
3
4
5

128. Which of the following is NOT the stage of holometabolous life cycle?
Egg
Nymph
Adult
Pupa

129. In insects Cuticle is present outside the
Epidermis
Hypodermis
Dermis

Endodermis

130. In adult insects, number of segments in thorax region is
1
3
7
11

131. Which of the following part of the thorax does not bear wings?
Prothorax
Metathorax
Mesothorax
None of these

132. Shell gland also opens into
Ovipositor
Seminal receptacle
Ovary
None of these

133. The tracheae frequently enlarge and forms
Lungs
Bronchi
Air sacs
None of these

134. Holometabola are those insects which on hatching are totally …… the adults and become adults by a somewhat different process
Unlike
Like
Large
Small

135. Class Diplopoda include
Beach flea
Bug
Centipede
Millipede

136. Which of the following insect has Opithognathous head?
Locust
Weevil
Aphids
None of these

137. The third part of the thorax is called
Proctorex
Metathorex
Mesothorax
None of these

138. In the……threads attach the hinder end of the body form a supporting loop around its middle.
Beetle
Flies
Butterflies
Grasshopper

139. In adult insects, number of segments in thorax region is
1
3
7
11

140. If the head is extended longitudinally to the body axis it is…….
Prognathous
Opithognathous
Hypognathous
None of these

141. The ingrowth from the mouth is usually called the
Small intestine
Fore intestine
Hind intestine
Large intestine

142. The hinder lip is called
Maxilla
Maxillary palpus
Labium
Labrum

143. A larva transforming in tunnels in wood forms a
Earthen chamber
Cell
Partial cocoon
None

144. In embryo of insects number of segments in the head region is
1
3
6
9

145. The front lip is called
Maxilla
Maxillary palpus
Labium
Labrum

146. The ……. are slight grooves or scratches on the surface forming the movable joints.
in folding
Sutures
Places
Joints

147. Unfolding of the imaginal buds leads to the formation of
Head
Thorax
Abdomen
All

148…… are used for capturing other insects.

Forelegs
Hind legs

149. The ingrowth from the anus is ..... called
Small intestine
Fore intestine
Hind intestine
Large intestine

150. The lobsters, crayfish, crabs, scorpions, spiders, mites, ticks, centipedes and millipedes are members of ..... group
Mollusca
Echinodermata
Insecta
Annelida

151. Mammals belong to phylum
Mollusca
Echinedemata
Chordata
Monera

152. The sutures and the joint lines divide the cubicula into areas called plates or…..
Segments
Hypodermis
Sclerites
None ofthese

153. Malpighian tubes function as a human
Heart
Liver
Stomach
Kidney

154. The jumping power of the grasshopper is due to the great development of its legs
Forelegs
Hind legs

155. Insects which undergo complete metamorphosis are called
Paurometabolous
Holometabolous
Hemimetabolous
Ametabolous

156. The insect from hatching until maturity. is called a
Larva
Nymph
Adult
None

157. In .....Insect hatches from the egg practically in an adult condition.
Hemimetabola
Ametabola

Holometabola
All

158. Crop and Proventriculus are the parts of
Hind intestine
Mid intestine
Fore intestine
Large intestine

159. In insects, the cells by their activities produce not only carbon dioxide gas but also_ waste material.
Phosphorus
Nitrogenous
Acidic
None of the above

160. The openings by which the air enters the insects body are called
Trachea
Esophagus
Spiracles
Nostrils

161. ……have a flatter body while … .are more rounded.
Centipedes, millipedes
Millipedes, Centipedes

162. Tiny antenna- like structure consisting of one to six segments and attached to the maxilla is called.
Maxilla
Maxillary palpus
Labium
Labrum

163. The size of ocelli is equal to the one facet of eye
Simple eye
Compound eye
Camera eye
Ocelli

164. The …… extends from the mouth to the anus at the hinder end.
Excretory canal
Alimentary canal
Respiratory canal
None of these

165. The young in the Hemimetabola are called
Nymphs
Instars
Naiads
Pupa

166. A particle of blood containing nitrogenous waste material will wash over certain structures called
Alimentary canal
Malpighian tubes

Rectum
None of these

167. Some cave-inhabiling insects have no
Antennae
Mouth parts
Eyes
None of these

168. In the flies the hinder pair is modified and forms small structures called
Radiate
Median
Halters
Cubits

169. Ovipositor consists of …. Moveable parts.
2
3
4
5

170. After the completion of the construction of adult structures the …… skin splits and sets free the insect.
Cocoon
Larvae
pupa
Instars

171. Millipedes are found on land and breathe through
Book lung
Air tube
Gills
Lungs

172. The young's in the Paurometabole are called
Nymphs
Instars
Naiads
Pupa

173. Heads with the mouth beneath are called.
Subgnathous.
Prognathous
Hindgnathous
Hypognathous

174. There are …. types of metamorphosis.
2
3
4
5

175. Each spiracle opens into a short tube called

Trachea
Esophagus
Pharynx
None of these

176. Insects have……. symmetry.
Radial
Spiral
Bilateral
None of these

177. In insects heart is present in the ….part
Head
Thorax
Abdomen
None of these

178. In Arachnids number of legs attached to the cephalothorax is
4
6
8
10

179. The third part of the thorax is called
Prothorax
Metathorax
Mesothorax
None of these

180. In female insects, ovaries are located in the upper front part of the
Abdomen
Thorax
Tail region
None of these

181. The largest group of animals is
Mollusca
Echinodermata
Insecta
Chordata

182. In adult insects number of segments in thorax region is
1
3
7
11

183. The insect blood consists of corpuscles which resembles the of human blood
RBCs
WBCs
Platelets
None of these

184. Insects which lay eggs are termed as
Viviparous
Ovoviviparous
Oviparous

All of the above

185. The lobsters, Cray-fish, crabs, scorpions. Spiders, mites. Ticks. Centipedes and millipedes are members of group.
Mollusca
Echinodermata
Insecta
Annelida

186. Which of the following insects have division of labor?
Honeybee
Ants
Termites
All of the above

187. Near the base of the labium on its inner side there is a tongue like structure covered by bristles or hairs called
Maxillary palpus
Maxilla
Hypopharynx
Epipharynx

188. The young in the Hemimetabole are called
Nymphs
Instars
Naiads
Pupa

189. A few insects that supply nourishment to the young before its birth are termed
Viviparous
Ovoviviparous
Oviparous
All of the above

190. An enlarged portion of the vas deferens used for the temporary storage of the sperms is termed.
Seminal vesicle
Seminal receptacle
Ejaculatory duct
Vas deferens

191. After the completion of the construction of adult structures …… the skin splits and sets free the insect.
Cocoon
Larvae
Instars
Pupa

192..... are very rarely present on the abdomen in adult insects but are often found in the earlier stages.
Wings
Segments
Legs
None of these

193. Sucking insects are the agents of .....transmission

Mechanical
Physical
Biological
Both a and b

194. The wave of contraction in heart muscles begins at the ….end and travels forward.
Head
Hinder
Forefront
None of these

195. In some insects maturity of the..... organs is not complete until a little later
Respiratory
Reproductive
Digestive
None

196. Which one of them is NOT the member of phylum Mollusca?
Snails
Clams
Fresh water mussel
Sea urchin

197. In the Hexapoda the segments of the body are grouped in..... distinct sections.
Two
Three
Four
Five

198. In the ..... Upon hatching a feeding period or instar comes first, followed by a molt and growth.
Hemimetabola
Ametabola
Holometabola
All

199. In the front leg on each side is modified to serve as a poison claw.
Arachnids
Chilopoda
Crustacea
Hexapoda

200. Insects have .....pair/pairs of wings.
One
Two
Three
Four

201. A sort of pad or cushion found between the pair of claws is called
Empodium
Pulvillus
Tibia
Coxa

202. A pair of jaws present behind the labrum is called
Maxilla
Maxillary palpus

Mandible
None of these

203. The tracheae are lined by connected with that of the surface of the body.
Cartilage
Chitin
Myofibrils
Microfilament

204. Insects which in their early stage of live, in water breathe through special structures called____
Spiracle
Air sacs
Tracheal gills
Gills

205. Which of the following is NOT the stage of hemi metabolous life cycle?
Egg
Nymph
Pupa
Adult

206. Which of the following part of the thorax does not bear wings?
Prothorax
Metathorax
Mesothorax
None of these

207. The largest ganglion of the body above the esophagus. produced by the fusion af several ganglia is called
Nerves
Flame cells
Brain
Sub esophageal ganglion

208. Insects having practically no metamorphosis are the member of the group.
Paurometabala
Holometabola
Ametabola
All of the above

209. Behind each mandible at the side of the mouth is the
Maxilla
Maxillary
Labrum
None of these

210. In the Hexapoda the segments of the body are grouped ……in distinct sections.
Two
Three
Four
Five

211. A larva transforming in tunnels in wood forms a……
Earthen chamber
Call

Partial cocoon
none

212. In the ….. the insect hatches from the egg in a form somewhat resembling the adult
Hemimetabola
Ametabola
Holometabola
None

213. There are numbers of membrane in each wings of the insect.
2
4
6
8

214. There are…. types of metamorphosis.
2
3
4
5

215. Which part of the insect leg articulates with the body and lying in a cup-shaped hollow structure of the body?
Femur
Coxa
Tibia
Tarsus

216. Which of the following insect is amatabolous?
Butterfly
Grasshopper
Silverfish
Cockroaches

217. Holometabole are these insects which on hatching are totally the adults and become adults by a somewhat different process
Unlike
Like
Large
Small

218. In embryo of insects. number of segments in the head region is
1
2
3
6

219..... Is located at the inner surface of labrum and forms the roof of the mouth.
Maxilla
Maxillary
Epipharynx
Hyppharynx

220. In insects there are ..... legs attached to the thorax.
4
6

LION GROUP OF ZOOLOGISTS ADMIN SIR ARSLAN AND MUHAMMAD RAMZAN

8
10

221..... are the most successful, widespread and prolific members of the animal kingdom.
Fishes
Birds
Insects
Reptiles

222. Seminal receptacle attached to vagina is used to store
Eggs
Sperms
Larvae
All of the above

223. Insects have only system of blood vessels
Incomplete
Complete
Partial
Pulmonary

224. Which of the following part of the mouth is concerned with the sense of smell?
Maxillary palpus
Maxilla
Epipharynx
Hypopharynx

225. And the skeleton in arthropoda is made up of ..... which somewhat resembles horn in its nature.
Calcium carbonate
Phosphate
chitin
Chub

226. Bees. Wasps, Ants are included in order of class hexapoda .
Coleoptera
Hymenoptera
Dipteral
Odonata

227. The length of period for effective treatment is more dependent upon the
time to heat the grain
clothing
other material in which the insects are located
all

228. Insects belong in the
Annelida
Nematoda
Arthropoda
None

229. Beetles and Weevils are included in order_____of class Hexapoda.
Isoptera
Coleoptera
Blattodea
Lepidoptera

230. Centipedes are the member of class _____
Hexapoda
Chilopoda
Diplapoda
None

231. Dragonfly are included in order _____ of class hexapoda.
Diptera
Hymenopters
Lepidoptera
Odonata

232. Whiteflies have_____ mouthparts.
Sucking
piercing
biting
chowing

233. Mosquito are included in order _____ of class hexapoda.
Lepidoptera
Coleoptera
Diptera
Odonata

234. Butterflies and Moths are included in order_____ of hexapoda
Coleoptera
Isoptera
Diptera
Lepidoptera

235. _____ physical factors are used to control the insects Select the correct
Heat
cold
light
all

236. True bugs belongs to order_____.
hemiptera
orthoptera
homoptera
none

LION GROUP OF ZOOLOGISTS ADMIN SIR ARSLAN AND MUHAMMAD RAMZAN

237. Aphids are included in ord-er — of class
Hymenoptera
isoptera
Hemiptera
Homoptera

238. Intelligent cultivation and use of fertilizers will aid in control of
insects
disease
pests
virus

239. True bugs are included in order of class Hexapoda.
Isoptern
Blattodes
Hemipter
Homoptera

240. Grasshoppers damage
crop grains
chewing leaves
both a and b
none

241. Electrical window screens are available for insects
electrocuting
growing
infesting
all

242. There are 31 different orders of insects in the class
Hexapoda
Chilopoda
Diplapoda
Crustacea

243. Drying of reduce the weevil injury.
cotton
grain
rice
wheat

244. Which of the following class has one pair of legs per body segment?
Chilopoda
Diplapoda
Croustades
Arachnid

245. Coal-tar and pine are insect.
killers
repellent
trappers
all

246. Which of the following class has four pairs of jointed appendages?
Hexapoda
Diplapoda
Crustacean
Arachnida

247. is the respiratory structure in insects.

Air tubes

248. Insects have ---------- pair / pairs of wings.

Two

249. And the skeleton in arthropoda is made of----------which somewhatresembles horn in its nature.

Chitin

250. Insects are the members of---------- group of arthropods.

Hexapoda

251. are the most successful , widespread and prolific members of the animal

Kingdom.

Insects

252. The common name of millipede is due to the presence of large number of ----------In the these animals.

Legs

253. The respiratory structure in Arachnids is called----------

Book lungs

254. Which of the following is not the body part of insects ?

Tail

255. The segments of the body of arachnids are grouped into---------- sections.

Two

256. Small diplopods are found boring into potatoes and sometimes wrongly called----------

Wireworm

257. Which type of skeleton is found in arthropods?

Exoskeleton

258. In Millipedes , each segment bears ---------- pair/pairs of legs.

Two

259. Millipedes are found on earth and breathe through ---------- --.

Book lung

260. Members of class ---------- are mainly water – inhibiting animals.

Crustacea

261. Which of the following is NOT a distinctive feature of the arthropods?

Radial symmetry

262. When the body segments are fused with the head they form----------

Cephalothorax

263. Class Diplopoda include----------

Millipede

264. Insects have ---------- pair / pairs of wings.

Two

265. which one of them is NOT the member of phylum Mollusca?

Sea Urchin

266. Scorpions, spiders, mites, and ticks are the members of the group ---------- arthropods.

Arachnids

267. In the Hexapoda the segments of body are grouped in ---------- distinct sections.

Three

268. Insects have ---------- pair / pairs of antennae on their head.

Two

269. In insects there are ----------legs attached to the thorax.

6

270. The lobsters , cry-fish , scorpions , spiders, mites , ticks , centipedes , and millipedes are Members of ---------- group.

Insecta

271. Class diplopoda include----------

Millipede

272. In Millipedes each segment bears ---------- pair / pairs of legs.

Two

273. The common name of Millipede is due to the presence of large number of----------in These animals.

Legs

274. Mammals belong to phylum ----------

Chordata

275. Crustaceans breathe through ----------

Gills and body surface

276. Which of the following organism has Book lung as respiratory organ?

Scorpion

277. In ---------- the front leg on each side is modified to serve as a poison claw.

Chilopoda

278. When the body segments are fused with the head they form ----------

Cephalothorax

1.Skeleton in Arthropoda is made up of **Chitin** which somewhat resembles horn in its nature. 2.Which of the following part of the mouth concerned with the sense of smell? **Maxillary palpus.** 3.Insects have only an **incomplete** system of blood vessels.

4.A Seminal receptacle is connected with the vagina is for the storage of the **Sperms.** 5.**Insects** are the most successfull,widespread and prolific members of the animal kingdom. 6.In insects there are **6 legs** attached to the thorax.

7.**Epipharynx** is located at the inner surface of labrum forms the roof of the mouth. 8.The embryo of insects shows the presence of **6 segments** in the head region.

9. Holometabola are those insects which on hatching are **totally unlike** the adults and become adults by a somewhat different process.

10. Which of the following insect is Amatabolous? **Silverfish.**

11. The Diplopoda(Millipedes) are found on land and breathe by **Air tubes**.

12. **The Coxa** is the segment that articulates with the body, frequently partly lying in a more or less cupshaped hollow of the latter.

13. There are **3 types** of Metamorphosis .

14. There are **2** numbers of membrane in each wings of the insects.

15. In the **Hemimetabola** the insect hatches from the egg in a form somewhat resembling the adult.

16.A larva transforming in tunnels in wood forms a **Partial cocoon.**

17.In the Hexapoda or insects the segments of the body are grouped in **three** distinct sections. 18.Behind each mandible at the side of the mouth is the **Maxilla.**

19. The young in the Hemimetabola are called **Naiads.**

20. Insects having practically no metamorphosis are the members of the group **Ametabala.**

21. The largest ganglion of the body above the esophagus,produced by the fusion of several ganglia is called **the Brain.**

22. Which of the following part of the thorax does not bear wings? **Prothorax**. 23.Which of the following is not the stage of Hemi-metabolous life cycle? **Pupa.**

24. Insects which in their early stage of live in water breathe through special structures called **Tracheal Gills.**

25. The tracheae are lined by **Chitin** connected with that of the surface of the body.

26.A pair of jaws present behind the labrum is called **Mandible.**

27.A sort of pad or cushion found between the pair of claws is called the **Pulvilus**. 28.Insects have **two pairs** of wings.

29. In **Chilopoda** the front leg on each side is modified to serve as a poison claw.

30. In the **Holometabola**,upon hatching a feeding period or instar comes first,followed by a molt and growth.

31..Which of the following is not the member of phylum Mollusca? **Sea urchin**.
32.In some insects maturity of the **reproductive organs** is not complete until a little later . 33.The wave of contraction in heart muscles begins at the **Hinder** end and travels forward. 34.Sucking insects are the agents of **Biological Transmission**.
35.**Legs** are very rarely present on the abdomen in adult insects but are often found in the earlier stages. 36.When the structure of the adult insect has been completed,the **pupa** skin splits and sets free the insect. 37.An enlarged portion of the vas deferens used for the temporary storage of the sperms is termed the **Seminal Vesicle**.
38.A few insects that supply nourishment to the young before its birth are termed **Viviparous.**
39. Near the base of the labium on its inner side there is a tongue like structure covered by bristles or hairs called the **Hypopharynx**.

40. Which of the following insects have division of labor?
(honeybee,ants,termites)All of the above. 41.The lobsters,cray fish,crabs,Scorpions,spiders,mites,ticks,centipedes and millipedes are members of **Insecta group.**

42. Insects which lay eggs are termed as **Oviparous.**

43. Which of the following is not the stage of Holo-metabolous life cycle? **Nymph.**

44. The insect blood consists of corpuscles which resembles the **white corpuscles** of human blood. 45.In adult insects,number of segments in thorax region is **3.**

46. The largest group of animals is **Insecta.**

47. In the female insects,ovaries are located in the upper front part of the **Abdomen.**

48. The third part of thorax is called **Metathorax**.

49. In Arachnids number of legs attached to the cephelothorax is 8. 50.In insects heart is present in the **Abdomen** part.

51. Insects have **Bilateral** symmetry.

52. Each spiracle opens into a short tube called **Trachea.** 53.Heads with the mouth beneath are called **Hypognathous**. 54.The young's in the Paurometabola are called **Nymphs.**

55. Ovipositor consists of **3** moveable parts.

56. In the flies the hinder pair is modified and forms small structures called **Halteres.**

57. Some cave-inhabiting insects have no **Eyes.**

58.A particle of blood containing nitrogenous waste material will wash over certain structures called **Malpighian tubes.**

59.The **Alimentary canal** extends from the mouth to the anus at the hinder end. 60.The size of ocelli is equal to the one facets of a **Compound eye**.

61. Tiny antenna like structure consisting of from one to six (usually five) segments, which is called the **Maxillary palpus**.

62. The **Centipedes** have a flatter body while **Millipedes** are more rounded.

63.The openings by which the air enters the insects body are called **Spiracles.**

64. In insects,the cells by their activities produce not only carbon dioxide gas but also **Nitrogenous** waste material.

65. Crop and Proventriculus are the parts of **Fore Intestine**. 66.In **Ametabola**,the insect hatches from the egg practically in an adult condition.

67. The insect,from hatching until maturity, is called a **Nymph.**

68. The jumping power of the grasshopper is due to the great development of its **Hind legs.**

69. Malpighian tubes function as a human **kidney.**

70. Insects which undergo complete metamorphosis are called **Hemimetabolous**.

71.The sutures and joint lines devide the cuticula into areas called plates or **Sclerites**. 72.Mammals belong to phylum **Chordata**.

73. The ingrowth from the anus is called **Hind intestine**.

74. The **Forelegs** are used for capturing other insects.

75. Unfolding of the imaginal buds leads to the formation of? **(Head,Thorax,Abdomen) All.**

76. The **Sutures** are slight grooves or scratches on the surface forming the moveable joints. 77.The front lip is called **Labrum**.

78. In embryo of insects,number of segments in head region is **6.**

79. If the head is extended longitudinally to the body exis it is **Pro-gnathous**.

80. In the **Butterflies**,threads attach the hinder end of the body form a supporting loop around its middle. 81.Which of the following insects has Opithognathous head? **Aphids.**

82. Class Diplopoda include **Millipede.**

83. The tracheae frequently enlarge and forms **Air Sacs**.

84. Scorpions,spiders,mites and ticks are the members of the group **Arachnids** of arthropods. 85.Crustaceans breathe through **Gills and body surface**.

86.In insects **Sympathetic nerve system** is concerned nerve supply of the alimentary canal tracheae. 87.**Micropyle** is a minute opening or group of openings through the shell.

88. Testes are present in the **upper** front part of the abdomen.

89. The feeding periods between the molt(or ecdyses) are called **instar.**

90. Presence of jointed legs is the characteristic of the **Arthropods**.

91. Which of the following organism has Book lungs as respiratory organs? **Scorpion**.

92. Each ganglion is connected by one or two transverse bundles of nerve fibers which are called **Commissures**.

93. The **Sternum** is the ventral portion of a segment of an arthropod. 94.Nodus and **Pterostigma** are parts of insects wings.

95. Larvae of beetles are usually called **Grubs**.

96. Oviduct extends downward and back ward around the side of the **Alimentary canal**. 97.The number of Ocelli in insects is 1-3.

98.When the body segments are fused with the head they form a crustacean **Cephalothorax**. 99.Below or behind the esophagus is a second ganglion,called the **sub esophageal ganglion.**

100.The stomach may develop side pouches or **Gastric caeca**. 101.The tubes in testies unite to form a single tube,the **Vas deferens.** 102.Adult insects have **7 to 15** segments.

103. In centipedes,each segment bears **Only one** pair of legs.

104. This thread or silk is spun backward and forward and around the body until it sometimes forms a complete outer covering called **Cocoon**.

105. Sowbug is the member of class **Crustacea**.

106. Which of the following is the part of hind intestine? **Rectum.**

107. Areas of membrane between veins are termed as **Cells**. 108.Imaginal buds are the part of **Holometabola insects**.

109. Which of the following is NOT a distinctive feature of the Arthropods? **Radial symmetry.**

110. In Millipedes,each segment bears **Two pairs** of legs. 111.The front margin of the wing is called the **Costa**.

112. The **Cerci** is a modified ovipositor,which is attached to poison glands.

113. In many cases,sexual organs not having become fully developed Such inserts are termed as **Neuters.**

114. When the insect escapes from the cocoon skin it is now called a **Pupa**. 115.In insects Cuticle is present outside the **Hypodermis.**

116.There are **3 to 11** segments in the abdomen of the adult insect. 117.In insects who changed their habit to make holes for egg laying,the ovipositor being a **Sting**.

118. The cuticle of the insects is largely made up of **Chitin**.

119. At the front end of the heart finds itself in a tube without chambers or valves,called the **Aorta**.

120. Which of the following insects has Prognathous head? **Weevil.**
121. Small diplopods are found boring into potatoes and sometimes wrongly called **Wireworms**.
122. Insects have **Two** types of eye.

123. The segments of the body of the arachnids are grouped into **2** sections.

124. Holometabola are those insects which on hatching are totally **unlike** and become adults by a somewhat different process.

125. The number of ocelli in insects is 1-**3**.

126. Insect vector for banana trees is **Aphid.**

127. In **Paurometabolous** insect life cycle young does not resemble its adult.

128. Generally the injury to fruit and truck crops is more than **1/10.**

129. In insects **Sympathetic nerve** system is concerned with nerve supply of alimentary canal or trachea.

130. System of blood vessels coming to an end in **Abdomen** region.

131. The insects processes a **Bilaterally** symmetrical body consisting of series of segments.

132. In some insects,eggs remain in the body of the parent for a time hatching are termed **Ovoviviparous.**

133. **Acessory Gland** produces mucus and secretions to mix with the seminal fluid.

134. **Black Files** causes onchocerclosis.

135. The sclerites on back of each segment are usually together and termed as **Targum.**

136. Insect vector for maize crops is **Small Brown Plant Hopper.**

137. **Ocelli** has group of tall pyramid like structures.

138. The **Amnion** is the outer shell of egg of insects.

139. Insects which in their early stage of live in water breathe through **Tracheal Gills.**

140. Leaf hopper is the insect vector of the **Sesame Indicum**

141. Spiracles occur in pairs on most of the **Abdominal** segments.

142. Insects act as vector to carry **All of the above**

143. In centipedes,each segment bears **One** pair of legs.

LION GROUP OF ZOOLOGISTS ADMIN SIR ARSLAN AND MUHAMMAD RAMZAN