



VISIT OUR WEBSITE
VUHUNT.COM

**"Education is
Empowerment"**



IF YOU ARE A JOB HOLDER &
CAN'T HANDLE YOUR LMS THEN
WE WILL PROVIDE YOU

LMS
HANDLING

OUR SERVICES

- ASSIGNMENTS
- QUIZ
- GDB
- FINAL PROJECTS
- SHORT LECTURE
- VIDEO LECTURE SEEN
- MID AND FINAL TERM PAST PAPER

GET STARTED

**100%
result**



Contact us

Call/whatsapp

IJAZ TAOQEER
03086274142
MUDASSIR NASIR
03197992122

vuhuntpk@gmail.com

www.youtube.com/@vuhunt

CREATED BY VUHUNT.COM: 03197992122, 03086274142

BIF401 FINAL TERM MCQS FILE

- 1) Fasta Was Develop
In_____ (Ans1988)
- 2) In Corey Paulin Modal Of The Protein Each Atom Is Represented By_____(
Solid Sphere)
- 3) How Many Storages Use For Structural Modling
_____(3)
- 4) Modeler Software Use For Homology Modling Which Use(Phython File
Format,Not Confrm)
- 5) Mass Of The Based Proteomic Begin With Measure Of(Intact Protein Amino
Acid)
- 6) Protein Sequence Obtained From(Uni Port)
- 7) During The Formation Of The 5 Nucleotide Hydrogen Bond Energy Release(-
12kcal/Mol)
- 8) Which Method Is Not Use For Making Polygenetic???Msa
- 9) Rna Dont Have Structer???Quatnaryy
- 10) Large Numbr Of Sequence Availble??Publically
- 11) Coding Region Of Dna Is???Exon
- 12) Blast Use For???Unknown And Known Protein
- 13) Expasy Develop By???Sib
- 14) Variation In Sequence Develop By??? Insertion,Deletion And Substituin
- 15) Bond Form Between C And N Terminas??? Hydrogen Bond
- 16) X.Y.Z Position Of Protein Are Available By??? Pdb
- 17) Technique Use To Measure The Mass Of Protein??? Mass Sactrometry
- 18) Large Amino Acid??? Tryptophan
- 19) Positive Charge Amino Acid??? Lysine And Arginine
- 20) Mrna Has??? Single Strand

- 21) C.Alpha Atom Are Traced To Recreat??? **3d Structer Of Protein**
- 22) Bond Form Between Two Atom??? **Energy Release**
- 23) Provide Clue Of Precursor Protein Peptide Sequence?? **Pst**
- 24) Amino Acid Requird For Betasheet??? **3-5**
- 25)Are Formed By Bonding Between C_i And N_{i+4n} Protein Backbone???
Alpha Halix
- 26) Blast Stand For??? **Basic Local Alignment Search Tool**
- 27) Amino Acid Have Uniwe Trait Which Can Help In??? **Protein Folding**
- 28) Align Comparison Between dna/Dna And dna/Protein??? **Fasta.**
- 29) Ratio Use To Calculate Mass Of Protein??? **M/Q.**
- 30) Treading Not Requied For??? **Structer Of Entire Backbone.**
- 31) Needle Man Wounch Man Or Smith Water Man Algorithm Use For??? **Local And Global Alignmnt.**
- 32) Dianamic Programing Recombinant Nucleotide By??? **Traseback.**
- 33) Insertion And Deletion Cause??? **Gap.**
- 34) Information Required For Foldding Of Amino Acid Is Present In??? **Amino Acid.**
- 35) Mgf Use For??? **Proteomic.**
- 36) Nj Algorith Use To Pridict The??? **2nd Structer Of Rna....**
- 37) Genomics, evolutionary studies and system biology are application of **bioinformatics**
- 38) Exact matching require which type of nucleotide **-same number of nucleotide**
- 39) Accurate solution of protein structure is one of the ____ **toughest problems**
- 40) **Tract back** is overlap matches can start from any position in scoring matrix
- 41) The matrix hasscores. **Positive and negative**
- 42) **MASCOT** ____ can search people mass finger printing and shotgun proteomics data set

- 43) Spectrometer measures the protein by _____ **Mass/charge**
- 44) Simulation of the folding process depends _____ **Energy function**
- 45) Information about **DNA/RNA** is available on gene bank
- 46) **TDP** is used to measure the molecules weight of intact proteins.
- 47) Coordinates of **alpha carbon** in the protein backbone can be used for structural visualization.
- 48) in structure visualization c-alpha atoms are traced to recreate a _____ **3D protein structure**
- 49) in UPGMA distance is calculated btw _____ **two clusters and between two trees**
- 50) pk value of Aspartic acid **3.9**
- 51) Largest amino acid **Tryptophan**
- 52) 2 nd STRUCTURE of proteins can be obtained by using _____ **Chou Fasman algorithm**
- 53) NJ Algorithm strategy is used to predict ____ **RNA 2` structure**
- 54) The loop of hair pin must be at least ____ in length **2 aminoacids**
- 55) Fold recognition is also called **threading**
- 56) Ab initio method in contrast ,base their prediction on **low energy model.**
- 57) Bioinformatics require.....smart mind, and connected to internet, **both,**
- 58) Sequence alignment tool is.....**PROSIGHT and MASCOT**
- 59) MS1,MS2 provide us data identifying unknown.....**Proteins sequence.**
- 60) MGF files develop as an open standard for..... **proteomics data.**
- 61) **PDB** coordinates alpha carbon in protein back bone can be used for comparison .
- 62) Alpha carbon atom can be obtained from.....**PDB**
- 63) in formation of 2nd structure of protein C & N can make.....**Hydrogen bonds**

64) information for protein folding is into its native structure is in..... **protein's amino acid sequence!**

65) Energy **released** during bond formation.

66) hydrogen bonding occur in ...**secondary** ..Protein structure

67) Bond between C and H in alpha helices____**Hydrogen bonding**

68) Amino acid having 3 codons____ **isoleucine**

69) MALDI typically adds a to protein or peptide. **Proton**

70) low quality match gets____**lower score**

71) ____ are sequences of amino acids produced during MS2. **PST (peptide sequence tags)**

72) MS2 data can be used to extract..... **peptide sequence tags.**

73) The alpha helices propensity should be more than____ **(1.0)**

74) How many types are of protein sequencing techniques__ **(2)**

75) Blast can find sequences of ____**nucleotides amino acid**

76) If a protein sequence of 26 amino acids is fragmented at 11 amino acid **C11, Z25**

77) To find out unknown sequence of nucleotide we use . **NGS or Mass spectrometry**

78) How many types of peptide May be injected in mass spectrometry chamber.. .
three hundred **thousand to four hundred thousand**

79) .**MASCOT**.can search peptide mass finger printing and shotgun proteomics dataset.

80) Stabilizing and destabilizing energy give us **quality of 2nd structure** .

81) The Fasman algorithm is based on **statistical occurrence** of Amino Acids in known structures.

82) DP recombinant the nucleotide recombination through process of
Traceback

83) **MALDI**.....add proton to a protein and a peptide..

- 84) Positively charged amino acids are..... **3**
- 85) Aromatic amino acid include **phenylalanine, tyrosine tryptophan**
- 86) Homology modelling fail to predict **quality structure**
- 87) Messenger rna is only 5-10% of rna content in the cell.
- 88) Pairwise alignments tells the similarity between sequence... **by maximizing the matches.**
- 89) Dot plots employ dot matrix with two sequence plotted represents..... **pairwise alignment and comparison.**
- 90) Differentiate b/w DNA and RNA sequence..... **RNA has more variety of sequence**
- 91) Cell molecule are produced after transformation of **DNA to protein**
- 92) Dot plot cannot deal with..... **Insertion, deletion and gaps.**
- 93) Exons are may be more **conserved.**
- 94) In dynamic algorithm we can do comparison of more sequence. **Three**
- 95) Mass/Charge ratio helps calculate the mass of the **Protein**
- 96) In scale tree branches lengths are equal to the magnitude of change in the **nodes.**
- 97) How many types of peptides mix in MS chamber..... **300,000 – 400,000**
- 98) mRNA is a structure. **Planer**
- 99) When unpaired bases of 2' stricture join to form..... **3' structure**
- 100) N Jackobson use to pridict **2' structure.**
- 101) Aromatic amino acid **Tyrosine**
- 102) Positive charge amino acids..... **Lysine, arginine, histidin**
- 103) MS begins with the measure of **intact protein**
- 104) Amount of amino acids in alpha helix..... **(4)**
- 105) Intact mass of protein can be found by..... **MS1**

- 106) MSA can be done by..... **CLUSTAL**
- 107) Which is used as sequence alignment tool..... **PROSIT**
- 108) MS1 and MS2 help to identify **(PST)**
- 109) MGF is used for **proteomics**
- 110) X,Y,Z positions of alpha carbon available online on **(PDB)**
- 111) Method to determine RNA structure **NMR, X-Ray crystallography**
- 112) CLUSTLA runs..... **Slow accurate/ fast appropriate**
- 113) Which give info about precursor protein..... **PSTS**
- 114) Raw data files format can be converted to **Open format**
- 115) Which of the following is cartoonic figure..... **Ribbon diagram**
- 116) In CATH protein recognize according to their..... **structural similarity**
- 117) Method for obtaining 1' structure..... **(Edman Degradation Tandem Mass Spectrometry).**
- 118) FASTA achieves alignment by using **short lengths of exact matches.**
- 119) Dot plots cannot capture **insertions, deletions and gap indications**
120. Dot plots employ dot matrix with two sequences plotted on **top and left of the matrix**
121. In multiple sequencing, we have **both**
122. CLUSTALW can run in two modes **slow/accurate, fast/appropriate.**
123. The correct order of progressive alignment for multiple sequencing alignment is **Pair wise alignment, Guide tree, branching order in tree.**
124. Blast can find sequencing from protein or nucleotide database **it can find known and unknown sequencing.**
125. : **Next generation sequencing** is used to known about unknown sequences of nucleotide.
126. In multiple sequence algorithm **doing so many progressive alignment can be slow.**

127. : Structural information of a molecule obtained by X ray crystallography & Nuclear magnetic resonance.

128. Before starting to match nucleotide or amino acid are need to find the Location of conserved residues.

129. Bioinformatics is an interdisciplinary relative new development of biology, mathematics, computer science, chemistry and physics.

130. Fasta online software Can also perform genome and proteome similarity search .true

131. From Fasta we can obtain the information on the parent organism, function and evolution history.

132. name any two frequently used scoring matrix Blosum and pam.

133. Amino acids are chained together by peptide bonds

134. To find out the unknown sequence of nucleotide and protein we use blast.

135. GenBank and Uniprot, have A large number of sequences are available in publically .

136. Protein databank is a data base

137. In dynamic programming we can do multiple sequence alignment upto 21 sequence .

138. How many types of secondary structure can be formed possible of RNA? 5.

139. RNA structures have the lowest (or close) quantity of free energy.

140. RNA can play role due to its structure . all of above.

141. Rna contains ribose sugar?

142. Thymine is replaced by uracil in rna.

143. RNA molecules readily degrade due to their short shelf life .

144. Each Nucleotide in rna has covalently bonded to the backbone .

145. Gibbs Free Energy” is the free energy of an RNA molecule available for reaction .

146. The structure of rna sampled can be measured by. Atomic Force Microscopy

147.The 3'-end of mRNA has a poly A tail

148.The role of mRNA Carry genetic information from DNA to Ribosomes where proteins are being assembled .