

MTH632 MID TERM SOLVED MCQS
([VISIT VURANK FOR MORE](#))



59%



6:04 PM

quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 46 sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 1 of 10 (Start time: 05:56:24 PM, 13 June 2019)

Total Marks: 1

The derivative of f at z_0 i.e. $f'(z_0) = \lim_{z \rightarrow z_0} \frac{f(z) - f(z_0)}{z - z_0}$ provided the limit exists. The function f must be defined in a neighbourhood of _____.

Select the correct option

Reload Math Equations

☐	z
☒	z_0

Click to Save Answer & Move to Next Question



59%



6:04 PM

quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 83 sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 2 of 10 (Start time: 05:57:15 PM, 13 June 2019)

Total Marks: 1

If a function $f(z) = u(x,y) + iv(x,y)$ is analytic in a domain D , then its component functions u and v are _____ in D .

Select the correct option



equal



steady



harmonic



homogeneous

Click to Save Answer & Move to Next Question



59%



6:05 PM

 quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left

83
sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 3 of 10 (Start time: 05:57:27 PM, 13 June 2019)

Total Marks: 1

If Cauchy – Riemann equations are not satisfied at a point z_0 then function is not _____ at z_0 .

Select the correct option

 Reload Math Equations

☐	integrable
☒	differentiable

Click to Save Answer & Move to Next Question



90%

10:21 PM

MTH632:Quiz#1

Quiz Start Time: 10:11 PM, 13 June 20

Question # 9 of 10 (Start time: 10:13:26 PM, 13 June 2019)

Total Marks

If $f(z) = x + ay + i(bx + cy)$ is analytic, then a, b, c equals to

_____.

Select the correct option



$a = 1$ and $c = -b$



$a = b = c = 1$



$b = 1$ and $a = -c$



$c = 1$ and $a = -b$

Click to Save Answer & Move to Next Question



59%



6:05 PM

 quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 77 sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 5 of 10 (Start time: 05:58:16 PM, 13 June 2019)

Total Marks: 1

In the complex valued function $z = x - iy$, the value of $U_x =$ _____.

Select the correct option

 Reload Math Equations

☐	-1
☐	0
☒	1
☐	2

Click to Save Answer & Move to Next Question



59%



6:06 PM

 quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 70
sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 6 of 10 (Start time: 05:58:33 PM, 13 June 2019)

Total Marks: 1

Consider $\lim_{z \rightarrow z_0} f(z) = A$ and $\lim_{z \rightarrow z_0} g(z) = B$. Then $\lim_{z \rightarrow z_0} (f(z) \pm g(z)) = \underline{\hspace{2cm}}$.

Select the correct option

 Reload Math Equations

☐	A
☐	$A + B$
☐	$A - B$
☐	$A \pm B$

Click to Save Answer & Move to Next Question



59%



6:06 PM



quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 79 sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 7 of 10 (Start time: 05:58:58 PM, 13 June 2019)

Total Marks: 1

In the complex valued function $z = x - iy$, the value of $V_x =$ _____.

Select the correct option

Reload Math Equations

☐	-1
☒	0
☐	1
☐	2

Click to Save Answer & Move to Next Question



59%



6:06 PM



quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 77 sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 8 of 10 (Start time: 05:59:12 PM, 13 June 2019)

Total Marks: 1

Consider $\lim_{z \rightarrow z_0} f(z) = A$ and $\lim_{z \rightarrow z_0} g(z) = B$. Then $\lim_{z \rightarrow z_0} (f(z)g(z)) =$ _____.

Select the correct option

Reload Math Equations

☐	$A + B$
☐	$A - B$
☒	$A \cdot B$
☐	$A \pm B$

Click to Save Answer & Move to Next Question



59%



6:07 PM



quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left 74
sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 9 of 10 (Start time: 05:59:28 PM, 13 June 2019)

Total Marks: 1

The Cauchy - Riemann equations on a pair of real - valued functions of two real variables $u(x, y)$ and $v(x, y)$ are $U_x = V_y$ and _____.

Select the correct option

Reload Math Equations



$U_y = -V_y$



$U_x = -V_x$



$U_y = -V_x$



$U_x = -V_y$

Click to Save Answer & Move to Next Question



59%



6:07 PM

 quiz.vu.edu.pk/QuizQuestion.

2



MC170402312: ZAIBA AKRAM

Time Left

73

sec(s)

MTH632:Quiz#1

Quiz Start Time: 05:56 PM, 13 June 2019

Question # 10 of 10 (Start time: 05:59:52 PM, 13 June 2019)

Total Marks: 1

A function $f(z)$ is analytic function if _____ part $f(z)$ is analytic.

Select the correct option



(a) real



(b) imaginary



(c) both (a) and (b).



(d) none of these.

Click to Save Answer & Move to Next Question

(VISIT VURANK FOR MORE)

(KEEP REMEMBER IN YOUR PRAYERS)